



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:28 PM GMT

PDB ID : 1KFS
Title : DNA POLYMERASE I KLENOW FRAGMENT (E.C.2.7.7.7) MUTANT/DNA COMPLEX
Authors : Brautigam, C.A.; Steitz, T.A.
Deposited on : 1997-08-18
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	B	7	
2	A	605	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5136 atoms, of which 1 is hydrogen and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(*GP*CP*TP*TP*AP*CP*G)-3').

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	B	3	Total	C	H	N	O	P	0	0	0
			63	29	1	13	17	3			

- Molecule 2 is a protein called PROTEIN (DNA POLYMERASE I KLENOW FRAGMENT (E.C.2.7.7.7)).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	A	601	Total	C	N	O	S	0	0	0
			4753	3008	830	899	16			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	324	MET	VAL	ENGINEERED	UNP P00582

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Zn	0	0
			3	3		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	309	Total	O	0	0
			309	309		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	7	Total	O	0	0
			7	7		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA (5'-D(*GP*CP*TP*TP*AP*CP*G)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, α , β , γ	101.70 Å 101.70 Å 85.80 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.10 19.95 – 2.10	Depositor EDS
% Data completeness (in resolution range)	86.2 (20.00-2.10) 97.5 (19.95-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	5.50	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.58 (at 2.09 Å)	Xtriage
Refinement program	X-PLOR 3.8	Depositor
R, R_{free}	0.195 , 0.219 0.214 , 0.230	Depositor DCC
R_{free} test set	6665 reflections (13.40%)	DCC
Wilson B-factor (Å ²)	25.8	Xtriage
Anisotropy	0.181	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 77.5	EDS
Estimated twinning fraction	0.034 for h,-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 86377 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5136	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	B	3.47	7/69 (10.1%)	5.15	25/104 (24.0%)
2	A	0.50	0/4839	0.75	6/6547 (0.1%)
All	All	0.65	7/4908 (0.1%)	0.98	31/6651 (0.5%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	1005	DA	C2'-C1'	15.88	1.68	1.52
1	B	1005	DA	C4'-C3'	-10.87	1.41	1.52
1	B	1007	DG	C2-N3	7.57	1.38	1.32
1	B	1005	DA	C2-N3	-5.58	1.28	1.33
1	B	1007	DG	N9-C4	-5.31	1.33	1.38
1	B	1005	DA	N9-C4	-5.25	1.34	1.37
1	B	1005	DA	O4'-C1'	5.23	1.48	1.42

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1005	DA	O4'-C1'-N9	26.65	126.65	108.00
1	B	1005	DA	O4'-C1'-C2'	-18.69	90.95	105.90
1	B	1005	DA	N9-C1'-C2'	-11.71	90.34	112.60
1	B	1007	DG	C5-N7-C8	-9.70	99.45	104.30
1	B	1007	DG	N7-C8-N9	9.51	117.86	113.10
1	B	1005	DA	P-O5'-C5'	9.20	135.62	120.90
1	B	1005	DA	C3'-C2'-C1'	9.18	113.51	102.50
1	B	1007	DG	C8-N9-C4	-8.75	102.90	106.40
1	B	1006	DC	C4'-C3'-C2'	-8.35	95.59	103.10
1	B	1006	DC	P-O3'-C3'	7.99	129.29	119.70
1	B	1005	DA	N3-C4-N9	-7.56	121.35	127.40
1	B	1005	DA	N9-C4-C5	7.26	108.70	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1005	DA	C5-C6-N1	-7.12	114.14	117.70
1	B	1007	DG	C6-C5-N7	-7.05	126.17	130.40
1	B	1005	DA	O5'-C5'-C4'	-6.79	94.02	111.00
1	B	1006	DC	O4'-C4'-C3'	6.77	110.06	106.00
1	B	1007	DG	C4-C5-N7	6.69	113.47	110.80
1	B	1005	DA	C1'-O4'-C4'	6.23	116.33	110.10
2	A	821	ARG	NE-CZ-NH2	-6.21	117.20	120.30
1	B	1005	DA	OP2-P-O3'	6.14	118.71	105.20
1	B	1005	DA	C2-N3-C4	-6.09	107.56	110.60
2	A	597	LYS	N-CA-C	5.93	127.02	111.00
1	B	1007	DG	C4'-C3'-C2'	-5.80	97.88	103.10
2	A	607	PRO	N-CA-CB	5.74	110.19	103.30
1	B	1005	DA	C8-N9-C1'	5.61	137.79	127.70
2	A	676	LEU	CA-CB-CG	5.56	128.08	115.30
1	B	1005	DA	C4'-C3'-O3'	-5.39	96.21	109.70
1	B	1005	DA	C4-N9-C1'	-5.16	117.01	126.30
2	A	405	LEU	CA-CB-CG	5.08	126.98	115.30
1	B	1007	DG	O4'-C4'-C3'	-5.01	102.50	104.50
2	A	887	GLU	N-CA-C	-5.00	97.49	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	62	1	34	5	0
2	A	4753	0	4753	120	0
3	A	3	0	0	0	0
4	B	1	0	0	0	0
5	A	309	0	0	9	0
5	B	7	0	0	0	0
All	All	5135	1	4787	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:740:GLU:HB3	2:A:794:ARG:HG2	1.49	0.95
2:A:828:ILE:HG23	2:A:829:LYS:HE2	1.57	0.86
2:A:782:LYS:HA	2:A:785:GLN:HB3	1.65	0.78
2:A:485:THR:H	2:A:488:GLN:HE21	1.30	0.78
2:A:855:ILE:HG23	2:A:908:THR:HG21	1.66	0.77
2:A:677:GLN:HE21	2:A:881:HIS:H	1.32	0.76
2:A:545:VAL:HG23	2:A:877:ILE:HD12	1.66	0.76
2:A:363:ASN:HD22	2:A:542:ARG:HH11	1.36	0.74
2:A:712:ARG:HD3	2:A:913:PRO:O	1.89	0.73
2:A:696:PRO:HB2	5:A:143:HOH:O	1.89	0.72
2:A:612:GLU:HB3	2:A:615:GLU:HG2	1.72	0.71
2:A:600:LYS:CB	2:A:614:LEU:HG	2.20	0.71
2:A:446:SER:OG	2:A:456:HIS:HD2	1.75	0.69
2:A:336:GLU:HG3	5:A:144:HOH:O	1.94	0.65
2:A:418:GLY:HA3	2:A:421:LEU:HD13	1.77	0.65
2:A:711:LEU:HD13	2:A:765:ILE:HD11	1.78	0.64
2:A:435:LEU:HD13	2:A:438:ILE:HG12	1.81	0.62
2:A:772:GLY:O	2:A:776:GLN:HG2	2.01	0.61
2:A:640:TYR:O	2:A:644:LEU:HB2	1.99	0.61
2:A:746:LEU:O	2:A:749:VAL:HG12	2.01	0.60
2:A:782:LYS:HA	2:A:785:GLN:CB	2.29	0.60
2:A:363:ASN:ND2	2:A:542:ARG:HH11	1.98	0.60
2:A:575:GLY:O	2:A:576:GLU:HG2	2.02	0.60
2:A:872:PRO:HG2	2:A:874:VAL:HG13	1.82	0.60
2:A:717:LEU:HD21	2:A:818:LEU:HD11	1.84	0.59
2:A:346:LEU:CD1	2:A:375:ILE:HG23	2.33	0.59
2:A:858:ARG:HB2	2:A:908:THR:HG23	1.85	0.58
2:A:740:GLU:HG2	5:A:277:HOH:O	2.02	0.58
2:A:828:ILE:CG2	2:A:829:LYS:HE2	2.32	0.58
2:A:556:SER:HB2	2:A:641:THR:HG22	1.86	0.57
2:A:731:LYS:HD2	2:A:746:LEU:HD22	1.87	0.57
2:A:677:GLN:HE21	2:A:881:HIS:N	2.01	0.56
2:A:586:LEU:HD22	2:A:627:ILE:HD13	1.86	0.56
2:A:836:ARG:O	2:A:840:GLU:HG3	2.06	0.56
2:A:674:PRO:HG2	2:A:676:LEU:HD13	1.88	0.56
2:A:421:LEU:HD23	2:A:438:ILE:HG23	1.87	0.56
2:A:677:GLN:NE2	2:A:881:HIS:H	2.02	0.55
1:B:1005:DA:OP1	2:A:455:ARG:NH2	2.40	0.55
2:A:588:THR:O	2:A:592:GLU:HB3	2.07	0.54
2:A:808:GLN:O	2:A:812:GLN:HG2	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:725:THR:O	2:A:729:GLU:HG2	2.07	0.54
1:B:1005:DA:P	2:A:455:ARG:HH21	2.31	0.54
2:A:684:GLU:O	2:A:687:ARG:HB2	2.08	0.53
2:A:565:GLU:HG2	5:A:157:HOH:O	2.07	0.53
2:A:802:MET:O	2:A:806:ARG:HG3	2.09	0.53
2:A:547:ILE:HD12	2:A:655:VAL:HG21	1.91	0.52
2:A:586:LEU:HD11	2:A:627:ILE:HG21	1.91	0.52
2:A:779:ILE:HD12	2:A:783:GLU:HG3	1.92	0.52
2:A:610:SER:HA	2:A:776:GLN:HE22	1.76	0.51
2:A:556:SER:HB2	2:A:641:THR:CG2	2.41	0.51
2:A:600:LYS:CB	2:A:613:VAL:HB	2.40	0.51
2:A:668:ARG:HE	2:A:849:GLN:HG3	1.76	0.51
2:A:633:LEU:CD2	2:A:685:GLU:HG3	2.41	0.50
2:A:448:ILE:HD11	2:A:530:GLU:HG3	1.92	0.50
2:A:487:ASN:H	2:A:487:ASN:HD22	1.59	0.50
2:A:734:HIS:CD2	2:A:758:LYS:HA	2.47	0.50
2:A:717:LEU:HD21	2:A:818:LEU:CD1	2.42	0.49
2:A:727:PHE:CE1	2:A:733:ILE:HG12	2.47	0.49
2:A:345:LYS:HD2	5:A:268:HOH:O	2.13	0.48
2:A:393:PRO:HD2	2:A:491:LEU:HD22	1.95	0.48
2:A:324:MET:HE2	5:A:247:HOH:O	2.12	0.48
2:A:580:LEU:N	2:A:580:LEU:HD22	2.29	0.47
2:A:617:LEU:HB3	2:A:624:PRO:HG3	1.95	0.47
2:A:487:ASN:ND2	2:A:487:ASN:H	2.11	0.47
2:A:844:ILE:O	2:A:848:MET:HE2	2.14	0.47
2:A:732:ASP:OD2	2:A:754:ARG:NH1	2.47	0.47
2:A:324:MET:HA	2:A:324:MET:CE	2.45	0.47
2:A:586:LEU:CD1	2:A:627:ILE:HG21	2.44	0.46
1:B:1005:DA:N6	2:A:658:SER:HB3	2.31	0.46
2:A:751:SER:HB3	5:A:166:HOH:O	2.16	0.46
2:A:615:GLU:HB3	2:A:628:LEU:HD21	1.96	0.46
2:A:783:GLU:O	2:A:786:LYS:HB3	2.15	0.46
2:A:683:ASN:OD1	2:A:684:GLU:N	2.48	0.46
2:A:677:GLN:HB3	5:A:194:HOH:O	2.16	0.46
2:A:677:GLN:HG2	2:A:880:VAL:HG23	1.97	0.46
2:A:547:ILE:HD13	2:A:644:LEU:HG	1.97	0.46
2:A:909:ARG:HB3	2:A:911:ASP:OD1	2.16	0.46
2:A:486:PHE:CE2	2:A:494:ALA:HB1	2.51	0.45
2:A:418:GLY:O	2:A:441:ASP:HA	2.17	0.45
2:A:756:SER:HA	2:A:777:LEU:HD11	1.99	0.45
2:A:589:ILE:O	2:A:593:LYS:HG2	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:576:GLU:HG3	2:A:577:GLU:O	2.16	0.45
2:A:614:LEU:HB2	2:A:628:LEU:HD13	1.99	0.45
2:A:711:LEU:HD22	2:A:762:PHE:CE1	2.52	0.45
2:A:880:VAL:HG11	2:A:924:TRP:HZ2	1.82	0.44
2:A:580:LEU:HD12	2:A:627:ILE:HG12	1.99	0.44
2:A:513:TRP:HB3	2:A:514:PRO:HD3	2.00	0.44
2:A:472:THR:HG22	2:A:475:GLU:H	1.82	0.44
2:A:481:LYS:HE2	2:A:481:LYS:HB3	1.84	0.44
2:A:418:GLY:HA3	2:A:421:LEU:CD1	2.46	0.44
2:A:346:LEU:HD13	2:A:375:ILE:HG23	2.00	0.44
2:A:808:GLN:OE1	2:A:812:GLN:NE2	2.51	0.43
2:A:472:THR:HG22	2:A:475:GLU:HG3	2.00	0.43
2:A:773:LEU:HD13	2:A:784:ALA:HB1	1.99	0.43
2:A:711:LEU:HD23	2:A:733:ILE:HD13	1.98	0.43
2:A:706:TYR:HB3	2:A:709:ILE:HB	2.00	0.43
2:A:690:ARG:HG2	2:A:924:TRP:CE3	2.53	0.43
2:A:880:VAL:HG11	2:A:924:TRP:CZ2	2.54	0.43
1:B:1005:DA:N3	1:B:1005:DA:C2'	2.79	0.43
2:A:715:ALA:HB1	2:A:724:LEU:HD13	2.00	0.43
2:A:354:PHE:CZ	2:A:428:LEU:HD11	2.54	0.42
2:A:708:GLN:HB3	2:A:708:GLN:HE21	1.61	0.42
2:A:798:VAL:O	2:A:802:MET:HG3	2.19	0.42
2:A:714:MET:HB2	2:A:848:MET:SD	2.59	0.42
2:A:808:GLN:HA	2:A:811:GLU:HB3	2.01	0.42
2:A:760:ILE:HD11	2:A:787:TYR:HB3	2.01	0.41
2:A:705:ASP:O	2:A:916:VAL:HA	2.19	0.41
2:A:710:GLU:OE1	2:A:765:ILE:HG21	2.20	0.41
2:A:623:LEU:N	2:A:624:PRO:HD2	2.35	0.41
2:A:771:PHE:O	2:A:775:ARG:HG3	2.21	0.41
2:A:896:VAL:O	2:A:900:ILE:HG12	2.21	0.41
2:A:780:PRO:O	2:A:783:GLU:HB3	2.20	0.41
1:B:1007:DG:N3	2:A:361:LEU:HG	2.36	0.41
2:A:773:LEU:HD22	2:A:773:LEU:O	2.20	0.41
2:A:619:LEU:HD22	2:A:619:LEU:N	2.36	0.41
2:A:434:GLU:HG3	5:A:303:HOH:O	2.20	0.41
2:A:582:SER:HA	2:A:586:LEU:HB2	2.03	0.41
2:A:552:LEU:HD12	2:A:552:LEU:HA	1.96	0.41
2:A:623:LEU:HG	2:A:627:ILE:CD1	2.52	0.40
2:A:449:LEU:HD13	2:A:516:LEU:HG	2.02	0.40
2:A:449:LEU:HD12	2:A:449:LEU:HA	1.82	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	597/605 (99%)	566 (95%)	28 (5%)	3 (0%)	34	30

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	830	SER
2	A	594	GLN
2	A	597	LYS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	500/510 (98%)	459 (92%)	41 (8%)	14	10

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	324	MET
2	A	334	LEU
2	A	339	LEU
2	A	346	LEU
2	A	375	ILE
2	A	405	LEU
2	A	409	LEU
2	A	421	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	425	ARG
2	A	435	LEU
2	A	449	LEU
2	A	472	THR
2	A	510	LEU
2	A	552	LEU
2	A	578	PHE
2	A	584	LYS
2	A	592	GLU
2	A	597	LYS
2	A	616	GLU
2	A	620	ASP
2	A	629	GLU
2	A	644	LEU
2	A	646	LEU
2	A	676	LEU
2	A	680	PRO
2	A	708	GLN
2	A	711	LEU
2	A	719	ARG
2	A	724	LEU
2	A	754	ARG
2	A	773	LEU
2	A	783	GLU
2	A	794	ARG
2	A	799	LEU
2	A	808	GLN
2	A	821	ARG
2	A	867	LEU
2	A	871	GLN
2	A	874	VAL
2	A	879	GLN
2	A	917	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	363	ASN
2	A	456	HIS
2	A	487	ASN
2	A	488	GLN
2	A	543	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	571	HIS
2	A	677	GLN
2	A	708	GLN
2	A	716	HIS
2	A	734	HIS
2	A	776	GLN
2	A	812	GLN
2	A	845	ASN
2	A	879	GLN
2	A	899	GLN
2	A	901	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	B	3/7 (42%)	0.08	0	100 100	29, 29, 38, 60	0
2	A	601/605 (99%)	0.57	73 (12%)	6 7	12, 31, 88, 100	0
All	All	604/612 (98%)	0.56	73 (12%)	6 7	12, 31, 88, 100	0

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	A	583	THR	16.5
2	A	607	PRO	13.3
2	A	608	SER	12.9
2	A	610	SER	12.7
2	A	601	LYS	10.5
2	A	609	THR	10.2
2	A	602	THR	9.6
2	A	581	SER	9.0
2	A	596	ILE	8.7
2	A	598	PRO	7.7
2	A	582	SER	7.4
2	A	619	LEU	7.3
2	A	681	VAL	6.9
2	A	781	ARG	6.6
2	A	597	LYS	6.5
2	A	599	LEU	6.5
2	A	590	LEU	6.4
2	A	611	GLU	6.2
2	A	620	ASP	6.0
2	A	591	PHE	6.0
2	A	594	GLN	6.0
2	A	621	TYR	5.9
2	A	588	THR	5.8
2	A	682	ARG	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	A	616	GLU	5.4
2	A	575	GLY	5.2
2	A	775	ARG	5.2
2	A	577	GLU	4.9
2	A	576	GLU	4.9
2	A	831	SER	4.9
2	A	584	LYS	4.5
2	A	585	GLN	4.5
2	A	833	GLY	4.1
2	A	808	GLN	4.0
2	A	832	ASN	3.9
2	A	587	GLN	3.9
2	A	612	GLU	3.8
2	A	771	PHE	3.8
2	A	615	GLU	3.7
2	A	592	GLU	3.6
2	A	835	ARG	3.6
2	A	776	GLN	3.5
2	A	613	VAL	3.5
2	A	586	LEU	3.4
2	A	783	GLU	3.4
2	A	481	LYS	3.4
2	A	768	MET	3.3
2	A	579	ASN	3.3
2	A	766	TYR	3.2
2	A	617	LEU	3.2
2	A	593	LYS	3.2
2	A	618	ALA	3.1
2	A	482	ASN	3.1
2	A	778	ASN	3.1
2	A	782	LYS	3.1
2	A	480	GLY	3.0
2	A	834	ALA	3.0
2	A	830	SER	3.0
2	A	772	GLY	2.9
2	A	589	ILE	2.8
2	A	769	SER	2.7
2	A	780	PRO	2.6
2	A	614	LEU	2.4
2	A	518	LYS	2.4
2	A	837	ALA	2.4
2	A	595	GLY	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	A	574	ALA	2.3
2	A	793	GLU	2.2
2	A	807	ALA	2.2
2	A	553	HIS	2.2
2	A	683	ASN	2.2
2	A	627	ILE	2.1
2	A	578	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	MG	B	2	1/1	0.98	0.07	-1.81	36,36,36,36	0
3	ZN	A	1	1/1	0.99	0.04	-3.99	21,21,21,21	0
3	ZN	A	320	1/1	0.78	0.08	-	99,99,99,99	0
3	ZN	A	3	1/1	0.95	0.04	-	66,66,66,66	0

6.5 Other polymers [i](#)

There are no such residues in this entry.