



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:29 PM GMT

PDB ID : 1KJI
Title : Crystal structure of glycinamide ribonucleotide transformylase in complex with Mg-AMPPCP
Authors : Thoden, J.B.; Firestine, S.M.; Benkovic, S.J.; Holden, H.M.
Deposited on : 2001-12-04
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	2732 (1.60-1.60)
Ramachandran outliers	100387	2654 (1.60-1.60)
Sidechain outliers	100360	2653 (1.60-1.60)
RSRZ outliers	91569	2479 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	391	
1	B	391	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NA	A	395	-	-	-	X
3	NA	B	395	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	EDO	A	399	-	-	-	X

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 6963 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called phosphoribosylglycinamide formyltransferase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	389	Total	C	N	O	S	0	1	0
			2967	1868	528	557	14			
1	B	389	Total	C	N	O	S	0	0	0
			2965	1867	528	557	13			

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	2	Total	Mg	0	0
			2	2		
2	A	2	Total	Mg	0	0
			2	2		


- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Na	0	0
			1	1		
3	A	2	Total	Na	0	0
			2	2		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		

- Molecule 5 is PHOSPHOMETHYLPHOSPHONIC ACID ADENYLATE ESTER (three-letter code: ACP) (formula: C₁₁H₁₈N₅O₁₂P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			31	11	5	12	3		
5	B	1	Total	C	N	O	P	0	0
			31	11	5	12	3		

- Molecule 6 is 3[N-MORPHOLINO]PROPANE SULFONIC ACID (three-letter code: MPO) (formula: $C_7H_{15}NO_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	N	O	S	0	0
			13	7	1	4	1		

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	504	Total	O	0	0
			504	504		
8	B	440	Total	O	0	0
			440	440		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: phosphoribosylglycinamide formyltransferase 2



- Molecule 1: phosphoribosylglycinamide formyltransferase 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2	Depositor
Cell constants a, b, c, α , β , γ	62.20 Å 179.20 Å 76.20 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.60 62.20 – 1.55	Depositor EDS
% Data completeness (in resolution range)	93.0 (30.00-1.60) 88.1 (62.20-1.55)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.58 (at 1.55 Å)	Xtriage
Refinement program	TNT	Depositor
R, R_{free}	0.183 , 0.229 0.190 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	17.1	Xtriage
Anisotropy	0.459	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 123.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	0 of 109657 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	6963	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.82% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, NA, EDO, ACP, MPO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.94	24/3020 (0.8%)	1.40	43/4091 (1.1%)
1	B	0.93	25/3014 (0.8%)	1.38	41/4083 (1.0%)
All	All	0.94	49/6034 (0.8%)	1.39	84/8174 (1.0%)

All (49) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	96	GLU	CD-OE2	7.46	1.33	1.25
1	A	30	GLU	CD-OE2	7.08	1.33	1.25
1	B	143	GLU	CD-OE2	6.77	1.33	1.25
1	A	72	GLU	CD-OE2	6.57	1.32	1.25
1	B	82	GLU	CD-OE2	6.52	1.32	1.25
1	A	96	GLU	CD-OE2	6.47	1.32	1.25
1	B	245	GLU	CD-OE2	6.43	1.32	1.25
1	B	172	GLU	CD-OE2	6.26	1.32	1.25
1	B	195	GLU	CD-OE2	6.23	1.32	1.25
1	B	97	GLU	CD-OE2	6.20	1.32	1.25
1	B	226	GLU	CD-OE2	6.19	1.32	1.25
1	A	274	GLU	CD-OE2	6.16	1.32	1.25
1	A	138	GLU	CD-OE2	6.09	1.32	1.25
1	A	279	GLU	CD-OE2	6.07	1.32	1.25
1	B	372	GLU	CD-OE2	6.00	1.32	1.25
1	A	97	GLU	CD-OE2	6.00	1.32	1.25
1	A	203	GLU	CD-OE2	5.99	1.32	1.25
1	A	195	GLU	CD-OE2	5.94	1.32	1.25
1	A	37	GLU	CD-OE2	5.94	1.32	1.25
1	B	37	GLU	CD-OE2	5.81	1.32	1.25
1	A	372	GLU	CD-OE2	5.74	1.31	1.25
1	A	249	GLU	CD-OE2	5.71	1.31	1.25
1	B	267	GLU	CD-OE2	5.71	1.31	1.25
1	A	357	GLU	CD-OE2	5.66	1.31	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	362	ARG	NE-CZ	5.65	1.40	1.33
1	B	115	GLU	CD-OE2	5.64	1.31	1.25
1	A	82	GLU	CD-OE2	5.63	1.31	1.25
1	A	226	GLU	CD-OE2	5.58	1.31	1.25
1	A	379	GLU	CD-OE2	5.57	1.31	1.25
1	A	172	GLU	CD-OE2	5.54	1.31	1.25
1	B	22	GLU	CD-OE2	5.52	1.31	1.25
1	B	249	GLU	CD-OE2	5.51	1.31	1.25
1	B	274	GLU	CD-OE2	5.43	1.31	1.25
1	A	124	GLU	CD-OE2	5.35	1.31	1.25
1	A	245	GLU	CD-OE2	5.35	1.31	1.25
1	B	357	GLU	CD-OE2	5.22	1.31	1.25
1	B	123	GLU	CD-OE2	5.20	1.31	1.25
1	A	362	ARG	CG-CD	5.20	1.65	1.51
1	A	267	GLU	CD-OE2	5.19	1.31	1.25
1	A	232	GLU	CD-OE2	5.16	1.31	1.25
1	B	84	GLU	CD-OE2	5.15	1.31	1.25
1	B	279	GLU	CD-OE2	5.13	1.31	1.25
1	A	22	GLU	CD-OE2	5.12	1.31	1.25
1	B	74	GLU	CD-OE2	5.07	1.31	1.25
1	B	26	GLU	CD-OE2	5.07	1.31	1.25
1	B	138	GLU	CD-OE2	5.07	1.31	1.25
1	B	124	GLU	CD-OE2	5.03	1.31	1.25
1	B	72	GLU	CD-OE2	5.02	1.31	1.25
1	B	95	GLU	CD-OE2	5.00	1.31	1.25

All (84) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	286	ASP	CB-CG-OD2	-10.84	108.55	118.30
1	A	286	ASP	CB-CG-OD1	10.81	128.03	118.30
1	A	362	ARG	NE-CZ-NH2	9.61	125.10	120.30
1	B	296	ASP	CB-CG-OD1	8.94	126.34	118.30
1	B	363	ARG	NE-CZ-NH1	8.72	124.66	120.30
1	B	147	ASP	CB-CG-OD1	8.48	125.93	118.30
1	A	362	ARG	CG-CD-NE	8.43	129.50	111.80
1	B	201	ASP	CB-CG-OD2	-8.40	110.74	118.30
1	A	362	ARG	CD-NE-CZ	8.21	135.09	123.60
1	B	296	ASP	CB-CG-OD2	-8.04	111.06	118.30
1	A	246	ARG	NE-CZ-NH1	8.03	124.31	120.30
1	B	33	ARG	NE-CZ-NH2	-8.02	116.29	120.30
1	B	191	ARG	NE-CZ-NH2	-7.80	116.40	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	136	ASP	CB-CG-OD2	-7.80	111.28	118.30
1	A	201	ASP	CB-CG-OD2	-7.62	111.44	118.30
1	B	147	ASP	CB-CG-OD2	-7.38	111.66	118.30
1	B	363	ARG	NE-CZ-NH2	-7.32	116.64	120.30
1	A	376	ASP	CB-CG-OD2	-7.31	111.72	118.30
1	A	347	ASP	CB-CG-OD1	7.29	124.86	118.30
1	B	142	ARG	NE-CZ-NH1	7.22	123.91	120.30
1	A	191	ARG	NE-CZ-NH1	7.18	123.89	120.30
1	B	42	ASP	CB-CG-OD1	7.09	124.68	118.30
1	B	203	GLU	CB-CA-C	-7.04	96.33	110.40
1	A	362	ARG	NH1-CZ-NH2	-7.01	111.69	119.40
1	A	227	ASP	CB-CG-OD2	-6.95	112.05	118.30
1	A	380	ARG	NE-CZ-NH1	6.95	123.77	120.30
1	A	296	ASP	CB-CG-OD1	6.90	124.51	118.30
1	A	201	ASP	CB-CG-OD1	6.78	124.40	118.30
1	A	9	ARG	NE-CZ-NH1	6.74	123.67	120.30
1	A	252	ARG	NE-CZ-NH1	6.67	123.64	120.30
1	B	89	ASP	CB-CG-OD2	-6.63	112.33	118.30
1	A	359	ASP	CB-CG-OD2	-6.51	112.44	118.30
1	A	89	ASP	CB-CG-OD2	-6.46	112.48	118.30
1	A	227	ASP	CB-CG-OD1	6.44	124.09	118.30
1	A	213	ASP	CB-CG-OD1	6.43	124.09	118.30
1	B	89	ASP	CB-CG-OD1	6.39	124.05	118.30
1	B	191	ARG	NE-CZ-NH1	6.29	123.45	120.30
1	B	201	ASP	CB-CG-OD1	6.26	123.94	118.30
1	A	186	ARG	NE-CZ-NH1	6.19	123.39	120.30
1	A	229	ASP	CB-CG-OD2	-6.16	112.76	118.30
1	B	69	ARG	NE-CZ-NH1	6.11	123.35	120.30
1	B	286	ASP	CB-CG-OD2	-6.10	112.81	118.30
1	A	380	ARG	NE-CZ-NH2	-6.09	117.25	120.30
1	B	224	ARG	NE-CZ-NH1	5.99	123.30	120.30
1	B	347	ASP	CB-CG-OD1	5.99	123.69	118.30
1	A	133	ARG	NE-CZ-NH1	5.96	123.28	120.30
1	B	286	ASP	CB-CG-OD1	5.89	123.61	118.30
1	A	63	ASP	CB-CG-OD1	5.89	123.60	118.30
1	B	118	ARG	NE-CZ-NH1	5.79	123.19	120.30
1	A	42	ASP	CB-CG-OD1	5.73	123.45	118.30
1	A	261	TYR	CB-CG-CD2	-5.72	117.57	121.00
1	B	142	ARG	NE-CZ-NH2	-5.69	117.45	120.30
1	A	376	ASP	CB-CG-OD1	5.69	123.42	118.30
1	B	376	ASP	CB-CG-OD2	-5.65	113.22	118.30
1	B	136	ASP	CB-CG-OD1	5.62	123.35	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	273	ASP	CB-CG-OD2	-5.60	113.26	118.30
1	B	351	ARG	NE-CZ-NH2	-5.60	117.50	120.30
1	A	213	ASP	CB-CG-OD2	-5.59	113.27	118.30
1	A	347	ASP	CB-CG-OD2	-5.58	113.28	118.30
1	A	42	ASP	CB-CG-OD2	-5.57	113.29	118.30
1	A	104	CYS	N-CA-CB	5.53	120.55	110.60
1	B	104	CYS	N-CA-CB	5.47	120.44	110.60
1	B	273	ASP	CB-CG-OD1	5.46	123.22	118.30
1	A	14	ARG	NE-CZ-NH2	-5.42	117.59	120.30
1	A	362	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	B	136	ASP	CB-CG-OD2	-5.41	113.43	118.30
1	A	136	ASP	CB-CG-OD1	5.39	123.15	118.30
1	B	283	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	B	347	ASP	CB-CG-OD2	-5.29	113.53	118.30
1	A	65	ASP	CB-CG-OD2	-5.26	113.56	118.30
1	B	46	ASP	CB-CG-OD1	5.26	123.04	118.30
1	B	65	ASP	CB-CG-OD2	-5.26	113.57	118.30
1	B	42	ASP	CB-CG-OD2	-5.24	113.58	118.30
1	B	246	ARG	NE-CZ-NH1	5.24	122.92	120.30
1	A	283	ARG	NE-CZ-NH1	5.21	122.91	120.30
1	B	353	PHE	N-CA-C	5.21	125.08	111.00
1	B	180	TYR	CB-CG-CD2	-5.20	117.88	121.00
1	A	9	ARG	NE-CZ-NH2	-5.18	117.71	120.30
1	B	227	ASP	CB-CG-OD2	-5.13	113.68	118.30
1	A	273	ASP	CB-CG-OD2	-5.12	113.69	118.30
1	A	158	MET	CA-CB-CG	-5.10	104.63	113.30
1	A	296	ASP	CB-CG-OD2	-5.08	113.73	118.30
1	B	43	ARG	NE-CZ-NH2	-5.04	117.78	120.30
1	B	65	ASP	CB-CG-OD1	5.02	122.82	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2967	0	2989	59	0
1	B	2965	0	2988	101	1
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0
4	A	1	0	0	0	0
5	A	31	0	14	2	0
5	B	31	0	14	4	0
6	A	13	0	15	0	0
7	A	4	0	6	0	0
8	A	504	0	0	8	0
8	B	440	0	0	14	0
All	All	6963	0	6026	159	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:LEU:HG	1:A:79:ILE:HD11	1.29	1.13
1:B:161:SER:N	5:B:396:ACP:H3B1	1.85	0.91
1:B:161:SER:H	5:B:396:ACP:H3B1	1.34	0.90
1:B:79:ILE:HD11	1:B:99:LEU:HD22	1.53	0.89
1:B:153:ILE:HD12	1:B:197:VAL:HG22	1.60	0.83
1:B:94:LEU:HB3	1:B:99:LEU:HD13	1.62	0.82
1:B:65:ASP:O	1:B:69:ARG:HG3	1.83	0.79
1:B:132:TYR:O	1:B:133:ARG:HD2	1.84	0.78
1:B:191:ARG:HG3	1:B:192:VAL:N	1.98	0.77
1:B:153:ILE:CD1	1:B:197:VAL:HG22	2.14	0.76
1:B:183:GLN:O	1:B:187:ALA:HB2	1.87	0.74
1:B:156:PRO:HG2	1:B:159:SER:HB2	1.68	0.73
1:B:115:GLU:HG3	1:B:134:PHE:CE2	2.26	0.70
1:B:351:ARG:NH2	8:B:815:HOH:O	2.25	0.70
1:B:89:ASP:HB2	8:B:768:HOH:O	1.94	0.68
1:B:171:ALA:O	1:B:174:LEU:HG	1.94	0.67
1:B:138:GLU:OE2	1:B:142:ARG:NH1	2.28	0.67
1:B:180:TYR:O	1:B:183:GLN:HB3	1.95	0.67
1:A:100:ASN:ND2	8:A:637:HOH:O	2.28	0.67
1:B:141:PHE:CE1	1:B:145:VAL:HG21	2.30	0.66
1:B:169:ARG:HG3	1:B:169:ARG:HH11	1.60	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:175:ALA:HB3	8:B:836:HOH:O	1.96	0.65
1:A:249:GLU:HG2	8:A:885:HOH:O	1.96	0.64
1:A:185:GLY:O	1:A:187:ALA:N	2.30	0.64
1:A:18:LEU:CG	1:A:79:ILE:HD11	2.19	0.64
1:B:114:ARG:NH2	1:B:159:SER:O	2.31	0.64
1:B:115:GLU:HG3	1:B:134:PHE:CD2	2.32	0.64
1:B:231:ARG:NH2	8:B:631:HOH:O	2.28	0.64
1:B:115:GLU:HA	1:B:134:PHE:CZ	2.33	0.63
1:B:174:LEU:N	1:B:174:LEU:HD23	2.12	0.63
1:A:79:ILE:HB	1:A:99:LEU:HD21	1.80	0.63
1:B:156:PRO:HG2	1:B:159:SER:CB	2.28	0.62
1:B:186:ARG:NH1	1:B:190:GLY:N	2.48	0.62
1:A:200:PHE:HA	1:A:271[A]:CYS:SG	2.40	0.62
1:B:355:LYS:HD3	1:B:362:ARG:HE	1.66	0.61
1:B:316:ARG:HD2	8:B:727:HOH:O	1.99	0.60
1:B:125:LEU:O	8:B:694:HOH:O	2.15	0.60
1:B:150:TYR:HB3	1:B:151:PRO:HA	1.83	0.60
1:B:200:PHE:HA	1:B:271:CYS:SG	2.41	0.60
1:B:160:SER:H	1:B:163:LYS:HG2	1.65	0.60
1:A:16:MET:O	1:A:79:ILE:HD12	2.00	0.59
1:A:136:ASP:HB3	1:A:191:ARG:HD3	1.82	0.59
1:B:151:PRO:HB2	1:B:167:PHE:CE1	2.38	0.59
1:A:82:GLU:HB2	8:A:439:HOH:O	2.01	0.58
1:B:143:GLU:O	1:B:146:ALA:HB3	2.04	0.58
1:A:348:LEU:HD11	1:A:384:ALA:CB	2.34	0.57
1:B:153:ILE:HD12	1:B:197:VAL:CG2	2.32	0.57
1:A:380:ARG:HB2	8:A:859:HOH:O	2.04	0.56
1:B:81:PRO:HB3	1:B:86:ILE:HD13	1.87	0.56
1:A:60:ASN:ND2	1:A:63:ASP:HB2	2.21	0.56
1:A:136:ASP:HB3	1:A:191:ARG:CD	2.36	0.55
1:A:68:ARG:HD3	8:A:667:HOH:O	2.07	0.55
1:B:136:ASP:N	1:B:136:ASP:OD2	2.30	0.55
1:A:245:GLU:O	1:A:249:GLU:HG3	2.07	0.55
1:B:115:GLU:O	1:B:119:ARG:HG3	2.07	0.54
1:A:100:ASN:C	1:A:100:ASN:HD22	2.10	0.54
1:A:231:ARG:NH2	8:A:783:HOH:O	2.35	0.54
1:B:150:TYR:HE2	1:B:168:ILE:HG22	1.73	0.54
1:B:283:ARG:NH2	8:B:516:HOH:O	2.41	0.53
1:B:186:ARG:HG3	1:B:187:ALA:H	1.72	0.53
1:B:79:ILE:CD1	1:B:99:LEU:HD22	2.34	0.53
1:B:186:ARG:HG3	1:B:187:ALA:N	2.23	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:65:ASP:O	1:A:69:ARG:HG3	2.09	0.53
1:B:159:SER:HB2	1:B:163:LYS:O	2.09	0.52
1:A:96:GLU:HG3	8:A:741:HOH:O	2.09	0.52
1:B:150:TYR:CB	1:B:151:PRO:HA	2.38	0.52
1:A:96:GLU:C	1:A:98:GLY:H	2.13	0.52
1:B:141:PHE:CD2	1:B:178:TRP:HB2	2.46	0.51
1:A:185:GLY:C	1:A:187:ALA:H	2.14	0.51
1:A:161:SER:N	5:A:1:ACP:H3B1	2.26	0.51
1:B:183:GLN:HA	8:B:809:HOH:O	2.11	0.51
1:B:138:GLU:HA	1:B:141:PHE:HB3	1.92	0.51
5:B:396:ACP:H8	5:B:396:ACP:O5'	2.10	0.51
1:A:93:GLN:OE1	1:A:93:GLN:HA	2.10	0.51
1:B:141:PHE:CE1	1:B:145:VAL:CG2	2.94	0.50
1:A:327:LEU:HD12	1:A:363:ARG:HA	1.94	0.50
1:A:16:MET:HB3	1:A:79:ILE:HD13	1.93	0.50
1:B:150:TYR:CE2	1:B:168:ILE:HG22	2.47	0.50
1:B:201:ASP:N	1:B:270:VAL:O	2.45	0.50
1:B:166:THR:HG22	1:B:168:ILE:CG1	2.42	0.49
1:B:83:ILE:O	1:B:86:ILE:HD12	2.12	0.49
1:A:327:LEU:HD12	1:A:363:ARG:CA	2.42	0.49
1:B:119:ARG:O	1:B:123:GLU:HB2	2.12	0.49
1:A:330:LEU:N	1:A:330:LEU:HD23	2.27	0.49
1:B:169:ARG:CG	1:B:169:ARG:HH11	2.24	0.49
1:A:127:LEU:HD11	1:A:254:VAL:HG23	1.95	0.48
1:B:79:ILE:HD11	1:B:99:LEU:CD2	2.36	0.48
1:B:166:THR:HG22	1:B:168:ILE:HG13	1.95	0.48
1:A:82:GLU:O	1:A:82:GLU:HG2	2.14	0.48
1:A:357:GLU:H	1:A:362:ARG:HH21	1.60	0.48
1:A:171:ALA:HA	1:A:174:LEU:HG	1.96	0.48
1:B:154:VAL:O	1:B:165:GLN:HA	2.14	0.48
1:B:253:LYS:HG3	8:B:518:HOH:O	2.14	0.48
1:B:40:ALA:O	1:B:56:SER:HB2	2.14	0.47
1:A:99:LEU:HG	1:A:100:ASN:N	2.29	0.47
1:B:52:VAL:HA	8:B:745:HOH:O	2.13	0.47
1:A:291:THR:HA	1:A:294:SER:OG	2.15	0.47
1:B:160:SER:O	1:B:163:LYS:HG2	2.15	0.47
1:B:148:ILE:HG13	1:B:194:VAL:HG12	1.97	0.47
1:B:132:TYR:HA	1:B:194:VAL:O	2.14	0.47
1:A:159:SER:HA	8:A:868:HOH:O	2.14	0.47
1:A:160:SER:O	1:A:163:LYS:HG2	2.15	0.46
1:B:160:SER:HA	5:B:396:ACP:O1B	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:178:TRP:O	1:B:182:GLN:NE2	2.49	0.46
1:A:378:ILE:O	1:A:382:LYS:HG3	2.16	0.45
1:A:95:GLU:HA	1:A:99:LEU:O	2.16	0.45
1:B:238:GLN:HA	8:B:773:HOH:O	2.16	0.45
1:B:152:CYS:N	1:B:168:ILE:O	2.46	0.45
1:B:291:THR:HA	1:B:294:SER:OG	2.17	0.45
1:B:135:ALA:O	1:B:191:ARG:HD3	2.18	0.44
1:B:86:ILE:HG22	1:B:87:ALA:N	2.32	0.44
1:A:113:ASN:HB2	1:A:158:MET:HG2	1.99	0.44
1:B:153:ILE:HD11	1:B:197:VAL:HG22	1.98	0.44
1:B:182:GLN:O	1:B:187:ALA:HA	2.18	0.44
1:A:113:ASN:HB2	1:A:158:MET:CG	2.48	0.44
1:A:209:VAL:O	1:A:215:VAL:HA	2.18	0.44
1:B:283:ARG:NH1	8:B:602:HOH:O	2.33	0.44
1:B:151:PRO:CB	1:B:167:PHE:CE1	3.01	0.44
1:B:109:LYS:O	1:B:112:MET:HG3	2.18	0.44
1:A:79:ILE:CB	1:A:99:LEU:HD21	2.47	0.44
1:B:186:ARG:CG	1:B:187:ALA:H	2.31	0.44
1:A:186:ARG:HG3	1:A:187:ALA:N	2.32	0.44
1:B:186:ARG:O	1:B:187:ALA:HB3	2.18	0.43
1:B:115:GLU:HA	1:B:134:PHE:CE2	2.53	0.43
1:B:199:LYS:HA	1:B:199:LYS:HD2	1.76	0.43
1:A:329:GLN:HA	1:A:360:GLY:O	2.18	0.43
1:B:160:SER:H	1:B:163:LYS:CG	2.31	0.43
1:B:69:ARG:HD3	8:B:683:HOH:O	2.17	0.43
1:A:336:THR:HB	1:B:3:LEU:HD11	2.01	0.43
1:B:286:ASP:OD2	1:B:363:ARG:NH2	2.50	0.43
1:A:157:VAL:HG23	1:A:158:MET:HG3	2.01	0.43
1:A:162:GLY:HA3	1:A:228:GLY:HA2	2.00	0.43
1:B:93:GLN:NE2	1:B:93:GLN:HA	2.30	0.43
5:A:1:ACP:H8	5:A:1:ACP:O5'	2.18	0.43
1:B:140:LEU:HD12	8:B:782:HOH:O	2.19	0.42
1:B:176:GLN:HA	1:B:176:GLN:HE21	1.84	0.42
1:A:16:MET:CG	1:A:79:ILE:HD13	2.50	0.42
1:A:348:LEU:HD11	1:A:384:ALA:HB2	2.01	0.42
1:A:79:ILE:HG22	1:A:101:VAL:HA	2.01	0.42
1:B:42:ASP:O	1:B:58:VAL:HA	2.19	0.42
1:B:141:PHE:HE1	1:B:145:VAL:HG21	1.78	0.42
1:A:382:LYS:HE3	1:A:382:LYS:HB3	1.75	0.42
1:A:5:GLY:HA3	1:A:11:ALA:O	2.19	0.42
1:B:241:PRO:O	1:B:245:GLU:HB2	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:328:PRO:HD2	1:B:362:ARG:O	2.19	0.42
1:A:141:PHE:CE2	1:A:178:TRP:HB2	2.54	0.42
1:B:139:SER:O	1:B:143:GLU:HB2	2.19	0.41
1:B:83:ILE:HG12	1:B:86:ILE:HD11	2.02	0.41
1:B:186:ARG:CG	1:B:187:ALA:N	2.83	0.41
1:A:341:GLN:OE1	1:B:2:THR:N	2.54	0.41
1:B:18:LEU:HB2	1:B:81:PRO:HA	2.03	0.41
1:A:9:ARG:HD3	1:B:356:PRO:HA	2.02	0.41
1:B:37:GLU:HA	1:B:54:HIS:CE1	2.54	0.41
1:A:256:LEU:HA	1:A:256:LEU:HD23	1.92	0.41
1:A:305:ARG:HD3	1:A:311:PRO:O	2.21	0.41
1:A:127:LEU:CD1	1:A:254:VAL:HG23	2.51	0.40
1:A:328:PRO:HD2	1:A:362:ARG:O	2.21	0.40
1:B:154:VAL:HG12	1:B:166:THR:HB	2.04	0.40
1:B:62:LEU:HA	1:B:62:LEU:HD23	1.87	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:191:ARG:NH2	1:B:191:ARG:NH2[2_555]	2.01	0.19

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	386/391 (99%)	372 (96%)	13 (3%)	1 (0%)	46	23
1	B	385/391 (98%)	367 (95%)	17 (4%)	1 (0%)	46	23
All	All	771/782 (99%)	739 (96%)	30 (4%)	2 (0%)	46	23

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	186	ARG
1	B	85	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	312/311 (100%)	298 (96%)	14 (4%)	34	10
1	B	311/311 (100%)	283 (91%)	28 (9%)	12	1
All	All	623/622 (100%)	581 (93%)	42 (7%)	20	4

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	86	ILE
1	A	100	ASN
1	A	112	MET
1	A	113	ASN
1	A	160	SER
1	A	186	ARG
1	A	191	ARG
1	A	199	LYS
1	A	220	PRO
1	A	227	ASP
1	A	230	TYR
1	A	307	PHE
1	A	361	SER
1	A	362	ARG
1	B	83	ILE
1	B	93	GLN
1	B	99	LEU
1	B	100	ASN
1	B	106	ARG
1	B	112	MET
1	B	129	THR
1	B	136	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	139	SER
1	B	140	LEU
1	B	141	PHE
1	B	142	ARG
1	B	143	GLU
1	B	147	ASP
1	B	155	LYS
1	B	159	SER
1	B	169	ARG
1	B	174	LEU
1	B	176	GLN
1	B	179	LYS
1	B	182	GLN
1	B	191	ARG
1	B	199	LYS
1	B	229	ASP
1	B	230	TYR
1	B	245	GLU
1	B	256	LEU
1	B	307	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	100	ASN
1	A	182	GLN
1	A	225	GLN
1	A	248	GLN
1	A	329	GLN
1	B	100	ASN
1	B	126	GLN
1	B	165	GLN
1	B	176	GLN
1	B	225	GLN
1	B	248	GLN
1	B	333	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	ACP	A	1	2	25,33,33	1.49	4 (16%)	31,52,52	2.21	6 (19%)
6	MPO	A	398	-	12,13,13	1.67	1 (8%)	15,17,17	1.45	4 (26%)
7	EDO	A	399	-	3,3,3	0.42	0	2,2,2	0.51	0
5	ACP	B	396	2	25,33,33	1.25	5 (20%)	31,52,52	1.70	3 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ACP	A	1	2	-	0/15/38/38	0/3/3/3
6	MPO	A	398	-	-	0/7/15/15	0/1/1/1
7	EDO	A	399	-	-	0/1/1/1	0/0/0/0
5	ACP	B	396	2	-	0/15/38/38	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1	ACP	C6-N6	-2.64	1.26	1.34
5	B	396	ACP	C6-N6	-2.49	1.27	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	396	ACP	PB-O2B	-2.13	1.51	1.56
5	B	396	ACP	PG-O3G	2.01	1.59	1.54
5	B	396	ACP	C2-N1	2.27	1.38	1.33
5	A	1	ACP	PG-O3G	2.64	1.61	1.54
5	A	1	ACP	C2-N1	2.73	1.39	1.33
5	B	396	ACP	PB-O3A	2.81	1.61	1.58
5	A	1	ACP	PB-O3A	4.47	1.63	1.58
6	A	398	MPO	C3-N1	4.93	1.59	1.47

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1	ACP	N3-C2-N1	-8.37	122.49	128.89
5	B	396	ACP	N3-C2-N1	-6.52	123.90	128.89
6	A	398	MPO	O3-S1-O1	-3.24	104.08	111.61
6	A	398	MPO	C3-C2-C1	-2.74	107.86	112.37
6	A	398	MPO	C7-N1-C4	2.02	113.27	108.90
5	A	1	ACP	O2B-PB-C3B	2.12	116.13	106.88
6	A	398	MPO	O1-S1-C1	2.12	108.72	106.91
5	A	1	ACP	O3A-PA-O5'	2.27	108.95	102.94
5	B	396	ACP	O2B-PB-C3B	2.48	117.67	106.88
5	A	1	ACP	O3'-C3'-C2'	3.21	122.26	111.83
5	A	1	ACP	O3G-PG-C3B	3.37	114.57	106.40
5	B	396	ACP	C2-N1-C6	3.76	125.49	118.77
5	A	1	ACP	C2-N1-C6	5.06	127.82	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	1	ACP	2	0
5	B	396	ACP	4	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	389/391 (99%)	-0.44	10 (2%) 59 57	12, 19, 54, 99	0
1	B	389/391 (99%)	-0.05	32 (8%) 14 12	12, 24, 72, 96	0
All	All	778/782 (99%)	-0.25	42 (5%) 29 26	12, 21, 66, 99	0

All (42) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	162	GLY	11.9
1	B	159	SER	11.5
1	B	160	SER	9.0
1	A	161	SER	7.3
1	A	162	GLY	4.6
1	B	185	GLY	4.6
1	A	185	GLY	4.3
1	B	134	PHE	4.0
1	B	161	SER	4.0
1	A	184	GLY	3.9
1	B	175	ALA	3.9
1	B	169	ARG	3.7
1	B	187	ALA	3.6
1	B	168	ILE	3.3
1	B	148	ILE	3.3
1	B	141	PHE	3.2
1	B	199	LYS	3.2
1	A	186	ARG	3.2
1	B	158	MET	3.1
1	B	145	VAL	3.1
1	B	183	GLN	3.1
1	A	190	GLY	3.0
1	B	153	ILE	3.0
1	B	167	PHE	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	183	GLN	2.9
1	B	198	VAL	2.8
1	B	190	GLY	2.8
1	B	152	CYS	2.7
1	B	197	VAL	2.6
1	B	163	LYS	2.6
1	B	200	PHE	2.6
1	B	150	TYR	2.6
1	B	184	GLY	2.5
1	B	176	GLN	2.4
1	B	135	ALA	2.4
1	B	194	VAL	2.3
1	B	180	TYR	2.3
1	B	132	TYR	2.3
1	A	163	LYS	2.2
1	A	228	GLY	2.1
1	B	178	TRP	2.1
1	A	159	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	NA	A	395	1/1	0.75	0.17	21.75	47,47,47,47	0
3	NA	B	395	1/1	0.82	0.14	6.57	51,51,51,51	0
7	EDO	A	399	4/4	0.79	0.14	2.79	41,41,43,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	NA	A	396	1/1	0.98	0.10	0.63	30,30,30,30	0
6	MPO	A	398	13/13	0.99	0.05	-0.29	16,20,23,25	0
5	ACP	A	1	31/31	0.97	0.08	-0.40	17,21,38,41	0
5	ACP	B	396	31/31	0.94	0.12	-0.55	23,35,54,98	0
2	MG	B	393	1/1	0.72	0.14	-0.58	39,39,39,39	0
2	MG	A	393	1/1	0.99	0.07	-0.78	28,28,28,28	0
4	CL	A	397	1/1	0.99	0.04	-3.77	25,25,25,25	0
2	MG	A	394	1/1	0.99	0.13	-	30,30,30,30	0
2	MG	B	394	1/1	0.77	0.23	-	55,55,55,55	0

6.5 Other polymers [i](#)

There are no such residues in this entry.