



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 10:05 AM GMT

PDB ID : 3KP1
Title : Crystal structure of ornithine 4,5 aminomutase (Resting State)
Authors : Wolthers, K.R.; Levy, C.W.; Scrutton, N.S.; Leys, D.
Deposited on : 2009-11-14
Resolution : 2.01 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.01 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	763	<div> <div>3%</div> <div>76% 19% 5%</div> </div>
1	B	763	<div> <div>81% 14% 5%</div> </div>
1	C	763	<div> <div>% 82% 13% 5%</div> </div>
1	D	763	<div> <div>% 80% 15% 5%</div> </div>
2	E	121	<div> <div>74% 16% 10%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	121	
2	G	121	
2	H	121	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	B12	A	1801	X	-	X	-
4	B12	B	1801	X	-	-	-
4	B12	D	1801	X	-	X	-
5	5AD	A	767	X	-	-	-
5	5AD	B	767	X	-	-	-
5	5AD	C	767	X	-	-	-
5	5AD	D	767	X	-	-	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 29625 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-ornithine aminomutase E component.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	726	Total	C	N	O	S	0	0	0
			5634	3550	978	1072	34			
1	B	726	Total	C	N	O	S	0	0	0
			5655	3568	981	1072	34			
1	D	726	Total	C	N	O	S	0	0	0
			5647	3564	981	1068	34			
1	C	726	Total	C	N	O	S	0	0	0
			5633	3557	978	1064	34			

There are 104 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	ILE	SEE REMARK 999	UNP Q8VPJ5
A	?	-	ASP	SEE REMARK 999	UNP Q8VPJ5
A	?	-	GLY	SEE REMARK 999	UNP Q8VPJ5
A	744	SER	-	EXPRESSION TAG	UNP Q8VPJ5
A	745	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
A	746	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
A	747	PRO	-	EXPRESSION TAG	UNP Q8VPJ5
A	748	ASN	-	EXPRESSION TAG	UNP Q8VPJ5
A	749	SER	-	EXPRESSION TAG	UNP Q8VPJ5
A	750	SER	-	EXPRESSION TAG	UNP Q8VPJ5
A	751	SER	-	EXPRESSION TAG	UNP Q8VPJ5
A	752	VAL	-	EXPRESSION TAG	UNP Q8VPJ5
A	753	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
A	754	LYS	-	EXPRESSION TAG	UNP Q8VPJ5
A	755	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
A	756	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
A	757	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
A	758	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
A	759	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
A	760	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
A	761	HIS	-	EXPRESSION TAG	UNP Q8VPJ5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	762	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
A	763	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
A	764	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
A	765	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
A	766	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	?	-	ILE	SEE REMARK 999	UNP Q8VPJ5
B	?	-	ASP	SEE REMARK 999	UNP Q8VPJ5
B	?	-	GLY	SEE REMARK 999	UNP Q8VPJ5
B	744	SER	-	EXPRESSION TAG	UNP Q8VPJ5
B	745	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
B	746	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
B	747	PRO	-	EXPRESSION TAG	UNP Q8VPJ5
B	748	ASN	-	EXPRESSION TAG	UNP Q8VPJ5
B	749	SER	-	EXPRESSION TAG	UNP Q8VPJ5
B	750	SER	-	EXPRESSION TAG	UNP Q8VPJ5
B	751	SER	-	EXPRESSION TAG	UNP Q8VPJ5
B	752	VAL	-	EXPRESSION TAG	UNP Q8VPJ5
B	753	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
B	754	LYS	-	EXPRESSION TAG	UNP Q8VPJ5
B	755	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
B	756	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
B	757	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
B	758	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
B	759	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
B	760	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
B	761	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	762	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	763	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	764	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	765	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
B	766	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	?	-	ILE	SEE REMARK 999	UNP Q8VPJ5
D	?	-	ASP	SEE REMARK 999	UNP Q8VPJ5
D	?	-	GLY	SEE REMARK 999	UNP Q8VPJ5
D	744	SER	-	EXPRESSION TAG	UNP Q8VPJ5
D	745	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
D	746	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
D	747	PRO	-	EXPRESSION TAG	UNP Q8VPJ5
D	748	ASN	-	EXPRESSION TAG	UNP Q8VPJ5
D	749	SER	-	EXPRESSION TAG	UNP Q8VPJ5
D	750	SER	-	EXPRESSION TAG	UNP Q8VPJ5
D	751	SER	-	EXPRESSION TAG	UNP Q8VPJ5

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	752	VAL	-	EXPRESSION TAG	UNP Q8VPJ5
D	753	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
D	754	LYS	-	EXPRESSION TAG	UNP Q8VPJ5
D	755	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
D	756	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
D	757	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
D	758	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
D	759	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
D	760	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
D	761	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	762	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	763	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	764	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	765	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
D	766	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	?	-	ILE	SEE REMARK 999	UNP Q8VPJ5
C	?	-	ASP	SEE REMARK 999	UNP Q8VPJ5
C	?	-	GLY	SEE REMARK 999	UNP Q8VPJ5
C	744	SER	-	EXPRESSION TAG	UNP Q8VPJ5
C	745	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
C	746	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
C	747	PRO	-	EXPRESSION TAG	UNP Q8VPJ5
C	748	ASN	-	EXPRESSION TAG	UNP Q8VPJ5
C	749	SER	-	EXPRESSION TAG	UNP Q8VPJ5
C	750	SER	-	EXPRESSION TAG	UNP Q8VPJ5
C	751	SER	-	EXPRESSION TAG	UNP Q8VPJ5
C	752	VAL	-	EXPRESSION TAG	UNP Q8VPJ5
C	753	ASP	-	EXPRESSION TAG	UNP Q8VPJ5
C	754	LYS	-	EXPRESSION TAG	UNP Q8VPJ5
C	755	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
C	756	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
C	757	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
C	758	ALA	-	EXPRESSION TAG	UNP Q8VPJ5
C	759	LEU	-	EXPRESSION TAG	UNP Q8VPJ5
C	760	GLU	-	EXPRESSION TAG	UNP Q8VPJ5
C	761	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	762	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	763	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	764	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	765	HIS	-	EXPRESSION TAG	UNP Q8VPJ5
C	766	HIS	-	EXPRESSION TAG	UNP Q8VPJ5

- Molecule 2 is a protein called D-ornithine aminomutase S component.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	109	Total	C	N	O	S	0	0	0
			855	538	152	161	4			
2	F	109	Total	C	N	O	S	0	0	0
			858	539	152	163	4			
2	H	109	Total	C	N	O	S	0	0	0
			855	538	152	161	4			
2	G	109	Total	C	N	O	S	0	0	0
			855	538	152	161	4			

- Molecule 3 is PYRIDOXAL-5'-PHOSPHATE (three-letter code: PLP) (formula: $C_8H_{10}NO_6P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
3	B	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
3	D	1	Total	C	N	O	P	0	0
			15	8	1	5	1		
3	C	1	Total	C	N	O	P	0	0
			15	8	1	5	1		

- Molecule 4 is COBALAMIN (three-letter code: B12) (formula: $C_{62}H_{89}CoN_{13}O_{14}P$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	Co	N	O	P	0	0
			91	62	1	13	14	1		
4	B	1	Total	C	Co	N	O	P	0	0
			91	62	1	13	14	1		
4	D	1	Total	C	Co	N	O	P	0	0
			91	62	1	13	14	1		
4	C	1	Total	C	Co	N	O	P	0	0
			91	62	1	13	14	1		

- Molecule 5 is 5'-DEOXYADENOSINE (three-letter code: 5AD) (formula: C₁₀H₁₃N₅O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			18	10	5	3		
5	B	1	Total	C	N	O	0	0
			18	10	5	3		
5	D	1	Total	C	N	O	0	0
			18	10	5	3		
5	C	1	Total	C	N	O	0	0
			18	10	5	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	618	Total	O	0	0
			618	618		
6	E	108	Total	O	0	0
			108	108		
6	B	722	Total	O	0	0
			722	722		
6	F	139	Total	O	0	0
			139	139		
6	D	731	Total	O	0	0
			731	731		
6	H	111	Total	O	0	0
			111	111		
6	C	633	Total	O	0	0
			633	633		
6	G	75	Total	O	0	0
			75	75		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: D-ornithine aminomutase E component




- Molecule 1: D-ornithine aminomutase E component




- Molecule 1: D-ornithine aminomutase E component




- Molecule 1: D-ornithine aminomutase E component




- Molecule 2: D-ornithine aminomutase S component




- Molecule 2: D-ornithine aminomutase S component



● Molecule 2: D-ornithine aminomutase S component



● Molecule 2: D-ornithine aminomutase S component



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	66.43 Å 234.51 Å 124.56 Å 90.00° 103.51° 90.00°	Depositor
Resolution (Å)	43.74 – 2.01 49.28 – 2.01	Depositor EDS
% Data completeness (in resolution range)	99.3 (43.74-2.01) 99.3 (49.28-2.01)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.59 (at 2.01 Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.5_2)	Depositor
R, R_{free}	0.163 , 0.216 0.163 , 0.214	Depositor DCC
R_{free} test set	12201 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	23.5	Xtriage
Anisotropy	0.573	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 54.7	EDS
Estimated twinning fraction	0.027 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 243067 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	29625	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.84% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: B12, 5AD, PLP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/5739	0.52	0/7771
1	B	0.40	0/5760	0.55	1/7795 (0.0%)
1	C	0.33	0/5738	0.51	0/7768
1	D	0.38	0/5752	0.54	1/7785 (0.0%)
2	E	0.36	0/867	0.46	0/1163
2	F	0.40	0/870	0.51	0/1167
2	G	0.30	0/867	0.43	0/1163
2	H	0.37	0/867	0.47	0/1163
All	All	0.37	0/26460	0.52	2/35775 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	498	ARG	NE-CZ-NH2	-5.32	117.64	120.30
1	B	153	ARG	NE-CZ-NH2	-5.05	117.78	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5634	0	5563	110	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	5655	0	5622	91	0
1	C	5633	0	5596	84	0
1	D	5647	0	5616	84	0
2	E	855	0	863	13	0
2	F	858	0	865	20	0
2	G	855	0	863	24	0
2	H	855	0	863	18	0
3	A	15	0	7	0	0
3	B	15	0	7	0	0
3	C	15	0	7	0	0
3	D	15	0	7	0	0
4	A	91	0	87	23	0
4	B	91	0	87	10	0
4	C	91	0	87	15	0
4	D	91	0	87	23	0
5	A	18	0	10	1	0
5	B	18	0	10	0	0
5	C	18	0	10	1	0
5	D	18	0	10	0	0
6	A	618	0	0	17	0
6	B	722	0	0	17	0
6	C	633	0	0	14	0
6	D	731	0	0	15	1
6	E	108	0	0	6	0
6	F	139	0	0	10	1
6	G	75	0	0	2	0
6	H	111	0	0	8	0
All	All	29625	0	26267	473	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 473 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:ARG:HA	1:A:96:MET:HE2	1.18	1.12
2:H:54:LEU:HD23	2:H:57:MET:HE1	1.29	1.09
1:D:43:MET:SD	6:D:3158:HOH:O	2.21	0.98
1:D:428:ILE:HB	6:D:1191:HOH:O	1.65	0.96
1:B:393:GLU:HG2	2:F:29:MET:HE2	1.48	0.96

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:F:3045:HOH:O	6:D:834:HOH:O[1_656]	1.99	0.21

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	720/763 (94%)	703 (98%)	16 (2%)	1 (0%)	56	53
1	B	720/763 (94%)	704 (98%)	14 (2%)	2 (0%)	46	41
1	C	720/763 (94%)	705 (98%)	14 (2%)	1 (0%)	56	53
1	D	720/763 (94%)	705 (98%)	14 (2%)	1 (0%)	56	53
2	E	107/121 (88%)	106 (99%)	1 (1%)	0	100	100
2	F	107/121 (88%)	107 (100%)	0	0	100	100
2	G	107/121 (88%)	105 (98%)	2 (2%)	0	100	100
2	H	107/121 (88%)	107 (100%)	0	0	100	100
All	All	3308/3536 (94%)	3242 (98%)	61 (2%)	5 (0%)	52	48

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	738	GLU
1	B	411	VAL
1	C	411	VAL
1	D	411	VAL
1	A	411	VAL

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	596/644 (92%)	586 (98%)	10 (2%)	68	71
1	B	602/644 (94%)	597 (99%)	5 (1%)	86	89
1	C	597/644 (93%)	586 (98%)	11 (2%)	66	69
1	D	600/644 (93%)	588 (98%)	12 (2%)	63	65
2	E	89/100 (89%)	86 (97%)	3 (3%)	44	41
2	F	90/100 (90%)	87 (97%)	3 (3%)	45	43
2	G	89/100 (89%)	88 (99%)	1 (1%)	80	83
2	H	89/100 (89%)	89 (100%)	0	100	100
All	All	2752/2976 (92%)	2707 (98%)	45 (2%)	70	73

5 of 45 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	F	97	ARG
1	D	341	ASN
1	C	651	LYS
1	D	168	ASP
1	D	391	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
2	G	9	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

12 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	B12	A	1801	1,5	74,101,101	1.14	5 (6%)	111,166,166	2.16	22 (19%)
3	PLP	A	1802	1	15,15,16	1.36	1 (6%)	21,22,23	1.18	3 (14%)
5	5AD	A	767	4	15,20,20	2.64	5 (33%)	14,30,30	6.19	10 (71%)
4	B12	B	1801	1,5	74,101,101	1.09	5 (6%)	111,166,166	2.10	21 (18%)
3	PLP	B	1802	1	15,15,16	1.38	1 (6%)	21,22,23	1.23	2 (9%)
5	5AD	B	767	4	15,20,20	2.70	5 (33%)	14,30,30	6.18	10 (71%)
4	B12	C	1801	1,5	74,101,101	1.07	6 (8%)	111,166,166	2.22	25 (22%)
3	PLP	C	1802	1	15,15,16	1.41	1 (6%)	21,22,23	1.10	1 (4%)
5	5AD	C	767	4	15,20,20	2.66	5 (33%)	14,30,30	6.08	11 (78%)
4	B12	D	1801	1,5	74,101,101	1.12	6 (8%)	111,166,166	2.14	23 (20%)
3	PLP	D	1802	1	15,15,16	1.39	1 (6%)	21,22,23	1.22	2 (9%)
5	5AD	D	767	4	15,20,20	2.70	4 (26%)	14,30,30	6.19	11 (78%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	B12	A	1801	1,5	1/1/36/38	0/51/223/223	0/3/11/11
3	PLP	A	1802	1	-	0/6/6/8	0/1/1/1
5	5AD	A	767	4	1/1/4/4	0/0/20/20	0/3/3/3
4	B12	B	1801	1,5	1/1/36/38	0/51/223/223	0/3/11/11
3	PLP	B	1802	1	-	0/6/6/8	0/1/1/1
5	5AD	B	767	4	1/1/4/4	0/0/20/20	0/3/3/3
4	B12	C	1801	1,5	-	0/51/223/223	0/3/11/11
3	PLP	C	1802	1	-	0/6/6/8	0/1/1/1
5	5AD	C	767	4	1/1/4/4	0/0/20/20	0/3/3/3
4	B12	D	1801	1,5	1/1/36/38	0/51/223/223	0/3/11/11
3	PLP	D	1802	1	-	0/6/6/8	0/1/1/1
5	5AD	D	767	4	1/1/4/4	0/0/20/20	0/3/3/3

The worst 5 of 45 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	D	767	5AD	O4'-C1'	-8.43	1.30	1.41
5	C	767	5AD	O4'-C1'	-8.28	1.30	1.41
5	B	767	5AD	O4'-C1'	-8.27	1.30	1.41
5	A	767	5AD	O4'-C1'	-8.09	1.31	1.41
4	D	1801	B12	C11-C10	-4.28	1.33	1.41

The worst 5 of 141 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	767	5AD	N3-C2-N1	-12.47	119.34	128.89
5	A	767	5AD	N3-C2-N1	-12.32	119.46	128.89
5	D	767	5AD	N3-C2-N1	-12.24	119.52	128.89
5	C	767	5AD	N3-C2-N1	-12.08	119.64	128.89
4	B	1801	B12	C20-C1-C19	-8.98	100.57	109.38

5 of 7 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
5	A	767	5AD	C1'
5	C	767	5AD	C1'
4	D	1801	B12	C19
4	B	1801	B12	C19
5	B	767	5AD	C1'

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 71 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1801	B12	23	0
5	A	767	5AD	1	0
4	B	1801	B12	10	0
4	C	1801	B12	15	0
5	C	767	5AD	1	0
4	D	1801	B12	23	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	726/763 (95%)	-0.09	22 (3%) 54 55	14, 26, 56, 73	0
1	B	726/763 (95%)	-0.37	1 (0%) 95 95	11, 23, 45, 63	0
1	C	726/763 (95%)	-0.28	6 (0%) 87 88	15, 28, 45, 61	0
1	D	726/763 (95%)	-0.35	7 (0%) 84 84	11, 23, 47, 61	0
2	E	109/121 (90%)	-0.41	0 100 100	20, 30, 47, 56	0
2	F	109/121 (90%)	-0.59	0 100 100	16, 25, 37, 47	0
2	G	109/121 (90%)	-0.05	0 100 100	24, 36, 49, 57	0
2	H	109/121 (90%)	-0.37	0 100 100	17, 29, 46, 56	0
All	All	3340/3536 (94%)	-0.28	36 (1%) 82 83	11, 26, 49, 73	0

The worst 5 of 36 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	672	HIS	4.1
1	C	463	ALA	3.7
1	A	587	PRO	3.6
1	A	673	ASP	3.5
1	D	587	PRO	3.3

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	5AD	B	767	18/18	0.93	0.14	1.98	28,38,45,46	0
3	PLP	D	1802	15/16	0.98	0.14	1.98	17,20,27,28	0
5	5AD	C	767	18/18	0.86	0.15	1.01	37,43,48,50	0
3	PLP	A	1802	15/16	0.98	0.14	1.00	22,26,33,34	0
3	PLP	C	1802	15/16	0.99	0.15	0.86	17,21,23,26	0
3	PLP	B	1802	15/16	0.98	0.13	0.64	14,20,24,25	0
5	5AD	D	767	18/18	0.93	0.10	0.52	27,34,40,41	0
4	B12	C	1801	91/91	0.96	0.12	0.47	16,24,34,40	0
5	5AD	A	767	18/18	0.93	0.10	0.35	26,34,43,44	0
4	B12	B	1801	91/91	0.97	0.09	-0.05	18,24,35,43	0
4	B12	D	1801	91/91	0.96	0.10	-0.10	20,27,36,41	0
4	B12	A	1801	91/91	0.96	0.11	-0.34	29,37,46,52	0

6.5 Other polymers [i](#)

There are no such residues in this entry.