



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 3, 2016 – 09:46 AM EDT

PDB ID : 5KSW
Title : DHODB-I74D mutant
Authors : Pompeu, Y.A.; Stewart, J.D.
Deposited on : 2016-07-10
Resolution : 2.47 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027939
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027939


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4309 (2.50-2.46)
Clashscore	102246	5050 (2.50-2.46)
Ramachandran outliers	100387	4961 (2.50-2.46)
Sidechain outliers	100360	4963 (2.50-2.46)
RSRZ outliers	91569	4319 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	306	<div> <div>2%</div> <div>87% 13%</div> </div>
1	C	306	<div> <div>6%</div> <div>80% 19%</div> </div>
2	B	262	<div> <div>4%</div> <div>83% 16%</div> </div>
2	D	262	<div> <div>82% 17%</div> </div>

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 9054 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydroorotate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	306	Total	C	N	O	S	0	0	0
			2260	1445	374	427	14			
1	C	305	Total	C	N	O	S	0	1	0
			2246	1439	372	421	14			


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	67	ALA	SER	conflict	UNP A0A089ZD72
A	74	ASP	ILE	ENGINEERED MUTATION	UNP A0A089ZD72
A	128	VAL	ALA	conflict	UNP A0A089ZD72
A	187	ALA	HIS	conflict	UNP A0A089ZD72
A	189	GLY	CYS	conflict	UNP A0A089ZD72
A	308	ASN	LYS	conflict	UNP A0A089ZD72
C	67	ALA	SER	conflict	UNP A0A089ZD72
C	74	ASP	ILE	ENGINEERED MUTATION	UNP A0A089ZD72
C	128	VAL	ALA	conflict	UNP A0A089ZD72
C	187	ALA	HIS	conflict	UNP A0A089ZD72
C	189	GLY	CYS	conflict	UNP A0A089ZD72
C	308	ASN	LYS	conflict	UNP A0A089ZD72

- Molecule 2 is a protein called Dihydroorotate dehydrogenase B (NAD(+)), electron transfer subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	262	Total	C	N	O	S	0	0	0
			1988	1266	321	381	20			
2	D	262	Total	C	N	O	S	0	0	0
			1985	1265	321	379	20			

- Molecule 3 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C₁₇H₂₁N₄O₉P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 31	C 17	N 4	O 9	P 1	0	0
3	C	1	Total 31	C 17	N 4	O 9	P 1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Cl 1 1	0	0
4	A	1	Total Cl 1 1	0	0

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 7 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	Fe	S	0	0
			4	2	2		
7	D	1	Total	Fe	S	0	0
			4	2	2		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	122	Total	O	0	0
			122	122		
8	B	86	Total	O	0	0
			86	86		
8	D	107	Total	O	0	0
			107	107		
8	C	74	Total	O	0	0
			74	74		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dihydroorotate dehydrogenase




- Molecule 1: Dihydroorotate dehydrogenase



- Molecule 2: Dihydroorotate dehydrogenase B (NAD(+)), electron transfer subunit



- Molecule 2: Dihydroorotate dehydrogenase B (NAD(+)), electron transfer subunit



F189	E190	V191	D192	A193	K209	V210	E211	G229	C234	V235	K239	L246	V247	V248	C249	E250	V254	L261	L262
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	79.99Å 151.72Å 214.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.92 – 2.47 41.92 – 2.47	Depositor EDS
% Data completeness (in resolution range)	100.0 (41.92-2.47) 95.4 (41.92-2.47)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 2.48Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.176 , 0.244 0.174 , 0.241	Depositor DCC
R_{free} test set	2268 reflections (5.04%)	DCC
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.041	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 53.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9054	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, FAD, EDO, FES, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/2302	0.58	0/3134
1	C	0.42	0/2291	0.59	0/3119
2	B	0.45	0/2018	0.64	0/2718
2	D	0.43	0/2015	0.62	0/2714
All	All	0.43	0/8626	0.61	0/11685

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2260	0	2314	28	0
1	C	2246	0	2299	39	0
2	B	1988	0	2004	28	0
2	D	1985	0	2002	30	0
3	A	31	0	19	1	0
3	C	31	0	19	1	0
4	A	1	0	0	1	0
4	B	1	0	0	0	0
5	A	4	0	6	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	4	0	6	0	0
6	B	53	0	31	1	0
6	D	53	0	31	1	0
7	B	4	0	0	0	0
7	D	4	0	0	0	0
8	A	122	0	0	4	1
8	B	86	0	0	3	1
8	C	74	0	0	4	0
8	D	107	0	0	6	0
All	All	9054	0	8731	120	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (120) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:85:LYS:NZ	8:B:401:HOH:O	2.03	0.90
1:A:286:LYS:NZ	8:A:501:HOH:O	2.06	0.88
2:D:235:VAL:HG11	1:C:77:GLN:HE22	1.45	0.82
2:D:192:ASP:OD1	8:D:401:HOH:O	2.01	0.79
2:D:190:GLU:OE1	8:D:401:HOH:O	2.03	0.76
1:A:310:LYS:NZ	8:A:502:HOH:O	2.20	0.73
1:A:253:ALA:H	1:A:286:LYS:HE3	1.54	0.73
1:A:283:ILE:HA	1:A:286:LYS:HE2	1.70	0.73
1:C:5:ASN:N	1:C:8:SER:HG	1.88	0.72
1:A:179:VAL:HG13	1:A:239:VAL:HG11	1.74	0.70
1:A:309:SER:N	1:A:310:LYS:HA	2.07	0.69
1:C:141:GLY:O	1:C:143:GLN:N	2.28	0.66
1:C:159:CYS:O	1:C:163:SER:OG	2.17	0.63
2:B:239:LYS:HG3	2:B:261:LEU:HG	1.81	0.61
1:A:77:GLN:HE22	2:B:235:VAL:HG11	1.67	0.60
2:B:65:LYS:HA	8:B:403:HOH:O	2.01	0.59
2:D:113:ILE:HD12	2:D:193:ALA:HB3	1.85	0.59
2:D:4:LEU:HD22	1:C:36:TYR:CG	2.38	0.58
1:A:122:ASP:OD1	1:A:164:LYS:HE2	2.03	0.58
1:C:306:VAL:O	1:C:309:SER:OG	2.19	0.57
2:B:97:PRO:O	8:B:402:HOH:O	2.18	0.57
1:C:247:MET:HB3	1:C:268:ALA:HB3	1.88	0.56
2:D:43:ALA:HB3	2:D:93:ASP:HB3	1.87	0.56
1:A:62:ARG:HH12	1:A:77:GLN:NE2	2.05	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:156:VAL:HG21	1:C:185:VAL:HG22	1.88	0.55
2:B:43:ALA:HB3	2:B:93:ASP:HB3	1.87	0.55
1:C:5:ASN:CG	1:C:6:ARG:H	2.10	0.54
1:C:138:VAL:HG23	1:C:141:GLY:HA2	1.90	0.54
1:C:143:GLN:HE22	1:C:174:ASN:HD22	1.56	0.54
2:D:108:VAL:HG12	2:D:110:THR:HG23	1.89	0.54
2:B:133:GLU:OE2	2:B:161:LYS:HG2	2.08	0.53
1:C:25:GLY:HA3	3:C:401:FMN:N5	2.24	0.53
2:D:96:GLY:HA2	2:D:98:LEU:HG	1.92	0.52
1:A:21:ILE:O	1:A:268:ALA:HA	2.10	0.52
1:A:5:ASN:CG	1:A:6:ARG:H	2.13	0.52
2:D:4:LEU:O	2:D:95:MET:HA	2.10	0.52
1:A:25:GLY:HA3	3:A:401:FMN:N5	2.24	0.51
1:A:247:MET:HB3	1:A:268:ALA:HB3	1.92	0.51
2:B:242:GLU:O	2:B:243:ASN:HB2	2.10	0.50
1:A:137:ASN:ND2	1:A:140:HIS:HB2	2.27	0.50
1:A:252:SER:HB2	8:A:566:HOH:O	2.12	0.50
2:B:133:GLU:OE2	2:B:161:LYS:N	2.43	0.49
1:C:11:LEU:HD21	1:C:265:SER:HB2	1.93	0.49
1:C:195:MET:HG3	1:C:233:ILE:HG12	1.94	0.49
1:C:223:PRO:HG3	1:C:251[B]:GLU:HG3	1.94	0.49
2:D:56:SER:HB3	2:D:124:PRO:HB3	1.93	0.49
2:B:102:PHE:CD1	2:B:195:TYR:HD2	2.31	0.48
1:C:234:HIS:O	1:C:238:GLN:HG2	2.14	0.48
2:D:239:LYS:HG3	2:D:261:LEU:HG	1.95	0.48
1:C:127:LYS:O	1:C:166:PRO:HD2	2.14	0.48
2:D:235:VAL:HA	2:D:246:LEU:O	2.14	0.47
1:C:143:GLN:NE2	1:C:174:ASN:HB2	2.29	0.47
2:B:204:LYS:O	2:B:208:LYS:HG3	2.13	0.47
1:C:104:ASN:O	8:C:501:HOH:O	2.21	0.47
1:C:289:GLU:HG3	8:C:510:HOH:O	2.15	0.47
2:B:189:PHE:CE1	2:B:191:VAL:HG12	2.50	0.47
1:C:143:GLN:NE2	1:C:174:ASN:HD22	2.13	0.47
1:C:62:ARG:HH12	1:C:77:GLN:NE2	2.13	0.47
2:D:120:ILE:HD12	6:D:301:FAD:N1	2.30	0.47
1:C:179:VAL:HG13	1:C:239:VAL:HG11	1.98	0.46
2:D:179:HIS:HB3	8:D:491:HOH:O	2.15	0.46
2:B:214:GLU:OE1	2:D:182:MET:HB2	2.14	0.46
2:B:235:VAL:HA	2:B:246:LEU:O	2.16	0.46
2:B:240:GLU:HB2	2:D:209:LYS:HE2	1.97	0.46
2:B:108:VAL:CG1	2:B:110:THR:HG22	2.46	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:152:ALA:O	1:C:156:VAL:HG23	2.15	0.46
2:B:144:GLY:HA3	2:B:180:VAL:HG13	1.97	0.46
2:B:113:ILE:HD12	2:B:193:ALA:HB3	1.97	0.46
2:D:3:LYS:NZ	8:D:403:HOH:O	2.31	0.46
1:A:135:CYS:O	1:A:144:ALA:HA	2.15	0.46
1:A:195:MET:HA	1:A:196:ILE:HA	1.69	0.46
1:A:195:MET:HG3	1:A:233:ILE:HG12	1.98	0.46
1:A:19:PRO:HG3	1:A:299:LEU:HD13	1.98	0.46
2:B:108:VAL:HG13	2:B:110:THR:HG22	1.98	0.46
1:C:125:ASN:OD1	1:C:125:ASN:N	2.49	0.45
1:A:104:ASN:ND2	1:A:130:GLU:OE1	2.37	0.45
1:C:143:GLN:HE22	1:C:174:ASN:HB2	1.81	0.45
2:D:112:LYS:HE2	2:D:189:PHE:CE1	2.51	0.45
1:C:179:VAL:HB	1:C:180:PRO:HD3	1.98	0.45
1:A:297:ASP:OD2	1:A:301:ASN:ND2	2.49	0.45
1:A:51:THR:HB	4:A:402:CL:CL	2.55	0.44
2:B:112:LYS:HG2	2:B:189:PHE:CE1	2.52	0.44
1:A:89:LEU:HD23	1:A:89:LEU:HA	1.81	0.44
1:C:141:GLY:O	1:C:144:ALA:N	2.51	0.44
1:C:76:LEU:HD12	1:C:138:VAL:HG11	2.00	0.44
2:D:156:GLU:OE2	2:D:156:GLU:N	2.47	0.44
1:C:21:ILE:O	1:C:268:ALA:HA	2.17	0.44
2:D:229:GLY:HA3	2:D:250:GLU:OE1	2.18	0.43
1:A:137:ASN:HD21	1:A:139:LYS:NZ	2.15	0.43
1:A:173:PRO:HG2	1:A:199:LEU:HD23	2.01	0.43
2:D:126:TYR:CE1	2:D:156:GLU:HB3	2.53	0.43
2:D:64:ALA:O	2:D:66:THR:HG23	2.19	0.43
1:C:71:LEU:HA	1:C:219:GLY:O	2.19	0.43
1:C:297:ASP:CG	1:C:301:ASN:HD22	2.22	0.43
1:A:137:ASN:OD1	1:A:139:LYS:HG2	2.19	0.43
2:B:25:LEU:O	2:B:66:THR:HA	2.19	0.43
2:D:33:MET:O	2:D:62:LYS:NZ	2.50	0.43
1:C:13:GLY:HA3	1:C:166:PRO:HG2	2.00	0.43
2:B:60:TRP:CZ3	2:B:127:GLU:HG2	2.54	0.42
2:B:120:ILE:HD12	6:B:301:FAD:N1	2.35	0.42
2:B:41:HIS:CD2	2:B:52:ARG:HB2	2.54	0.42
1:C:139:LYS:HE2	8:C:560:HOH:O	2.18	0.42
2:B:6:GLU:OE1	2:B:29:LEU:HG	2.20	0.42
1:A:139:LYS:HE3	8:A:525:HOH:O	2.19	0.42
2:D:234:CYS:O	2:D:248:VAL:HG23	2.20	0.42
1:C:170:LYS:HA	1:C:194:THR:O	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:31:GLU:HA	2:D:62:LYS:HE3	2.01	0.42
2:D:190:GLU:OE1	8:D:402:HOH:O	2.22	0.41
1:C:296:ILE:HD13	1:C:302:LEU:HD22	2.02	0.41
1:A:170:LYS:HA	1:A:194:THR:O	2.20	0.41
2:B:255:PHE:HB2	2:B:260:LEU:HD11	2.02	0.41
1:C:112:ASP:HB3	8:C:538:HOH:O	2.20	0.41
2:D:100:ASN:O	2:D:254:VAL:HG13	2.20	0.41
2:D:85:LYS:HE2	8:D:437:HOH:O	2.21	0.41
2:D:3:LYS:HE3	2:D:6:GLU:HB2	2.03	0.41
1:C:122:ASP:OD1	1:C:164:LYS:NZ	2.41	0.40
1:C:144:ALA:O	1:C:145:PHE:CG	2.74	0.40
2:D:46:ASN:HB2	2:D:82:GLU:OE2	2.21	0.40
2:B:225:ALA:HB3	2:B:231:CYS:SG	2.62	0.40
2:B:56:SER:HB3	2:B:124:PRO:HB3	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:A:566:HOH:O	8:B:407:HOH:O[4_555]	1.91	0.29

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	304/306 (99%)	296 (97%)	7 (2%)	1 (0%)	46	66
1	C	304/306 (99%)	291 (96%)	10 (3%)	3 (1%)	19	32
2	B	260/262 (99%)	253 (97%)	7 (3%)	0	100	100
2	D	260/262 (99%)	252 (97%)	8 (3%)	0	100	100
All	All	1128/1136 (99%)	1092 (97%)	32 (3%)	4 (0%)	39	59

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	142	GLY
1	C	145	PHE
1	C	141	GLY
1	A	145	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	244/246 (99%)	242 (99%)	2 (1%)	86	96
1	C	240/246 (98%)	235 (98%)	5 (2%)	61	84
2	B	213/222 (96%)	209 (98%)	4 (2%)	65	86
2	D	213/222 (96%)	208 (98%)	5 (2%)	58	82
All	All	910/936 (97%)	894 (98%)	16 (2%)	66	87

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	PHE
1	A	310	LYS
2	B	31	GLU
2	B	41	HIS
2	B	180	VAL
2	B	184	MET
2	D	41	HIS
2	D	114	LEU
2	D	161	LYS
2	D	209	LYS
2	D	211	GLU
1	C	27	PHE
1	C	131	LEU
1	C	135	CYS
1	C	140	HIS
1	C	168	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	77	GLN
1	A	95	ASN
1	A	137	ASN
1	A	140	HIS
2	B	41	HIS
2	B	87	GLN
2	B	237	HIS
2	D	237	HIS
1	C	77	GLN
1	C	95	ASN
1	C	143	GLN
1	C	301	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 2 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FMN	A	401	-	32,33,33	1.40	6 (18%)	34,50,50	2.11	8 (23%)
5	EDO	A	403	-	3,3,3	0.42	0	2,2,2	0.34	0
6	FAD	B	301	-	52,58,58	1.37	5 (9%)	52,89,89	2.16	10 (19%)
7	FES	B	302	2	0,4,4	0.00	-	0,4,4	0.00	-
3	FMN	C	401	-	32,33,33	1.55	5 (15%)	34,50,50	2.44	10 (29%)
5	EDO	C	402	-	3,3,3	0.46	0	2,2,2	0.19	0
6	FAD	D	301	-	52,58,58	1.31	5 (9%)	52,89,89	2.16	14 (26%)
7	FES	D	302	2	0,4,4	0.00	-	0,4,4	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FMN	A	401	-	-	0/18/18/18	0/3/3/3
5	EDO	A	403	-	-	0/1/1/1	0/0/0/0
6	FAD	B	301	-	-	0/30/50/50	0/6/6/6
7	FES	B	302	2	-	0/0/4/4	0/1/1/1
3	FMN	C	401	-	-	0/18/18/18	0/3/3/3
5	EDO	C	402	-	-	0/1/1/1	0/0/0/0
6	FAD	D	301	-	-	0/30/50/50	0/6/6/6
7	FES	D	302	2	-	0/0/4/4	0/1/1/1

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	401	FMN	C1'-N10	-2.29	1.46	1.48
3	A	401	FMN	C1'-N10	-2.01	1.46	1.48
3	A	401	FMN	C9A-N10	2.01	1.41	1.38
3	A	401	FMN	C4-C4A	2.92	1.47	1.41
3	C	401	FMN	C8-C7	2.96	1.48	1.41
3	A	401	FMN	C9A-C5A	2.99	1.48	1.42
3	A	401	FMN	C8-C7	3.00	1.49	1.41
6	D	301	FAD	C8-C7	3.06	1.49	1.41
3	C	401	FMN	C4-C4A	3.09	1.47	1.41
6	D	301	FAD	C4-C4X	3.19	1.47	1.41
6	D	301	FAD	C5A-C4A	3.25	1.47	1.40
6	B	301	FAD	C5A-C4A	3.35	1.48	1.40
6	B	301	FAD	C8-C7	3.45	1.50	1.41
6	B	301	FAD	C9A-C5X	3.47	1.49	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	301	FAD	C9A-C5X	3.51	1.50	1.42
6	B	301	FAD	C4-C4X	3.53	1.48	1.41
3	A	401	FMN	C4A-C10	3.55	1.47	1.40
6	D	301	FAD	C4X-C10	3.65	1.47	1.40
3	C	401	FMN	C9A-C5A	3.65	1.50	1.42
6	B	301	FAD	C4X-C10	3.81	1.47	1.40
3	C	401	FMN	C4A-C10	3.95	1.48	1.40

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	301	FAD	C4-C4X-C10	-6.90	115.53	119.94
6	B	301	FAD	N3A-C2A-N1A	-5.43	124.61	128.87
6	D	301	FAD	C4-C4X-C10	-5.36	116.51	119.94
6	D	301	FAD	N3A-C2A-N1A	-5.21	124.78	128.87
3	A	401	FMN	C4-C4A-C10	-4.82	116.86	119.94
3	C	401	FMN	O2P-P-O5'	-4.81	92.67	106.72
3	C	401	FMN	C4-C4A-C10	-4.60	117.00	119.94
3	C	401	FMN	C4A-C4-N3	-4.11	118.15	123.52
3	A	401	FMN	N3-C2-N1	-3.84	121.22	127.69
6	B	301	FAD	C4X-C4-N3	-3.67	118.73	123.52
6	D	301	FAD	C4X-C4-N3	-3.55	118.88	123.52
6	B	301	FAD	N3-C2-N1	-3.22	122.27	127.69
6	D	301	FAD	N3-C2-N1	-3.10	122.47	127.69
3	C	401	FMN	N3-C2-N1	-2.91	122.80	127.69
3	A	401	FMN	C4A-C4-N3	-2.84	119.81	123.52
3	C	401	FMN	C4A-C10-N10	-2.71	118.55	120.52
3	A	401	FMN	C4A-C10-N10	-2.49	118.71	120.52
6	D	301	FAD	C1B-N9A-C4A	-2.46	124.06	126.81
6	D	301	FAD	C2B-C1B-N9A	-2.26	107.41	113.47
6	D	301	FAD	O2P-P-O3P	2.03	113.98	105.27
3	A	401	FMN	O3P-P-O1P	2.07	117.38	110.63
6	D	301	FAD	C6-C5X-C9A	2.08	121.40	119.11
6	B	301	FAD	N6A-C6A-N1A	2.12	122.07	118.52
6	B	301	FAD	C5X-C9A-N10	2.15	119.19	117.58
3	A	401	FMN	C5A-C9A-N10	2.18	119.21	117.58
3	C	401	FMN	O3P-P-O2P	2.20	115.52	107.44
6	D	301	FAD	C4-C4X-N5	2.23	121.41	118.70
6	D	301	FAD	N6A-C6A-N1A	2.31	122.39	118.52
6	B	301	FAD	C4X-N5-C5X	2.78	120.00	116.72
3	C	401	FMN	C4A-N5-C5A	2.88	120.12	116.72
3	C	401	FMN	C5A-C9A-N10	3.04	119.85	117.58

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	301	FAD	C4X-N5-C5X	3.24	120.54	116.72
3	A	401	FMN	C4A-N5-C5A	3.43	120.76	116.72
3	C	401	FMN	C1'-N10-C9A	3.44	122.81	118.83
6	B	301	FAD	C1'-N10-C9A	3.52	122.91	118.83
6	D	301	FAD	C5X-C9A-N10	3.87	120.48	117.58
6	B	301	FAD	C4-C4X-N5	3.94	123.49	118.70
6	D	301	FAD	C1'-N10-C9A	4.10	123.59	118.83
3	A	401	FMN	C4-N3-C2	7.59	121.49	115.16
6	D	301	FAD	C4-N3-C2	8.05	121.88	115.16
3	C	401	FMN	C4-N3-C2	8.34	122.12	115.16
6	B	301	FAD	C4-N3-C2	8.48	122.24	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	FMN	1	0
6	B	301	FAD	1	0
3	C	401	FMN	1	0
6	D	301	FAD	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	306/306 (100%)	-0.13	7 (2%) 64 67	26, 41, 64, 105	0
1	C	305/306 (99%)	0.28	17 (5%) 28 31	28, 50, 70, 90	0
2	B	262/262 (100%)	0.07	10 (3%) 44 49	32, 50, 76, 91	1 (0%)
2	D	262/262 (100%)	-0.22	1 (0%) 93 94	30, 47, 66, 82	2 (0%)
All	All	1135/1136 (99%)	0.00	35 (3%) 52 56	26, 47, 71, 105	3 (0%)

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	140	HIS	5.5
1	A	141	GLY	4.3
1	C	224	ALA	3.9
2	B	188	ASP	3.8
1	A	140	HIS	3.7
1	A	143	GLN	3.7
1	A	137	ASN	3.6
1	A	139	LYS	3.5
1	A	142	GLY	2.9
2	B	187	ILE	2.8
1	C	199	LEU	2.7
2	B	108	VAL	2.7
1	C	68	SER	2.7
1	C	139	LYS	2.7
1	C	223	PRO	2.6
2	B	207	ALA	2.6
1	C	220	LEU	2.6
2	B	63	VAL	2.6
1	A	138	VAL	2.5
1	C	71	LEU	2.5
1	C	225	ILE	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	190	GLU	2.4
2	B	243	ASN	2.4
2	B	2	PRO	2.4
1	C	144	ALA	2.3
1	C	298	SER	2.3
1	C	82	GLU	2.3
1	C	308	ASN	2.2
1	C	66	THR	2.2
1	C	249	GLY	2.2
1	C	112	ASP	2.1
2	B	208	LYS	2.1
1	C	221	SER	2.1
2	D	63	VAL	2.1
2	B	64	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	EDO	A	403	4/4	0.98	0.25	1.20	30,33,37,48	0
3	FMN	A	401	31/31	0.98	0.20	0.81	17,31,44,48	0
3	FMN	C	401	31/31	0.96	0.24	0.61	12,37,47,51	0
6	FAD	B	301	53/53	0.98	0.15	0.18	28,43,53,65	0
6	FAD	D	301	53/53	0.97	0.14	-0.10	20,38,50,53	0
7	FES	D	302	4/4	1.00	0.14	-0.21	32,34,36,37	0
5	EDO	C	402	4/4	0.97	0.22	-0.43	25,33,48,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
7	FES	B	302	4/4	0.99	0.14	-1.29	38,39,40,41	0
4	CL	B	303	1/1	0.81	0.21	-	85,85,85,85	0
4	CL	A	402	1/1	0.97	0.06	-	65,65,65,65	0

6.5 Other polymers [i](#)

There are no such residues in this entry.