



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:11 PM GMT

PDB ID : 4KUX
Title : Crystal structure of Aspergillus terreus aristolochene synthase complexed with farnesyl thiolodiphosphate (FSPP)
Authors : Chen, M.; Faraldos, J.A.; Al-lami, N.; Janvier, M.; D'Antonio, E.L.; Cane, D.E.; Allemann, R.K.; Christianson, D.W.
Deposited on : 2013-05-22
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	<div> <div>86%</div> <div>9% . .</div> </div>
1	B	314	<div> <div>88%</div> <div>8% . .</div> </div>
1	C	314	<div> <div>%</div> <div>85%</div> <div>10% . .</div> </div>
1	D	314	<div> <div>9%</div> <div>82%</div> <div>13% . .</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MG	B	403	-	-	-	X
4	GOL	C	704	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 10929 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aristolochene synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	304	Total	C	N	O	S	0	1	0
			2459	1570	415	458	16			
1	B	304	Total	C	N	O	S	0	1	0
			2459	1570	415	458	16			
1	C	304	Total	C	N	O	S	0	0	0
			2454	1566	415	458	15			
1	D	304	Total	C	N	O	S	0	1	0
			2459	1570	415	458	16			

There are 28 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	EXPRESSION TAG	UNP Q9UR08
A	2	HIS	-	EXPRESSION TAG	UNP Q9UR08
A	3	HIS	-	EXPRESSION TAG	UNP Q9UR08
A	4	HIS	-	EXPRESSION TAG	UNP Q9UR08
A	5	HIS	-	EXPRESSION TAG	UNP Q9UR08
A	6	HIS	-	EXPRESSION TAG	UNP Q9UR08
A	7	HIS	-	EXPRESSION TAG	UNP Q9UR08
B	1	MET	-	EXPRESSION TAG	UNP Q9UR08
B	2	HIS	-	EXPRESSION TAG	UNP Q9UR08
B	3	HIS	-	EXPRESSION TAG	UNP Q9UR08
B	4	HIS	-	EXPRESSION TAG	UNP Q9UR08
B	5	HIS	-	EXPRESSION TAG	UNP Q9UR08
B	6	HIS	-	EXPRESSION TAG	UNP Q9UR08
B	7	HIS	-	EXPRESSION TAG	UNP Q9UR08
C	1	MET	-	EXPRESSION TAG	UNP Q9UR08
C	2	HIS	-	EXPRESSION TAG	UNP Q9UR08
C	3	HIS	-	EXPRESSION TAG	UNP Q9UR08
C	4	HIS	-	EXPRESSION TAG	UNP Q9UR08
C	5	HIS	-	EXPRESSION TAG	UNP Q9UR08
C	6	HIS	-	EXPRESSION TAG	UNP Q9UR08
C	7	HIS	-	EXPRESSION TAG	UNP Q9UR08

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	1	MET	-	EXPRESSION TAG	UNP Q9UR08
D	2	HIS	-	EXPRESSION TAG	UNP Q9UR08
D	3	HIS	-	EXPRESSION TAG	UNP Q9UR08
D	4	HIS	-	EXPRESSION TAG	UNP Q9UR08
D	5	HIS	-	EXPRESSION TAG	UNP Q9UR08
D	6	HIS	-	EXPRESSION TAG	UNP Q9UR08
D	7	HIS	-	EXPRESSION TAG	UNP Q9UR08

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	3	Total Mg 3 3	0	0
2	A	3	Total Mg 3 3	0	0
2	D	3	Total Mg 3 3	0	0
2	C	3	Total Mg 3 3	0	0

- Molecule 3 is S-[(2E,6E)-3,7,11-TRIMETHYLDODECA-2,6,10-TRIENYL] TRIHYDROGEN THIODIPHOSPHATE (three-letter code: FPS) (formula: C₁₅H₂₈O₆P₂S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O P S 24 15 6 2 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	B	1	Total	C	O	P	S	0	0
			24	15	6	2	1		
3	C	1	Total	C	O	P	S	0	0
			24	15	6	2	1		
3	D	1	Total	C	O	P	S	0	0
			24	15	6	2	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	313	Total	O	0	0
			313	313		
5	B	337	Total	O	0	0
			337	337		
5	C	201	Total	O	0	0
			201	201		
5	D	127	Total	O	0	0
			127	127		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Aristolochene synthase




- Molecule 1: Aristolochene synthase





- Molecule 1: Aristolochene synthase



- Molecule 1: Aristolochene synthase





4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	123.95Å 123.95Å 203.54Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 1.90 47.48 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.9 (50.00-1.90) 99.8 (47.48-1.90)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.65 (at 1.90Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1370)	Depositor
R, R_{free}	0.189 , 0.226 0.194 , 0.227	Depositor DCC
R_{free} test set	7147 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	30.7	Xtriage
Anisotropy	0.040	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 42.9	EDS
Estimated twinning fraction	0.015 for -h,-k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 142435 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10929	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, FPS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.69	0/2517	0.85	6/3406 (0.2%)
1	B	0.70	0/2517	0.89	6/3406 (0.2%)
1	C	0.59	0/2509	0.78	8/3396 (0.2%)
1	D	0.48	0/2517	0.59	2/3406 (0.1%)
All	All	0.62	0/10060	0.79	22/13614 (0.2%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	169	ARG	NE-CZ-NH2	-19.25	110.68	120.30
1	B	169	ARG	NE-CZ-NH1	16.83	128.72	120.30
1	A	169	ARG	NE-CZ-NH2	-13.97	113.31	120.30
1	C	114	ARG	NE-CZ-NH2	-13.48	113.56	120.30
1	A	69	ARG	NE-CZ-NH1	11.63	126.11	120.30
1	A	169	ARG	NE-CZ-NH1	11.41	126.00	120.30
1	A	114	ARG	NE-CZ-NH2	-10.66	114.97	120.30
1	C	114	ARG	NE-CZ-NH1	9.84	125.22	120.30
1	A	69	ARG	NE-CZ-NH2	-9.39	115.60	120.30
1	B	69	ARG	NE-CZ-NH1	9.20	124.90	120.30
1	C	169	ARG	NE-CZ-NH2	-9.07	115.77	120.30
1	C	169	ARG	NE-CZ-NH1	8.70	124.65	120.30
1	B	69	ARG	NE-CZ-NH2	-8.26	116.17	120.30
1	A	114	ARG	NE-CZ-NH1	7.53	124.07	120.30
1	C	199	ARG	NE-CZ-NH2	-7.53	116.53	120.30
1	B	169	ARG	CD-NE-CZ	6.44	132.62	123.60
1	C	69	ARG	NE-CZ-NH1	6.11	123.35	120.30
1	B	183	ARG	NE-CZ-NH2	-5.92	117.34	120.30
1	D	169	ARG	NE-CZ-NH1	5.73	123.17	120.30
1	C	199	ARG	NE-CZ-NH1	5.71	123.16	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	169	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	C	107	ARG	NE-CZ-NH1	-5.36	117.62	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2459	0	2434	19	0
1	B	2459	0	2434	18	0
1	C	2454	0	2426	20	0
1	D	2459	0	2434	26	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	3	0	0	0	0
2	D	3	0	0	0	0
3	A	24	0	25	4	0
3	B	24	0	25	1	0
3	C	24	0	25	3	0
3	D	24	0	25	3	0
4	B	6	0	8	0	0
4	C	6	0	8	0	0
5	A	313	0	0	11	0
5	B	337	0	0	7	0
5	C	201	0	0	7	0
5	D	127	0	0	5	0
All	All	10929	0	9844	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:183:ARG:NE	5:C:998:HOH:O	2.01	0.92
1:C:165:TYR:CZ	1:C:169:ARG:HG3	2.13	0.84
1:B:43:GLU:HG3	1:B:47:LYS:HE2	1.61	0.82
1:B:35:LEU:O	1:B:46:ARG:NH2	2.14	0.81
1:D:169:ARG:NH2	3:D:704:FPS:S1	2.54	0.81
1:A:69:ARG:HD2	5:A:940:HOH:O	1.82	0.78
1:B:165:TYR:OH	1:B:169:ARG:HD2	1.83	0.78
1:B:69:ARG:HD2	5:B:532:HOH:O	1.92	0.69
1:B:183:ARG:NE	5:B:835:HOH:O	2.01	0.69
1:D:236:CYS:O	5:D:917:HOH:O	2.11	0.68
1:B:93:GLU:OE2	5:B:803:HOH:O	2.12	0.68
1:B:183:ARG:NH2	5:B:835:HOH:O	2.23	0.68
1:C:114:ARG:NH2	1:C:124:ASP:OD1	2.23	0.68
1:A:165:TYR:OH	1:A:169:ARG:HD2	1.93	0.67
1:D:151:GLN:O	5:D:915:HOH:O	2.11	0.67
1:B:278:GLU:OE2	5:B:776:HOH:O	2.12	0.67
1:A:66:LEU:HD12	1:A:69:ARG:HD3	1.80	0.64
1:C:183:ARG:NH1	5:C:894:HOH:O	2.30	0.63
1:A:165:TYR:CZ	1:A:169:ARG:HG3	2.35	0.61
1:D:169:ARG:HD3	1:D:210:SER:HB3	1.82	0.61
1:B:165:TYR:CZ	1:B:169:ARG:HG3	2.38	0.59
1:C:183:ARG:NH2	5:C:998:HOH:O	2.36	0.58
1:C:183:ARG:CZ	5:C:998:HOH:O	2.44	0.58
1:D:81:PHE:CE1	3:D:704:FPS:H91	2.39	0.58
1:D:165:TYR:OH	1:D:169:ARG:HD2	2.04	0.58
1:A:35:LEU:O	1:A:46:ARG:NH2	2.35	0.58
1:D:213:ASN:ND2	3:D:704:FPS:H151	2.18	0.57
1:A:183:ARG:HD2	5:A:938:HOH:O	2.04	0.56
1:C:66:LEU:HD12	1:C:69:ARG:HD3	1.87	0.56
1:C:248:VAL:HG11	1:D:260[A]:MET:HE1	1.89	0.55
1:D:66:LEU:HD12	1:D:69:ARG:HD2	1.89	0.54
1:B:44:LYS:HA	1:B:47:LYS:HE3	1.90	0.54
1:D:276:SER:HA	1:D:281:GLU:HG2	1.90	0.54
1:D:176:GLU:OE2	5:D:924:HOH:O	2.19	0.54
1:A:197:ARG:HD3	1:A:280:LEU:HB3	1.89	0.54
1:D:101:LYS:HD2	5:D:868:HOH:O	2.08	0.53
1:C:146:LEU:HD11	1:C:171:ARG:HD2	1.91	0.53
1:B:66:LEU:HD12	1:B:69:ARG:HD3	1.90	0.52
1:A:56:ARG:NH1	5:A:865:HOH:O	2.43	0.52
1:A:240:GLN:NE2	5:A:1095:HOH:O	2.43	0.52
1:C:101:LYS:HE3	1:C:119:GLU:OE1	2.12	0.50
1:A:77:LEU:HD13	3:A:704:FPS:H102	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:88:GLU:OE1	5:A:1029:HOH:O	2.18	0.49
3:B:405:FPS:H92	3:B:405:FPS:H42	1.93	0.49
1:B:165:TYR:CE2	1:B:169:ARG:HG3	2.48	0.49
1:A:114:ARG:HD3	5:A:930:HOH:O	2.14	0.48
1:D:165:TYR:CZ	1:D:169:ARG:HG3	2.50	0.47
3:C:705:FPS:H151	5:C:827:HOH:O	2.14	0.47
3:A:704:FPS:H92	3:A:704:FPS:H42	1.97	0.46
1:B:154:ARG:NH2	5:B:808:HOH:O	2.49	0.46
1:A:81:PHE:CD1	3:A:704:FPS:H91	2.50	0.46
1:D:278:GLU:OE1	1:D:278:GLU:N	2.49	0.45
1:A:134:ARG:HG3	5:A:1103:HOH:O	2.16	0.45
1:B:57:VAL:HB	1:B:302:TRP:CD2	2.51	0.45
1:D:153:ASP:O	1:D:156:ARG:HG2	2.16	0.45
1:D:90:MET:HB3	1:D:94:GLU:HB2	1.99	0.44
1:C:248:VAL:HG21	1:D:260[A]:MET:HE1	2.00	0.43
1:A:46:ARG:NH1	5:A:1010:HOH:O	2.50	0.43
1:C:147:PHE:CE1	3:C:705:FPS:H51	2.53	0.43
1:A:267:ARG:NH1	5:A:851:HOH:O	2.47	0.43
1:D:112:PRO:HD3	1:D:123:TYR:CD1	2.54	0.43
1:D:62:PHE:CE1	1:D:181:LEU:HD13	2.54	0.43
1:B:198:VAL:HG12	1:B:201:ILE:HD12	2.01	0.43
1:D:15:PHE:HB3	1:D:297:SER:HB3	2.00	0.43
1:C:15:PHE:HB3	1:C:297:SER:HB3	2.01	0.43
1:B:183:ARG:CZ	5:B:835:HOH:O	2.47	0.42
1:D:61:TYR:HE1	1:D:178:LEU:HD13	1.82	0.42
1:B:165:TYR:HH	1:B:169:ARG:HD2	1.80	0.42
1:C:69:ARG:HD2	5:C:959:HOH:O	2.20	0.42
1:B:57:VAL:HB	1:B:302:TRP:CE2	2.55	0.42
1:D:153:ASP:CG	1:D:155:THR:HG22	2.39	0.42
1:C:9:GLU:HA	1:C:10:PRO:HD3	1.92	0.42
1:D:191:SER:O	1:D:194:GLU:HG2	2.20	0.42
1:D:10:PRO:HA	1:D:11:PRO:HD3	1.83	0.41
1:A:266:LEU:HD13	5:A:1041:HOH:O	2.20	0.41
1:C:117:PRO:HA	1:C:120:TYR:CE2	2.55	0.41
3:A:704:FPS:H151	5:A:862:HOH:O	2.19	0.41
1:C:81:PHE:CD1	3:C:705:FPS:H91	2.56	0.41
1:D:219:GLU:HG2	5:D:903:HOH:O	2.21	0.41
1:C:160:MET:HB2	1:C:160:MET:HE3	1.80	0.41
1:C:290:GLU:HG2	1:C:294:TYR:CE1	2.56	0.41
1:D:15:PHE:CE2	1:D:265:GLU:HG2	2.56	0.40
1:A:165:TYR:CE2	1:A:169:ARG:HG3	2.55	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:112:PRO:HD3	1:A:123:TYR:CG	2.56	0.40
1:C:156:ARG:NH2	5:C:997:HOH:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	303/314 (96%)	299 (99%)	4 (1%)	0	100	100
1	B	303/314 (96%)	300 (99%)	3 (1%)	0	100	100
1	C	302/314 (96%)	299 (99%)	3 (1%)	0	100	100
1	D	303/314 (96%)	296 (98%)	7 (2%)	0	100	100
All	All	1211/1256 (96%)	1194 (99%)	17 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	267/276 (97%)	250 (94%)	17 (6%)	22	10
1	B	267/276 (97%)	254 (95%)	13 (5%)	31	18
1	C	266/276 (96%)	252 (95%)	14 (5%)	28	16

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	267/276 (97%)	251 (94%)	16 (6%)	24	12
All	All	1067/1104 (97%)	1007 (94%)	60 (6%)	26	14

All (60) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	LEU
1	A	81	PHE
1	A	111	LEU
1	A	125	LEU
1	A	134	ARG
1	A	147	PHE
1	A	154	ARG
1	A	169	ARG
1	A	173	VAL
1	A	181	LEU
1	A	222	LEU
1	A	258	PHE
1	A	266	LEU
1	A	285	LEU
1	A	301	LEU
1	A	307	LEU
1	A	311	VAL
1	B	25	GLU
1	B	111	LEU
1	B	169	ARG
1	B	181	LEU
1	B	222	LEU
1	B	237	THR
1	B	240	GLN
1	B	258	PHE
1	B	266	LEU
1	B	285	LEU
1	B	301	LEU
1	B	307	LEU
1	B	311	VAL
1	C	8	LEU
1	C	81	PHE
1	C	111	LEU
1	C	125	LEU
1	C	147	PHE
1	C	169	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	173	VAL
1	C	181	LEU
1	C	199	ARG
1	C	222	LEU
1	C	258	PHE
1	C	285	LEU
1	C	301	LEU
1	C	311	VAL
1	D	81	PHE
1	D	111	LEU
1	D	125	LEU
1	D	147	PHE
1	D	167	GLU
1	D	169	ARG
1	D	177	LEU
1	D	181	LEU
1	D	189	LYS
1	D	222	LEU
1	D	247	ASP
1	D	258	PHE
1	D	266	LEU
1	D	281	GLU
1	D	301	LEU
1	D	311	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 18 ligands modelled in this entry, 12 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FPS	A	704	2	18,23,23	0.84	1 (5%)	25,31,31	3.09	14 (56%)
4	GOL	B	402	-	5,5,5	0.29	0	5,5,5	0.42	0
3	FPS	B	405	2	18,23,23	1.00	1 (5%)	25,31,31	2.99	12 (48%)
4	GOL	C	704	-	5,5,5	0.41	0	5,5,5	0.82	0
3	FPS	C	705	2	18,23,23	0.82	1 (5%)	25,31,31	2.53	11 (44%)
3	FPS	D	704	2	18,23,23	0.78	1 (5%)	25,31,31	2.44	9 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FPS	A	704	2	-	0/19/25/25	0/0/0/0
4	GOL	B	402	-	-	0/4/4/4	0/0/0/0
3	FPS	B	405	2	-	0/19/25/25	0/0/0/0
4	GOL	C	704	-	-	0/4/4/4	0/0/0/0
3	FPS	C	705	2	-	0/19/25/25	0/0/0/0
3	FPS	D	704	2	-	0/19/25/25	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	405	FPS	PA-O2A	-3.18	1.48	1.56
3	A	704	FPS	PA-O2A	-2.66	1.49	1.56
3	C	705	FPS	PA-O2A	-2.45	1.50	1.56
3	D	704	FPS	PA-O2A	-2.11	1.51	1.56

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	405	FPS	C10-C11-C12	-6.89	93.64	111.69
3	A	704	FPS	C15-C13-C12	-5.76	104.08	122.61
3	A	704	FPS	C10-C11-C12	-5.59	97.04	111.69
3	D	704	FPS	C1-C2-C3	-5.45	120.50	127.83
3	B	405	FPS	C15-C13-C12	-5.21	105.85	122.61
3	C	705	FPS	C10-C11-C12	-5.05	98.46	111.69
3	D	704	FPS	C10-C11-C12	-4.36	100.28	111.69
3	B	405	FPS	C1-C2-C3	-4.19	122.20	127.83
3	C	705	FPS	C15-C13-C12	-4.10	109.42	122.61
3	D	704	FPS	C6-C7-C8	-3.90	119.28	127.76
3	A	704	FPS	C6-C7-C8	-3.82	119.46	127.76
3	C	705	FPS	C6-C7-C8	-3.75	119.60	127.76
3	C	705	FPS	C1-C2-C3	-3.59	123.00	127.83
3	B	405	FPS	PB-O3A-PA	-3.52	120.87	132.67
3	C	705	FPS	PB-O3A-PA	-3.48	120.98	132.67
3	B	405	FPS	C10-C8-C7	-3.45	114.52	121.05
3	A	704	FPS	C1-C2-C3	-3.38	123.28	127.83
3	A	704	FPS	C10-C8-C7	-3.17	115.04	121.05
3	A	704	FPS	PB-O3A-PA	-2.93	122.84	132.67
3	A	704	FPS	C5-C6-C7	-2.93	104.02	111.69
3	B	405	FPS	C6-C7-C8	-2.56	122.19	127.76
3	D	704	FPS	C9-C8-C7	-2.35	118.90	123.50
3	A	704	FPS	C11-C10-C8	-2.30	105.21	112.71
3	C	705	FPS	C9-C8-C7	-2.11	119.36	123.50
3	B	405	FPS	C5-C6-C7	-2.05	106.32	111.69
3	C	705	FPS	C10-C8-C7	-2.01	117.25	121.05
3	B	405	FPS	C14-C13-C12	2.35	130.19	122.61
3	B	405	FPS	C4-C3-C5	2.37	119.03	115.41
3	D	704	FPS	O1B-PB-O2B	2.49	118.58	110.58
3	C	705	FPS	C4-C3-C5	2.50	119.23	115.41
3	A	704	FPS	C14-C13-C12	2.53	130.77	122.61
3	D	704	FPS	C15-C13-C14	2.75	121.39	114.64
3	C	705	FPS	O1B-PB-O2B	2.81	119.64	110.58
3	D	704	FPS	C4-C3-C5	2.91	119.85	115.41
3	A	704	FPS	C4-C3-C5	3.12	120.18	115.41
3	C	705	FPS	C15-C13-C14	3.19	122.47	114.64
3	B	405	FPS	C11-C12-C13	3.59	141.56	127.73
3	A	704	FPS	C11-C12-C13	3.63	141.69	127.73
3	A	704	FPS	O2A-PA-O1A	3.75	119.41	110.05
3	B	405	FPS	C15-C13-C14	3.79	123.95	114.64
3	A	704	FPS	C15-C13-C14	4.28	125.15	114.64
3	D	704	FPS	O2A-PA-O1A	4.31	120.80	110.05
3	D	704	FPS	C9-C8-C10	4.35	122.06	115.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	705	FPS	C9-C8-C10	5.23	123.40	115.41
3	A	704	FPS	C9-C8-C10	6.16	124.81	115.41
3	B	405	FPS	C9-C8-C10	6.20	124.87	115.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	704	FPS	4	0
3	B	405	FPS	1	0
3	C	705	FPS	3	0
3	D	704	FPS	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	304/314 (96%)	-0.53	0 100 100	18, 25, 42, 55	0
1	B	304/314 (96%)	-0.52	0 100 100	17, 23, 37, 55	0
1	C	304/314 (96%)	-0.40	2 (0%) 89 90	21, 33, 51, 72	0
1	D	304/314 (96%)	0.51	28 (9%) 11 12	28, 47, 78, 99	0
All	All	1216/1256 (96%)	-0.23	30 (2%) 61 64	17, 31, 60, 99	0

All (30) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	279	GLY	7.2
1	D	280	LEU	6.1
1	D	18	LEU	5.2
1	D	272	VAL	4.7
1	D	275	LEU	4.4
1	D	193	SER	4.3
1	D	196	GLN	4.2
1	D	192	PRO	3.4
1	D	270	LEU	3.3
1	D	283	PRO	3.2
1	D	188	LEU	3.2
1	D	285	LEU	3.0
1	D	195	LEU	2.9
1	C	8	LEU	2.8
1	C	223	TYR	2.8
1	D	276	SER	2.7
1	D	274	ARG	2.7
1	D	287	ALA	2.7
1	D	199	ARG	2.6
1	D	282	THR	2.6
1	D	281	GLU	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	284	GLY	2.3
1	D	22	LEU	2.3
1	D	66	LEU	2.2
1	D	277	ALA	2.2
1	D	72	PHE	2.1
1	D	288	TYR	2.1
1	D	294	TYR	2.1
1	D	68	ASP	2.1
1	D	146	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	MG	B	403	1/1	0.99	0.11	2.11	18,18,18,18	0
4	GOL	C	704	6/6	0.88	0.17	2.04	30,36,48,58	0
3	FPS	D	704	24/24	0.97	0.15	1.87	26,45,64,66	0
3	FPS	A	704	24/24	0.98	0.11	1.19	16,27,37,41	0
3	FPS	B	405	24/24	0.98	0.11	0.90	16,25,31,34	0
4	GOL	B	402	6/6	0.92	0.11	0.72	32,37,37,45	0
3	FPS	C	705	24/24	0.98	0.08	-0.06	25,33,43,47	0
2	MG	A	701	1/1	0.99	0.06	-0.76	22,22,22,22	0
2	MG	C	703	1/1	0.96	0.04	-1.50	27,27,27,27	0
2	MG	D	702	1/1	0.97	0.07	-2.05	29,29,29,29	0
2	MG	C	702	1/1	0.97	0.04	-4.49	28,28,28,28	0
2	MG	D	701	1/1	0.96	0.07	-	32,32,32,32	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	MG	D	703	1/1	0.91	0.06	-	44,44,44,44	0
2	MG	B	401	1/1	1.00	0.06	-	19,19,19,19	0
2	MG	A	702	1/1	0.92	0.09	-	22,22,22,22	0
2	MG	B	404	1/1	0.98	0.10	-	19,19,19,19	0
2	MG	A	703	1/1	1.00	0.05	-	21,21,21,21	0
2	MG	C	701	1/1	0.97	0.05	-	31,31,31,31	0

6.5 Other polymers [i](#)

There are no such residues in this entry.