



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:35 PM GMT

PDB ID : 1KZ8
Title : CRYSTAL STRUCTURE OF PORCINE FRUCTOSE-1,6-BISPHOSPHATASE COMPLEXED WITH A NOVEL ALLOSTERIC-SITE INHIBITOR
Authors : Wright, S.W.; Carlo, A.A.; Carty, M.D.; Danley, D.E.; Hageman, D.L.; Karam, G.A.; Levy, C.B.; Mansour, M.N.; Mathiowetz, A.M.; McClure, L.D.; Nestor, N.B.; McPherson, R.K.; Pandit, J.; Pustilnik, L.R.; Schulte, G.K.; Soeller, W.C.; Treadway, J.L.; Wang, I.-K.; Bauer, P.H.
Deposited on : 2002-02-06
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	337	
1	F	337	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MN	F	839	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 5562 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called FRUCTOSE-1,6-BISPHOSPHATASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	319	Total	C	N	O	S	0	0	0
			2441	1557	412	457	15			
1	F	319	Total	C	N	O	S	0	0	0
			2441	1557	412	457	15			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	20	GLN	GLU	SEE REMARK 999	UNP P00636
A	96	THR	SER	SEE REMARK 999	UNP P00636
A	199	ASN	ASP	SEE REMARK 999	UNP P00636
F	20	GLN	GLU	SEE REMARK 999	UNP P00636
F	96	THR	SER	SEE REMARK 999	UNP P00636
F	199	ASN	ASP	SEE REMARK 999	UNP P00636

- Molecule 2 is SUGAR (FRUCTOSE-6-PHOSPHATE) (three-letter code: F6P) (formula: $C_6H_{13}O_9P$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			16	6	9	1		
2	F	1	Total	C	O	P	0	0
			16	6	9	1		

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mn	0	0
			1	1		
3	F	1	Total	Mn	0	0
			1	1		

- Molecule 4 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: C₁₀H₁₄N₅O₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
4	F	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 5 is {4-[3-(6,7-DIETHOXY-QUINAZOLIN-4-YLAMINO)-PHENYL]-THIAZOL-2-YL}-METHANOL (three-letter code: PFE) (formula: C₂₂H₂₂N₄O₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	0
			30	22	4	3	1		
5	F	1	Total	C	N	O	S	0	0
			30	22	4	3	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	255	Total	O	0	0
			255	255		
6	F	285	Total	O	0	0
			285	285		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: FRUCTOSE-1,6-BISPHOSPHATASE



• Molecule 1: FRUCTOSE-1,6-BISPHOSPHATASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	59.65Å 165.94Å 79.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00 29.00 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.4 (30.00-2.00) 97.7 (29.00-2.00)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.61 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5	Depositor
R, R_{free}	0.177 , 0.214 0.184 , 0.222	Depositor DCC
R_{free} test set	2681 reflections (5.37%)	DCC
Wilson B-factor (Å ²)	21.9	Xtriage
Anisotropy	0.115	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 57.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 52636 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5562	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: AMP, MN, PFE, F6P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.63	0/2482	1.09	15/3356 (0.4%)
1	F	0.62	0/2482	1.08	15/3356 (0.4%)
All	All	0.62	0/4964	1.09	30/6712 (0.4%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	25	ARG	NE-CZ-NH2	-12.52	114.04	120.30
1	A	25	ARG	NE-CZ-NH1	10.66	125.63	120.30
1	F	140	ARG	NE-CZ-NH1	-10.47	115.07	120.30
1	A	49	ARG	NE-CZ-NH1	8.15	124.38	120.30
1	A	157	ARG	NE-CZ-NH2	7.87	124.23	120.30
1	A	198	ARG	NE-CZ-NH2	-7.65	116.47	120.30
1	F	178	VAL	CB-CA-C	-7.47	97.21	111.40
1	F	121	ASP	CB-CG-OD2	7.40	124.96	118.30
1	F	25	ARG	NE-CZ-NH2	-7.31	116.64	120.30
1	F	276	ARG	NE-CZ-NH2	-7.24	116.68	120.30
1	F	309	ASP	CB-CG-OD1	7.18	124.76	118.30
1	A	121	ASP	CB-CG-OD2	7.00	124.60	118.30
1	F	140	ARG	NE-CZ-NH2	6.87	123.74	120.30
1	A	178	VAL	CB-CA-C	-6.28	99.46	111.40
1	F	25	ARG	NE-CZ-NH1	6.10	123.35	120.30
1	F	99	ASP	CB-CG-OD2	5.86	123.57	118.30
1	A	309	ASP	CB-CG-OD1	5.84	123.56	118.30
1	A	254	ARG	NE-CZ-NH2	-5.73	117.44	120.30
1	A	25	ARG	CD-NE-CZ	5.56	131.39	123.60
1	A	10	ILE	N-CA-CB	5.56	123.58	110.80
1	F	10	ILE	N-CA-CB	5.49	123.42	110.80
1	F	118	ASP	CB-CG-OD2	5.47	123.22	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	229	ARG	NE-CZ-NH1	-5.45	117.57	120.30
1	A	151	ASP	CB-CG-OD2	5.32	123.09	118.30
1	F	178	VAL	CG1-CB-CG2	5.22	119.25	110.90
1	F	313	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	A	197	ASP	CB-CG-OD1	5.12	122.90	118.30
1	A	278	LEU	CA-CB-CG	5.12	127.06	115.30
1	F	125	ASN	N-CA-CB	-5.11	101.40	110.60
1	A	49	ARG	NE-CZ-NH2	-5.08	117.76	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2441	0	2508	53	0
1	F	2441	0	2508	71	0
2	A	16	0	11	1	0
2	F	16	0	11	1	0
3	A	1	0	0	0	0
3	F	1	0	0	0	0
4	A	23	0	12	1	0
4	F	23	0	12	4	0
5	A	30	0	22	0	0
5	F	30	0	22	0	0
6	A	255	0	0	9	0
6	F	285	0	0	15	0
All	All	5562	0	5106	116	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:125:ASN:OD1	1:F:130:VAL:HB	1.48	1.10
1:F:257:VAL:HB	6:F:1094:HOH:O	1.59	1.01
1:F:125:ASN:HD21	1:F:130:VAL:HG12	1.30	0.94
1:F:140:ARG:NH1	4:F:837:AMP:O3'	2.05	0.88
1:A:9:ASN:HB2	1:F:57:TYR:HB3	1.61	0.81
1:A:123:SER:HA	1:A:126:ILE:HG13	1.64	0.78
1:A:154:GLN:HE21	1:A:158:ASN:HD22	1.32	0.78
1:F:9:ASN:CG	1:F:194:ILE:HG23	2.05	0.76
1:F:142:ASN:HB2	6:F:996:HOH:O	1.88	0.74
1:A:140:ARG:NH1	4:A:737:AMP:O3'	2.20	0.73
1:F:125:ASN:ND2	1:F:130:VAL:HG12	2.03	0.73
1:A:9:ASN:CG	1:A:194:ILE:HG23	2.09	0.73
1:A:269:LYS:HG3	1:A:270:SER:N	2.03	0.72
1:A:9:ASN:CB	1:F:57:TYR:HB3	2.22	0.70
1:A:268:LYS:HD3	1:A:269:LYS:H	1.57	0.69
1:F:102:ALA:HB2	1:F:149:GLU:HG3	1.76	0.68
1:A:57:TYR:HB3	1:F:9:ASN:HB2	1.76	0.67
1:F:229:ARG:HD3	6:F:972:HOH:O	1.94	0.66
1:F:123:SER:HA	1:F:126:ILE:HG13	1.78	0.65
1:A:142:ASN:HB2	6:A:848:HOH:O	1.96	0.65
1:F:29:GLU:OE1	1:F:112:LYS:HG2	1.98	0.64
1:F:125:ASN:CG	1:F:130:VAL:HB	2.19	0.63
1:A:300:GLU:HG2	6:A:978:HOH:O	1.99	0.63
1:F:130:VAL:HG23	6:F:923:HOH:O	1.99	0.63
1:F:229:ARG:NH1	1:F:326:GLU:OE2	2.32	0.62
1:F:32:GLN:HG2	6:F:983:HOH:O	2.00	0.61
1:F:229:ARG:NH2	6:F:980:HOH:O	2.34	0.60
1:A:258:TYR:CE1	1:F:128:CYS:HB3	2.37	0.59
1:F:154:GLN:HE21	1:F:158:ASN:HD22	1.51	0.59
1:F:125:ASN:HD21	1:F:130:VAL:CG1	2.08	0.59
1:F:182:ASN:HD22	1:F:198:ARG:HA	1.68	0.58
1:A:29:GLU:OE1	1:A:112:LYS:HG2	2.02	0.58
1:A:234:PRO:HD2	6:A:874:HOH:O	2.04	0.58
1:A:266:ALA:HB1	1:A:271:PRO:HA	1.84	0.58
1:F:253:HIS:O	1:F:257:VAL:HG12	2.03	0.57
1:F:140:ARG:HG3	1:F:140:ARG:HH11	1.69	0.57
1:F:102:ALA:CB	1:F:149:GLU:HG3	2.34	0.57
1:F:229:ARG:NE	6:F:980:HOH:O	2.36	0.57
1:A:267:ASN:OD1	1:A:269:LYS:HG2	2.04	0.56
1:F:182:ASN:ND2	1:F:199:ASN:H	2.03	0.55
1:F:130:VAL:HG13	6:F:907:HOH:O	2.05	0.55
1:F:233:PRO:HG2	1:F:237:SER:O	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:10:ILE:HD11	1:A:198:ARG:HH22	1.72	0.55
1:A:57:TYR:HB3	1:F:9:ASN:CB	2.38	0.54
1:A:218:GLU:HB2	1:A:267:ASN:HB2	1.89	0.54
1:F:9:ASN:ND2	1:F:194:ILE:HD12	2.23	0.54
1:A:9:ASN:ND2	1:A:194:ILE:HD12	2.23	0.54
1:A:10:ILE:HD12	1:A:11:VAL:HG23	1.91	0.53
1:F:36:SER:HB3	1:F:84:VAL:HG12	1.91	0.53
1:F:30:MET:HE1	4:F:837:AMP:H2'	1.91	0.52
1:A:225:GLU:OE1	1:A:334:HIS:HE1	1.92	0.52
1:A:10:ILE:CD1	1:A:198:ARG:HH22	2.24	0.51
1:A:20:GLN:HE22	1:A:23:LYS:NZ	2.08	0.51
1:F:123:SER:HA	1:F:126:ILE:CD1	2.42	0.49
1:A:13:LEU:O	1:A:17:VAL:HG13	2.13	0.49
1:A:280:GLU:OE2	2:A:736:F6P:O1	2.28	0.49
1:A:182:ASN:ND2	1:A:199:ASN:H	2.10	0.49
1:A:51:ALA:HA	1:F:188:PRO:HD2	1.95	0.49
1:A:218:GLU:CB	1:A:267:ASN:HB2	2.43	0.48
1:A:184:PHE:HB3	1:A:193:PHE:HB3	1.94	0.48
1:F:184:PHE:HB3	1:F:193:PHE:HB3	1.94	0.48
1:A:182:ASN:HD22	1:A:198:ARG:HA	1.79	0.48
1:A:150:LYS:HE2	6:A:851:HOH:O	2.13	0.48
1:F:30:MET:CE	4:F:837:AMP:H3'	2.43	0.48
1:F:10:ILE:HD12	1:F:11:VAL:HG23	1.95	0.47
1:A:96:THR:HB	1:A:117:PHE:CZ	2.49	0.47
1:F:126:ILE:HA	6:F:881:HOH:O	2.14	0.47
1:F:97:GLU:HB2	1:F:279:TYR:CE1	2.50	0.47
1:F:266:ALA:HB1	1:F:271:PRO:HA	1.97	0.47
1:A:9:ASN:CB	1:F:57:TYR:CB	2.92	0.47
1:F:123:SER:HA	1:F:126:ILE:CG1	2.44	0.47
1:A:257:VAL:HG12	1:A:258:TYR:HD1	1.79	0.46
1:F:198:ARG:HD2	6:F:899:HOH:O	2.15	0.46
1:A:124:SER:HB3	6:A:988:HOH:O	2.15	0.46
1:F:121:ASP:OD2	1:F:249:VAL:HG23	2.15	0.46
1:A:22:ARG:HD3	6:A:959:HOH:O	2.15	0.46
1:A:121:ASP:HB2	6:A:935:HOH:O	2.15	0.46
1:A:269:LYS:CG	1:A:270:SER:N	2.78	0.46
1:F:226:TYR:CZ	1:F:230:LYS:HD3	2.51	0.46
1:F:211:ILE:HD12	1:F:263:MET:HB2	1.98	0.46
1:F:140:ARG:HH12	4:F:837:AMP:HO3'	1.52	0.46
1:A:9:ASN:HB3	1:F:57:TYR:CB	2.46	0.45
1:F:221:PRO:HB2	1:F:334:HIS:CD2	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:148:SER:OG	1:A:150:LYS:HG2	2.15	0.45
1:F:225:GLU:OE1	1:F:334:HIS:HE1	2.00	0.45
1:F:229:ARG:CZ	6:F:980:HOH:O	2.65	0.45
1:A:318:LEU:C	1:A:318:LEU:HD12	2.37	0.45
1:F:125:ASN:ND2	1:F:130:VAL:CG1	2.76	0.45
1:A:178:VAL:HG22	6:A:847:HOH:O	2.17	0.45
1:F:45:SER:O	1:F:49:ARG:HD3	2.17	0.45
1:F:126:ILE:HG12	1:F:132:ILE:HD13	1.99	0.44
1:F:9:ASN:HD22	1:F:194:ILE:HD12	1.80	0.44
1:A:188:PRO:HD2	1:F:51:ALA:HA	2.00	0.44
1:F:268:LYS:HA	6:F:1010:HOH:O	2.18	0.44
1:F:122:GLY:O	1:F:125:ASN:HB3	2.18	0.43
1:F:96:THR:HB	1:F:117:PHE:CZ	2.54	0.43
1:F:9:ASN:ND2	1:F:194:ILE:HG23	2.34	0.43
1:F:149:GLU:HG2	1:F:310:ILE:HG21	2.00	0.42
1:F:17:VAL:HG23	6:F:938:HOH:O	2.18	0.42
2:F:836:F6P:H12	6:F:945:HOH:O	2.19	0.42
1:F:282:ASN:HA	1:F:282:ASN:HD22	1.67	0.42
1:A:126:ILE:HA	6:F:916:HOH:O	2.19	0.42
1:F:9:ASN:N	1:F:9:ASN:HD22	2.17	0.42
1:A:36:SER:HB3	1:A:84:VAL:HG12	2.01	0.42
1:F:186:LEU:O	1:F:188:PRO:HD3	2.19	0.42
1:A:9:ASN:HD22	1:A:194:ILE:HD12	1.85	0.41
1:A:33:LEU:HD11	1:A:85:LEU:HD22	2.01	0.41
1:A:154:GLN:NE2	1:A:158:ASN:HD22	2.10	0.41
1:A:96:THR:HB	1:A:117:PHE:CE2	2.56	0.41
1:A:9:ASN:HD22	1:A:9:ASN:N	2.19	0.40
1:F:166:LEU:O	1:F:171:THR:HA	2.21	0.40
1:F:20:GLN:HE22	1:F:23:LYS:NZ	2.19	0.40
6:A:754:HOH:O	1:F:130:VAL:HA	2.21	0.40
1:A:123:SER:HA	1:A:126:ILE:CG1	2.44	0.40
1:A:195:LEU:HD21	1:A:198:ARG:HG2	2.02	0.40
1:F:278:LEU:HG	1:F:310:ILE:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	315/337 (94%)	307 (98%)	8 (2%)	0	100	100
1	F	315/337 (94%)	307 (98%)	8 (2%)	0	100	100
All	All	630/674 (94%)	614 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	265/279 (95%)	255 (96%)	10 (4%)	40	36
1	F	265/279 (95%)	248 (94%)	17 (6%)	22	15
All	All	530/558 (95%)	503 (95%)	27 (5%)	29	23

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	10	ILE
1	A	30	MET
1	A	96	THR
1	A	124	SER
1	A	142	ASN
1	A	145	ASP
1	A	264	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	268	LYS
1	A	299	LYS
1	F	9	ASN
1	F	10	ILE
1	F	30	MET
1	F	96	THR
1	F	97	GLU
1	F	100	LYS
1	F	124	SER
1	F	142	ASN
1	F	144	THR
1	F	178	VAL
1	F	198	ARG
1	F	229	ARG
1	F	239	PRO
1	F	264	TYR
1	F	267	ASN
1	F	278	LEU
1	F	282	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	GLN
1	A	35	ASN
1	A	142	ASN
1	A	154	GLN
1	A	182	ASN
1	A	282	ASN
1	A	334	HIS
1	F	20	GLN
1	F	35	ASN
1	F	142	ASN
1	F	154	GLN
1	F	182	ASN
1	F	282	ASN
1	F	334	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	F6P	A	736	-	15,16,16	0.61	0	16,25,25	1.11	1 (6%)
4	AMP	A	737	-	20,25,25	1.23	1 (5%)	22,38,38	2.52	7 (31%)
5	PFE	A	738	-	31,33,33	1.22	5 (16%)	39,45,45	1.99	8 (20%)
2	F6P	F	836	-	15,16,16	0.73	0	16,25,25	0.92	1 (6%)
4	AMP	F	837	-	20,25,25	1.17	1 (5%)	22,38,38	2.92	7 (31%)
5	PFE	F	838	-	31,33,33	1.23	4 (12%)	39,45,45	1.61	5 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	F6P	A	736	-	-	0/9/28/28	0/1/1/1
4	AMP	A	737	-	-	0/6/26/26	0/3/3/3
5	PFE	A	738	-	-	0/14/16/16	0/4/4/4
2	F6P	F	836	-	-	0/9/28/28	0/1/1/1
4	AMP	F	837	-	-	0/6/26/26	0/3/3/3
5	PFE	F	838	-	-	0/14/16/16	0/4/4/4

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	F	838	PFE	C4-C6	-2.92	1.41	1.44
5	F	838	PFE	C8-N5	-2.76	1.32	1.37
5	A	738	PFE	C8-N5	-2.21	1.33	1.37
5	A	738	PFE	C4-C6	-2.10	1.42	1.44
5	A	738	PFE	C18-C8	-2.00	1.38	1.41
4	F	837	AMP	O4'-C1'	2.17	1.43	1.41
5	F	838	PFE	C18-C16	2.29	1.40	1.36
5	A	738	PFE	C9-C13	2.46	1.41	1.36
5	A	738	PFE	C4-N3	2.78	1.41	1.36
5	F	838	PFE	C4-N3	2.84	1.41	1.36
4	A	737	AMP	O4'-C1'	3.43	1.45	1.41

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	F	837	AMP	N3-C2-N1	-9.43	121.68	128.89
4	A	737	AMP	N3-C2-N1	-7.26	123.34	128.89
5	A	738	PFE	C43-C40-C36	-5.63	121.56	129.40
5	F	838	PFE	C43-C40-C36	-4.94	122.53	129.40
5	A	738	PFE	N5-C7-N2	-4.77	125.24	128.89
4	F	837	AMP	C2'-C1'-N9	-3.87	108.38	114.29
5	A	738	PFE	O51-C47-C48	-3.86	104.68	112.47
5	F	838	PFE	N5-C7-N2	-3.85	125.95	128.89
4	F	837	AMP	O4'-C4'-C3'	-3.77	97.55	105.15
5	F	838	PFE	O51-C47-C48	-3.63	105.15	112.47
4	A	737	AMP	C1'-N9-C4	-3.59	121.52	126.94
4	A	737	AMP	C2'-C1'-N9	-3.37	109.14	114.29
5	A	738	PFE	C36-C35-C32	-3.33	118.41	121.52
4	F	837	AMP	O4'-C1'-N9	-3.30	101.19	108.10
5	A	738	PFE	C4-C6-C8	-2.86	114.14	115.77
5	F	838	PFE	C40-C43-S45	-2.67	108.52	111.79
4	A	737	AMP	O4'-C4'-C3'	-2.55	100.02	105.15
5	A	738	PFE	C40-C43-S45	-2.52	108.69	111.79
2	A	736	F6P	O1-C1-C2	-2.20	107.11	111.39
2	F	836	F6P	O6-P-O1P	-2.01	102.03	107.14
4	A	737	AMP	O3'-C3'-C2'	2.43	119.72	111.83
4	F	837	AMP	O3'-C3'-C2'	3.23	122.33	111.83
5	A	738	PFE	C6-C4-N2	3.34	123.84	121.46
4	A	737	AMP	C2'-C3'-C4'	3.35	109.49	102.61
4	F	837	AMP	C2-N1-C6	3.38	124.81	118.77
4	F	837	AMP	C2'-C3'-C4'	3.64	110.10	102.61
5	F	838	PFE	C7-N5-C8	3.70	118.60	115.19
5	A	738	PFE	C7-N5-C8	3.81	118.70	115.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	737	AMP	C2-N1-C6	4.28	126.41	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	736	F6P	1	0
4	A	737	AMP	1	0
2	F	836	F6P	1	0
4	F	837	AMP	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	319/337 (94%)	-0.13	10 (3%) 52 53	15, 23, 52, 76	0
1	F	319/337 (94%)	-0.09	11 (3%) 49 50	14, 23, 54, 77	0
All	All	638/674 (94%)	-0.11	21 (3%) 50 51	14, 23, 53, 77	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	9	ASN	6.4
1	A	9	ASN	6.1
1	A	269	LYS	4.5
1	F	267	ASN	4.0
1	F	123	SER	3.9
1	A	270	SER	3.2
1	F	269	LYS	3.2
1	F	142	ASN	3.2
1	A	123	SER	2.9
1	F	108	GLU	2.8
1	F	125	ASN	2.7
1	F	124	SER	2.6
1	A	125	ASN	2.6
1	F	270	SER	2.6
1	F	70	VAL	2.6
1	A	267	ASN	2.5
1	A	124	SER	2.5
1	F	106	GLU	2.3
1	A	268	LYS	2.3
1	A	335	ALA	2.2
1	A	108	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	MN	F	839	1/1	0.77	0.18	3.55	88,88,88,88	0
3	MN	A	739	1/1	0.92	0.22	1.37	73,73,73,73	0
5	PFE	F	838	30/30	0.94	0.12	0.20	21,24,27,37	0
2	F6P	A	736	16/16	0.95	0.15	0.11	22,31,35,38	0
2	F6P	F	836	16/16	0.93	0.13	0.02	26,33,38,39	0
5	PFE	A	738	30/30	0.95	0.09	-0.13	21,23,29,37	0
4	AMP	A	737	23/23	0.97	0.11	-0.15	22,26,28,30	0
4	AMP	F	837	23/23	0.97	0.08	-0.83	21,24,27,28	0

6.5 Other polymers [i](#)

There are no such residues in this entry.