



Full wwPDB NMR Structure Validation Report i

Apr 26, 2016 – 03:47 PM BST

PDB ID : 1L3E

Title : NMR Structures of the HIF-1alpha CTAD/p300 CH1 Complex

Authors : Freedman, S.J.; Sun, Z.J.; Poy, F.; Kung, A.L.; Livingston, D.M.; Wagner, G.; Eck, M.J.

Deposited on : 2002-02-26

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:


Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbitiy	:	4.02b-467
Mogul	:	unknown
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	rb-20027457
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20027457

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
SOLUTION NMR

The overall completeness of chemical shifts assignment is 78%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain				
1	A	42	33%	43%	5%	19%	
2	B	101	46%	38%	5%	12%	

2 Ensemble composition and analysis i

This entry contains 17 models. Model 8 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:8-A:41, B:108-B:196 (123)	0.53	8

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters. No single-model clusters were found.

Cluster number	Models
1	1, 2, 4, 5, 7, 8, 9, 10, 11, 12, 13, 15, 16, 17
2	3, 6, 14

3 Entry composition [\(i\)](#)

There are 3 unique types of molecules in this entry. The entry contains 2207 atoms, of which 1096 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called hypoxia inducible factor-1 alpha subunit.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	42	624	191	306	55	70	2	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	GLN	CLONING ARTIFACT	UNP Q16665

- Molecule 2 is a protein called p300 protein.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
2	B	101	1580	475	790	164	139	12	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms
3	B	3	Total Zn 3 3

4 Residue-property plots [\(i\)](#)


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: hypoxia inducible factor-1 alpha subunit



- Molecule 2: p300 protein




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: hypoxia inducible factor-1 alpha subunit




- Molecule 2: p300 protein






4.2.2 Score per residue for model 2

- Molecule 1: hypoxia inducible factor-1 alpha subunit




- Molecule 2: p300 protein




4.2.3 Score per residue for model 3

- Molecule 1: hypoxia inducible factor-1 alpha subunit



- Molecule 2: p300 protein




4.2.4 Score per residue for model 4

- Molecule 1: hypoxia inducible factor-1 alpha subunit




- Molecule 2: p300 protein




4.2.5 Score per residue for model 5

- Molecule 1: hypoxia inducible factor-1 alpha subunit




- Molecule 2: p300 protein



4.2.6 Score per residue for model 6

- Molecule 1: hypoxia inducible factor-1 alpha subunit




- Molecule 2: p300 protein






4.2.7 Score per residue for model 7

- Molecule 1: hypoxia inducible factor-1 alpha subunit




- Molecule 2: p300 protein




4.2.8 Score per residue for model 8 (medoid)

- Molecule 1: hypoxia inducible factor-1 alpha subunit




- Molecule 2: p300 protein




4.2.9 Score per residue for model 9

- Molecule 1: hypoxia inducible factor-1 alpha subunit




- Molecule 2: p300 protein




4.2.10 Score per residue for model 10

- Molecule 1: hypoxia inducible factor-1 alpha subunit




- Molecule 2: p300 protein




4.2.11 Score per residue for model 11

- Molecule 1: hypoxia inducible factor-1 alpha subunit



- Molecule 2: p300 protein






4.2.12 Score per residue for model 12

- Molecule 1: hypoxia inducible factor-1 alpha subunit




- Molecule 2: p300 protein




4.2.13 Score per residue for model 13

- Molecule 1: hypoxia inducible factor-1 alpha subunit





- Molecule 2: p300 protein



4.2.14 Score per residue for model 14


- Molecule 1: hypoxia inducible factor-1 alpha subunit

Chain A: 



- Molecule 2: p300 protein

Chain B: 



4.2.15 Score per residue for model 15


- Molecule 1: hypoxia inducible factor-1 alpha subunit

Chain A: 



- Molecule 2: p300 protein

Chain B: 



4.2.16 Score per residue for model 16

- Molecule 1: hypoxia inducible factor-1 alpha subunit

Chain A: 



- Molecule 2: p300 protein

Chain B: 



4.2.17 Score per residue for model 17

- Molecule 1: hypoxia inducible factor-1 alpha subunit

Chain A: 31% 40% 10% 19%



- Molecule 2: p300 protein

Chain B: 42% 39% 8% 12%



5 Refinement protocol and experimental data overview i

The models were refined using the following method: *distance geometry, simulated annealing*.

Of the 25 calculated structures, 17 were deposited, based on the following criterion: *structures with the least restraint violations, structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DYANA	structure solution	1.4
X-PLOR	refinement	3.1

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section [7](#) of this report.

Chemical shift file(s)	BMRB entry 5306
Number of chemical shift lists	2
Total number of shifts	1508
Number of shifts mapped to atoms	1508
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	78%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality i

6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	264	263	263	24±5
2	B	711	717	712	33±5
All	All	16626	16660	16575	768

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:121:VAL:HG22	2:B:195:LEU:HD21	0.94	1.33	3	15
1:A:38:LEU:HD11	2:B:178:ILE:HD13	0.94	1.39	15	12
1:A:8:LEU:HD12	2:B:170:HIS:CE1	0.92	1.99	4	5
2:B:121:VAL:CG2	2:B:195:LEU:HD21	0.84	2.02	13	14
1:A:38:LEU:HD21	2:B:178:ILE:HG23	0.83	1.48	13	10
1:A:35:LEU:HD22	2:B:154:LEU:HD22	0.80	1.53	16	2
2:B:117:GLN:O	2:B:121:VAL:HG23	0.80	1.76	17	17
1:A:20:ALA:HB1	2:B:180:HIS:CE1	0.80	2.10	16	9
1:A:30:GLN:O	1:A:34:LEU:HD12	0.79	1.77	7	17
1:A:29:LEU:HD13	1:A:34:LEU:CD2	0.79	2.07	11	1
1:A:29:LEU:HD22	1:A:37:ALA:CB	0.79	2.08	2	10

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:34:LEU:HD13	2:B:157:MET:HE3	0.75	1.58	2	2
1:A:35:LEU:CD2	2:B:154:LEU:HD22	0.75	2.11	6	3
1:A:29:LEU:HD23	1:A:37:ALA:HB3	0.74	1.59	13	2
2:B:123:LEU:CD2	2:B:178:ILE:HD11	0.74	2.12	16	1
2:B:123:LEU:HD22	2:B:178:ILE:HD11	0.73	1.60	1	6
2:B:122:LEU:HD11	2:B:150:MET:HB2	0.73	1.58	13	8
1:A:14:TYR:O	1:A:18:VAL:HG23	0.72	1.85	6	16
1:A:34:LEU:HD13	2:B:157:MET:CE	0.71	2.15	7	8
2:B:122:LEU:O	2:B:122:LEU:HD12	0.71	1.85	14	8
1:A:29:LEU:HD13	1:A:37:ALA:HB3	0.71	1.63	9	10
2:B:174:SER:HA	2:B:177:ILE:HD12	0.71	1.63	3	9
1:A:32:GLU:HG3	2:B:158:THR:HG22	0.70	1.61	16	1
2:B:122:LEU:HD13	2:B:150:MET:SD	0.70	2.27	7	2
2:B:189:CYS:O	2:B:193:LEU:HD12	0.70	1.87	10	1
1:A:22:ILE:HG23	2:B:183:ASN:HB3	0.69	1.61	10	8
1:A:29:LEU:HD21	2:B:182:LYS:CB	0.69	2.18	5	1
1:A:29:LEU:HD13	1:A:34:LEU:HD21	0.68	1.65	11	1
1:A:27:ASN:OD1	1:A:29:LEU:HD22	0.68	1.89	15	2
2:B:122:LEU:HD12	2:B:122:LEU:O	0.68	1.89	12	5
2:B:149:THR:O	2:B:153:VAL:HG23	0.68	1.88	6	7
1:A:29:LEU:HD13	1:A:29:LEU:H	0.67	1.49	15	3
2:B:122:LEU:HD22	2:B:146:HIS:HB3	0.67	1.66	10	12
1:A:29:LEU:HD13	1:A:37:ALA:CB	0.67	2.19	16	10
2:B:133:GLU:CB	2:B:139:VAL:HG13	0.66	2.20	12	1
2:B:120:LEU:HD21	2:B:181:TRP:CE3	0.66	2.25	11	6
2:B:120:LEU:HD22	2:B:177:ILE:CG2	0.66	2.20	5	4
1:A:38:LEU:HD21	2:B:178:ILE:CG2	0.65	2.21	9	9
1:A:20:ALA:HB1	2:B:180:HIS:CD2	0.65	2.26	6	2
2:B:122:LEU:HD11	2:B:146:HIS:HB3	0.65	1.66	7	3
1:A:29:LEU:HD23	1:A:37:ALA:CB	0.65	2.21	13	3
1:A:29:LEU:HD22	1:A:37:ALA:HB1	0.65	1.69	4	9
1:A:22:ILE:HG23	2:B:183:ASN:CB	0.65	2.21	9	8
1:A:38:LEU:HD11	2:B:127:HIS:CD2	0.65	2.26	7	3
2:B:122:LEU:HD11	2:B:150:MET:CG	0.64	2.22	11	7
1:A:18:VAL:HG11	2:B:108:ALA:HB2	0.64	1.70	6	1
1:A:29:LEU:N	1:A:29:LEU:HD13	0.64	2.07	15	3
2:B:123:LEU:HD11	2:B:174:SER:OG	0.63	1.93	12	4
2:B:122:LEU:C	2:B:122:LEU:HD12	0.63	2.14	14	6
1:A:29:LEU:H	1:A:29:LEU:HD13	0.62	1.54	17	1
2:B:189:CYS:O	2:B:193:LEU:HD13	0.62	1.94	3	4
2:B:156:HIS:CD2	2:B:168:VAL:HG21	0.62	2.29	16	15

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:120:LEU:HD13	2:B:177:ILE:HG22	0.62	1.69	15	1
2:B:122:LEU:HD21	2:B:150:MET:SD	0.62	2.34	9	4
2:B:122:LEU:HD11	2:B:150:MET:CB	0.62	2.25	13	3
2:B:122:LEU:HD22	2:B:146:HIS:CG	0.62	2.29	9	2
2:B:133:GLU:HA	2:B:139:VAL:HG21	0.61	1.72	13	2
1:A:34:LEU:HD22	2:B:178:ILE:CG2	0.61	2.25	16	2
1:A:18:VAL:CG1	2:B:108:ALA:HB2	0.61	2.24	6	1
1:A:27:ASN:ND2	1:A:29:LEU:HD11	0.61	2.10	13	1
1:A:32:GLU:HA	2:B:158:THR:HG23	0.60	1.73	6	1
1:A:8:LEU:HD23	2:B:170:HIS:CE1	0.60	2.31	16	12
1:A:29:LEU:HD22	1:A:37:ALA:HB2	0.60	1.73	16	8
1:A:29:LEU:HD12	1:A:34:LEU:HD23	0.60	1.73	9	2
1:A:29:LEU:HD13	1:A:29:LEU:N	0.60	2.11	17	1
2:B:120:LEU:HD22	2:B:195:LEU:HD13	0.60	1.72	12	1
2:B:133:GLU:CG	2:B:139:VAL:HG13	0.60	2.26	12	1
1:A:22:ILE:HD11	2:B:179:SER:OG	0.60	1.96	3	3
1:A:34:LEU:HD22	2:B:178:ILE:HG21	0.59	1.73	16	12
2:B:164:LYS:HA	2:B:172:ALA:HB1	0.59	1.74	3	2
2:B:120:LEU:O	2:B:124:LEU:HD13	0.58	1.97	9	7
1:A:29:LEU:HD22	1:A:29:LEU:N	0.58	2.14	8	2
2:B:120:LEU:HB3	2:B:195:LEU:HD11	0.57	1.76	10	3
1:A:29:LEU:HD21	2:B:182:LYS:HG2	0.57	1.75	4	3
2:B:122:LEU:HD12	2:B:122:LEU:C	0.57	2.20	12	7
1:A:19:ASN:HB3	2:B:116:ILE:HD13	0.57	1.75	14	1
1:A:29:LEU:H	1:A:29:LEU:HD22	0.57	1.59	17	1
2:B:113:ARG:HA	2:B:116:ILE:HD12	0.57	1.75	17	1
1:A:8:LEU:HD13	1:A:9:PRO:CD	0.56	2.30	6	5
2:B:120:LEU:HD22	2:B:195:LEU:CD1	0.56	2.29	12	1
1:A:29:LEU:HD12	1:A:37:ALA:CB	0.56	2.31	17	3
1:A:29:LEU:N	1:A:29:LEU:HD22	0.56	2.16	5	2
1:A:38:LEU:HD12	1:A:38:LEU:C	0.56	2.20	16	2
1:A:29:LEU:HD22	1:A:29:LEU:H	0.56	1.61	5	3
1:A:29:LEU:HD12	1:A:37:ALA:HB2	0.56	1.78	17	2
1:A:20:ALA:HB1	2:B:180:HIS:CG	0.56	2.36	5	4
1:A:8:LEU:HD13	1:A:9:PRO:HD2	0.55	1.78	6	5
2:B:121:VAL:HG22	2:B:195:LEU:CD2	0.55	2.24	12	7
2:B:122:LEU:HD22	2:B:146:HIS:CB	0.55	2.31	9	5
1:A:38:LEU:CD2	2:B:178:ILE:HG23	0.54	2.32	12	2
2:B:153:VAL:HG11	2:B:170:HIS:HB3	0.54	1.79	13	1
2:B:133:GLU:HB3	2:B:139:VAL:HG13	0.54	1.78	12	1
1:A:38:LEU:HD11	2:B:178:ILE:CD1	0.54	2.25	15	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:29:LEU:HB2	1:A:34:LEU:HD23	0.54	1.79	16	10
1:A:8:LEU:HD12	2:B:170:HIS:ND1	0.54	2.17	15	3
1:A:22:ILE:HG23	2:B:183:ASN:CG	0.54	2.23	3	1
2:B:119:GLN:O	2:B:123:LEU:HD12	0.54	2.03	16	2
1:A:29:LEU:HD22	1:A:34:LEU:HD23	0.54	1.80	12	2
1:A:29:LEU:HD12	1:A:29:LEU:N	0.54	2.17	13	1
1:A:8:LEU:HD13	2:B:149:THR:HG21	0.54	1.80	1	2
2:B:189:CYS:O	2:B:193:LEU:HD22	0.53	2.04	3	2
1:A:8:LEU:HD12	2:B:146:HIS:ND1	0.53	2.18	14	1
2:B:120:LEU:HD21	2:B:181:TRP:HE3	0.53	1.61	11	1
1:A:35:LEU:HD21	2:B:154:LEU:HD22	0.53	1.78	15	2
1:A:29:LEU:N	1:A:29:LEU:HD23	0.53	2.18	9	2
1:A:22:ILE:HG21	1:A:27:ASN:HB2	0.53	1.79	17	1
1:A:35:LEU:HD11	2:B:158:THR:OG1	0.53	2.04	6	1
1:A:32:GLU:CA	2:B:158:THR:HG23	0.52	2.34	6	1
1:A:35:LEU:HD22	2:B:127:HIS:CE1	0.52	2.39	5	1
2:B:156:HIS:NE2	2:B:168:VAL:HG21	0.52	2.20	2	6
1:A:38:LEU:HD12	1:A:38:LEU:O	0.52	2.04	5	2
2:B:125:HIS:O	2:B:129:CYS:N	0.51	2.39	5	4
1:A:41:VAL:O	1:A:41:VAL:HG13	0.51	2.05	9	1
1:A:14:TYR:CE2	1:A:18:VAL:HG21	0.51	2.40	7	3
1:A:8:LEU:CD2	2:B:170:HIS:CE1	0.51	2.94	8	12
1:A:29:LEU:HD21	2:B:182:LYS:HB3	0.51	1.82	5	1
1:A:38:LEU:O	1:A:38:LEU:HD12	0.51	2.05	7	1
1:A:29:LEU:HD13	1:A:34:LEU:HD23	0.51	1.82	11	1
1:A:19:ASN:CB	2:B:116:ILE:HD13	0.51	2.35	14	1
2:B:193:LEU:CB	2:B:194:PRO:HD3	0.50	2.35	15	5
1:A:22:ILE:HD11	2:B:179:SER:HB3	0.50	1.82	6	2
1:A:28:LEU:HB3	1:A:29:LEU:HD13	0.50	1.83	15	3
1:A:14:TYR:CZ	1:A:18:VAL:HG21	0.50	2.42	13	1
1:A:29:LEU:CD1	1:A:29:LEU:H	0.50	2.16	5	3
1:A:38:LEU:HD12	1:A:39:ASP:N	0.50	2.22	16	1
2:B:156:HIS:NE2	2:B:168:VAL:CG2	0.50	2.75	5	17
1:A:35:LEU:N	1:A:35:LEU:HD23	0.49	2.21	16	2
2:B:120:LEU:O	2:B:120:LEU:HD13	0.49	2.08	16	2
1:A:29:LEU:HD11	2:B:182:LYS:CB	0.49	2.37	16	1
1:A:38:LEU:HD13	2:B:127:HIS:HB2	0.49	1.84	15	1
1:A:29:LEU:H	1:A:29:LEU:CD1	0.49	2.16	8	1
2:B:120:LEU:HD22	2:B:177:ILE:HG22	0.49	1.85	5	2
1:A:8:LEU:HD13	2:B:149:THR:CG2	0.49	2.38	8	1
1:A:34:LEU:HD13	2:B:157:MET:HE1	0.49	1.84	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:180:HIS:O	2:B:184:CYS:N	0.48	2.47	6	13
2:B:125:HIS:CD2	2:B:147:CYS:SG	0.48	3.06	14	4
1:A:20:ALA:HB1	2:B:180:HIS:NE2	0.48	2.24	6	2
1:A:29:LEU:HD23	1:A:37:ALA:HB1	0.48	1.85	11	1
1:A:20:ALA:HB2	2:B:191:VAL:HG21	0.48	1.86	11	3
1:A:29:LEU:CD2	1:A:29:LEU:H	0.48	2.20	17	3
2:B:126:ALA:HB1	2:B:151:LYS:HD2	0.47	1.86	5	1
2:B:125:HIS:CD2	2:B:126:ALA:N	0.47	2.82	15	11
2:B:156:HIS:CD2	2:B:168:VAL:HG11	0.47	2.43	2	1
2:B:117:GLN:OE1	2:B:191:VAL:HG13	0.47	2.10	4	2
2:B:144:LEU:HD23	2:B:147:CYS:HB2	0.47	1.85	12	1
2:B:122:LEU:HD22	2:B:146:HIS:CD2	0.47	2.44	9	1
2:B:156:HIS:CD2	2:B:168:VAL:CG2	0.47	2.98	11	4
1:A:38:LEU:CD1	2:B:127:HIS:CD2	0.46	2.97	7	2
1:A:29:LEU:HD21	2:B:182:LYS:CG	0.46	2.40	5	1
2:B:125:HIS:O	2:B:128:LYS:N	0.46	2.49	5	3
2:B:117:GLN:CD	2:B:191:VAL:HG13	0.46	2.31	6	1
1:A:38:LEU:C	1:A:38:LEU:HD12	0.46	2.30	5	2
2:B:120:LEU:HD12	2:B:124:LEU:HD22	0.46	1.88	3	2
1:A:27:ASN:CG	1:A:28:LEU:N	0.46	2.69	11	7
1:A:22:ILE:HD13	2:B:179:SER:HB3	0.46	1.87	11	4
1:A:29:LEU:H	1:A:29:LEU:CD2	0.46	2.23	8	1
1:A:29:LEU:HG	1:A:37:ALA:CB	0.46	2.41	8	2
2:B:157:MET:HE1	2:B:178:ILE:HD12	0.45	1.87	5	1
1:A:34:LEU:CD2	2:B:178:ILE:HG21	0.45	2.40	3	3
1:A:14:TYR:CZ	1:A:18:VAL:CG2	0.45	3.00	13	1
2:B:120:LEU:HD11	2:B:181:TRP:CE3	0.45	2.46	6	1
1:A:29:LEU:HD21	2:B:182:LYS:HD2	0.45	1.87	8	2
2:B:168:VAL:HB	2:B:171:CYS:HB2	0.45	1.89	15	6
1:A:34:LEU:O	1:A:38:LEU:HG	0.45	2.11	16	1
2:B:193:LEU:CB	2:B:194:PRO:CD	0.45	2.95	5	15
1:A:29:LEU:N	1:A:29:LEU:HD12	0.45	2.27	12	1
1:A:29:LEU:HD11	2:B:182:LYS:CD	0.45	2.42	15	1
1:A:22:ILE:HD11	2:B:179:SER:CB	0.44	2.41	3	1
1:A:16:CYS:SG	2:B:177:ILE:HD13	0.44	2.52	7	2
2:B:122:LEU:CD2	2:B:146:HIS:CD2	0.44	3.00	9	1
1:A:14:TYR:CE1	1:A:18:VAL:CG2	0.44	3.00	13	1
2:B:180:HIS:CD2	2:B:181:TRP:N	0.44	2.85	9	13
1:A:22:ILE:O	1:A:23:GLN:CB	0.44	2.66	13	4
1:A:38:LEU:CB	2:B:127:HIS:CE1	0.44	3.01	12	2
2:B:133:GLU:HG3	2:B:139:VAL:HG13	0.44	1.89	12	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:38:LEU:HD11	2:B:127:HIS:CG	0.44	2.47	5	2
2:B:137:GLY:O	2:B:139:VAL:HG23	0.44	2.12	7	2
1:A:27:ASN:OD1	1:A:29:LEU:CD2	0.44	2.66	5	2
1:A:32:GLU:CG	2:B:158:THR:HG22	0.44	2.40	16	1
2:B:122:LEU:HD21	2:B:146:HIS:ND1	0.44	2.28	6	1
1:A:20:ALA:HB2	2:B:191:VAL:CG2	0.44	2.42	7	1
1:A:29:LEU:CD2	1:A:37:ALA:CB	0.44	2.92	14	1
1:A:29:LEU:HD23	1:A:29:LEU:N	0.44	2.28	1	1
1:A:26:ARG:CD	1:A:26:ARG:N	0.44	2.81	11	1
1:A:27:ASN:OD1	1:A:29:LEU:HD11	0.43	2.13	12	1
2:B:150:MET:O	2:B:154:LEU:N	0.43	2.48	14	2
1:A:30:GLN:O	1:A:34:LEU:CD1	0.43	2.64	16	2
2:B:189:CYS:HB3	2:B:193:LEU:HD13	0.43	1.90	15	1
1:A:29:LEU:HD11	2:B:182:LYS:HD2	0.43	1.90	15	1
1:A:27:ASN:ND2	1:A:29:LEU:O	0.43	2.51	8	1
1:A:34:LEU:CD2	2:B:178:ILE:CG2	0.42	2.96	7	2
2:B:156:HIS:HD2	2:B:168:VAL:HG11	0.42	1.74	2	1
1:A:22:ILE:CG2	2:B:183:ASN:ND2	0.42	2.82	6	3
2:B:176:GLN:HA	2:B:179:SER:HG	0.42	1.74	8	1
2:B:164:LYS:O	2:B:172:ALA:HB1	0.42	2.15	9	1
2:B:120:LEU:CD1	2:B:181:TRP:CE3	0.42	3.02	6	1
1:A:22:ILE:HG23	2:B:183:ASN:ND2	0.42	2.30	6	1
1:A:16:CYS:O	1:A:20:ALA:N	0.42	2.52	11	3
1:A:38:LEU:CD1	1:A:38:LEU:C	0.42	2.88	16	1
2:B:156:HIS:CD2	2:B:171:CYS:HB2	0.42	2.50	4	5
2:B:163:GLY:O	2:B:164:LYS:CB	0.42	2.67	1	1
1:A:29:LEU:N	1:A:29:LEU:CD1	0.42	2.82	8	1
1:A:29:LEU:HB2	1:A:34:LEU:HA	0.42	1.91	11	1
2:B:124:LEU:O	2:B:127:HIS:HB3	0.42	2.15	6	1
1:A:8:LEU:HD13	1:A:9:PRO:N	0.42	2.30	11	1
2:B:120:LEU:HD23	2:B:195:LEU:HD12	0.42	1.91	11	1
1:A:20:ALA:HB1	2:B:180:HIS:ND1	0.41	2.28	17	2
1:A:29:LEU:CD1	1:A:29:LEU:N	0.41	2.79	17	1
1:A:11:LEU:HD12	2:B:177:ILE:HD11	0.41	1.92	6	1
2:B:122:LEU:HD11	2:B:150:MET:HG3	0.41	1.92	1	2
2:B:156:HIS:NE2	2:B:168:VAL:HB	0.41	2.31	15	1
1:A:22:ILE:CG2	2:B:183:ASN:CB	0.41	2.99	11	1
2:B:186:ARG:CG	2:B:187:HIS:N	0.41	2.83	12	1
1:A:38:LEU:HD23	2:B:178:ILE:HD13	0.41	1.90	16	1
2:B:122:LEU:C	2:B:122:LEU:CD1	0.41	2.87	8	2
2:B:121:VAL:O	2:B:125:HIS:N	0.41	2.47	7	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:120:LEU:CD2	2:B:181:TRP:CE3	0.41	3.04	1	1
2:B:120:LEU:HD12	2:B:177:ILE:HG23	0.41	1.92	2	1
1:A:27:ASN:ND2	1:A:29:LEU:CD2	0.41	2.84	17	1
2:B:122:LEU:CD1	2:B:122:LEU:C	0.41	2.88	2	1
1:A:29:LEU:CD2	1:A:29:LEU:N	0.41	2.83	17	1
2:B:164:LYS:O	2:B:165:SER:CB	0.41	2.68	15	1
1:A:27:ASN:HB3	2:B:179:SER:HB2	0.41	1.93	8	1
2:B:125:HIS:CE1	2:B:144:LEU:HD13	0.41	2.51	9	1
1:A:22:ILE:HG22	2:B:183:ASN:ND2	0.41	2.31	17	1
2:B:113:ARG:O	2:B:117:GLN:CG	0.41	2.69	11	1
2:B:118:GLN:O	2:B:122:LEU:HD23	0.41	2.16	6	1
1:A:27:ASN:ND2	1:A:29:LEU:CD1	0.41	2.84	13	1
2:B:120:LEU:HD13	2:B:124:LEU:HD13	0.40	1.92	16	1
2:B:180:HIS:C	2:B:180:HIS:CD2	0.40	2.94	8	1
2:B:157:MET:CG	2:B:175:ARG:NH2	0.40	2.84	4	1
2:B:128:LYS:O	2:B:132:ARG:N	0.40	2.55	2	1

6.3 Torsion angles [\(i\)](#)

6.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	34/42 (81%)	23±1 (69±4%)	8±2 (24±5%)	2±2 (7±5%)	3 18
2	B	89/101 (88%)	71±2 (80±2%)	15±2 (17±3%)	2±1 (3±1%)	11 47
All	All	2091/2431 (86%)	1610 (77%)	402 (19%)	79 (4%)	7 35

All 12 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	B	108	ALA	14
1	A	9	PRO	10
1	A	26	ARG	8
1	A	25	SER	8
2	B	163	GLY	7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
2	B	165	SER	6
1	A	28	LEU	5
2	B	142	CYS	5
1	A	24	GLY	5
2	B	186	ARG	4
1	A	23	GLN	4
2	B	188	ASP	3

6.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	30/36 (83%)	22±2 (73±6%)	8±2 (27±6%)	2 22
2	B	82/89 (92%)	61±3 (74±4%)	21±3 (26±4%)	3 24
All	All	1904/2125 (90%)	1405 (74%)	499 (26%)	3 24

All 76 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	19	ASN	17
2	B	156	HIS	17
1	A	29	LEU	17
1	A	8	LEU	17
2	B	122	LEU	17
2	B	117	GLN	15
2	B	151	LYS	15
2	B	161	GLN	14
2	B	118	GLN	13
2	B	144	LEU	13
1	A	26	ARG	13
2	B	119	GLN	13
2	B	130	GLN	12
2	B	120	LEU	11
2	B	158	THR	11
2	B	150	MET	10
2	B	176	GLN	10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	36	ARG	9
2	B	189	CYS	9
1	A	17	GLU	9
2	B	182	LYS	9
1	A	25	SER	9
2	B	180	HIS	9
1	A	39	ASP	8
2	B	140	ARG	8
1	A	30	GLN	8
2	B	186	ARG	7
2	B	132	ARG	7
2	B	114	LYS	7
1	A	23	GLN	6
2	B	187	HIS	6
2	B	112	LYS	6
1	A	13	SER	6
2	B	142	CYS	6
2	B	159	HIS	6
2	B	166	CYS	6
2	B	152	ASN	6
2	B	195	LEU	6
2	B	193	LEU	5
1	A	40	GLN	5
2	B	148	ARG	5
2	B	175	ARG	5
2	B	165	SER	5
2	B	164	LYS	5
2	B	134	GLN	4
2	B	196	LYS	4
2	B	141	GLN	4
2	B	128	LYS	4
2	B	131	ARG	4
2	B	127	HIS	4
2	B	162	SER	4
2	B	146	HIS	4
2	B	155	ASN	3
2	B	149	THR	3
2	B	143	ASN	3
2	B	113	ARG	3
2	B	183	ASN	3
2	B	115	LEU	3
2	B	167	GLN	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	38	LEU	3
1	A	27	ASN	3
2	B	123	LEU	2
2	B	111	GLU	2
1	A	35	LEU	2
2	B	188	ASP	2
2	B	136	ASN	2
1	A	32	GLU	2
1	A	10	GLN	2
1	A	15	ASP	1
2	B	185	THR	1
1	A	11	LEU	1
2	B	138	GLU	1
1	A	28	LEU	1
2	B	173	SER	1
2	B	157	MET	1
2	B	133	GLU	1

6.3.3 RNA (i)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates (i)

There are no carbohydrates in this entry.

6.6 Ligand geometry (i)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers (i)

There are no such molecules in this entry.

6.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

7 Chemical shift validation i

The completeness of assignment taking into account all chemical shift lists is 78% for the well-defined parts and 77% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 5306

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping i

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	462
Number of shifts mapped to atoms	462
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing i

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	42	-0.10 \pm 0.18	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	37	0.23 \pm 0.19	None needed (< 0.5 ppm)
$^{13}\text{C}'$	42	-0.25 \pm 0.18	None needed (< 0.5 ppm)
^{15}N	40	0.04 \pm 0.23	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments i

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 22%, i.e. 352 atoms were assigned a chemical shift out of a possible 1577. 9 out of 23 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	166/603 (28%)	66/240 (28%)	68/246 (28%)	32/117 (27%)
Sidechain	186/893 (21%)	107/529 (20%)	74/310 (24%)	5/54 (9%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	0/81 (0%)	0/42 (0%)	0/25 (0%)	0/14 (0%)
Overall	352/1577 (22%)	173/811 (21%)	142/581 (24%)	37/185 (20%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 23%, i.e. 413 atoms were assigned a chemical shift out of a possible 1763. 9 out of 23 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	204/703 (29%)	80/280 (29%)	84/286 (29%)	40/137 (29%)
Sidechain	209/971 (22%)	121/575 (21%)	82/339 (24%)	6/57 (11%)
Aromatic	0/89 (0%)	0/46 (0%)	0/27 (0%)	0/16 (0%)
Overall	413/1763 (23%)	201/901 (22%)	166/652 (25%)	46/210 (22%)


7.1.4 Statistically unusual chemical shifts [\(i\)](#)

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots [\(i\)](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



7.2 Chemical shift list 2

File name: BMRB entry 5306

Chemical shift list name: *assigned_chem_shift_list_2*

7.2.1 Bookkeeping [\(i\)](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1046
Number of shifts mapped to atoms	1046
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

7.2.2 Chemical shift referencing [\(i\)](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction ± precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	96	-0.49 ± 0.13	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	92	0.61 ± 0.14	Should be applied
$^{13}\text{C}'$	94	-0.26 ± 0.22	None needed (< 0.5 ppm)
^{15}N	91	-0.54 ± 0.35	None needed (imprecise)

7.2.3 Completeness of resonance assignments [\(i\)](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 55%, i.e. 875 atoms were assigned a chemical shift out of a possible 1577. 14 out of 23 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	421/603 (70%)	169/240 (70%)	170/246 (69%)	82/117 (70%)
Sidechain	436/893 (49%)	244/529 (46%)	185/310 (60%)	7/54 (13%)
Aromatic	18/81 (22%)	17/42 (40%)	0/25 (0%)	1/14 (7%)
Overall	875/1577 (55%)	430/811 (53%)	355/581 (61%)	90/185 (49%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 54%, i.e. 946 atoms were assigned a chemical shift out of a possible 1763. 14 out of 23 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	467/703 (66%)	186/280 (66%)	190/286 (66%)	91/137 (66%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Sidechain	461/971 (47%)	257/575 (45%)	196/339 (58%)	8/57 (14%)
Aromatic	18/89 (20%)	17/46 (37%)	0/27 (0%)	1/16 (6%)
Overall	946/1763 (54%)	460/901 (51%)	386/652 (59%)	100/210 (48%)

7.2.4 Statistically unusual chemical shifts [\(i\)](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
2	B	175	ARG	NE	110.41	92.63 – 76.73	16.2

7.2.5 Random Coil Index (RCI) plots [\(i\)](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain B:

