



Full wwPDB NMR Structure Validation Report ⓘ

Apr 27, 2016 – 12:28 AM BST

PDB ID : 2L38
Title : R29Q Sticholysin II mutant
Authors : Castrillo, I.; Alegre-Cebollada, J.; Martinez-del-Pozo, A.; Gavilanes, J.; Bruix, M.
Deposited on : 2010-09-10

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	175	 66% 20% • 13%

2 Ensemble composition and analysis

This entry contains 20 models. Model 15 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:2-A:24, A:30-A:74, A:84-A:105, A:113-A:175 (153)	0.50	15

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 3 single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 4, 5, 9, 10, 12, 13, 14, 15, 16, 19
2	17, 18
3	6, 8
Single-model clusters	7; 11; 20

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 2689 atoms, of which 1330 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Sticholysin-2.

Mol	Chain	Residues	Atoms						Trace
1	A	175	Total	C	H	N	O	S	0
			2689	870	1330	227	256	6	

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	29	GLN	ARG	ENGINEERED MUTATION	UNP P07845

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Sticholysin-2




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: Sticholysin-2



4.2.2 Score per residue for model 2


- Molecule 1: Sticholysin-2






4.2.3 Score per residue for model 3

- Molecule 1: Sticholysin-2




4.2.4 Score per residue for model 4

- Molecule 1: Sticholysin-2




4.2.5 Score per residue for model 5

- Molecule 1: Sticholysin-2




4.2.6 Score per residue for model 6

- Molecule 1: Sticholysin-2




4.2.7 Score per residue for model 7

- Molecule 1: Sticholysin-2




4.2.8 Score per residue for model 8

- Molecule 1: Sticholysin-2




4.2.9 Score per residue for model 9

- Molecule 1: Sticholysin-2




4.2.10 Score per residue for model 10

- Molecule 1: Sticholysin-2




4.2.11 Score per residue for model 11

- Molecule 1: Sticholysin-2




4.2.12 Score per residue for model 12

- Molecule 1: Sticholysin-2




4.2.13 Score per residue for model 13

- Molecule 1: Sticholysin-2




4.2.14 Score per residue for model 14

- Molecule 1: Sticholysin-2




4.2.15 Score per residue for model 15 (medoid)

- Molecule 1: Sticholysin-2




4.2.16 Score per residue for model 16

- Molecule 1: Sticholysin-2




4.2.17 Score per residue for model 17

- Molecule 1: Sticholysin-2




4.2.18 Score per residue for model 18

- Molecule 1: Sticholysin-2




4.2.19 Score per residue for model 19

- Molecule 1: Sticholysin-2



4.2.20 Score per residue for model 20

- Molecule 1: Sticholysin-2



5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
AMBER	refinement	
CYANA	structure solution	

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality i

6.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.76±0.05	0±1/1217 (0.0±0.1%)	1.06±0.02	1±1/1644 (0.1±0.1%)
All	All	0.76	3/24340 (0.0%)	1.06	21/32880 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	1.1±0.8
All	All	0	21

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	159	GLY	CA-C	6.52	1.62	1.51	14	1
1	A	126	ALA	N-CA	-6.14	1.34	1.46	14	1
1	A	126	ALA	CA-CB	5.24	1.63	1.52	14	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	136	TYR	CB-CG-CD1	-8.40	115.96	121.00	11	1
1	A	124	ARG	NE-CZ-NH1	7.85	124.22	120.30	18	2
1	A	156	ARG	NE-CZ-NH2	-6.50	117.05	120.30	2	1
1	A	51	ARG	NE-CZ-NH1	6.02	123.31	120.30	16	2
1	A	140	TYR	CB-CG-CD2	-5.83	117.50	121.00	3	2
1	A	136	TYR	CB-CG-CD2	5.80	124.48	121.00	11	1
1	A	156	ARG	NE-CZ-NH1	5.72	123.16	120.30	2	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	125	ARG	NE-CZ-NH1	5.62	123.11	120.30	15	2
1	A	74	ARG	NE-CZ-NH1	5.44	123.02	120.30	3	3
1	A	156	ARG	CD-NE-CZ	5.37	131.11	123.60	2	1
1	A	20	VAL	CA-CB-CG1	5.35	118.92	110.90	11	4
1	A	175	ARG	NE-CZ-NH1	5.14	122.87	120.30	17	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	102	PHE	Sidechain	7
1	A	153	TYR	Sidechain	5
1	A	135	TYR	Sidechain	3
1	A	120	TYR	Sidechain	2
1	A	90	TYR	Sidechain	1
1	A	140	TYR	Sidechain	1
1	A	49	TYR	Sidechain	1
1	A	74	ARG	Sidechain	1

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1190	1175	1174	12±3
All	All	23800	23500	23480	237

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:12:LEU:HD11	1:A:17:LEU:HD23	0.76	1.56	11	2
1:A:35:ILE:HG21	1:A:98:LEU:HD21	0.74	1.59	15	5
1:A:63:VAL:HG21	1:A:69:LEU:HD13	0.74	1.58	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:21:LEU:HD11	1:A:32:ALA:HB2	0.74	1.59	17	4
1:A:33:VAL:HG11	1:A:102:PHE:CG	0.68	2.23	18	2
1:A:86:ALA:HB3	1:A:102:PHE:CZ	0.67	2.24	18	12
1:A:21:LEU:HD22	1:A:32:ALA:HB2	0.67	1.65	9	4
1:A:45:ALA:HB2	1:A:90:TYR:CZ	0.63	2.28	6	2
1:A:104:VAL:HG22	1:A:168:LYS:HE2	0.63	1.70	5	2
1:A:17:LEU:HD21	1:A:70:LEU:CD1	0.63	2.24	11	5
1:A:43:TRP:CZ2	1:A:173:ILE:HD11	0.62	2.29	20	10
1:A:33:VAL:HG11	1:A:102:PHE:CD1	0.62	2.29	7	2
1:A:45:ALA:HB2	1:A:90:TYR:CE1	0.61	2.29	18	2
1:A:45:ALA:HB2	1:A:90:TYR:CE2	0.59	2.33	19	6
1:A:119:ILE:HD12	1:A:153:TYR:CZ	0.58	2.33	7	1
1:A:69:LEU:HD11	1:A:90:TYR:CE2	0.57	2.34	6	1
1:A:89:ALA:HB2	1:A:124:ARG:HH22	0.57	1.59	18	1
1:A:151:LEU:HD13	1:A:157:MET:SD	0.57	2.39	19	3
1:A:55:THR:HG21	1:A:71:TYR:CZ	0.56	2.35	14	1
1:A:60:PRO:CG	1:A:69:LEU:HD12	0.56	2.31	10	7
1:A:60:PRO:HG2	1:A:69:LEU:HD12	0.56	1.77	15	7
1:A:74:ARG:NH1	1:A:104:VAL:HG11	0.55	2.16	16	1
1:A:157:MET:CB	1:A:173:ILE:HG22	0.55	2.31	17	7
1:A:89:ALA:HB1	1:A:97:THR:HG22	0.55	1.78	20	6
1:A:157:MET:HB3	1:A:173:ILE:HG22	0.55	1.77	8	8
1:A:31:ILE:HG21	1:A:84:ALA:HB3	0.55	1.77	1	2
1:A:101:MET:HB3	1:A:134:LEU:HD13	0.55	1.79	2	2
1:A:21:LEU:CB	1:A:32:ALA:HB2	0.55	2.32	19	1
1:A:21:LEU:HD11	1:A:30:LYS:CB	0.53	2.34	14	1
1:A:54:THR:HG22	1:A:74:ARG:O	0.53	2.04	17	1
1:A:86:ALA:HB3	1:A:102:PHE:CE2	0.53	2.39	12	5
1:A:46:LEU:HD12	1:A:125:ARG:HA	0.53	1.80	4	1
1:A:160:ILE:HD11	1:A:162:THR:HG23	0.52	1.80	10	3
1:A:12:LEU:HD13	1:A:17:LEU:HD23	0.52	1.80	6	1
1:A:33:VAL:HG11	1:A:102:PHE:CE2	0.52	2.40	12	2
1:A:17:LEU:HD13	1:A:21:LEU:HD23	0.52	1.81	9	1
1:A:33:VAL:HG11	1:A:102:PHE:CE1	0.52	2.40	6	2
1:A:35:ILE:HD11	1:A:100:VAL:HB	0.52	1.82	6	1
1:A:31:ILE:HD11	1:A:102:PHE:CD2	0.51	2.41	6	2
1:A:35:ILE:HG23	1:A:171:ILE:O	0.51	2.06	5	1
1:A:35:ILE:HG21	1:A:98:LEU:CD2	0.51	2.36	11	4
1:A:31:ILE:HD11	1:A:102:PHE:CD1	0.50	2.41	16	3
1:A:63:VAL:HG21	1:A:69:LEU:HD22	0.50	1.83	2	1
1:A:157:MET:HB2	1:A:173:ILE:HG22	0.49	1.84	7	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:74:ARG:CZ	1:A:104:VAL:HG11	0.49	2.37	16	1
1:A:89:ALA:HB1	1:A:97:THR:CG2	0.49	2.38	13	9
1:A:155:LEU:HD11	1:A:173:ILE:HB	0.49	1.84	6	1
1:A:6:ILE:HD11	1:A:70:LEU:HG	0.49	1.84	1	1
1:A:31:ILE:HD13	1:A:32:ALA:N	0.49	2.23	5	4
1:A:98:LEU:HD22	1:A:173:ILE:HD13	0.49	1.85	19	2
1:A:21:LEU:HB2	1:A:32:ALA:HB2	0.48	1.84	19	1
1:A:101:MET:HB2	1:A:134:LEU:HD13	0.48	1.85	12	2
1:A:17:LEU:HD11	1:A:70:LEU:HD13	0.48	1.85	14	1
1:A:33:VAL:HG13	1:A:71:TYR:HB3	0.48	1.85	1	5
1:A:7:ILE:HD13	1:A:11:SER:OG	0.48	2.09	6	1
1:A:118:LYS:HA	1:A:151:LEU:HD21	0.47	1.85	20	1
1:A:33:VAL:C	1:A:70:LEU:HD23	0.47	2.30	5	1
1:A:24:LEU:HD11	1:A:30:LYS:HD2	0.47	1.86	13	1
1:A:12:LEU:CD1	1:A:17:LEU:HD23	0.47	2.39	7	3
1:A:155:LEU:HD12	1:A:156:ARG:N	0.47	2.25	11	1
1:A:98:LEU:HD13	1:A:173:ILE:HG21	0.47	1.87	11	2
1:A:32:ALA:HB1	1:A:70:LEU:HD21	0.47	1.86	12	1
1:A:160:ILE:HD13	1:A:161:MET:N	0.46	2.26	9	2
1:A:6:ILE:HD11	1:A:70:LEU:CG	0.46	2.41	1	1
1:A:85:VAL:HG22	1:A:103:SER:HA	0.45	1.87	7	1
1:A:117:VAL:HG11	1:A:157:MET:SD	0.45	2.51	1	1
1:A:37:ASN:HB3	1:A:43:TRP:CZ2	0.45	2.46	7	2
1:A:32:ALA:HB3	1:A:168:LYS:HG2	0.45	1.87	19	2
1:A:33:VAL:HG21	1:A:102:PHE:CD2	0.45	2.47	3	1
1:A:101:MET:CB	1:A:134:LEU:HD13	0.45	2.42	2	2
1:A:114:TRP:CZ2	1:A:135:TYR:CE2	0.45	3.04	4	1
1:A:117:VAL:O	1:A:151:LEU:HD11	0.45	2.11	19	1
1:A:101:MET:SD	1:A:114:TRP:CZ3	0.45	3.10	10	1
1:A:24:LEU:C	1:A:24:LEU:HD12	0.44	2.33	16	1
1:A:149:LYS:CE	1:A:151:LEU:HD12	0.44	2.42	3	1
1:A:32:ALA:HB1	1:A:70:LEU:HD11	0.44	1.90	8	1
1:A:170:GLN:C	1:A:171:ILE:HD12	0.44	2.33	6	3
1:A:57:VAL:HG23	1:A:71:TYR:CE1	0.44	2.48	11	2
1:A:46:LEU:HD11	1:A:91:TYR:HB2	0.44	1.88	20	1
1:A:101:MET:SD	1:A:114:TRP:CH2	0.44	3.11	4	1
1:A:37:ASN:HB3	1:A:43:TRP:CH2	0.43	2.47	7	1
1:A:146:TRP:CE3	1:A:158:LYS:CG	0.43	3.02	1	1
1:A:119:ILE:HD12	1:A:151:LEU:HD22	0.43	1.91	20	1
1:A:146:TRP:CE3	1:A:158:LYS:HG3	0.43	2.49	1	2
1:A:32:ALA:HB1	1:A:70:LEU:CD2	0.43	2.44	19	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:31:ILE:CD1	1:A:102:PHE:CD2	0.43	3.02	6	1
1:A:50:PHE:CZ	1:A:55:THR:HG23	0.43	2.49	12	1
1:A:21:LEU:HD11	1:A:30:LYS:HB2	0.42	1.91	14	1
1:A:17:LEU:HD11	1:A:70:LEU:HD11	0.42	1.90	1	2
1:A:31:ILE:CD1	1:A:102:PHE:CD1	0.42	3.01	16	1
1:A:151:LEU:HD22	1:A:153:TYR:CE2	0.42	2.49	7	1
1:A:149:LYS:HE3	1:A:151:LEU:HD12	0.42	1.92	18	2
1:A:35:ILE:HG12	1:A:98:LEU:HD21	0.42	1.92	6	1
1:A:115:TRP:CE3	1:A:171:ILE:HD11	0.42	2.50	6	1
1:A:84:ALA:H	1:A:104:VAL:CG2	0.42	2.27	17	1
1:A:101:MET:SD	1:A:115:TRP:HA	0.42	2.54	15	2
1:A:89:ALA:HB2	1:A:130:MET:CE	0.41	2.44	8	1
1:A:33:VAL:HG21	1:A:102:PHE:CD1	0.41	2.50	10	1
1:A:160:ILE:CD1	1:A:162:THR:HG23	0.41	2.45	10	1
1:A:21:LEU:CD2	1:A:32:ALA:HB2	0.41	2.44	16	1
1:A:146:TRP:CE3	1:A:160:ILE:HB	0.41	2.50	1	1
1:A:7:ILE:HD12	1:A:9:GLY:H	0.41	1.75	6	1
1:A:24:LEU:CD1	1:A:72:SER:HB2	0.41	2.44	12	1
1:A:21:LEU:C	1:A:21:LEU:HD12	0.41	2.35	14	1
1:A:3:ALA:HB3	1:A:57:VAL:HG11	0.41	1.91	8	1
1:A:31:ILE:CG2	1:A:84:ALA:HB3	0.41	2.46	3	1
1:A:6:ILE:HD11	1:A:70:LEU:HD12	0.41	1.93	18	1
1:A:17:LEU:HD21	1:A:70:LEU:HD11	0.41	1.93	3	1
1:A:12:LEU:HD21	1:A:17:LEU:HD23	0.41	1.93	12	1
1:A:105:PRO:CG	1:A:164:ALA:HB2	0.40	2.46	16	1
1:A:86:ALA:HB3	1:A:102:PHE:CE1	0.40	2.50	11	1
1:A:21:LEU:HD22	1:A:31:ILE:O	0.40	2.16	1	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	152/175 (87%)	132±4 (87±3%)	17±4 (11±3%)	4±2 (2±1%)	12	51
All	All	3040/3500 (87%)	2639 (87%)	331 (11%)	70 (2%)	12	51

All 22 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	7	ILE	15
1	A	144	ASN	11
1	A	165	GLY	6
1	A	164	ALA	5
1	A	116	ASP	5
1	A	64	PRO	3
1	A	54	THR	3
1	A	152	GLY	3
1	A	65	ASN	3
1	A	3	ALA	2
1	A	138	ASN	2
1	A	123	LYS	2
1	A	142	GLY	1
1	A	153	TYR	1
1	A	167	ALA	1
1	A	53	GLY	1
1	A	137	GLY	1
1	A	154	GLY	1
1	A	56	ASP	1
1	A	143	ASP	1
1	A	122	GLY	1
1	A	52	SER	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	121/138 (88%)	93±3 (77±3%)	28±3 (23±3%)	3	30
All	All	2420/2760 (88%)	1862 (77%)	558 (23%)	3	30

All 84 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	31	ILE	20
1	A	19	LYS	19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	46	LEU	19
1	A	157	MET	19
1	A	125	ARG	19
1	A	17	LEU	17
1	A	133	ASP	17
1	A	69	LEU	17
1	A	100	VAL	16
1	A	50	PHE	15
1	A	39	SER	14
1	A	175	ARG	14
1	A	20	VAL	12
1	A	158	LYS	12
1	A	101	MET	12
1	A	51	ARG	11
1	A	161	MET	11
1	A	21	LEU	11
1	A	155	LEU	11
1	A	30	LYS	11
1	A	70	LEU	11
1	A	160	ILE	10
1	A	149	LYS	10
1	A	113	ASN	9
1	A	168	LYS	9
1	A	13	THR	9
1	A	169	MET	9
1	A	23	GLU	8
1	A	2	LEU	7
1	A	37	ASN	7
1	A	94	SER	7
1	A	127	ASP	7
1	A	7	ILE	7
1	A	74	ARG	6
1	A	11	SER	6
1	A	63	VAL	6
1	A	141	ARG	6
1	A	150	ASN	6
1	A	135	TYR	6
1	A	93	SER	5
1	A	71	TYR	5
1	A	55	THR	5
1	A	144	ASN	5
1	A	33	VAL	5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	156	ARG	4
1	A	138	ASN	4
1	A	103	SER	4
1	A	92	MET	4
1	A	172	LYS	4
1	A	118	LYS	4
1	A	65	ASN	4
1	A	24	LEU	3
1	A	166	GLU	3
1	A	47	ASN	3
1	A	90	TYR	3
1	A	54	THR	3
1	A	140	TYR	3
1	A	52	SER	3
1	A	151	LEU	3
1	A	162	THR	3
1	A	36	ASP	3
1	A	116	ASP	2
1	A	56	ASP	2
1	A	132	GLU	2
1	A	148	GLU	2
1	A	130	MET	2
1	A	22	GLU	2
1	A	143	ASP	2
1	A	123	LYS	2
1	A	128	GLN	2
1	A	72	SER	1
1	A	96	ASN	1
1	A	38	GLU	1
1	A	136	TYR	1
1	A	153	TYR	1
1	A	18	ASP	1
1	A	174	SER	1
1	A	131	TYR	1
1	A	49	TYR	1
1	A	163	SER	1
1	A	117	VAL	1
1	A	104	VAL	1
1	A	59	LEU	1
1	A	124	ARG	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided