



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:11 AM GMT

PDB ID : 3L4M  
Title : Crystal Structure of the MauG/pre-Methylamine Dehydrogenase Complex.  
Authors : Jensen, L.M.R.; Wilmot, C.M.  
Deposited on : 2009-12-21  
Resolution : 2.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	7858 (2.04-2.00)
Clashscore	102246	9060 (2.04-2.00)
Ramachandran outliers	100387	8952 (2.04-2.00)
Sidechain outliers	100360	8951 (2.04-2.00)
RSRZ outliers	91569	7873 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	373	<div> <div>84%</div> <div>9% • 5%</div> </div>
1	B	373	<div> <div>87%</div> <div>7% •• 5%</div> </div>
2	C	137	<div> <div>79%</div> <div>12% 9%</div> </div>
2	E	137	<div> <div>74%</div> <div>16% • 9%</div> </div>
3	D	386	<div> <div>87%</div> <div>10% ••</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	F	386	<div> <div></div> <div>%</div> <div>88%</div> <div>9%</div> <div>• •</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	0AF	C	57	X	-	-	-
2	0AF	E	57	X	-	-	-

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 14765 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methylamine utilization protein mauG.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	354	Total	C	N	O	S	0	1	0
			2740	1711	491	527	11			
1	B	355	Total	C	N	O	S	0	0	0
			2743	1712	491	529	11			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	368	HIS	-	EXPRESSION TAG	UNP Q51658
A	369	HIS	-	EXPRESSION TAG	UNP Q51658
A	370	HIS	-	EXPRESSION TAG	UNP Q51658
A	371	HIS	-	EXPRESSION TAG	UNP Q51658
A	372	HIS	-	EXPRESSION TAG	UNP Q51658
A	373	HIS	-	EXPRESSION TAG	UNP Q51658
B	368	HIS	-	EXPRESSION TAG	UNP Q51658
B	369	HIS	-	EXPRESSION TAG	UNP Q51658
B	370	HIS	-	EXPRESSION TAG	UNP Q51658
B	371	HIS	-	EXPRESSION TAG	UNP Q51658
B	372	HIS	-	EXPRESSION TAG	UNP Q51658
B	373	HIS	-	EXPRESSION TAG	UNP Q51658

- Molecule 2 is a protein called Methylamine dehydrogenase light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	125	Total	C	N	O	S	0	1	0
			957	592	161	190	14			
2	E	125	Total	C	N	O	S	0	3	0
			963	596	161	190	16			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	132	HIS	-	EXPRESSION TAG	UNP Q51658
C	133	HIS	-	EXPRESSION TAG	UNP Q51658
C	134	HIS	-	EXPRESSION TAG	UNP Q51658
C	135	HIS	-	EXPRESSION TAG	UNP Q51658
C	136	HIS	-	EXPRESSION TAG	UNP Q51658
C	137	HIS	-	EXPRESSION TAG	UNP Q51658
E	132	HIS	-	EXPRESSION TAG	UNP Q51658
E	133	HIS	-	EXPRESSION TAG	UNP Q51658
E	134	HIS	-	EXPRESSION TAG	UNP Q51658
E	135	HIS	-	EXPRESSION TAG	UNP Q51658
E	136	HIS	-	EXPRESSION TAG	UNP Q51658
E	137	HIS	-	EXPRESSION TAG	UNP Q51658


- Molecule 3 is a protein called Methylamine dehydrogenase heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	376	Total	C	N	O	S	0	1	0
			2925	1854	502	560	9			
3	F	376	Total	C	N	O	S	0	1	0
			2926	1855	502	560	9			

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Ca	0	0
			1	1		
4	A	1	Total	Ca	0	0
			1	1		

- Molecule 5 is HEME C (three-letter code: HEC) (formula: C<sub>34</sub>H<sub>34</sub>FeN<sub>4</sub>O<sub>4</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 6 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula:  $C_{10}H_{22}O_6$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	F	1	Total	C	O	0	0
			16	10	6		

- Molecule 7 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula:  $C_8H_{18}O_5$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	F	1	Total	C	O	0	0
			13	8	5		

- Molecule 8 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	F	1	Total	C	O	0	0
			4	2	2		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	247	Total	O	0	0
			247	247		
9	B	268	Total	O	0	0
			268	268		
9	C	92	Total	O	0	0
			92	92		
9	D	263	Total	O	0	0
			263	263		
9	E	95	Total	O	0	0
			95	95		
9	F	339	Total	O	0	0
			339	339		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Methylamine utilization protein mauG




- Molecule 1: Methylamine utilization protein mauG




- Molecule 2: Methylamine dehydrogenase light chain




- Molecule 2: Methylamine dehydrogenase light chain





- Molecule 3: Methylamine dehydrogenase heavy chain





● Molecule 3: Methylamine dehydrogenase heavy chain



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	55.53Å 83.52Å 107.78Å 109.94° 91.54° 105.78°	Depositor
Resolution (Å)	44.49 – 2.02 44.48 – 2.02	Depositor EDS
% Data completeness (in resolution range)	92.7 (44.49-2.02) 82.1 (44.48-2.02)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.27 (at 2.01Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, $R_{free}$	0.135 , 0.189 0.144 , 0.197	Depositor DCC
$R_{free}$ test set	5298 reflections (5.29%)	DCC
Wilson B-factor (Å <sup>2</sup> )	18.5	Xtriage
Anisotropy	0.048	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 39.3	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 105423 reflections	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	14765	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.75% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, HEC, 1PE, PG4, 0AF, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	1.05	0/2807	1.15	14/3809 (0.4%)
1	B	1.08	1/2807 (0.0%)	1.18	15/3809 (0.4%)
2	C	1.03	1/969 (0.1%)	0.91	2/1323 (0.2%)
2	E	1.11	0/981	0.95	0/1340
3	D	1.02	1/3006 (0.0%)	0.88	2/4096 (0.0%)
3	F	1.16	2/3006 (0.1%)	0.94	3/4096 (0.1%)
All	All	1.08	5/13576 (0.0%)	1.02	36/18473 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
2	C	1	0
2	E	1	1
All	All	2	3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	199	TRP	CB-CG	7.46	1.63	1.50
2	C	101	GLU	CG-CD	5.70	1.60	1.51
3	F	223	GLU	CG-CD	5.54	1.60	1.51
3	D	223	GLU	CG-CD	5.46	1.60	1.51
3	F	209	GLU	CG-CD	5.07	1.59	1.51

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	39	ARG	NE-CZ-NH2	-26.09	107.26	120.30
1	A	39	ARG	NE-CZ-NH2	-24.65	107.98	120.30
1	B	39	ARG	NE-CZ-NH1	22.86	131.73	120.30
1	A	39	ARG	NE-CZ-NH1	22.63	131.61	120.30
1	A	252	ARG	NE-CZ-NH2	-19.45	110.58	120.30
1	B	252	ARG	NE-CZ-NH2	-18.76	110.92	120.30
1	B	252	ARG	NE-CZ-NH1	17.34	128.97	120.30
1	A	252	ARG	NE-CZ-NH1	15.35	127.97	120.30
1	B	39	ARG	CD-NE-CZ	10.36	138.10	123.60
1	A	39	ARG	CD-NE-CZ	8.96	136.14	123.60
1	A	252	ARG	CD-NE-CZ	8.55	135.57	123.60
3	D	132	ARG	NE-CZ-NH2	-7.43	116.58	120.30
3	F	107	ARG	NE-CZ-NH2	-6.94	116.83	120.30
1	B	252	ARG	CD-NE-CZ	6.87	133.21	123.60
2	C	19	ASP	CB-CG-OD1	6.78	124.41	118.30
1	A	252	ARG	CG-CD-NE	-6.67	97.80	111.80
1	A	127	ARG	NE-CZ-NH2	-6.66	116.97	120.30
1	B	180	ARG	NE-CZ-NH2	-6.59	117.00	120.30
1	B	39	ARG	CG-CD-NE	-6.49	98.18	111.80
2	C	8	ASP	CB-CG-OD1	6.25	123.93	118.30
1	B	127	ARG	NE-CZ-NH2	-6.10	117.25	120.30
1	B	65	ARG	NE-CZ-NH1	-6.06	117.27	120.30
1	A	127	ARG	NE-CZ-NH1	6.01	123.31	120.30
1	B	269	LEU	CB-CG-CD1	5.95	121.11	111.00
1	A	75	LEU	CA-CB-CG	-5.83	101.89	115.30
1	A	208	ARG	NE-CZ-NH2	-5.83	117.39	120.30
1	B	118	ASP	CB-CG-OD1	5.72	123.45	118.30
1	A	321	ARG	CG-CD-NE	-5.56	100.12	111.80
1	B	45	ARG	NE-CZ-NH2	-5.53	117.54	120.30
1	B	336	ASP	CB-CG-OD2	5.38	123.15	118.30
3	F	292	ASP	CB-CG-OD1	5.37	123.14	118.30
1	B	243	ASP	CB-CG-OD1	5.26	123.03	118.30
3	F	278	ARG	NE-CZ-NH2	-5.24	117.68	120.30
1	A	39	ARG	CG-CD-NE	-5.09	101.11	111.80
1	A	172	ASP	CB-CG-OD1	5.03	122.83	118.30
3	D	132	ARG	NE-CZ-NH1	5.02	122.81	120.30

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	57	0AF	CA
2	E	57	0AF	CA

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	252	ARG	Sidechain
1	B	39	ARG	Sidechain
2	E	130	ALA	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2740	0	2616	28	0
1	B	2743	0	2614	13	0
2	C	957	0	863	13	0
2	E	963	0	873	22	0
3	D	2925	0	2809	24	0
3	F	2926	0	2813	18	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	86	0	60	4	0
5	B	86	0	60	3	0
6	F	16	0	22	0	0
7	F	13	0	18	1	0
8	F	4	0	3	0	0
9	A	247	0	0	2	0
9	B	268	0	0	3	0
9	C	92	0	0	1	0
9	D	263	0	0	1	0
9	E	95	0	0	2	0
9	F	339	0	0	4	0
All	All	14765	0	12751	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:35:ILE:HD12	2:E:86[B]:CYS:SG	1.97	1.05

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:285:THR:HG22	1:B:286:ASP:OD1	1.77	0.84
1:A:6:ALA:HA	1:A:9:ALA:HB3	1.59	0.82
2:C:57:0AF:CE3	2:C:108:TRP:CD1	2.63	0.82
3:F:255:SER:HA	7:F:388:PG4:H32	1.66	0.78
1:A:210:GLN:HE22	2:C:44:THR:HG21	1.50	0.76
1:A:206:MET:CE	1:A:218:PHE:CD2	2.69	0.76
3:D:14:GLN:HE21	2:E:21:GLN:HE22	1.34	0.76
3:D:237:ALA:HB2	3:D:289:ARG:HG3	1.68	0.76
1:A:206:MET:HE2	1:A:206:MET:HA	1.69	0.75
2:E:57:0AF:CE3	2:E:108:TRP:CD1	2.70	0.74
1:B:299:SER:HB2	1:B:333:MET:HG3	1.70	0.74
2:C:130:ALA:O	2:C:131:SER:HB2	1.88	0.72
2:C:57:0AF:HE3	2:C:108:TRP:CD1	2.26	0.70
3:D:218:GLU:HG2	3:D:219:VAL:O	1.96	0.66
1:A:206:MET:HE3	1:A:218:PHE:CD2	2.31	0.66
3:F:168:GLU:HG3	9:F:905:HOH:O	1.96	0.65
3:D:265:VAL:HG21	3:D:321:GLY:CA	2.26	0.65
1:A:206:MET:HE3	1:A:218:PHE:HD2	1.62	0.65
1:A:6:ALA:HA	1:A:9:ALA:CB	2.27	0.64
1:B:305:LYS:HE3	9:B:614:HOH:O	1.98	0.63
3:D:372:GLN:HE22	2:E:86[B]:CYS:H	1.47	0.62
3:D:372:GLN:HE22	2:E:86[A]:CYS:H	1.48	0.62
3:D:179:PRO:HD2	3:D:181[B]:CYS:SG	2.40	0.61
1:B:197:ILE:O	1:B:202:ARG:HD2	2.01	0.61
1:A:206:MET:HE1	1:A:218:PHE:CD2	2.36	0.60
2:E:38:CYS:SG	2:E:86[B]:CYS:HB2	2.43	0.59
3:D:265:VAL:CG2	3:D:321:GLY:HA3	2.31	0.59
1:A:48:LYS:H	1:A:62:HIS:HE1	1.51	0.58
1:A:96:ARG:HA	1:A:252:ARG:HG3	1.87	0.57
3:D:265:VAL:HG21	3:D:321:GLY:HA2	1.85	0.57
3:D:12:GLU:OE1	3:D:20:ARG:NH1	2.37	0.57
2:E:36[B]:CYS:SG	2:E:45:ASN:O	2.63	0.56
1:B:210:GLN:HE22	2:E:44:THR:HG21	1.69	0.56
3:D:178:VAL:HB	3:D:179:PRO:CD	2.37	0.54
2:C:21:GLN:HE22	3:F:14:GLN:HE21	1.52	0.54
3:F:237:ALA:HB2	3:F:289:ARG:HG3	1.88	0.54
3:D:265:VAL:HG21	3:D:321:GLY:HA3	1.86	0.54
2:C:57:0AF:CE3	2:C:108:TRP:HD1	2.15	0.54
1:A:163:GLN:HE22	5:A:500:HEC:HMA1	1.73	0.53
2:E:36[B]:CYS:SG	2:E:41:GLY:HA3	2.49	0.53
2:C:25:TYR:CE2	2:C:27:ARG:HG3	2.43	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:130:ALA:O	2:C:131:SER:CB	2.56	0.52
2:E:57:0AF:HE3	2:E:108:TRP:CD1	2.45	0.52
1:A:252:ARG:HD3	9:A:890:HOH:O	2.09	0.52
1:A:48:LYS:H	1:A:62:HIS:CE1	2.28	0.51
2:E:101:GLU:HA	9:E:857:HOH:O	2.10	0.51
3:F:196:CYS:HB3	9:F:635:HOH:O	2.11	0.51
3:F:222:PRO:HG2	3:F:225:GLU:HB2	1.93	0.50
3:F:45:ARG:NH2	3:F:343:LYS:O	2.45	0.49
2:E:130:ALA:O	2:E:131:SER:HB2	2.13	0.49
3:D:288:HIS:HE1	3:D:290:ALA:HB3	1.77	0.49
3:F:181[B]:CYS:HB3	3:F:196:CYS:SG	2.52	0.49
3:F:386:GLY:HA3	9:F:856:HOH:O	2.11	0.49
1:A:296:LYS:NZ	9:A:1257:HOH:O	2.37	0.49
3:F:12:GLU:OE2	3:F:20:ARG:NH1	2.46	0.48
3:F:51:ASP:HA	3:F:377:PRO:HA	1.96	0.48
3:D:96:SER:HB3	3:D:110:TYR:CZ	2.48	0.48
1:A:91:GLN:O	1:A:92:PHE:HB2	2.13	0.48
2:E:71:LEU:HD13	2:E:130:ALA:HA	1.96	0.47
5:B:600:HEC:HBC3	5:B:600:HEC:HMC1	1.97	0.47
3:D:297:LEU:HD22	3:D:310:SER:HB2	1.97	0.47
1:A:206:MET:HE1	1:A:218:PHE:CE2	2.50	0.47
1:A:299:SER:HB2	1:A:333:MET:HG3	1.96	0.47
2:E:57:0AF:CE3	2:E:108:TRP:HD1	2.25	0.47
3:D:188:ALA:HB1	3:D:189:PRO:CD	2.45	0.47
3:D:372:GLN:NE2	2:E:86[A]:CYS:H	2.11	0.46
3:D:372:GLN:NE2	2:E:86[B]:CYS:H	2.11	0.46
1:A:223:TYR:CE2	1:A:265:LYS:HB2	2.51	0.46
1:B:193:TYR:O	1:B:197:ILE:HG12	2.15	0.46
2:C:75:ARG:HA	9:C:849:HOH:O	2.16	0.46
1:A:228:LEU:HD13	1:A:279:MET:HB3	1.98	0.46
1:A:60:GLN:O	1:A:62:HIS:HD2	1.98	0.45
3:D:11:GLN:O	3:D:11:GLN:HG3	2.16	0.45
1:A:60:GLN:O	1:A:62:HIS:CD2	2.70	0.45
1:B:210:GLN:NE2	2:E:44:THR:HG21	2.30	0.45
1:A:272:VAL:HG21	5:A:600:HEC:HMA3	2.00	0.44
1:A:205:HIS:O	1:A:206:MET:HE2	2.17	0.44
3:D:20:ARG:HB3	3:D:20:ARG:HE	1.48	0.44
1:B:163:GLN:HE22	5:B:500:HEC:HMA1	1.82	0.44
2:E:21:GLN:O	2:E:86[B]:CYS:SG	2.76	0.44
3:D:155:GLN:NE2	9:D:665:HOH:O	2.39	0.44
2:C:7:THR:O	2:C:9:PRO:HD3	2.18	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:86:CYS:H	3:F:372:GLN:HE22	1.64	0.44
1:B:65:ARG:HD2	1:B:65:ARG:HH11	1.66	0.43
3:F:54:HIS:O	3:F:55:PHE:HB2	2.19	0.43
3:F:278:ARG:HD3	9:F:631:HOH:O	2.19	0.43
3:D:51:ASP:HA	3:D:377:PRO:HA	2.01	0.42
2:E:36[B]:CYS:SG	2:E:47:PRO:HD3	2.60	0.42
1:B:355:GLU:O	1:B:358:LEU:HB2	2.20	0.42
3:F:130:ALA:N	3:F:131:PRO:HD3	2.35	0.42
1:B:272:VAL:HG21	5:B:600:HEC:HMA3	2.00	0.42
2:C:106:ILE:HA	3:D:135:VAL:HG23	2.01	0.41
1:A:167:GLU:O	1:A:167:GLU:HG3	2.16	0.41
2:E:53:ALA:HB2	2:E:109:CYS:HA	2.03	0.41
1:A:113:GLU:HG2	5:A:500:HEC:HBC2	2.03	0.41
1:A:257:ASP:HA	1:A:258:PRO:HD2	1.86	0.41
2:E:56:SER:CB	2:E:74:TYR:O	2.69	0.41
3:F:182:TYR:CD1	3:F:182:TYR:N	2.89	0.40
1:B:252:ARG:HD3	9:B:885:HOH:O	2.21	0.40
2:E:75:ARG:HA	9:E:625:HOH:O	2.21	0.40
1:A:68:PRO:HG2	5:A:500:HEC:HBA1	2.02	0.40
2:C:86:CYS:H	3:F:372:GLN:NE2	2.19	0.40
3:D:288:HIS:CE1	3:D:290:ALA:HB3	2.57	0.40
1:B:214:GLU:HB2	9:B:632:HOH:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	353/373 (95%)	344 (98%)	9 (2%)	0	100	100
1	B	353/373 (95%)	346 (98%)	7 (2%)	0	100	100
2	C	123/137 (90%)	119 (97%)	4 (3%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	E	125/137 (91%)	121 (97%)	4 (3%)	0	100	100
3	D	375/386 (97%)	365 (97%)	9 (2%)	1 (0%)	46	40
3	F	375/386 (97%)	363 (97%)	11 (3%)	1 (0%)	46	40
All	All	1704/1792 (95%)	1658 (97%)	44 (3%)	2 (0%)	56	52

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	D	102	ILE
3	F	102	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	277/292 (95%)	266 (96%)	11 (4%)	38	33
1	B	277/292 (95%)	266 (96%)	11 (4%)	38	33
2	C	105/112 (94%)	104 (99%)	1 (1%)	82	85
2	E	107/112 (96%)	102 (95%)	5 (5%)	32	26
3	D	305/311 (98%)	291 (95%)	14 (5%)	33	27
3	F	305/311 (98%)	295 (97%)	10 (3%)	45	42
All	All	1376/1430 (96%)	1324 (96%)	52 (4%)	40	35

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ARG
1	A	75	LEU
1	A	84	ASN
1	A	167	GLU
1	A	202	ARG
1	A	208	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	209	LYS
1	A	232	GLU
1	A	256	GLU
1	A	296	LYS
1	A	357	LEU
1	B	7	ASP
1	B	39	ARG
1	B	102	GLN
1	B	112	VAL
1	B	219	THR
1	B	252	ARG
1	B	269	LEU
1	B	321	ARG
1	B	357	LEU
1	B	358	LEU
1	B	360	GLU
2	C	71	LEU
3	D	20	ARG
3	D	92	ILE
3	D	94	HIS
3	D	117	VAL
3	D	127	LEU
3	D	160	PRO
3	D	174	ARG
3	D	211	THR
3	D	218	GLU
3	D	262	LEU
3	D	275	ASP
3	D	316	LEU
3	D	319	LYS
3	D	343	LYS
2	E	7	THR
2	E	16	GLN
2	E	58	VAL
2	E	68	GLN
2	E	71	LEU
3	F	11	GLN
3	F	92	ILE
3	F	94	HIS
3	F	117	VAL
3	F	173	LYS
3	F	218	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	F	223	GLU
3	F	262	LEU
3	F	316	LEU
3	F	354	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	29	GLN
1	A	62	HIS
1	A	91	GLN
1	A	163	GLN
1	A	210	GLN
1	B	16	GLN
1	B	60	GLN
1	B	163	GLN
1	B	210	GLN
3	D	14	GLN
3	D	372	GLN
3	F	14	GLN
3	F	30	GLN
3	F	54	HIS
3	F	60	GLN
3	F	300	GLN
3	F	372	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	0AF	C	57	2	13,16,17	1.42	2 (15%)	10,22,24	1.88	2 (20%)
2	0AF	E	57	2	13,16,17	1.69	4 (30%)	10,22,24	1.71	1 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	0AF	C	57	2	1/1/1/2	0/3/6/8	0/2/2/2
2	0AF	E	57	2	1/1/1/2	0/3/6/8	0/2/2/2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	57	0AF	CB-CA	-3.44	1.46	1.53
2	C	57	0AF	CB-CA	-2.40	1.48	1.53
2	E	57	0AF	CA-N	-2.24	1.40	1.47
2	C	57	0AF	CZ3-CE3	2.27	1.41	1.36
2	E	57	0AF	CH2-CZ2	2.52	1.42	1.37
2	E	57	0AF	CZ3-CE3	3.01	1.43	1.36

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	57	0AF	O-C-CA	-4.07	114.90	125.49
2	C	57	0AF	O-C-CA	-3.66	115.94	125.49
2	C	57	0AF	CB-CG-CD1	-3.28	123.92	127.97

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	C	57	0AF	CA
2	E	57	0AF	CA

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	57	0AF	3	0
2	E	57	0AF	3	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 2 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
5	HEC	A	500	1	24,50,50	1.86	8 (33%)	19,82,82	3.46	13 (68%)
5	HEC	A	600	1	24,50,50	1.80	8 (33%)	19,82,82	3.82	9 (47%)
5	HEC	B	500	1	24,50,50	1.52	4 (16%)	19,82,82	3.12	7 (36%)
5	HEC	B	600	1	24,50,50	1.71	7 (29%)	19,82,82	3.91	10 (52%)
6	1PE	F	387	-	15,15,15	0.64	0	14,14,14	0.60	0
7	PG4	F	388	-	12,12,12	0.60	0	11,11,11	0.44	0
8	ACT	F	389	-	1,3,3	1.34	0	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEC	A	500	1	-	0/6/54/54	0/0/8/8
5	HEC	A	600	1	-	0/6/54/54	0/0/8/8
5	HEC	B	500	1	-	0/6/54/54	0/0/8/8
5	HEC	B	600	1	-	0/6/54/54	0/0/8/8
6	1PE	F	387	-	-	0/13/13/13	0/0/0/0
7	PG4	F	388	-	-	0/10/10/10	0/0/0/0
8	ACT	F	389	-	-	0/0/0/0	0/0/0/0

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	500	HEC	C1A-NA	-3.74	1.31	1.36
5	B	600	HEC	C1A-NA	-3.51	1.31	1.36
5	A	600	HEC	C4C-NC	-3.04	1.32	1.36
5	A	600	HEC	C4B-NB	-2.92	1.32	1.36
5	A	500	HEC	C4C-NC	-2.84	1.32	1.36
5	A	600	HEC	C4A-NA	-2.80	1.32	1.36
5	B	600	HEC	C4A-NA	-2.76	1.32	1.36
5	B	600	HEC	C3C-C2C	-2.43	1.38	1.40
5	A	500	HEC	C3C-C2C	-2.19	1.38	1.40
5	A	600	HEC	C1A-NA	-2.16	1.33	1.36
5	B	500	HEC	C3C-C4C	2.02	1.47	1.42
5	B	600	HEC	C1C-CHC	2.13	1.45	1.39
5	A	600	HEC	C4D-CHA	2.31	1.46	1.39
5	B	600	HEC	C4D-CHA	2.37	1.46	1.39
5	B	600	HEC	C1D-CHD	2.41	1.46	1.39
5	A	500	HEC	C3B-C4B	2.63	1.48	1.42
5	A	500	HEC	C3C-C4C	2.68	1.48	1.42
5	A	600	HEC	C1D-CHD	2.68	1.47	1.39
5	B	500	HEC	C1C-CHC	2.80	1.47	1.39
5	B	600	HEC	C1B-CHB	2.83	1.47	1.39
5	A	600	HEC	C3B-C4B	2.92	1.49	1.42
5	B	500	HEC	C1D-CHD	2.94	1.48	1.39
5	A	600	HEC	C1C-CHC	3.02	1.48	1.39
5	A	500	HEC	C1C-CHC	3.07	1.48	1.39
5	A	500	HEC	C1B-CHB	3.11	1.48	1.39
5	B	500	HEC	C1B-CHB	3.42	1.49	1.39
5	A	500	HEC	C1D-CHD	3.66	1.49	1.39

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	500	HEC	CBB-CAB-C3B	-10.21	104.67	127.35
5	A	600	HEC	CBB-CAB-C3B	-10.00	105.12	127.35
5	B	600	HEC	CBB-CAB-C3B	-9.78	105.63	127.35
5	A	500	HEC	CBB-CAB-C3B	-8.84	107.70	127.35
5	A	600	HEC	CBC-CAC-C3C	-8.52	108.42	127.35
5	B	600	HEC	CBC-CAC-C3C	-7.26	111.23	127.35
5	B	600	HEC	CBD-CAD-C3D	-6.88	100.20	112.53
5	A	600	HEC	CBD-CAD-C3D	-6.45	100.97	112.53
5	A	500	HEC	CBC-CAC-C3C	-6.39	113.16	127.35
5	B	500	HEC	CBC-CAC-C3C	-5.79	114.48	127.35
5	A	500	HEC	CBD-CAD-C3D	-5.15	103.30	112.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	600	HEC	CBA-CAA-C2A	-4.34	104.75	112.53
5	A	500	HEC	C4B-C3B-C2B	-3.76	102.29	106.35
5	A	600	HEC	CBA-CAA-C2A	-3.61	106.06	112.53
5	B	600	HEC	C4B-C3B-C2B	-3.47	102.61	106.35
5	B	600	HEC	CAA-C2A-C1A	-3.31	123.42	127.01
5	B	600	HEC	C4C-C3C-C2C	-3.29	102.81	106.35
5	A	500	HEC	C4C-C3C-C2C	-3.06	103.05	106.35
5	A	600	HEC	C4B-C3B-C2B	-3.01	103.10	106.35
5	B	500	HEC	CBD-CAD-C3D	-2.89	107.34	112.53
5	B	500	HEC	CMB-C2B-C1B	-2.63	124.02	128.36
5	B	600	HEC	CMB-C2B-C1B	-2.55	124.14	128.36
5	A	600	HEC	CMC-C2C-C1C	-2.51	124.22	128.36
5	B	500	HEC	C4C-C3C-C2C	-2.42	103.73	106.35
5	A	500	HEC	CAA-CBA-CGA	-2.26	108.60	112.75
5	A	600	HEC	C4C-C3C-C2C	-2.24	103.93	106.35
5	A	500	HEC	CBA-CAA-C2A	-2.23	108.54	112.53
5	A	500	HEC	CAA-C2A-C3A	-2.19	122.76	129.00
5	B	500	HEC	C4B-C3B-C2B	-2.17	104.01	106.35
5	A	500	HEC	CMC-C2C-C1C	-2.03	125.01	128.36
5	A	500	HEC	CAD-C3D-C4D	2.04	129.22	127.01
5	A	500	HEC	C3B-C4B-NB	2.12	114.95	110.94
5	B	500	HEC	C3C-C4C-NC	2.18	115.07	110.94
5	A	600	HEC	C3B-C4B-NB	2.32	115.33	110.94
5	A	500	HEC	C3C-C4C-NC	2.36	115.40	110.94
5	A	600	HEC	CMD-C2D-C3D	2.37	130.20	125.24
5	B	600	HEC	C3C-C4C-NC	2.42	115.51	110.94
5	A	500	HEC	CAA-C2A-C1A	4.12	131.48	127.01
5	B	600	HEC	CMA-C3A-C2A	4.12	133.85	125.24

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	500	HEC	3	0
5	A	600	HEC	1	0
5	B	500	HEC	1	0
5	B	600	HEC	2	0
7	F	388	PG4	1	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	354/373 (94%)	-0.67	4 (1%) 82 83	8, 13, 26, 49	0
1	B	355/373 (95%)	-0.66	3 (0%) 87 88	8, 14, 27, 50	0
2	C	124/137 (90%)	-0.36	1 (0%) 87 88	10, 14, 24, 52	0
2	E	124/137 (90%)	-0.36	0 100 100	6, 11, 23, 53	0
3	D	376/386 (97%)	-0.50	6 (1%) 74 76	6, 13, 24, 53	0
3	F	376/386 (97%)	-0.60	3 (0%) 87 88	6, 11, 23, 48	0
All	All	1709/1792 (95%)	-0.57	17 (0%) 84 85	6, 13, 25, 53	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	7	ASP	5.5
1	A	7	ASP	5.2
3	D	208	THR	5.0
1	A	6	ALA	4.8
1	B	6	ALA	4.5
3	D	209	GLU	4.2
3	D	11	GLN	3.5
3	D	207	GLY	3.4
3	F	386	GLY	3.4
3	F	11	GLN	3.2
3	D	211	THR	3.1
1	A	8	ASP	2.6
2	C	131	SER	2.4
3	D	210	GLY	2.3
1	B	8	ASP	2.2
3	F	208	THR	2.1
1	A	243	ASP	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	0AF	C	57	15/16	0.97	0.11	-	17,19,26,26	0
2	0AF	E	57	15/16	0.96	0.14	-	10,14,22,22	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
6	1PE	F	387	16/16	0.89	0.11	0.70	29,38,47,47	0
7	PG4	F	388	13/13	0.92	0.10	0.54	41,45,55,55	0
5	HEC	A	600	43/43	0.99	0.06	-0.93	4,9,12,14	0
5	HEC	B	500	43/43	0.99	0.06	-0.95	7,11,14,20	0
5	HEC	A	500	43/43	0.99	0.06	-1.08	4,9,12,16	0
5	HEC	B	600	43/43	0.99	0.06	-1.40	3,9,10,11	0
4	CA	B	400	1/1	1.00	0.04	-2.74	10,10,10,10	0
4	CA	A	400	1/1	0.99	0.04	-9.96	9,9,9,9	0
8	ACT	F	389	4/4	0.96	0.10	-	34,36,38,38	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.