



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 6, 2016 – 06:11 AM EST

PDB ID : 5L5Z
Title : Yeast 20S proteasome with human beta5c (1-138) and human beta6 (97-111; 118-133) in complex with bortezomib
Authors : Groll, M.; Huber, E.M.
Deposited on : 2016-05-28
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20028442
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20028442

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div><div>4%</div><div>98%</div><div>.</div></div>
1	O	250	<div><div>4%</div><div>98%</div><div>.</div></div>
2	B	258	<div><div>3%</div><div>89%</div><div>5% . 5%</div></div>
2	P	258	<div><div>3%</div><div>90%</div><div>5% 5%</div></div>
3	C	254	<div><div>7%</div><div>87%</div><div>6% . 6%</div></div>
3	Q	254	<div><div>8%</div><div>87%</div><div>6% . 6%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	211	
11	Y	211	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
15	MG	I	302	-	-	-	X
15	MG	J	201	-	-	-	X
15	MG	Z	301	-	-	-	X
17	BO2	H	301	-	-	-	X
17	BO2	N	201	-	-	-	X
17	BO2	b	201	-	-	-	X

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 50018 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-5,Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	211	Total	C	N	O	S	0	0	0
			1632	1036	282	306	8			
11	Y	211	Total	C	N	O	S	0	0	0
			1632	1036	282	306	8			

- Molecule 12 is a protein called Proteasome subunit beta type-6,Proteasome subunit beta type-1,Proteasome subunit beta type-6,Proteasome subunit beta type-1,Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1764	1119	305	336	4			
12	Z	222	Total	C	N	O	S	0	0	0
			1764	1119	305	336	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	G	1	Total Mg 1 1	0	0
15	J	1	Total Mg 1 1	0	0
15	K	2	Total Mg 2 2	0	0
15	I	3	Total Mg 3 3	0	0
15	Z	1	Total Mg 1 1	0	0
15	N	1	Total Mg 1 1	0	0
15	L	1	Total Mg 1 1	0	0

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total Cl 1 1	0	0
16	b	1	Total Cl 1 1	0	0
16	N	1	Total Cl 1 1	0	0
16	U	1	Total Cl 1 1	0	0

- Molecule 17 is N-[(1R)-1-(DIHYDROXYBORYL)-3-METHYLBUTYL]-N-(PYRAZIN-2-YLCARBONYL)-L-PHENYLALANINAMIDE (three-letter code: BO2) (formula: C₁₉H₂₅BN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
17	H	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	K	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	N	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	V	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	Y	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
17	b	1	Total	B	C	N	O	0	0
			28	1	19	4	4		

- Molecule 18 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	A	22	Total	O	0	0
			22	22		
18	B	14	Total	O	0	0
			14	14		
18	C	13	Total	O	0	0
			13	13		
18	D	11	Total	O	0	0
			11	11		
18	E	7	Total	O	0	0
			7	7		
18	F	17	Total	O	0	0
			17	17		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	G	15	Total 15	O 15	0	0
18	H	22	Total 22	O 22	0	0
18	I	17	Total 17	O 17	0	0
18	J	23	Total 23	O 23	0	0
18	K	16	Total 16	O 16	0	0
18	L	29	Total 29	O 29	0	0
18	M	27	Total 27	O 27	0	0
18	N	19	Total 19	O 19	0	0
18	O	12	Total 12	O 12	0	0
18	P	11	Total 11	O 11	0	0
18	Q	11	Total 11	O 11	0	0
18	R	11	Total 11	O 11	0	0
18	S	10	Total 10	O 10	0	0
18	T	9	Total 9	O 9	0	0
18	U	20	Total 20	O 20	0	0
18	V	35	Total 35	O 35	0	0
18	W	18	Total 18	O 18	0	0
18	X	15	Total 15	O 15	0	0
18	Y	12	Total 12	O 12	0	0
18	Z	16	Total 16	O 16	0	0
18	a	29	Total 29	O 29	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
18	b	19	Total	O	0	0
			19	19		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Proteasome subunit alpha type-2




• Molecule 1: Proteasome subunit alpha type-2





• Molecule 2: Proteasome subunit alpha type-3












• Molecule 2: Proteasome subunit alpha type-3




• Molecule 3: Proteasome subunit alpha type-4








Chain M:  91% 5%



- Molecule 13: Proteasome subunit beta type-7

Chain a:  92% 5%



- Molecule 14: Proteasome subunit beta type-1

Chain N:  94% 5%



- Molecule 14: Proteasome subunit beta type-1

Chain b:  97%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.80 Å 300.28 Å 145.75 Å 90.00° 112.93° 90.00°	Depositor
Resolution (Å)	15.00 – 2.70 15.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	97.7 (15.00-2.70) 97.8 (15.00-2.70)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.94 (at 2.69 Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.190 , 0.212 0.195 , 0.216	Depositor DCC
R_{free} test set	14246 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	52.7	Xtriage
Anisotropy	0.079	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 33.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	50018	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: BO2, MG, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.27	0/1952	0.46	0/2642
1	O	0.27	0/1952	0.46	0/2642
2	B	0.27	0/1934	0.48	0/2618
2	P	0.27	0/1934	0.49	0/2618
3	C	0.27	0/1910	0.50	0/2586
3	Q	0.27	0/1910	0.50	0/2586
4	D	0.27	0/1837	0.47	0/2475
4	R	0.26	0/1837	0.46	0/2475
5	E	0.27	0/1800	0.47	0/2433
5	S	0.27	0/1800	0.46	0/2433
6	F	0.27	0/1932	0.44	0/2609
6	T	0.27	0/1932	0.45	0/2609
7	G	0.27	0/1945	0.46	0/2634
7	U	0.27	0/1945	0.46	0/2634
8	H	0.25	0/1750	0.51	0/2373
8	V	0.25	0/1750	0.52	1/2373 (0.0%)
9	I	0.31	1/1611 (0.1%)	0.67	2/2174 (0.1%)
9	W	0.29	0/1611	0.74	2/2174 (0.1%)
10	J	0.26	0/1589	0.48	0/2142
10	X	0.26	0/1589	0.48	0/2142
11	K	0.28	0/1668	0.72	6/2253 (0.3%)
11	Y	0.28	0/1668	0.75	4/2253 (0.2%)
12	L	0.27	0/1802	0.50	0/2430
12	Z	0.28	0/1802	0.49	0/2430
13	M	0.27	0/1855	0.50	0/2514
13	a	0.26	0/1855	0.51	0/2514
14	N	0.25	0/1541	0.48	0/2087
14	b	0.25	0/1541	0.48	0/2087
All	All	0.27	1/50252 (0.0%)	0.52	15/67940 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying

if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
11	K	0	1
11	Y	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	I	126	ILE	CB-CG2	-5.69	1.35	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	W	126	ILE	CG1-CB-CG2	-23.06	60.67	111.40
11	Y	61	ARG	NE-CZ-NH1	18.14	129.37	120.30
9	I	126	ILE	CG1-CB-CG2	-16.32	75.51	111.40
11	K	61	ARG	NE-CZ-NH2	15.43	128.02	120.30
11	Y	61	ARG	NE-CZ-NH2	-13.89	113.35	120.30
11	K	61	ARG	NE-CZ-NH1	-11.15	114.73	120.30
9	I	126	ILE	CA-CB-CG1	10.67	131.28	111.00
9	W	126	ILE	CA-CB-CG1	9.30	128.68	111.00
11	K	61	ARG	CD-NE-CZ	6.81	133.13	123.60
11	K	61	ARG	CB-CG-CD	6.63	128.84	111.60
11	Y	61	ARG	CD-NE-CZ	6.14	132.20	123.60
8	V	22	GLN	CB-CG-CD	6.03	127.27	111.60
11	Y	61	ARG	CA-CB-CG	5.78	126.11	113.40
11	K	61	ARG	CG-CD-NE	-5.50	100.24	111.80
11	K	61	ARG	CA-CB-CG	5.46	125.41	113.40

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
11	K	61	ARG	Sidechain
11	Y	61	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	0	0
1	O	1915	0	1929	2	0
2	B	1904	0	1904	5	0
2	P	1904	0	1904	4	0
3	C	1881	0	1895	6	0
3	Q	1881	0	1895	6	0
4	D	1813	0	1797	1	0
4	R	1813	0	1797	3	0
5	E	1773	0	1775	2	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	3	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	4	0
8	H	1719	0	1718	7	0
8	V	1719	0	1718	7	0
9	I	1581	0	1574	7	0
9	W	1581	0	1574	10	0
10	J	1561	0	1569	9	0
10	X	1561	0	1569	9	0
11	K	1632	0	1592	12	0
11	Y	1632	0	1592	15	0
12	L	1764	0	1716	4	0
12	Z	1764	0	1716	3	0
13	M	1824	0	1832	1	0
13	a	1824	0	1832	0	0
14	N	1512	0	1480	4	0
14	b	1512	0	1480	0	0
15	G	1	0	0	0	0
15	I	3	0	0	0	0
15	J	1	0	0	0	0
15	K	2	0	0	0	0
15	L	1	0	0	0	0
15	N	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	N	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
16	U	1	0	0	0	0
16	b	1	0	0	0	0
17	H	28	0	25	0	0
17	K	28	0	25	0	0
17	N	28	0	25	1	0
17	V	28	0	25	0	0
17	Y	28	0	25	0	0
17	b	28	0	25	0	0
18	A	22	0	0	0	0
18	B	14	0	0	2	0
18	C	13	0	0	0	0
18	D	11	0	0	0	0
18	E	7	0	0	0	0
18	F	17	0	0	0	0
18	G	15	0	0	0	0
18	H	22	0	0	0	0
18	I	17	0	0	0	0
18	J	23	0	0	0	0
18	K	16	0	0	0	0
18	L	29	0	0	0	0
18	M	27	0	0	0	0
18	N	19	0	0	0	0
18	O	12	0	0	0	0
18	P	11	0	0	0	0
18	Q	11	0	0	0	0
18	R	11	0	0	0	0
18	S	10	0	0	0	0
18	T	9	0	0	1	0
18	U	20	0	0	0	0
18	V	35	0	0	0	0
18	W	18	0	0	0	0
18	X	15	0	0	0	0
18	Y	12	0	0	1	0
18	Z	16	0	0	0	0
18	a	29	0	0	0	0
18	b	19	0	0	0	0
All	All	50018	0	49280	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
8:V:35:HIS:HB3	8:V:56:THR:HG21	1.68	0.74
8:H:35:HIS:HB3	8:H:56:THR:HG21	1.69	0.74
8:V:80:LEU:HD12	8:V:113:ILE:HD11	1.84	0.60
8:H:196:ARG:NH2	9:I:150:GLU:O	2.35	0.60
8:H:80:LEU:HD12	8:H:113:ILE:HD11	1.84	0.59
9:I:98:ARG:HD2	9:I:126:ILE:HD12	1.83	0.58
11:K:208:ASN:O	9:W:38:LYS:NZ	2.37	0.58
14:N:152:VAL:HA	14:N:175:MET:HE1	1.87	0.57
11:Y:61:ARG:HD2	11:Y:62:GLN:OE1	2.05	0.56
9:W:98:ARG:HD2	9:W:126:ILE:CD1	2.37	0.55
11:K:104:TRP:CE2	11:K:181:GLU:HB3	2.42	0.55
10:J:25:ILE:O	10:X:139:TYR:OH	2.21	0.55
10:J:139:TYR:OH	10:X:25:ILE:O	2.25	0.54
9:I:38:LYS:NZ	11:Y:208:ASN:O	2.40	0.54
11:Y:104:TRP:CE2	11:Y:181:GLU:HB3	2.42	0.54
10:J:126:VAL:HG12	10:J:128:LEU:HG	1.90	0.54
8:V:196:ARG:NH2	9:W:150:GLU:O	2.40	0.54
8:V:53:GLU:HA	8:V:53:GLU:OE2	2.09	0.53
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.91	0.53
11:Y:61:ARG:HD3	11:Y:61:ARG:C	2.28	0.53
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.91	0.52
11:Y:72:GLU:OE1	11:Y:106:LYS:NZ	2.33	0.52
10:J:58:GLU:OE1	11:K:81:LYS:NZ	2.42	0.52
10:X:58:GLU:OE1	11:Y:81:LYS:NZ	2.43	0.52
8:H:53:GLU:OE2	8:H:53:GLU:HA	2.09	0.52
10:X:126:VAL:HG12	10:X:128:LEU:HG	1.90	0.51
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.76	0.51
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.58	0.51
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.51
2:B:93:HIS:HB3	18:B:301:HOH:O	2.11	0.50
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.76	0.50
9:W:98:ARG:CZ	9:W:126:ILE:HD11	2.42	0.49
11:K:20:ALA:HB2	11:K:31:VAL:HG21	1.94	0.49
10:X:1:MET:HB3	10:X:34:LYS:HE3	1.95	0.49
7:U:23:PHE:O	7:U:26:THR:HB	2.12	0.49
11:Y:20:ALA:HB2	11:Y:31:VAL:HG21	1.94	0.49
7:G:23:PHE:O	7:G:26:THR:HB	2.13	0.48
4:R:93:LEU:HD22	11:Y:61:ARG:HG3	1.94	0.48
10:J:1:MET:HB3	10:J:34:LYS:HE3	1.95	0.48
3:Q:160:GLN:HE21	3:Q:160:GLN:HA	1.79	0.47
3:C:160:GLN:HA	3:C:160:GLN:HE21	1.79	0.47
2:B:113:ARG:NE	18:B:301:HOH:O	2.35	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:W:98:ARG:HD2	9:W:126:ILE:HD12	1.97	0.47
9:W:10:ILE:HG21	9:W:141:ALA:HB3	1.97	0.47
3:C:51:LYS:O	3:C:52:LEU:HB2	2.14	0.47
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.97	0.46
4:R:89:VAL:HG12	11:Y:61:ARG:HG2	1.97	0.46
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.50	0.46
11:K:61:ARG:O	11:K:65:ILE:HG12	2.15	0.46
9:I:10:ILE:HG21	9:I:141:ALA:HB3	1.97	0.46
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.15	0.46
9:I:98:ARG:CD	9:I:126:ILE:HD12	2.45	0.46
14:N:21:THR:O	17:N:201:BO2:H3	2.16	0.46
11:K:31:VAL:HA	12:L:132:GLN:HE22	1.81	0.46
8:H:35:HIS:CB	8:H:56:THR:HG21	2.42	0.45
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.97	0.45
11:Y:61:ARG:O	11:Y:65:ILE:HG12	2.17	0.45
2:B:50:LYS:O	2:B:51:VAL:C	2.55	0.45
2:P:50:LYS:O	2:P:51:VAL:C	2.55	0.45
11:K:61:ARG:HD2	11:K:62:GLN:OE1	2.17	0.45
10:X:3:ILE:HG23	10:X:18:SER:HB3	1.98	0.45
11:Y:208:ASN:ND2	18:Y:401:HOH:O	2.50	0.44
8:V:35:HIS:CB	8:V:56:THR:HG21	2.43	0.44
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.99	0.44
10:J:3:ILE:HG23	10:J:18:SER:HB3	1.98	0.44
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.18	0.44
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.98	0.44
13:M:96:LEU:O	13:M:100:MET:HG2	2.18	0.44
3:C:35:LYS:HG2	3:C:158:SER:O	2.18	0.43
11:K:100:MET:SD	11:K:128:VAL:CG1	3.06	0.43
9:I:26:LEU:HD21	9:I:185:VAL:HG23	2.00	0.43
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.99	0.43
1:O:1:MET:HG3	6:T:122:TYR:CZ	2.52	0.43
3:C:201:VAL:O	3:C:202:GLN:HB3	2.18	0.43
14:N:176:VAL:HG12	14:N:178:LEU:HD13	2.00	0.43
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.99	0.43
11:Y:100:MET:SD	11:Y:128:VAL:CG1	3.06	0.43
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.49	0.43
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.49	0.43
11:K:45:MET:HG2	11:K:52:CYS:HB3	2.01	0.43
11:Y:45:MET:HG2	11:Y:52:CYS:HB3	2.01	0.43
12:L:146:ILE:HG22	12:L:150:LEU:HD22	2.01	0.43
11:K:90:TYR:HA	11:K:93:MET:HG3	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:P:50:LYS:HD3	2:P:50:LYS:HA	1.87	0.42
9:W:26:LEU:HD21	9:W:185:VAL:HG23	2.00	0.42
12:Z:146:ILE:HG22	12:Z:150:LEU:HD22	2.01	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.82	0.42
8:V:104:ASP:HB2	8:V:105:PRO:CD	2.49	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.82	0.42
11:Y:90:TYR:HA	11:Y:93:MET:HG3	2.00	0.42
2:B:217:LYS:C	2:B:219:ALA:H	2.23	0.42
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.20	0.42
6:T:19:GLN:NE2	18:T:301:HOH:O	2.47	0.42
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.50	0.41
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.49	0.41
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.50	0.41
8:H:104:ASP:HB2	8:H:105:PRO:CD	2.49	0.41
5:S:12:PHE:H	6:T:19:GLN:HE22	1.68	0.41
5:S:77:ALA:N	5:S:78:PRO:CD	2.84	0.41
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.03	0.41
12:L:8:ASN:HA	12:L:30:ILE:O	2.21	0.41
5:E:77:ALA:N	5:E:78:PRO:CD	2.84	0.41
9:W:20:VAL:HG13	9:W:118:PRO:HB3	2.02	0.41
10:J:36:ARG:NH1	10:J:58:GLU:OE2	2.54	0.41
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.03	0.41
9:W:20:VAL:HG23	9:W:189:ILE:HB	2.02	0.41
5:E:12:PHE:H	6:F:19:GLN:HE22	1.69	0.41
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.51	0.41
2:P:217:LYS:C	2:P:219:ALA:H	2.23	0.41
10:X:36:ARG:NH1	10:X:58:GLU:OE2	2.54	0.41
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.51	0.41
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.21	0.41
11:K:38:ASN:C	11:K:38:ASN:OD1	2.59	0.40
11:K:83:LEU:HD12	11:K:101:ILE:HD11	2.04	0.40
11:Y:83:LEU:HD12	11:Y:101:ILE:HD11	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	39	69
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	39	69
2	B	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	11	29
2	P	242/258 (94%)	233 (96%)	5 (2%)	4 (2%)	11	29
3	C	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	24	51
3	Q	238/254 (94%)	232 (98%)	4 (2%)	2 (1%)	24	51
4	D	231/260 (89%)	230 (100%)	1 (0%)	0	100	100
4	R	231/260 (89%)	230 (100%)	1 (0%)	0	100	100
5	E	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
5	S	229/234 (98%)	223 (97%)	6 (3%)	0	100	100
6	F	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
6	T	241/288 (84%)	239 (99%)	2 (1%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
8	H	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
8	V	224/232 (97%)	219 (98%)	5 (2%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	209/211 (99%)	205 (98%)	4 (2%)	0	100	100
11	Y	209/211 (99%)	205 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
12	Z	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
13	M	231/246 (94%)	221 (96%)	10 (4%)	0	100	100
13	a	231/246 (94%)	222 (96%)	9 (4%)	0	100	100
14	N	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
14	b	194/196 (99%)	189 (97%)	5 (3%)	0	100	100
All	All	6282/6612 (95%)	6134 (98%)	134 (2%)	14 (0%)	52	80

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
2	B	222	GLY
1	O	2	THR
2	P	218	GLY
2	P	222	GLY
3	C	205	ALA
3	Q	205	ALA
2	B	220	ASN
2	P	220	ASN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	74	92
1	O	209/209 (100%)	206 (99%)	3 (1%)	74	92
2	B	203/216 (94%)	199 (98%)	4 (2%)	63	87
2	P	203/216 (94%)	199 (98%)	4 (2%)	63	87
3	C	212/226 (94%)	202 (95%)	10 (5%)	32	63
3	Q	212/226 (94%)	202 (95%)	10 (5%)	32	63
4	D	194/215 (90%)	185 (95%)	9 (5%)	33	64
4	R	194/215 (90%)	185 (95%)	9 (5%)	33	64
5	E	190/193 (98%)	184 (97%)	6 (3%)	46	77
5	S	190/193 (98%)	184 (97%)	6 (3%)	46	77
6	F	201/239 (84%)	194 (96%)	7 (4%)	43	74
6	T	201/239 (84%)	194 (96%)	7 (4%)	43	74

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
7	G	206/210 (98%)	200 (97%)	6 (3%)	50	80
7	U	206/210 (98%)	200 (97%)	6 (3%)	50	80
8	H	185/190 (97%)	177 (96%)	8 (4%)	35	66
8	V	185/190 (97%)	178 (96%)	7 (4%)	40	71
9	I	172/173 (99%)	168 (98%)	4 (2%)	58	85
9	W	172/173 (99%)	168 (98%)	4 (2%)	58	85
10	J	173/175 (99%)	170 (98%)	3 (2%)	68	90
10	X	173/175 (99%)	170 (98%)	3 (2%)	68	90
11	K	165/165 (100%)	151 (92%)	14 (8%)	13	30
11	Y	165/165 (100%)	150 (91%)	15 (9%)	12	26
12	L	186/186 (100%)	179 (96%)	7 (4%)	40	71
12	Z	186/186 (100%)	179 (96%)	7 (4%)	40	71
13	M	199/208 (96%)	193 (97%)	6 (3%)	48	79
13	a	199/208 (96%)	193 (97%)	6 (3%)	48	79
14	N	162/162 (100%)	156 (96%)	6 (4%)	41	72
14	b	162/162 (100%)	156 (96%)	6 (4%)	41	72
All	All	5314/5534 (96%)	5128 (96%)	186 (4%)	43	74

All (186) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	55	LEU
2	B	113	ARG
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	214	ILE
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	171	GLU
6	F	181	GLU
6	F	214	TRP
6	F	240	GLN
7	G	115	LEU
7	G	122	ARG
7	G	125	MET
7	G	208	GLU
7	G	235	ARG
7	G	236	LEU
8	H	22	GLN
8	H	30	ASN
8	H	35	HIS
8	H	43	CYS
8	H	53	GLU
8	H	68	LEU
8	H	113	ILE
8	H	196	ARG
9	I	37	ASN
9	I	126	ILE
9	I	171	LEU
9	I	182	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	J	3	ILE
10	J	23	ARG
10	J	99	GLN
11	K	4	LEU
11	K	12	VAL
11	K	21	THR
11	K	59	LEU
11	K	61	ARG
11	K	62	GLN
11	K	65	ILE
11	K	71	LYS
11	K	81	LYS
11	K	83	LEU
11	K	86	MET
11	K	117	GLU
11	K	128	VAL
11	K	210	ILE
12	L	23	LEU
12	L	49	ASN
12	L	126	ASP
12	L	128	VAL
12	L	132	GLN
12	L	137	ARG
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG
14	N	9	LYS
14	N	36	ARG
14	N	39	ASP
14	N	83	LYS
14	N	104	ASP
14	N	178	LEU
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	55	LEU
2	P	113	ARG
2	P	191	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	77	ASN
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	214	ILE
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	171	GLU
6	T	181	GLU
6	T	214	TRP
6	T	240	GLN
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	208	GLU
7	U	235	ARG
7	U	236	LEU
8	V	30	ASN
8	V	35	HIS
8	V	43	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	V	53	GLU
8	V	68	LEU
8	V	113	ILE
8	V	196	ARG
9	W	37	ASN
9	W	126	ILE
9	W	171	LEU
9	W	182	TRP
10	X	3	ILE
10	X	23	ARG
10	X	99	GLN
11	Y	4	LEU
11	Y	12	VAL
11	Y	21	THR
11	Y	37	ILE
11	Y	59	LEU
11	Y	61	ARG
11	Y	62	GLN
11	Y	65	ILE
11	Y	71	LYS
11	Y	81	LYS
11	Y	83	LEU
11	Y	86	MET
11	Y	117	GLU
11	Y	128	VAL
11	Y	210	ILE
12	Z	23	LEU
12	Z	49	ASN
12	Z	126	ASP
12	Z	128	VAL
12	Z	132	GLN
12	Z	137	ARG
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	36	ARG
14	b	39	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	b	83	LYS
14	b	104	ASP
14	b	178	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (98) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
3	C	17	GLN
3	C	77	ASN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
4	D	91	HIS
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
8	H	57	GLN
8	H	66	HIS
8	H	86	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
9	I	37	ASN
10	J	55	GLN
11	K	85	ASN
11	K	175	ASN
11	K	207	ASN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
12	L	79	HIS
12	L	94	GLN
12	L	132	GLN
13	M	48	ASN
13	M	102	GLN
13	M	179	ASN
13	M	194	ASN
13	M	213	GLN
14	N	161	GLN
2	P	20	GLN
2	P	58	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	91	HIS
4	R	146	GLN
4	R	225	ASN
5	S	68	HIS
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
7	U	83	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
8	V	57	GLN
8	V	86	HIS
9	W	37	ASN
10	X	55	GLN
11	Y	85	ASN
11	Y	175	ASN
11	Y	207	ASN
11	Y	208	ASN
12	Z	3	ASN
12	Z	49	ASN
12	Z	79	HIS
12	Z	94	GLN
12	Z	158	ASN
13	a	48	ASN
13	a	102	GLN
13	a	179	ASN
14	b	161	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 14 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
17	BO2	H	301	8	28,29,29	1.53	5 (17%)	32,38,38	1.19	4 (12%)
17	BO2	K	301	11	28,29,29	1.54	5 (17%)	32,38,38	1.20	2 (6%)
17	BO2	N	201	14	28,29,29	1.50	5 (17%)	32,38,38	1.21	4 (12%)
17	BO2	V	301	8	28,29,29	1.52	5 (17%)	32,38,38	1.20	4 (12%)
17	BO2	Y	301	11	28,29,29	1.53	5 (17%)	32,38,38	1.18	3 (9%)
17	BO2	b	201	14	28,29,29	1.51	5 (17%)	32,38,38	1.18	3 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	BO2	H	301	8	-	0/22/28/28	0/2/2/2
17	BO2	K	301	11	-	0/22/28/28	0/2/2/2
17	BO2	N	201	14	-	0/22/28/28	0/2/2/2
17	BO2	V	301	8	-	0/22/28/28	0/2/2/2
17	BO2	Y	301	11	-	0/22/28/28	0/2/2/2
17	BO2	b	201	14	-	0/22/28/28	0/2/2/2

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	H	301	BO2	C2-C7	-4.69	1.39	1.50
17	V	301	BO2	C2-C7	-4.65	1.39	1.50
17	Y	301	BO2	C2-C7	-4.59	1.39	1.50
17	K	301	BO2	C2-C7	-4.52	1.40	1.50
17	b	201	BO2	C2-C7	-4.51	1.40	1.50
17	N	201	BO2	C2-C7	-4.48	1.40	1.50
17	b	201	BO2	C11-C12	-4.04	1.41	1.51
17	V	301	BO2	C11-C12	-4.04	1.41	1.51
17	H	301	BO2	C11-C12	-4.02	1.41	1.51
17	N	201	BO2	C11-C12	-3.99	1.41	1.51
17	K	301	BO2	C11-C12	-3.91	1.41	1.51
17	Y	301	BO2	C11-C12	-3.91	1.41	1.51
17	N	201	BO2	C5-N4	2.08	1.39	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	b	201	BO2	C5-N4	2.13	1.40	1.33
17	V	301	BO2	C5-N4	2.31	1.40	1.33
17	Y	301	BO2	C5-N4	2.32	1.40	1.33
17	H	301	BO2	C5-N4	2.36	1.40	1.33
17	K	301	BO2	C5-N4	2.46	1.41	1.33
17	N	201	BO2	C3-N4	2.74	1.40	1.34
17	b	201	BO2	C3-N4	2.75	1.40	1.34
17	Y	301	BO2	C6-N1	2.77	1.40	1.34
17	H	301	BO2	C6-N1	2.81	1.40	1.34
17	K	301	BO2	C6-N1	2.83	1.40	1.34
17	V	301	BO2	C6-N1	2.87	1.40	1.34
17	V	301	BO2	C3-N4	2.88	1.40	1.34
17	H	301	BO2	C3-N4	2.88	1.40	1.34
17	N	201	BO2	C6-N1	2.90	1.40	1.34
17	b	201	BO2	C6-N1	2.91	1.40	1.34
17	Y	301	BO2	C3-N4	3.10	1.41	1.34
17	K	301	BO2	C3-N4	3.17	1.41	1.34

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	V	301	BO2	C21-C22-C23	-2.95	109.29	115.61
17	H	301	BO2	C21-C22-C23	-2.93	109.34	115.61
17	K	301	BO2	C21-C22-C23	-2.22	110.85	115.61
17	b	201	BO2	C11-C10-N9	-2.22	106.11	110.81
17	Y	301	BO2	C21-C22-C23	-2.18	110.94	115.61
17	N	201	BO2	C11-C10-N9	-2.17	106.21	110.81
17	V	301	BO2	C12-C11-C10	-2.13	107.14	113.44
17	H	301	BO2	C12-C11-C10	-2.13	107.16	113.44
17	V	301	BO2	C5-C6-N1	-2.12	119.58	122.23
17	H	301	BO2	C5-C6-N1	-2.05	119.66	122.23
17	b	201	BO2	C21-C22-C23	-2.03	111.26	115.61
17	N	201	BO2	C6-C5-N4	-2.03	119.20	121.95
17	Y	301	BO2	C6-C5-N4	-2.02	119.21	121.95
17	N	201	BO2	C21-C22-C23	-2.00	111.32	115.61
17	b	201	BO2	C6-N1-C2	3.08	121.03	116.93
17	N	201	BO2	C6-N1-C2	3.15	121.12	116.93
17	H	301	BO2	C6-N1-C2	3.17	121.15	116.93
17	V	301	BO2	C6-N1-C2	3.20	121.19	116.93
17	Y	301	BO2	C6-N1-C2	3.30	121.31	116.93
17	K	301	BO2	C6-N1-C2	3.42	121.48	116.93

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
17	N	201	BO2	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.29	11 (4%) 38 37	32, 49, 86, 126	0
1	O	250/250 (100%)	-0.23	10 (4%) 42 41	35, 52, 99, 133	0
2	B	244/258 (94%)	-0.23	9 (3%) 45 45	35, 53, 98, 151	0
2	P	244/258 (94%)	-0.17	9 (3%) 45 45	38, 55, 99, 149	0
3	C	240/254 (94%)	0.02	17 (7%) 19 17	33, 61, 133, 172	0
3	Q	240/254 (94%)	0.10	21 (8%) 12 10	30, 67, 144, 187	0
4	D	235/260 (90%)	-0.31	4 (1%) 73 74	39, 56, 86, 127	0
4	R	235/260 (90%)	-0.16	7 (2%) 54 54	46, 64, 103, 135	0
5	E	231/234 (98%)	-0.18	7 (3%) 54 54	39, 59, 100, 146	0
5	S	231/234 (98%)	-0.16	9 (3%) 43 43	42, 64, 101, 138	0
6	F	243/288 (84%)	-0.37	8 (3%) 50 50	33, 53, 102, 128	0
6	T	243/288 (84%)	-0.22	10 (4%) 41 41	35, 61, 114, 147	0
7	G	241/252 (95%)	-0.35	7 (2%) 55 55	32, 50, 91, 150	0
7	U	241/252 (95%)	-0.34	6 (2%) 61 61	33, 50, 87, 129	0
8	H	226/232 (97%)	-0.45	4 (1%) 71 72	29, 45, 83, 149	0
8	V	226/232 (97%)	-0.37	7 (3%) 52 52	31, 45, 81, 155	0
9	I	204/205 (99%)	-0.60	1 (0%) 91 93	29, 45, 72, 97	0
9	W	204/205 (99%)	-0.57	1 (0%) 91 93	31, 47, 76, 98	0
10	J	195/198 (98%)	-0.37	5 (2%) 59 59	32, 51, 83, 126	0
10	X	195/198 (98%)	-0.35	5 (2%) 59 59	36, 54, 82, 128	0
11	K	211/211 (100%)	-0.24	6 (2%) 56 57	37, 56, 87, 116	0
11	Y	211/211 (100%)	-0.29	3 (1%) 78 77	37, 57, 90, 115	0
12	L	222/222 (100%)	-0.28	3 (1%) 78 77	40, 53, 100, 128	0
12	Z	222/222 (100%)	-0.26	3 (1%) 78 77	39, 55, 101, 132	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.52	2 (0%) 85 86	30, 47, 70, 88	0
13	a	233/246 (94%)	-0.51	1 (0%) 93 94	31, 48, 71, 90	0
14	N	196/196 (100%)	-0.56	2 (1%) 84 85	28, 43, 73, 100	0
14	b	196/196 (100%)	-0.58	1 (0%) 91 93	30, 43, 73, 102	0
All	All	6342/6612 (95%)	-0.31	179 (2%) 56 57	28, 53, 98, 187	0

All (179) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	O	1	MET	7.7
10	J	1	MET	7.7
9	W	1	SER	6.4
10	X	1	MET	6.3
3	Q	240	GLU	6.2
2	P	218	GLY	6.0
1	O	249	ALA	5.8
5	E	202	ASP	5.6
12	Z	174	TYR	5.5
2	B	221	ASP	5.5
2	P	51	VAL	5.4
3	Q	238	LYS	5.4
2	P	219	ALA	5.1
7	G	2	GLY	4.9
3	Q	206	LYS	4.8
1	A	1	MET	4.8
3	C	206	LYS	4.8
2	B	218	GLY	4.7
3	Q	50	LEU	4.5
12	L	174	TYR	4.5
3	C	202	GLN	4.4
8	V	224	GLN	4.4
2	B	220	ASN	4.4
2	B	51	VAL	4.3
3	C	238	LYS	4.2
14	N	195	GLN	4.2
10	X	194	ASP	4.1
3	Q	202	GLN	4.1
3	C	239	GLN	4.1
9	I	1	SER	4.1
8	V	222	ASP	4.0
3	Q	205	ALA	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	236	GLN	4.0
2	P	221	ASP	3.9
5	S	202	ASP	3.9
7	U	2	GLY	3.9
10	J	194	ASP	3.9
1	A	231	LYS	3.8
6	F	181	GLU	3.8
1	O	2	THR	3.8
3	Q	225	GLU	3.7
1	A	249	ALA	3.7
3	Q	239	GLN	3.7
6	T	243	ILE	3.6
6	F	202	ASP	3.6
4	R	1	ASP	3.6
3	C	50	LEU	3.5
3	Q	49	THR	3.4
5	S	3	ASN	3.3
4	R	125	LEU	3.3
11	K	146	ASP	3.3
4	R	241	ALA	3.3
11	Y	146	ASP	3.3
3	C	225	GLU	3.3
8	H	226	GLU	3.2
1	A	2	THR	3.2
8	V	226	GLU	3.2
6	T	181	GLU	3.2
1	O	201	GLU	3.1
6	T	244	ASN	3.1
8	H	224	GLN	3.1
7	G	3	TYR	3.1
7	U	242	GLN	3.1
6	T	2	THR	3.0
13	a	1	THR	3.0
2	P	203	SER	3.0
4	D	242	GLU	3.0
11	K	211	GLY	3.0
11	K	144	LYS	2.9
6	T	201	GLU	2.9
12	Z	173	LYS	2.9
3	C	240	GLU	2.9
10	X	193	ASP	2.9
3	C	49	THR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	59	PRO	2.9
5	E	201	ARG	2.9
4	D	117	GLU	2.9
2	B	217	LYS	2.9
2	P	220	ASN	2.9
3	C	180	LYS	2.8
1	O	250	LEU	2.8
1	A	201	GLU	2.8
7	G	242	GLN	2.8
7	G	241	GLU	2.8
3	Q	141	ASP	2.8
5	S	173	ARG	2.8
3	C	236	GLN	2.8
8	V	145	ASP	2.7
2	B	59	ASP	2.7
5	E	233	ILE	2.7
7	G	188	GLU	2.7
4	R	217	GLN	2.7
5	S	203	GLU	2.7
1	O	248	GLU	2.7
3	Q	237	GLU	2.7
6	F	244	ASN	2.7
2	B	186	ASP	2.7
3	C	235	GLU	2.6
6	F	205	GLU	2.6
12	L	1	GLN	2.5
10	J	193	ASP	2.5
11	K	9	ARG	2.5
1	A	248	GLU	2.5
3	Q	180	LYS	2.5
3	Q	187	GLU	2.5
4	R	242	GLU	2.5
6	F	2	THR	2.5
1	O	231	LYS	2.5
1	A	166	LYS	2.5
7	U	222	ASP	2.5
6	T	241	LYS	2.5
14	b	195	GLN	2.4
2	P	59	ASP	2.4
5	E	54	GLU	2.4
5	S	123	GLY	2.4
7	G	179	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	U	181	LYS	2.4
1	O	52	SER	2.4
3	Q	234	ILE	2.4
6	T	205	GLU	2.4
11	Y	9	ARG	2.4
3	Q	181	GLU	2.4
8	V	221	CYS	2.4
3	C	216	ASP	2.4
13	M	1	THR	2.4
6	F	215	CYS	2.3
2	B	201	ASP	2.3
5	S	180	LYS	2.3
10	J	95	ARG	2.3
3	C	234	ILE	2.3
6	F	243	ILE	2.3
14	N	181	ALA	2.3
5	E	180	LYS	2.3
8	V	9	ASN	2.3
1	A	229	THR	2.3
1	A	250	LEU	2.2
6	T	215	CYS	2.2
5	S	207	VAL	2.2
5	S	233	ILE	2.2
2	B	219	ALA	2.2
3	C	175	LYS	2.2
3	Q	203	THR	2.2
13	M	47	ASP	2.2
2	P	52	THR	2.2
7	U	241	GLU	2.2
5	E	173	ARG	2.2
8	V	223	ILE	2.2
10	J	23	ARG	2.2
1	O	182	GLU	2.2
7	U	3	TYR	2.1
4	D	125	LEU	2.1
8	H	222	ASP	2.1
10	X	95	ARG	2.1
5	E	217	LYS	2.1
12	Z	167	LYS	2.1
7	G	222	ASP	2.1
12	L	173	LYS	2.1
6	F	228	LYS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	R	230	GLU	2.1
5	S	217	LYS	2.1
3	Q	216	ASP	2.1
8	H	145	ASP	2.1
3	Q	3	ASP	2.1
6	T	230	ASP	2.1
2	P	217	LYS	2.1
6	T	180	PRO	2.1
11	K	182	ASP	2.1
4	R	117	GLU	2.0
1	O	53	SER	2.0
3	C	203	THR	2.0
1	A	54	PRO	2.0
3	Q	233	GLN	2.0
10	X	195	PHE	2.0
1	A	203	GLU	2.0
3	C	229	GLN	2.0
3	Q	223	SER	2.0
4	D	217	GLN	2.0
11	K	150	GLU	2.0
11	Y	144	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
15	MG	J	201	1/1	0.98	0.24	6.26	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
15	MG	I	302	1/1	0.93	0.25	4.77	79,79,79,79	0
17	BO2	N	201	28/28	0.88	0.21	3.63	28,40,49,50	0
17	BO2	b	201	28/28	0.92	0.19	3.29	31,41,51,52	0
15	MG	Z	301	1/1	0.86	0.22	2.63	74,74,74,74	0
17	BO2	H	301	28/28	0.91	0.19	2.04	52,56,65,67	0
17	BO2	V	301	28/28	0.89	0.20	1.95	50,57,69,69	0
17	BO2	K	301	28/28	0.93	0.21	1.67	38,43,57,60	0
17	BO2	Y	301	28/28	0.92	0.22	1.51	40,44,59,61	0
15	MG	I	301	1/1	0.95	0.13	-0.33	56,56,56,56	0
15	MG	G	301	1/1	0.94	0.07	-1.07	44,44,44,44	0
15	MG	K	302	1/1	0.99	0.09	-1.29	52,52,52,52	0
15	MG	N	202	1/1	0.98	0.07	-1.97	46,46,46,46	0
15	MG	L	301	1/1	0.98	0.06	-1.99	51,51,51,51	0
15	MG	I	303	1/1	1.00	0.05	-2.31	48,48,48,48	0
16	CL	b	202	1/1	0.99	0.06	-3.25	47,47,47,47	0
16	CL	N	203	1/1	0.99	0.03	-3.61	43,43,43,43	0
15	MG	K	303	1/1	0.89	0.33	-	67,67,67,67	0
16	CL	U	301	1/1	0.99	0.14	-	38,38,38,38	0
16	CL	G	302	1/1	1.00	0.15	-	36,36,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.