



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:19 PM GMT

PDB ID : 4L8F  
Title : Crystal structure of gamma-glutamyl hydrolase (C108A) complex with MTX  
Authors : Chuankhayan, P.; Kao, T.-T.; Chen, C.-J.; Fu, T.-F.  
Deposited on : 2013-06-17  
Resolution : 1.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	8664 (2.00-1.96)
Clashscore	102246	9905 (2.00-1.96)
Ramachandran outliers	100387	9792 (2.00-1.96)
Sidechain outliers	100360	9791 (2.00-1.96)
RSRZ outliers	91569	8679 (2.00-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	312	<div> <div>3%</div> <div>77%</div> <div>13%</div> <div>8%</div> </div>
1	B	312	<div> <div>3%</div> <div>74%</div> <div>13%</div> <div>8%</div> </div>
1	C	312	<div> <div>3%</div> <div>79%</div> <div>11%</div> <div>8%</div> </div>
1	D	312	<div> <div>2%</div> <div>77%</div> <div>12%</div> <div>8%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MTX	B	301	-	-	X	X
2	MTX	D	301	-	-	X	X

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 10251 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Gamma-glutamyl hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	287	Total	C	N	O	S	0	0	0
			2308	1492	370	442	4			
1	D	287	Total	C	N	O	S	0	0	0
			2308	1492	370	442	4			
1	B	287	Total	C	N	O	S	0	0	0
			2308	1492	370	442	4			
1	A	287	Total	C	N	O	S	0	0	0
			2308	1492	370	442	4			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	108	ALA	CYS	ENGINEERED MUTATION	UNP Q6NY42
D	108	ALA	CYS	ENGINEERED MUTATION	UNP Q6NY42
B	108	ALA	CYS	ENGINEERED MUTATION	UNP Q6NY42
A	108	ALA	CYS	ENGINEERED MUTATION	UNP Q6NY42

- Molecule 2 is METHOTREXATE (three-letter code: MTX) (formula: C<sub>20</sub>H<sub>22</sub>N<sub>8</sub>O<sub>5</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total 33	C 20	N 8	O 5	0	0
2	B	1	Total 33	C 20	N 8	O 5	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	C	265	Total O 265 265	0	0
3	D	266	Total O 266 266	0	0
3	B	271	Total O 271 271	0	0
3	A	151	Total O 151 151	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Gamma-glutamyl hydrolase



- Molecule 1: Gamma-glutamyl hydrolase




- Molecule 1: Gamma-glutamyl hydrolase



- Molecule 1: Gamma-glutamyl hydrolase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	53.40Å 198.10Å 65.11Å 90.00° 113.82° 90.00°	Depositor
Resolution (Å)	30.00 – 1.97 25.52 – 1.97	Depositor EDS
% Data completeness (in resolution range)	99.2 (30.00-1.97) 99.2 (25.52-1.97)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	8.01 (at 1.98Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, $R_{free}$	0.175 , 0.239 0.177 , 0.237	Depositor DCC
$R_{free}$ test set	4330 reflections (5.31%)	DCC
Wilson B-factor (Å <sup>2</sup> )	20.0	Xtriage
Anisotropy	0.130	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 49.1	EDS
Estimated twinning fraction	0.048 for h,-k,-h-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 85798 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	10251	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.20% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MTX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.15	1/2373 (0.0%)	0.92	4/3220 (0.1%)
1	B	1.17	3/2373 (0.1%)	1.01	11/3220 (0.3%)
1	C	1.11	2/2373 (0.1%)	0.92	4/3220 (0.1%)
1	D	1.13	3/2373 (0.1%)	1.01	13/3220 (0.4%)
All	All	1.14	9/9492 (0.1%)	0.96	32/12880 (0.2%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	17	GLN	CB-CG	-7.08	1.33	1.52
1	C	276	GLU	CB-CG	-5.90	1.41	1.52
1	B	263	GLU	CB-CG	5.60	1.62	1.52
1	B	74	VAL	CB-CG2	-5.56	1.41	1.52
1	B	140	GLU	CG-CD	5.56	1.60	1.51
1	D	226	TRP	CB-CG	5.43	1.60	1.50
1	C	264	GLU	CB-CG	5.42	1.62	1.52
1	D	150	GLU	CD-OE1	5.32	1.31	1.25
1	A	71	GLY	N-CA	5.29	1.53	1.46

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	67	VAL	CB-CA-C	-9.75	92.87	111.40
1	D	50	ILE	C-N-CA	-9.50	97.94	121.70
1	C	59	ARG	NE-CZ-NH1	8.84	124.72	120.30
1	B	50	ILE	C-N-CA	-8.53	100.38	121.70
1	B	67	VAL	CB-CA-C	-8.44	95.36	111.40
1	B	173	ILE	CB-CA-C	-7.46	96.68	111.60
1	D	67	VAL	CG1-CB-CG2	7.44	122.80	110.90
1	C	50	ILE	C-N-CA	-7.36	103.30	121.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	67	VAL	CG1-CB-CG2	7.13	122.31	110.90
1	B	132	ILE	CB-CA-C	-6.75	98.09	111.60
1	A	173	ILE	CB-CA-C	-6.59	98.43	111.60
1	B	142	VAL	CG1-CB-CG2	6.55	121.39	110.90
1	B	132	ILE	CG1-CB-CG2	6.47	125.64	111.40
1	D	132	ILE	CB-CA-C	-6.33	98.93	111.60
1	B	142	VAL	CB-CA-C	-6.32	99.40	111.40
1	B	50	ILE	O-C-N	-5.94	113.20	122.70
1	C	132	ILE	CG1-CB-CG2	5.89	124.35	111.40
1	A	173	ILE	CG1-CB-CG2	5.70	123.94	111.40
1	D	50	ILE	CG1-CB-CG2	5.67	123.86	111.40
1	D	173	ILE	CB-CA-C	-5.65	100.30	111.60
1	D	67	VAL	CA-CB-CG2	5.56	119.24	110.90
1	B	67	VAL	CA-CB-CG2	5.56	119.24	110.90
1	D	132	ILE	CG1-CB-CG2	5.48	123.46	111.40
1	C	189	ARG	NE-CZ-NH2	-5.47	117.56	120.30
1	A	26	ARG	NE-CZ-NH2	-5.46	117.57	120.30
1	A	71	GLY	N-CA-C	-5.39	99.62	113.10
1	D	50	ILE	O-C-N	-5.32	114.19	122.70
1	D	74	VAL	CG1-CB-CG2	5.29	119.37	110.90
1	D	189	ARG	NE-CZ-NH2	-5.19	117.71	120.30
1	B	59	ARG	NE-CZ-NH1	5.07	122.83	120.30
1	D	18	ASP	CB-CG-OD2	5.04	122.84	118.30
1	D	74	VAL	N-CA-CB	-5.01	100.48	111.50

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2308	0	2229	34	0
1	B	2308	0	2229	60	0
1	C	2308	0	2229	34	0
1	D	2308	0	2229	40	0
2	B	33	0	20	15	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	33	0	20	14	0
3	A	151	0	0	6	0
3	B	271	0	0	5	0
3	C	265	0	0	5	0
3	D	266	0	0	1	0
All	All	10251	0	8956	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:301:MTX:H13	2:D:301:MTX:H7	1.28	1.09
1:B:6:THR:HG23	3:B:654:HOH:O	1.49	1.09
1:B:59:ARG:HD3	3:B:633:HOH:O	1.54	1.06
1:C:59:ARG:HD2	3:C:317:HOH:O	1.57	1.04
2:D:301:MTX:H7	2:D:301:MTX:C13	1.96	0.96
2:B:301:MTX:H7	2:B:301:MTX:C13	1.98	0.91
1:B:65:ASN:HD22	1:B:255:ASN:HD22	1.18	0.90
2:B:301:MTX:H7	2:B:301:MTX:H13	1.55	0.89
1:A:287:THR:HG21	3:A:423:HOH:O	1.76	0.85
1:B:270:ILE:HD11	1:B:288:TYR:CZ	2.12	0.84
1:D:65:ASN:HD22	1:D:255:ASN:HD22	1.24	0.83
1:C:150:GLU:OE1	1:C:150:GLU:HA	1.79	0.83
1:D:222:ASN:HB2	1:D:241:THR:CG2	2.09	0.82
1:B:222:ASN:HB2	1:B:241:THR:CG2	2.08	0.82
1:C:287:THR:HG21	3:C:304:HOH:O	1.80	0.81
1:A:76:LEU:HD11	3:A:435:HOH:O	1.81	0.80
1:B:129:THR:HA	1:B:132:ILE:HD11	1.65	0.77
1:A:222:ASN:HB2	1:A:241:THR:CG2	2.15	0.77
1:C:222:ASN:HB2	1:C:241:THR:CG2	2.16	0.76
1:B:101:TYR:CZ	1:B:211:PRO:HB3	2.20	0.76
1:B:287:THR:HG21	3:B:606:HOH:O	1.85	0.76
1:C:124:LEU:HD23	1:C:173:ILE:CD1	2.17	0.74
1:C:54:GLU:HG3	3:C:525:HOH:O	1.87	0.74
1:D:20:PHE:CD1	2:D:301:MTX:C2	2.71	0.73
2:D:301:MTX:C7	2:D:301:MTX:H13	2.14	0.73
1:B:278:THR:HG21	1:B:287:THR:HG23	1.71	0.71
1:A:149:LYS:HB3	1:A:150:GLU:OE2	1.90	0.71
1:B:104:VAL:HB	1:B:212:ILE:HD13	1.72	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:20:PHE:CD1	2:D:301:MTX:N1	2.58	0.71
1:D:20:PHE:HB3	2:D:301:MTX:N3	2.07	0.69
1:A:112:GLU:OE1	3:A:435:HOH:O	2.09	0.69
1:B:101:TYR:OH	1:B:211:PRO:HB3	1.92	0.69
1:D:35:VAL:HG21	1:D:270:ILE:CD1	2.24	0.68
1:B:74:VAL:HG22	1:B:79:SER:HB3	1.78	0.65
1:C:239:LYS:NZ	3:C:537:HOH:O	2.30	0.65
1:B:20:PHE:CZ	2:B:301:MTX:C8A	2.80	0.65
1:B:20:PHE:CD2	2:B:301:MTX:C2	2.80	0.65
1:D:20:PHE:CZ	2:D:301:MTX:N8	2.66	0.64
1:C:168:SER:HB3	1:A:128:ASN:ND2	2.13	0.64
1:B:6:THR:CG2	3:B:654:HOH:O	2.24	0.63
1:C:278:THR:HG21	1:C:287:THR:HG23	1.81	0.62
1:B:6:THR:HG21	3:B:539:HOH:O	1.99	0.62
1:D:129:THR:HG22	1:D:132:ILE:HD11	1.80	0.62
1:D:20:PHE:CE1	2:D:301:MTX:N1	2.68	0.62
1:B:222:ASN:HB2	1:B:241:THR:HG21	1.81	0.62
1:C:168:SER:HB3	1:A:128:ASN:HD21	1.64	0.61
1:A:278:THR:HG21	1:A:287:THR:HG23	1.82	0.61
1:B:20:PHE:CD1	2:B:301:MTX:C4A	2.84	0.61
1:D:20:PHE:CZ	2:D:301:MTX:C8A	2.84	0.61
1:B:65:ASN:HD22	1:B:255:ASN:ND2	1.96	0.61
1:A:96:ASN:HA	1:A:100:ASP:O	2.00	0.61
1:C:138:PHE:CD2	1:C:142:VAL:HG11	2.35	0.61
1:B:238:ILE:HD13	1:A:253:ARG:NH2	2.16	0.60
1:D:50:ILE:HD11	1:D:81:TYR:HA	1.84	0.60
1:B:104:VAL:HB	1:B:212:ILE:CD1	2.31	0.60
1:A:52:LYS:HB2	1:A:57:TYR:CZ	2.37	0.60
1:C:219:PRO:O	1:C:241:THR:HB	2.02	0.59
1:D:35:VAL:HG11	1:D:270:ILE:HD13	1.85	0.58
1:B:255:ASN:HD21	1:B:257:HIS:CG	2.21	0.58
1:B:140:GLU:O	1:B:143:LYS:HE3	2.04	0.58
1:A:115:THR:HG21	1:A:173:ILE:HD11	1.85	0.58
1:A:219:PRO:O	1:A:241:THR:HB	2.03	0.57
1:C:138:PHE:HB3	1:C:142:VAL:HG11	1.86	0.57
1:D:173:ILE:O	1:D:173:ILE:HD12	2.04	0.57
1:D:222:ASN:HB2	1:D:241:THR:HG21	1.84	0.57
1:B:278:THR:CG2	1:B:287:THR:HG23	2.34	0.57
1:A:138:PHE:HB3	1:A:142:VAL:HG11	1.86	0.57
1:B:20:PHE:CE2	2:B:301:MTX:N1	2.72	0.56
1:D:16:ALA:O	1:D:50:ILE:HD13	2.05	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:250:ASN:ND2	1:B:253:ARG:HH11	2.04	0.56
1:D:20:PHE:CG	2:D:301:MTX:C2	2.88	0.56
1:B:255:ASN:ND2	1:B:257:HIS:H	2.04	0.56
1:C:59:ARG:HH22	1:C:264:GLU:HB3	1.71	0.56
1:A:169:HIS:HD2	3:A:302:HOH:O	1.89	0.56
1:B:170:GLN:HG3	1:B:171:TRP:CD1	2.41	0.55
2:B:301:MTX:C7	2:B:301:MTX:H13	2.33	0.55
1:B:20:PHE:CG	2:B:301:MTX:C4	2.90	0.54
1:A:222:ASN:HB2	1:A:241:THR:HG21	1.87	0.54
1:D:118:THR:CG2	1:D:188:TYR:OH	2.55	0.54
1:D:219:PRO:O	1:D:241:THR:HB	2.07	0.53
1:D:20:PHE:CE1	2:D:301:MTX:C8A	2.92	0.53
1:D:50:ILE:HG23	1:D:51:ASN:ND2	2.23	0.53
1:B:129:THR:HG22	1:B:132:ILE:HD11	1.92	0.52
1:D:255:ASN:HD21	1:D:257:HIS:CG	2.27	0.52
1:B:270:ILE:HD11	1:B:288:TYR:CE2	2.44	0.52
1:D:250:ASN:ND2	1:D:253:ARG:HH11	2.08	0.52
1:A:115:THR:HG21	1:A:173:ILE:CD1	2.40	0.52
1:D:20:PHE:CD2	2:D:301:MTX:C4A	2.93	0.52
1:B:238:ILE:CD1	1:A:253:ARG:NH2	2.72	0.51
1:D:118:THR:HG21	1:D:188:TYR:OH	2.11	0.51
1:B:20:PHE:CZ	2:B:301:MTX:N8	2.79	0.51
1:A:263:GLU:O	1:A:267:LYS:HG3	2.11	0.50
1:D:142:VAL:CG1	1:D:191:LEU:O	2.60	0.50
1:C:278:THR:CG2	1:C:287:THR:HG23	2.41	0.50
1:C:168:SER:CB	1:A:128:ASN:HD21	2.24	0.50
1:C:118:THR:HG21	1:C:188:TYR:OH	2.12	0.50
1:C:124:LEU:HD23	1:C:173:ILE:HD11	1.93	0.49
1:B:20:PHE:CE1	2:B:301:MTX:C4A	2.95	0.49
1:C:124:LEU:CD2	1:C:173:ILE:HD11	2.43	0.49
1:B:67:VAL:HG22	1:B:102:PHE:HE2	1.77	0.49
1:C:119:SER:HB3	1:C:184:LEU:HG	1.93	0.49
1:B:20:PHE:CE1	2:B:301:MTX:C8A	2.96	0.48
1:C:124:LEU:HD23	1:C:173:ILE:HD13	1.92	0.48
1:B:238:ILE:HD13	1:A:253:ARG:HH22	1.79	0.48
1:D:278:THR:HG21	1:D:287:THR:HG23	1.95	0.48
1:B:270:ILE:CD1	1:B:288:TYR:CZ	2.93	0.48
1:A:71:GLY:HA2	1:A:109:LEU:H	1.78	0.48
1:D:222:ASN:HB2	1:D:241:THR:HG22	1.92	0.47
1:C:130:SER:OG	1:A:170:GLN:NE2	2.46	0.47
1:A:165:THR:HB	1:A:217:TRP:CE3	2.49	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:118:THR:HG21	1:B:188:TYR:OH	2.14	0.47
1:D:255:ASN:ND2	1:D:257:HIS:H	2.13	0.47
1:A:79:SER:O	1:A:83:LYS:HD3	2.14	0.47
1:A:118:THR:HG21	1:A:188:TYR:OH	2.14	0.47
1:C:126:HIS:CE1	1:C:171:TRP:CH2	3.03	0.47
1:B:114:LEU:O	1:B:118:THR:HG23	2.14	0.46
1:B:138:PHE:CD2	1:B:142:VAL:HG11	2.51	0.46
1:B:270:ILE:HD13	3:A:347:HOH:O	2.16	0.46
1:B:74:VAL:HG22	1:B:79:SER:CB	2.45	0.46
1:A:169:HIS:CD2	3:A:302:HOH:O	2.65	0.46
1:D:113:LEU:HD22	1:D:117:LEU:HG	1.98	0.46
1:C:118:THR:CG2	1:C:188:TYR:OH	2.63	0.46
1:D:20:PHE:CE2	2:D:301:MTX:C8A	2.99	0.45
1:D:15:LEU:HD23	1:D:48:VAL:HB	1.98	0.45
1:D:21:ASP:OD1	3:D:488:HOH:O	2.21	0.45
1:D:35:VAL:CG2	1:D:270:ILE:CD1	2.94	0.45
1:A:17:GLN:OE1	1:A:72:GLY:HA3	2.17	0.45
1:A:124:LEU:CD2	1:A:173:ILE:HD13	2.47	0.45
1:B:20:PHE:CE2	2:B:301:MTX:C8A	3.01	0.44
1:B:139:THR:O	1:B:142:VAL:HG22	2.18	0.44
1:D:204:THR:HG23	1:D:215:THR:HG22	2.00	0.44
1:A:114:LEU:O	1:A:118:THR:HG23	2.18	0.44
1:B:255:ASN:HD21	1:B:257:HIS:CB	2.31	0.44
1:B:36:LYS:NZ	1:B:286:GLN:NE2	2.65	0.44
1:B:101:TYR:CE2	1:B:211:PRO:HB3	2.51	0.43
1:C:122:LEU:HD13	1:C:124:LEU:H	1.83	0.43
1:D:117:LEU:HA	1:D:117:LEU:HD23	1.87	0.43
1:B:118:THR:CG2	1:B:188:TYR:OH	2.67	0.43
1:D:35:VAL:HG21	1:D:270:ILE:HD11	1.96	0.43
2:B:301:MTX:C7	2:B:301:MTX:C13	2.86	0.43
1:B:219:PRO:O	1:B:241:THR:HB	2.18	0.43
1:A:278:THR:CG2	1:A:287:THR:HG23	2.48	0.43
1:A:140:GLU:O	1:A:143:LYS:HB2	2.19	0.43
1:A:124:LEU:HB3	1:A:171:TRP:HB3	2.01	0.42
1:C:114:LEU:O	1:C:118:THR:HG23	2.20	0.42
1:C:174:THR:HA	1:C:201:PHE:HA	2.01	0.42
1:D:20:PHE:CB	2:D:301:MTX:N3	2.81	0.42
1:C:222:ASN:HB2	1:C:241:THR:HG21	1.96	0.42
1:B:20:PHE:CD1	2:B:301:MTX:C4	3.03	0.42
2:B:301:MTX:H15	2:B:301:MTX:HM1	1.67	0.42
1:B:263:GLU:CD	1:B:263:GLU:H	2.23	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:47:PRO:HB2	1:D:49:MET:CE	2.50	0.41
1:C:281:GLN:O	1:A:197:GLY:HA2	2.20	0.41
1:B:26:ARG:NH2	1:B:276:GLU:OE2	2.53	0.41
1:B:115:THR:HG21	1:B:173:ILE:HD13	2.02	0.41
1:B:178:PHE:HZ	1:B:188:TYR:HB2	1.85	0.41
1:B:35:VAL:HG11	1:B:270:ILE:HD12	2.02	0.41
1:C:278:THR:OG1	1:C:287:THR:CG2	2.68	0.41
1:B:278:THR:OG1	1:B:287:THR:CG2	2.69	0.41
1:B:115:THR:HG21	1:B:173:ILE:CD1	2.51	0.41
1:B:50:ILE:HG23	1:B:51:ASN:ND2	2.36	0.41
1:C:138:PHE:CB	1:C:142:VAL:HG11	2.50	0.41
1:D:35:VAL:CG1	1:D:270:ILE:HD13	2.52	0.40
1:C:86:GLY:O	1:C:90:ARG:HG3	2.22	0.40
1:D:226:TRP:HB2	1:D:285:GLU:OE1	2.21	0.40
1:C:60:LEU:CD1	1:C:64:ILE:HD13	2.51	0.40
1:C:182:LYS:HG3	3:C:322:HOH:O	2.21	0.40
1:B:263:GLU:O	1:B:267:LYS:HG3	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	285/312 (91%)	276 (97%)	8 (3%)	1 (0%)	39	31
1	B	285/312 (91%)	276 (97%)	8 (3%)	1 (0%)	39	31
1	C	285/312 (91%)	278 (98%)	7 (2%)	0	100	100
1	D	285/312 (91%)	279 (98%)	5 (2%)	1 (0%)	39	31
All	All	1140/1248 (91%)	1109 (97%)	28 (2%)	3 (0%)	46	39

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	143	LYS
1	B	131	GLY
1	D	131	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	249/271 (92%)	238 (96%)	11 (4%)	35	27
1	B	249/271 (92%)	231 (93%)	18 (7%)	18	10
1	C	249/271 (92%)	238 (96%)	11 (4%)	35	27
1	D	249/271 (92%)	233 (94%)	16 (6%)	22	14
All	All	996/1084 (92%)	940 (94%)	56 (6%)	26	18

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	18	ASP
1	C	26	ARG
1	C	59	ARG
1	C	113	LEU
1	C	118	THR
1	C	132	ILE
1	C	143	LYS
1	C	147	LEU
1	C	168	SER
1	C	241	THR
1	C	287	THR
1	D	18	ASP
1	D	50	ILE
1	D	58	SER
1	D	60	LEU
1	D	67	VAL
1	D	74	VAL
1	D	113	LEU
1	D	118	THR

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	D	132	ILE
1	D	147	LEU
1	D	173	ILE
1	D	241	THR
1	D	262	THR
1	D	280	ILE
1	D	282	SER
1	D	287	THR
1	B	6	THR
1	B	18	ASP
1	B	23	LYS
1	B	50	ILE
1	B	60	LEU
1	B	67	VAL
1	B	113	LEU
1	B	118	THR
1	B	132	ILE
1	B	142	VAL
1	B	173	ILE
1	B	186	LYS
1	B	241	THR
1	B	263	GLU
1	B	270	ILE
1	B	280	ILE
1	B	281	GLN
1	B	287	THR
1	A	15	LEU
1	A	18	ASP
1	A	60	LEU
1	A	83	LYS
1	A	118	THR
1	A	121	GLU
1	A	122	LEU
1	A	173	ILE
1	A	241	THR
1	A	281	GLN
1	A	287	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	250	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	51	ASN
1	D	128	ASN
1	D	250	ASN
1	D	255	ASN
1	D	272	ASN
1	D	281	GLN
1	D	286	GLN
1	B	51	ASN
1	B	98	ASN
1	B	170	GLN
1	B	250	ASN
1	B	255	ASN
1	B	272	ASN
1	B	286	GLN
1	A	128	ASN
1	A	169	HIS
1	A	170	GLN
1	A	250	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	MTX	B	301	-	27,35,35	2.42	6 (22%)	30,49,49	1.82	7 (23%)
2	MTX	D	301	-	27,35,35	2.31	6 (22%)	30,49,49	1.90	7 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MTX	B	301	-	-	0/19/25/25	0/3/3/3
2	MTX	D	301	-	-	0/19/25/25	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301	MTX	C9-C6	-6.44	1.40	1.51
2	B	301	MTX	C9-C6	-5.92	1.41	1.51
2	D	301	MTX	C11-C	-4.35	1.41	1.50
2	B	301	MTX	C11-C	-3.57	1.42	1.50
2	B	301	MTX	C13-C14	2.08	1.43	1.39
2	D	301	MTX	C16-C11	2.11	1.42	1.39
2	B	301	MTX	C13-C12	2.19	1.42	1.38
2	D	301	MTX	C13-C14	2.32	1.43	1.39
2	D	301	MTX	C7-N8	4.71	1.39	1.31
2	B	301	MTX	C7-N8	5.85	1.41	1.31
2	D	301	MTX	O-C	6.08	1.35	1.23
2	B	301	MTX	O-C	6.21	1.35	1.23

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	301	MTX	N1-C2-N3	-5.08	119.70	127.44
2	D	301	MTX	N1-C2-N3	-5.00	119.84	127.44
2	D	301	MTX	C6-C9-N10	-3.62	107.49	113.78
2	D	301	MTX	C13-C12-C11	-3.38	116.84	120.76
2	B	301	MTX	C13-C12-C11	-2.94	117.35	120.76
2	B	301	MTX	NA2-C2-N3	2.20	120.84	117.20
2	D	301	MTX	C9-C6-N5	2.28	120.83	117.11
2	B	301	MTX	N8-C8A-N1	2.56	119.80	116.14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	MTX	N8-C8A-N1	2.57	119.82	116.14
2	B	301	MTX	C15-C16-C11	2.61	123.79	120.76
2	B	301	MTX	C9-C6-N5	2.68	121.49	117.11
2	D	301	MTX	C15-C16-C11	2.74	123.94	120.76
2	D	301	MTX	C12-C13-C14	3.34	124.68	120.36
2	B	301	MTX	C12-C13-C14	3.43	124.80	120.36

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 29 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	MTX	15	0
2	D	301	MTX	14	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	287/312 (91%)	-0.10	10 (3%) 48 52	5, 18, 34, 47	9 (3%)
1	B	287/312 (91%)	-0.27	9 (3%) 52 56	7, 17, 32, 41	5 (1%)
1	C	287/312 (91%)	-0.14	10 (3%) 48 52	6, 19, 32, 41	8 (2%)
1	D	287/312 (91%)	-0.25	7 (2%) 62 66	7, 17, 31, 41	5 (1%)
All	All	1148/1248 (91%)	-0.19	36 (3%) 52 56	5, 17, 32, 47	27 (2%)

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	20	PHE	4.9
1	A	283	ALA	4.8
1	A	179	THR	4.4
1	C	283	ALA	4.0
1	C	202	VAL	3.6
1	C	179	THR	3.6
1	B	250	ASN	3.2
1	B	101	TYR	3.1
1	A	78	SER	3.1
1	D	250	ASN	3.0
1	C	20	PHE	3.0
1	D	283	ALA	2.9
1	B	283	ALA	2.9
1	C	115	THR	2.8
1	A	77	GLU	2.8
1	A	260	ALA	2.7
1	D	5	LYS	2.7
1	C	250	ASN	2.6
1	B	281	GLN	2.5
1	C	280	ILE	2.5
1	A	202	VAL	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	280	ILE	2.4
1	C	78	SER	2.4
1	B	20	PHE	2.3
1	A	250	ASN	2.2
1	A	76	LEU	2.2
1	A	280	ILE	2.2
1	D	281	GLN	2.2
1	D	115	THR	2.2
1	C	5	LYS	2.2
1	D	20	PHE	2.1
1	C	150	GLU	2.1
1	B	150	GLU	2.0
1	B	5	LYS	2.0
1	B	21	ASP	2.0
1	D	158	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	MTX	B	301	33/33	0.83	0.27	4.11	17,42,86,88	0
2	MTX	D	301	33/33	0.87	0.21	3.28	16,39,80,80	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.