



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 9, 2016 – 11:40 AM EDT

PDB ID : 5LEZ
Title : Human 20S proteasome complex with Oprozomib in Mg-Acetate at 2.2 Angstrom
Authors : Schrader, J.; Henneberg, F.; Mata, R.; Tittmann, K.; Schneider, T.R.; Stark, H.; Bourenkov, G.; Chari, A.
Deposited on : 2016-06-30
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20027939
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027939


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3774 (2.20-2.20)
Clashscore	102246	4477 (2.20-2.20)
Ramachandran outliers	100387	4404 (2.20-2.20)
Sidechain outliers	100360	4405 (2.20-2.20)
RSRZ outliers	91569	3781 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	<div> <div>2%</div> <div>85%</div> <div>12%</div> <div>• •</div> </div>
1	O	234	<div> <div>13%</div> <div>87%</div> <div>9%</div> <div>• •</div> </div>
2	B	261	<div> <div>7%</div> <div>89%</div> <div>6%</div> <div>5%</div> </div>
2	P	261	<div> <div>11%</div> <div>84%</div> <div>10%</div> <div>• 5%</div> </div>
3	C	248	<div> <div>12%</div> <div>84%</div> <div>8%</div> <div>• •</div> </div>
3	Q	248	<div> <div>17%</div> <div>83%</div> <div>9%</div> <div>• 5%</div> </div>


Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	241	
4	R	241	
5	E	263	
5	S	263	
6	F	255	
6	T	255	
7	G	246	
7	U	246	
8	H	234	
8	V	234	
9	I	205	
9	W	205	
10	J	201	
10	X	201	
11	K	204	
11	Y	204	
12	L	213	
12	Z	213	
13	M	219	
13	a	219	
14	N	205	
14	b	205	
15	c	4	
15	d	4	
15	e	4	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	f	4	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
16	K	U	302	-	-	-	X
18	1PE	H	303	-	-	-	X
18	1PE	I	302	-	-	-	X
18	1PE	K	302	-	-	-	X
18	1PE	L	301	-	-	-	X
18	1PE	W	302	-	-	-	X
18	1PE	Y	301	-	-	-	X
18	1PE	a	301	-	-	-	X
19	ACT	f	101	-	-	-	X
7	6V1	U	47	X	-	-	-

2 Entry composition

There are 20 unique types of molecules in this entry. The entry contains 52158 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	230	Total	C	N	O	S	0	3	0
			1788	1145	301	336	6			
1	O	230	Total	C	N	O	S	0	0	0
			1741	1111	293	331	6			

- Molecule 2 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	248	Total	C	N	O	S	0	2	0
			1922	1217	331	363	11			
2	P	247	Total	C	N	O	S	0	2	0
			1898	1200	321	366	11			

- Molecule 3 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	237	Total	C	N	O	S	0	2	0
			1798	1121	320	352	5			
3	Q	235	Total	C	N	O	S	0	0	0
			1801	1126	316	354	5			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	233	Total	C	N	O	S	0	1	0
			1762	1105	290	356	11			
4	R	233	Total	C	N	O	S	0	1	0
			1753	1103	293	346	11			

- Molecule 5 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	234	Total	C	N	O	S	0	1	0
			1822	1144	325	342	11			
5	S	238	Total	C	N	O	S	0	3	0
			1875	1175	340	349	11			

- Molecule 6 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	239	Total	C	N	O	S	0	4	0
			1888	1198	325	353	12			
6	T	240	Total	C	N	O	S	0	1	0
			1856	1178	315	351	12			

- Molecule 7 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	244	Total	C	N	O	S	0	2	0
			1912	1214	321	364	13			
7	U	238	Total	C	N	O	S	0	1	0
			1815	1147	304	350	14			

- Molecule 8 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	220	Total	C	N	O	S	0	2	0
			1664	1047	284	320	13			
8	V	220	Total	C	N	O	S	0	2	0
			1622	1023	269	318	12			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	3	0
			1613	1028	270	295	20			
9	W	204	Total	C	N	O	S	0	2	0
			1599	1018	267	295	19			

- Molecule 10 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	196	Total	C	N	O	S	0	3	0
			1590	1021	271	288	10			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	196	Total	C	N	O	S	0	2	0
			1576	1012	267	287	10			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	200	Total	C	N	O	S	0	0	0
			1551	977	272	293	9			
11	Y	199	Total	C	N	O	S	0	3	0
			1570	991	278	291	10			

- Molecule 12 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	213	Total	C	N	O	S	0	2	0
			1636	1038	277	310	11			
12	Z	213	Total	C	N	O	S	0	1	0
			1642	1041	280	310	11			

- Molecule 13 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	216	Total	C	N	O	S	0	1	0
			1692	1067	291	322	12			
13	a	216	Total	C	N	O	S	0	2	0
			1688	1064	291	321	12			

- Molecule 14 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	202	Total	C	N	O	S	0	1	0
			1519	953	258	295	13			
14	b	203	Total	C	N	O	S	0	1	0
			1524	956	259	296	13			

- Molecule 15 is a protein called bound Oprozomib.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	c	4	Total	C	N	O	S	0	0	0
			37	25	4	7	1			
15	d	4	Total	C	N	O	S	0	0	0
			37	25	4	7	1			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	e	4	Total	C	N	O	S	0	0	0
			37	25	4	7	1			
15	f	4	Total	C	N	O	S	0	0	0
			37	25	4	7	1			


- Molecule 16 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total	K	0	0
			1	1		
16	b	1	Total	K	0	0
			1	1		
16	Z	1	Total	K	0	0
			1	1		
16	N	1	Total	K	0	0
			1	1		
16	U	1	Total	K	0	0
			1	1		
16	L	1	Total	K	0	0
			1	1		

- Molecule 17 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	J	1	Total	Mg	0	0
			1	1		
17	K	1	Total	Mg	0	0
			1	1		
17	H	2	Total	Mg	0	0
			2	2		
17	I	2	Total	Mg	0	0
			2	2		
17	V	1	Total	Mg	0	0
			1	1		
17	W	1	Total	Mg	0	0
			1	1		
17	X	1	Total	Mg	0	0
			1	1		
17	L	1	Total	Mg	0	0
			1	1		

- Molecule 18 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	H	1	Total	C	O	0	0
			16	10	6		
18	I	1	Total	C	O	0	0
			16	10	6		
18	K	1	Total	C	O	0	0
			16	10	6		
18	L	1	Total	C	O	0	0
			16	10	6		
18	N	1	Total	C	O	0	0
			16	10	6		
18	U	1	Total	C	O	0	0
			16	10	6		
18	W	1	Total	C	O	0	0
			16	10	6		
18	Y	1	Total	C	O	0	0
			16	10	6		
18	a	1	Total	C	O	0	0
			16	10	6		

- Molecule 19 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
19	c	1	Total	C	O	0	0
			4	2	2		
19	d	1	Total	C	O	0	0
			4	2	2		
19	e	1	Total	C	O	0	0
			4	2	2		
19	f	1	Total	C	O	0	0
			4	2	2		

- Molecule 20 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	A	120	Total	O	0	0
			120	120		
20	B	130	Total	O	0	0
			130	130		
20	C	80	Total	O	0	0
			80	80		
20	D	99	Total	O	0	0
			99	99		
20	E	147	Total	O	0	0
			147	147		
20	F	185	Total	O	0	0
			185	185		
20	G	196	Total	O	0	0
			196	196		
20	H	156	Total	O	0	0
			156	156		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	I	161	Total 161	O 161	0	0
20	J	136	Total 136	O 136	0	0
20	K	106	Total 106	O 106	0	0
20	L	127	Total 127	O 127	0	0
20	M	155	Total 155	O 155	0	0
20	N	160	Total 160	O 160	0	0
20	O	94	Total 94	O 94	0	0
20	P	127	Total 127	O 127	0	0
20	Q	77	Total 77	O 77	0	0
20	R	133	Total 133	O 133	0	0
20	S	132	Total 132	O 132	0	0
20	T	95	Total 95	O 95	0	0
20	U	116	Total 116	O 116	0	0
20	V	114	Total 114	O 114	0	0
20	W	120	Total 120	O 120	0	0
20	X	129	Total 129	O 129	0	0
20	Y	149	Total 149	O 149	0	0
20	Z	168	Total 168	O 168	0	0
20	a	179	Total 179	O 179	0	0
20	b	118	Total 118	O 118	0	0
20	c	2	Total 2	O 2	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	d	2	Total	O	0	0
			2	2		
20	e	3	Total	O	0	0
			3	3		
20	f	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2




- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-4





- Molecule 2: Proteasome subunit alpha type-4









• Molecule 3: Proteasome subunit alpha type-7




• Molecule 3: Proteasome subunit alpha type-7





• Molecule 4: Proteasome subunit alpha type-5



• Molecule 4: Proteasome subunit alpha type-5



• Molecule 5: Proteasome subunit alpha type-1



GLU ARG
PRO GLN
ARG LYS
ALA GLN
PRO GLN
ALA GLN
PRO GLN
ALA ASP
GLU GLU
PRO PRO
ALA GLU
LYS LYS
ALA ASP
GLU GLU
PRO PRO
MET MET
GLU HIS

• Molecule 5: Proteasome subunit alpha type-1

Chain S: 2% 80% 9% 10%

MET F2 R3 D7 R18 I19 E23 V29 V45 L46 V47 Q60 H65 G71 T78 N86 R89 R101 R122 N152 Y153 F154 R174 E181 L195 D204 F221 E234 G235 L236 E237 E238 PRO GLN ARG LYS ALA GLN PRO

ALA GLN
PRO PRO
ALA ASP
GLU PRO
ALA LYS
ALA ASP
GLU PRO
MET MET
HIS

• Molecule 6: Proteasome subunit alpha type-3

Chain F: 1% 86% 7% 6%

MET SER SER ILE GLY THR G6 D17 K28 D43 K51 L52 V53 S62 L81 R85 S86 L87 M117 F131 R169 R187 V190 E203 D206 W215 V227 R232 K240 L243 K244 GLU ASP GLU ASP ASP ASP MET

• Molecule 6: Proteasome subunit alpha type-3

Chain T: 5% 85% 7% 6%

MET SER SER ILE GLY T5 G6 Y7 D17 M27 K28 D43 L54 S62 N63 L81 R85 S86 L87 M117 F131 R169 Q180 V190 D202 E203 V204 K205 D206 K207 A208 F209 W215 R223 K237 K240 E241 K244 GLU GLU ASP ASP MET

SER ASP
ASP ASP
ASN MET

• Molecule 7: Proteasome subunit alpha type-6

Chain G: 4% 93% ...

MET S2 R11 I32 I72 I76 G78 D86 S87 R88 N100 E108 R117 C137 M138 I139 L140 V183 K184 K185 K186 F187 D188 W189 T190 L206 S207 L208 D209 P212 E232 R245 ASP


• Molecule 7: Proteasome subunit alpha type-6

Chain U: 15% 90% 5% ..


MET S2 R3 A7 G36 V56 F57 D58 K59 G78 R88 N100 R117 I118 M138 I139 L140 Y160 F178 K186 PHE ASP TRP THR PHE GLU Q193 T194 V195 E196 T197 A198 I199 T200 C201 L202 S203 T204 V205 L206 S207 L208 D209 F210 F211 P212 S213 E214

V222 E223 L230 T231 E232 T235 D236 A237 E238 L239 V240 A241 L242 A243 E244 R245 ASP


• Molecule 8: Proteasome subunit beta type-7




- Molecule 8: Proteasome subunit beta type-7




- Molecule 9: Proteasome subunit beta type-3




- Molecule 9: Proteasome subunit beta type-3




- Molecule 10: Proteasome subunit beta type-2




- Molecule 10: Proteasome subunit beta type-2



- Molecule 11: Proteasome subunit beta type-5



- Molecule 11: Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-1




- Molecule 12: Proteasome subunit beta type-1




- Molecule 13: Proteasome subunit beta type-4



- Molecule 13: Proteasome subunit beta type-4



- Molecule 14: Proteasome subunit beta type-6



- Molecule 14: Proteasome subunit beta type-6



- Molecule 15: bound Oprozomib

Chain c:  100%

There are no outlier residues recorded for this chain.

- Molecule 15: bound Oprozomib

Chain d:  100%

There are no outlier residues recorded for this chain.

- Molecule 15: bound Oprozomib

Chain e:  100%

There are no outlier residues recorded for this chain.

- Molecule 15: bound Oprozomib

Chain f:  100%

There are no outlier residues recorded for this chain.

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	113.86Å 203.23Å 315.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	170.81 – 2.19 49.67 – 2.19	Depositor EDS
% Data completeness (in resolution range)	99.4 (170.81-2.19) 99.5 (49.67-2.19)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.50 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.181 , 0.222 0.185 , 0.222	Depositor DCC
R_{free} test set	18458 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	49.6	Xtriage
Anisotropy	0.246	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 45.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	52158	wwPDB-VP
Average B, all atoms (Å ²)	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.76% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 6V9, K, 6V1, 1PE, OAS, YCM, ACT, 6VA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.70	0/1833	0.80	2/2489 (0.1%)
1	O	0.60	0/1778	0.79	1/2419 (0.0%)
2	B	0.73	0/1958	0.87	4/2645 (0.2%)
2	P	0.67	0/1934	0.86	3/2617 (0.1%)
3	C	0.77	1/1818 (0.1%)	0.94	8/2469 (0.3%)
3	Q	0.71	0/1814	0.88	2/2462 (0.1%)
4	D	0.70	0/1789	0.82	4/2424 (0.2%)
4	R	0.82	2/1780 (0.1%)	0.91	5/2408 (0.2%)
5	E	0.71	1/1842 (0.1%)	0.86	2/2493 (0.1%)
5	S	0.71	0/1901	0.89	5/2571 (0.2%)
6	F	0.78	0/1935	0.89	4/2605 (0.2%)
6	T	0.79	1/1894 (0.1%)	0.93	8/2556 (0.3%)
7	G	0.82	3/1909 (0.2%)	0.88	7/2579 (0.3%)
7	U	0.70	0/1804	0.82	2/2441 (0.1%)
8	H	0.81	1/1697 (0.1%)	0.97	5/2299 (0.2%)
8	V	0.68	2/1655 (0.1%)	0.88	4/2251 (0.2%)
9	I	0.76	0/1648	0.96	8/2219 (0.4%)
9	W	0.62	0/1630	0.89	6/2197 (0.3%)
10	J	0.82	0/1613	0.99	5/2180 (0.2%)
10	X	0.74	1/1599 (0.1%)	0.94	4/2163 (0.2%)
11	K	0.73	0/1582	0.97	9/2138 (0.4%)
11	Y	0.85	1/1610 (0.1%)	1.00	9/2172 (0.4%)
12	L	0.67	0/1672	0.85	3/2257 (0.1%)
12	Z	0.84	4/1675 (0.2%)	0.91	3/2257 (0.1%)
13	M	0.79	0/1728	0.93	5/2339 (0.2%)
13	a	0.83	0/1724	0.93	4/2336 (0.2%)
14	N	0.86	2/1548 (0.1%)	0.90	2/2095 (0.1%)
14	b	0.81	0/1554	0.90	4/2104 (0.2%)
All	All	0.75	19/48924 (0.0%)	0.90	128/66185 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying

if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	P	0	3
3	Q	0	2
4	D	0	2
4	R	0	1
5	E	0	1
6	F	0	1
7	U	1	0
9	I	0	1
9	W	0	1
10	J	0	2
10	X	0	2
13	a	0	1
All	All	1	17

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	182	GLU	CD-OE2	8.46	1.34	1.25
7	G	108	GLU	CD-OE1	8.18	1.34	1.25
12	Z	3	SER	CB-OG	7.22	1.51	1.42
10	X	154	GLU	C-O	6.91	1.36	1.23
14	N	24	SER	CB-OG	-6.42	1.33	1.42
12	Z	31	GLU	CD-OE2	6.28	1.32	1.25
6	T	7	TYR	N-CA	6.26	1.58	1.46
7	G	108	GLU	CD-OE2	6.26	1.32	1.25
4	R	25	GLU	CG-CD	6.07	1.61	1.51
14	N	150	GLU	CG-CD	5.82	1.60	1.51
7	G	78	CYS	CB-SG	-5.71	1.72	1.81
4	R	25	GLU	CD-OE1	5.64	1.31	1.25
11	Y	40	TYR	CE1-CZ	5.63	1.45	1.38
5	E	4	ASN	N-CA	5.46	1.57	1.46
8	V	104[A]	ASP	CB-CG	-5.43	1.40	1.51
8	V	104[B]	ASP	CB-CG	-5.43	1.40	1.51
12	Z	142	SER	CB-OG	-5.10	1.35	1.42
8	H	120	ASP	CB-CG	5.10	1.62	1.51
12	Z	78	SER	CB-OG	-5.06	1.35	1.42

All (128) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	Z	99	ARG	NE-CZ-NH2	-11.67	114.46	120.30
10	J	86	ARG	NE-CZ-NH1	10.77	125.68	120.30
9	I	69	ARG	NE-CZ-NH1	10.36	125.48	120.30
4	R	120[A]	ALA	C-N-CA	9.90	146.45	121.70
4	R	120[B]	ALA	C-N-CA	9.90	146.45	121.70
9	W	69	ARG	NE-CZ-NH1	9.79	125.20	120.30
12	L	99	ARG	NE-CZ-NH2	-9.79	115.41	120.30
10	X	86	ARG	NE-CZ-NH1	9.78	125.19	120.30
12	Z	99	ARG	NE-CZ-NH1	9.35	124.98	120.30
8	H	72	ARG	NE-CZ-NH2	-9.23	115.68	120.30
9	W	16[A]	LYS	C-N-CA	9.19	144.67	121.70
9	W	16[B]	LYS	C-N-CA	9.19	144.67	121.70
10	J	86	ARG	NE-CZ-NH2	-9.03	115.79	120.30
10	X	86	ARG	NE-CZ-NH2	-8.95	115.83	120.30
9	I	69	ARG	NE-CZ-NH2	-8.65	115.97	120.30
9	I	16[A]	LYS	C-N-CA	8.52	143.00	121.70
9	I	16[B]	LYS	C-N-CA	8.52	143.00	121.70
2	B	96	ARG	NE-CZ-NH1	8.29	124.45	120.30
11	Y	120	ARG	NE-CZ-NH1	8.18	124.39	120.30
3	Q	5	ARG	NE-CZ-NH2	-8.11	116.25	120.30
12	L	99	ARG	NE-CZ-NH1	7.97	124.29	120.30
2	P	96	ARG	NE-CZ-NH1	7.82	124.21	120.30
10	J	184	ASP	CB-CG-OD1	7.78	125.31	118.30
11	K	120	ARG	NE-CZ-NH1	7.74	124.17	120.30
11	Y	157	ARG	NE-CZ-NH1	7.64	124.12	120.30
14	b	1	THR	N-CA-CB	7.61	124.75	110.30
11	K	107	ARG	NE-CZ-NH1	7.42	124.01	120.30
9	I	25[A]	ARG	NE-CZ-NH1	7.19	123.89	120.30
9	I	25[B]	ARG	NE-CZ-NH1	7.19	123.89	120.30
1	O	181	LEU	CA-CB-CG	7.15	131.75	115.30
6	T	43	ASP	CB-CG-OD2	7.15	124.73	118.30
9	W	69	ARG	NE-CZ-NH2	-7.06	116.77	120.30
7	U	88	ARG	NE-CZ-NH1	6.94	123.77	120.30
7	G	117	ARG	NE-CZ-NH1	6.84	123.72	120.30
11	K	1	THR	N-CA-CB	6.83	123.27	110.30
7	G	86	ASP	CB-CG-OD1	6.75	124.37	118.30
11	Y	157	ARG	NE-CZ-NH2	-6.74	116.93	120.30
3	C	5	ARG	NE-CZ-NH2	-6.66	116.97	120.30
11	K	157	ARG	NE-CZ-NH1	6.62	123.61	120.30
5	S	122	ARG	NE-CZ-NH2	-6.59	117.00	120.30
6	F	190	VAL	CB-CA-C	-6.56	98.94	111.40
13	M	151	ARG	NE-CZ-NH1	6.55	123.58	120.30
14	N	116	MET	CG-SD-CE	-6.49	89.82	100.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	Y	120	ARG	NE-CZ-NH2	-6.48	117.06	120.30
11	Y	158	ARG	NE-CZ-NH1	6.47	123.54	120.30
4	R	84	ASP	CB-CG-OD1	6.43	124.08	118.30
7	U	117	ARG	NE-CZ-NH1	6.40	123.50	120.30
6	F	43	ASP	CB-CG-OD1	6.39	124.05	118.30
5	E	122	ARG	NE-CZ-NH2	-6.38	117.11	120.30
8	H	72	ARG	NE-CZ-NH1	6.38	123.49	120.30
10	X	154	GLU	O-C-N	6.37	132.89	122.70
2	B	96	ARG	NE-CZ-NH2	-6.36	117.12	120.30
11	K	154	ASP	CB-CG-OD2	6.35	124.01	118.30
6	F	117	MET	CG-SD-CE	6.34	110.34	100.20
6	T	117	MET	CG-SD-CE	6.26	110.21	100.20
11	Y	107	ARG	NE-CZ-NH1	6.24	123.42	120.30
4	D	175[A]	GLU	N-CA-C	-6.22	94.22	111.00
4	D	175[B]	GLU	N-CA-C	-6.22	94.22	111.00
1	A	219	ARG	NE-CZ-NH1	6.18	123.39	120.30
8	H	28	ASP	CB-CG-OD1	6.13	123.81	118.30
11	Y	1	THR	N-CA-CB	6.11	121.92	110.30
4	D	168	ARG	NE-CZ-NH1	6.11	123.35	120.30
13	M	99	ARG	NE-CZ-NH1	6.08	123.34	120.30
7	G	11	ARG	NE-CZ-NH1	6.04	123.32	120.30
11	K	120	ARG	NE-CZ-NH2	-6.04	117.28	120.30
12	Z	172	MET	CG-SD-CE	-6.03	90.56	100.20
2	B	4	ARG	NE-CZ-NH1	5.99	123.30	120.30
6	T	190	VAL	CB-CA-C	-5.99	100.02	111.40
6	T	6	GLY	C-N-CA	5.99	136.66	121.70
7	G	108	GLU	OE1-CD-OE2	5.97	130.47	123.30
1	A	219	ARG	NE-CZ-NH2	-5.97	117.31	120.30
5	E	174	ARG	NE-CZ-NH1	5.95	123.28	120.30
11	Y	158	ARG	NE-CZ-NH2	-5.90	117.35	120.30
2	P	4	ARG	NE-CZ-NH1	5.89	123.25	120.30
6	T	7	TYR	N-CA-CB	5.89	121.20	110.60
11	K	42	LEU	CA-CB-CG	5.87	128.81	115.30
6	T	27	MET	CG-SD-CE	5.87	109.59	100.20
10	X	70	ARG	NE-CZ-NH2	-5.87	117.37	120.30
3	C	182	GLU	OE1-CD-OE2	-5.81	116.33	123.30
6	F	85	ARG	NE-CZ-NH1	5.77	123.19	120.30
13	a	100	ARG	NE-CZ-NH2	-5.73	117.44	120.30
3	Q	5	ARG	NE-CZ-NH1	5.71	123.16	120.30
9	I	197	ARG	NE-CZ-NH1	5.65	123.13	120.30
13	M	166	ARG	NE-CZ-NH1	5.64	123.12	120.30
8	V	72	ARG	NE-CZ-NH1	5.62	123.11	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	S	89	ARG	NE-CZ-NH2	-5.61	117.50	120.30
14	b	116	MET	CG-SD-CE	-5.55	91.33	100.20
4	R	168	ARG	NE-CZ-NH1	5.54	123.07	120.30
10	J	88	LEU	CB-CG-CD2	5.52	120.38	111.00
3	C	5	ARG	NE-CZ-NH1	5.50	123.05	120.30
2	P	3	ARG	NE-CZ-NH2	-5.49	117.55	120.30
3	C	117	ARG	CG-CD-NE	5.43	123.22	111.80
8	V	120	ASP	CB-CG-OD1	5.43	123.19	118.30
14	b	45	ARG	NE-CZ-NH1	5.40	123.00	120.30
2	B	3	ARG	NE-CZ-NH2	-5.39	117.60	120.30
13	a	5	MET	CG-SD-CE	5.39	108.82	100.20
5	S	174	ARG	NE-CZ-NH1	5.36	122.98	120.30
6	T	169	ARG	NE-CZ-NH1	5.35	122.98	120.30
13	a	151	ARG	NE-CZ-NH1	5.35	122.98	120.30
3	C	85[A]	ASN	CB-CA-C	5.34	121.08	110.40
3	C	85[B]	ASN	CB-CA-C	5.34	121.08	110.40
8	H	187[A]	ARG	NE-CZ-NH2	-5.34	117.63	120.30
8	H	187[B]	ARG	NE-CZ-NH2	-5.34	117.63	120.30
7	G	183	VAL	CB-CA-C	-5.33	101.28	111.40
5	S	122	ARG	NE-CZ-NH1	5.32	122.96	120.30
13	M	166	ARG	NE-CZ-NH2	-5.30	117.65	120.30
9	W	25[A]	ARG	NE-CZ-NH1	5.28	122.94	120.30
9	W	25[B]	ARG	NE-CZ-NH1	5.28	122.94	120.30
11	K	157	ARG	NE-CZ-NH2	-5.26	117.67	120.30
3	C	47	LYS	N-CA-C	5.24	125.15	111.00
13	M	5	MET	CG-SD-CE	5.24	108.58	100.20
14	N	144	ARG	NE-CZ-NH1	5.21	122.91	120.30
4	D	84	ASP	CB-CG-OD1	5.19	122.97	118.30
7	G	11	ARG	CG-CD-NE	5.18	122.68	111.80
7	G	117	ARG	NE-CZ-NH2	-5.13	117.73	120.30
9	I	58	ASP	CB-CG-OD2	5.12	122.91	118.30
8	V	28	ASP	CB-CG-OD1	5.12	122.91	118.30
11	K	154	ASP	CB-CG-OD1	-5.12	113.69	118.30
4	R	128	ALA	N-CA-C	5.11	124.80	111.00
14	b	29	ARG	CB-CA-C	-5.10	100.20	110.40
8	V	72	ARG	NE-CZ-NH2	-5.09	117.76	120.30
12	L	172	MET	CG-SD-CE	-5.08	92.07	100.20
11	Y	61	ARG	NE-CZ-NH1	5.06	122.83	120.30
13	a	67	LEU	CA-CB-CG	5.05	126.91	115.30
3	C	36	ARG	NE-CZ-NH1	5.03	122.81	120.30
6	T	85	ARG	NE-CZ-NH1	5.03	122.81	120.30
10	J	93	ARG	NE-CZ-NH1	5.03	122.81	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	S	7	ASP	CB-CG-OD1	-5.01	113.79	118.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1

All (17) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	D	175[A]	GLU	Peptide
4	D	175[B]	GLU	Peptide
5	E	235	GLY	Peptide
6	F	206	ASP	Peptide
9	I	78	GLY	Peptide
10	J	1[A]	MET	Peptide
10	J	1[B]	MET	Peptide
2	P	244	GLU	Peptide
2	P	245	ALA	Peptide
2	P	54	LYS	Peptide
3	Q	47	LYS	Peptide
3	Q	49	SER	Peptide
4	R	130	PRO	Peptide
9	W	78	GLY	Peptide
10	X	1	MET	Peptide
10	X	148	THR	Mainchain
13	a	215	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1788	0	1761	12	0
1	O	1741	0	1683	9	0
2	B	1922	0	1913	4	0
2	P	1898	0	1861	11	0
3	C	1798	0	1718	14	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	Q	1801	0	1735	14	0
4	D	1762	0	1709	10	0
4	R	1753	0	1726	10	0
5	E	1822	0	1779	11	0
5	S	1875	0	1818	15	0
6	F	1888	0	1882	4	0
6	T	1856	0	1816	4	0
7	G	1912	0	1882	7	0
7	U	1815	0	1748	6	0
8	H	1664	0	1681	6	0
8	V	1622	0	1595	8	0
9	I	1613	0	1646	5	0
9	W	1599	0	1621	4	0
10	J	1590	0	1581	14	0
10	X	1576	0	1561	16	0
11	K	1551	0	1506	9	0
11	Y	1570	0	1547	11	0
12	L	1636	0	1625	7	0
12	Z	1642	0	1635	6	0
13	M	1692	0	1670	4	0
13	a	1688	0	1658	0	0
14	N	1519	0	1493	6	0
14	b	1524	0	1493	0	0
15	c	37	0	6	0	0
15	d	37	0	6	0	0
15	e	37	0	6	0	0
15	f	37	0	6	0	0
16	G	1	0	0	0	0
16	L	1	0	0	0	0
16	N	1	0	0	0	0
16	U	1	0	0	0	0
16	Z	1	0	0	0	0
16	b	1	0	0	0	0
17	H	2	0	0	0	0
17	I	2	0	0	0	0
17	J	1	0	0	0	0
17	K	1	0	0	0	0
17	L	1	0	0	0	0
17	V	1	0	0	0	0
17	W	1	0	0	0	0
17	X	1	0	0	0	0
18	H	16	0	22	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	I	16	0	22	0	0
18	K	16	0	22	0	0
18	L	16	0	22	0	0
18	N	16	0	22	0	0
18	U	16	0	22	0	0
18	W	16	0	22	0	0
18	Y	16	0	22	0	0
18	a	16	0	22	0	0
19	c	4	0	3	0	0
19	d	4	0	3	0	0
19	e	4	0	3	0	0
19	f	4	0	3	0	0
20	A	120	0	0	2	0
20	B	130	0	0	1	0
20	C	80	0	0	1	0
20	D	99	0	0	1	0
20	E	147	0	0	3	0
20	F	185	0	0	1	1
20	G	196	0	0	2	1
20	H	156	0	0	1	0
20	I	161	0	0	1	0
20	J	136	0	0	2	0
20	K	106	0	0	1	0
20	L	127	0	0	0	0
20	M	155	0	0	0	0
20	N	160	0	0	0	0
20	O	94	0	0	1	0
20	P	127	0	0	2	0
20	Q	77	0	0	0	0
20	R	133	0	0	1	0
20	S	132	0	0	5	0
20	T	95	0	0	0	0
20	U	116	0	0	0	0
20	V	114	0	0	1	0
20	W	120	0	0	2	0
20	X	129	0	0	0	0
20	Y	149	0	0	1	0
20	Z	168	0	0	0	0
20	a	179	0	0	0	0
20	b	118	0	0	0	0
20	c	2	0	0	0	0
20	d	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
20	e	3	0	0	0	0
20	f	1	0	0	0	0
All	All	52158	0	47577	199	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (199) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:47:VAL:HG12	5:E:195:LEU:HD22	1.64	0.80
6:F:227:VAL:O	6:F:232[B]:ARG:NH1	2.14	0.80
5:S:18[B]:ARG:HG2	5:S:23:GLU:OE2	1.84	0.78
5:S:47:VAL:HG12	5:S:195:LEU:HD22	1.65	0.77
10:J:1[A]:MET:HE1	10:J:134:TYR:H	1.51	0.74
2:P:12:PHE:H	3:Q:18:GLN:HE22	1.35	0.74
5:S:65[A]:HIS:CE1	20:S:304:HOH:O	2.39	0.74
5:S:152[B]:ASN:ND2	20:S:301:HOH:O	2.22	0.73
6:T:202:ASP:O	6:T:205:LYS:O	2.05	0.73
11:Y:35:ILE:HD11	11:Y:45:MET:SD	2.29	0.72
12:L:144:MET:HE1	12:L:185:ARG:HB2	1.72	0.72
11:K:35:ILE:HD11	11:K:45:MET:SD	2.29	0.72
8:V:1:THR:HB	8:V:33:LYS:HZ3	1.55	0.70
9:I:64:GLN:OE1	10:J:86:ARG:NH2	2.26	0.69
3:C:47:LYS:CB	3:C:48:LYS:O	2.41	0.68
5:E:58:ALA:O	5:E:59:HIS:CB	2.43	0.66
6:F:169[A]:ARG:NH1	20:F:302:HOH:O	2.30	0.65
10:X:1:MET:HE1	10:X:134:TYR:H	1.60	0.65
20:H:542:HOH:O	12:Z:160:ASN:CB	2.44	0.64
7:U:199:ILE:HD11	7:U:239:LEU:HD23	1.81	0.63
9:I:35:THR:HG21	20:I:437:HOH:O	1.98	0.63
10:J:1[A]:MET:HE1	10:J:134:TYR:N	2.14	0.63
5:S:86:ASN:ND2	20:S:302:HOH:O	2.33	0.62
5:S:101:ARG:NH1	20:S:303:HOH:O	2.34	0.60
8:V:54:MET:HE1	20:W:448:HOH:O	2.01	0.60
4:R:129:ASP:CB	4:R:130:PRO:CD	2.80	0.59
4:D:96:THR:OG1	20:D:301:HOH:O	2.17	0.59
12:L:144:MET:CE	12:L:185:ARG:HB2	2.32	0.59
11:K:141:ARG:NH1	10:X:166:GLU:OE2	2.35	0.59
9:W:13:MET:HE1	9:W:166:ILE:N	2.18	0.59
8:V:1:THR:HB	8:V:33:LYS:NZ	2.18	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:U:195:VAL:O	7:U:199:ILE:HG23	2.05	0.57
3:Q:41:VAL:HG11	3:Q:134:VAL:HB	1.87	0.57
4:R:49:ALA:HB2	4:R:217:LEU:HD12	1.87	0.57
4:R:78:MET:HG3	4:R:82:ILE:HD12	1.87	0.56
4:R:20:ARG:HD2	4:R:25:GLU:CD	2.26	0.56
5:S:238:GLU:CB	5:S:239:ARG:C	2.74	0.56
13:M:5:MET:HE3	14:N:116:MET:HB2	1.88	0.56
10:X:1:MET:HE1	10:X:134:TYR:N	2.21	0.56
4:D:20:ARG:HD2	4:D:25:GLU:CD	2.27	0.55
10:J:101:ASN:HD22	10:J:119:ASP:HA	1.71	0.55
10:J:166:GLU:OE2	11:Y:141[A]:ARG:NH1	2.40	0.55
9:W:64:GLN:OE1	10:X:86:ARG:NH2	2.40	0.55
4:D:49:ALA:HB2	4:D:217:LEU:HD12	1.88	0.54
11:Y:40:TYR:CD2	11:Y:73:ARG:CZ	2.90	0.54
3:C:203:GLY:CA	3:C:204:LYS:CB	2.87	0.53
7:G:11:ARG:HH11	7:G:11:ARG:HG2	1.74	0.53
9:I:13[A]:MET:HE1	9:I:166:ILE:N	2.23	0.53
1:O:10:THR:HG23	20:O:301:HOH:O	2.09	0.53
7:U:78:CYS:HB2	7:U:140:LEU:HD23	1.90	0.53
4:D:78:MET:HG3	4:D:82:ILE:HD12	1.91	0.52
5:E:23:GLU:HA	5:E:26:MET:HE2	1.90	0.52
8:H:204:CYS:SG	12:Z:158:MET:CE	2.97	0.52
6:F:51:LYS:NZ	6:F:62:SER:O	2.28	0.52
10:X:118:MET:HE2	10:X:124:LEU:HD13	1.91	0.52
1:A:108:GLN:HE21	1:A:112:ARG:HH12	1.57	0.52
12:L:148:LEU:HD23	12:L:178:VAL:CG1	2.39	0.52
3:Q:4:ASP:O	4:R:125:GLU:HB2	2.10	0.52
7:G:78:CYS:HB2	7:G:140:LEU:HD23	1.90	0.52
11:Y:158:ARG:HE	11:Y:162:GLN:HE21	1.56	0.51
3:C:4:ASP:O	4:D:125:GLU:HB2	2.11	0.51
10:X:28:MET:HE3	20:Y:487:HOH:O	2.10	0.51
11:Y:35:ILE:CD1	11:Y:45:MET:SD	2.98	0.51
8:H:132:LEU:HD22	14:N:25:TYR:CE2	2.46	0.51
6:T:87:LEU:HD13	6:T:131:PHE:CE1	2.46	0.51
6:T:6:GLY:HA3	6:T:7:TYR:CD2	2.47	0.50
5:E:23:GLU:HA	5:E:26:MET:CE	2.41	0.50
11:K:35:ILE:CD1	11:K:45:MET:SD	2.99	0.50
12:Z:148:LEU:HD23	12:Z:178:VAL:CG1	2.41	0.50
2:P:155:ASN:OD1	3:Q:77:THR:OG1	2.25	0.50
12:L:43[B]:CYS:HG	12:L:196:CYS:HG	1.57	0.50
10:X:1:MET:C	10:X:1:MET:HE3	2.32	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:ASP:OD1	1:A:180:ASP:N	2.44	0.49
10:X:88:LEU:HB3	10:X:122:ALA:HB2	1.94	0.49
11:K:40:TYR:CD2	11:K:73:ARG:CZ	2.95	0.49
2:P:8:ARG:NH2	3:Q:5:ARG:HD2	2.27	0.49
3:C:35:VAL:HG13	3:C:191:VAL:CG2	2.42	0.49
10:X:46[B]:CYS:SG	10:X:102:LEU:HD22	2.52	0.49
5:S:60:GLN:HE22	5:S:78:THR:HG21	1.78	0.49
11:K:36:GLU:HG2	11:K:184:TRP:CZ2	2.48	0.49
12:Z:145:LEU:HD22	12:Z:178:VAL:HB	1.94	0.48
3:C:183:THR:OG1	3:C:184:ASP:N	2.45	0.48
5:E:101[A]:ARG:NH1	20:E:304:HOH:O	2.46	0.48
7:G:190:THR:HG23	20:G:421:HOH:O	2.12	0.48
7:G:32:ILE:HD13	7:G:137:YCM:HD2	1.95	0.48
3:C:203:GLY:HA2	3:C:204:LYS:CB	2.44	0.48
5:E:71:GLY:HA3	5:E:221:PHE:CZ	2.48	0.48
2:P:155:ASN:ND2	20:P:301:HOH:O	2.43	0.48
1:O:180:ASP:N	1:O:180:ASP:OD1	2.46	0.47
3:C:47:LYS:CB	3:C:48:LYS:C	2.82	0.47
4:D:59:MET:SD	4:D:64:ILE:HD11	2.54	0.47
2:P:246:LYS:N	2:P:246:LYS:HE3	2.29	0.47
1:A:52:LYS:CB	20:A:402:HOH:O	2.62	0.47
4:R:132:ALA:HB1	20:R:306:HOH:O	2.14	0.47
12:L:145:LEU:HD22	12:L:178:VAL:HB	1.96	0.47
2:P:25[B]:MET:CE	2:P:25[B]:MET:HA	2.45	0.47
8:V:76:VAL:HG23	8:V:104[A]:ASP:OD2	2.15	0.47
8:H:204:CYS:SG	12:Z:158:MET:HE2	2.55	0.47
8:H:132:LEU:HD22	14:N:25:TYR:CZ	2.49	0.47
10:J:67:TYR:CD1	10:J:75:LEU:HG	2.50	0.47
8:V:213:THR:HB	9:W:198:THR:OG1	2.14	0.47
10:X:95:ARG:HB2	10:X:95:ARG:HH11	1.79	0.47
1:A:79:GLY:O	1:A:82:TYR:HB3	2.15	0.46
5:E:60:GLN:NE2	5:E:78:THR:HG21	2.30	0.46
10:J:88:LEU:HB3	10:J:122:ALA:HB2	1.97	0.46
4:R:59:MET:SD	4:R:64:ILE:HD11	2.55	0.46
9:I:13[A]:MET:HE3	9:I:162:LEU:HD12	1.98	0.46
8:V:127[B]:MET:HB3	8:V:127[B]:MET:HE2	1.79	0.46
12:Z:99:ARG:HG3	12:Z:104:TYR:CE2	2.50	0.46
1:O:79:GLY:O	1:O:82:TYR:HB3	2.16	0.46
13:M:86:ARG:NH1	13:M:133:GLU:OE2	2.49	0.46
11:Y:36:GLU:HG2	11:Y:184:TRP:CZ2	2.51	0.46
2:B:8:ARG:NH2	3:C:5:ARG:HD2	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:118:MET:HE2	10:J:124:LEU:HD13	1.97	0.46
10:J:27[B]:GLN:NE2	10:J:174:ASN:O	2.49	0.46
3:Q:50:VAL:O	3:Q:51:ALA:HB3	2.15	0.46
3:C:215:GLN:CB	20:C:375:HOH:O	2.64	0.46
14:N:14:LEU:HD23	14:N:44:CYS:SG	2.56	0.45
5:E:29:VAL:HG22	5:E:148:6V1:C3	2.47	0.45
7:G:212:PRO:HB2	7:G:232:GLU:HG3	1.99	0.45
10:J:185:LYS:NZ	20:J:405:HOH:O	2.50	0.45
4:R:129:ASP:CB	4:R:130:PRO:HD2	2.46	0.45
11:Y:2:THR:OG1	11:Y:131:GLY:HA3	2.17	0.45
1:A:158:LYS:HB3	1:A:177:TYR:CE1	2.51	0.45
1:A:88[B]:ARG:NH2	20:A:302:HOH:O	2.50	0.45
10:X:44:LEU:HG	10:X:46[B]:CYS:SG	2.57	0.45
3:C:85[B]:ASN:OD1	10:J:70:ARG:NH1	2.50	0.45
3:Q:183:THR:CG2	3:Q:186:LEU:HD13	2.47	0.45
5:S:65[A]:HIS:ND1	20:S:304:HOH:O	2.36	0.45
1:O:72:GLY:HA3	1:O:217:PHE:CE1	2.52	0.45
3:Q:183:THR:OG1	3:Q:184:ASP:N	2.50	0.45
5:S:154:PHE:HD2	6:T:63:ASN:HD21	1.65	0.45
1:A:55:LEU:HD23	7:G:183:VAL:HG21	1.99	0.44
1:O:75:TYR:HB3	1:O:82:TYR:CD2	2.52	0.44
1:A:72:GLY:HA3	1:A:217:PHE:CE1	2.52	0.44
13:M:112:ILE:HD12	13:M:112:ILE:N	2.32	0.44
11:K:133:VAL:HG21	10:X:137:PHE:HB3	1.99	0.44
2:P:151:ASP:HB2	2:P:152:PRO:CD	2.48	0.44
3:C:85[B]:ASN:OD1	10:J:70:ARG:CZ	2.65	0.44
5:E:65:HIS:HB2	20:E:376:HOH:O	2.18	0.44
9:I:52:LEU:HB2	9:I:59:VAL:HG13	2.00	0.44
3:C:40:ILE:HD11	3:C:210:VAL:HG13	1.99	0.44
11:K:2:THR:OG1	11:K:131:GLY:HA3	2.18	0.43
8:H:84:LYS:NZ	14:N:53:GLN:OE1	2.46	0.43
5:E:201:ALA:O	20:E:301:HOH:O	2.21	0.43
7:G:117:ARG:NH2	20:G:403:HOH:O	2.47	0.43
3:Q:47:LYS:HA	3:Q:205:ASN:HA	1.99	0.43
11:K:73:ARG:HG3	20:K:489:HOH:O	2.19	0.43
3:Q:148:ASP:HB2	3:Q:149:PRO:CD	2.48	0.43
3:C:148:ASP:HB2	3:C:149:PRO:CD	2.48	0.43
1:O:165:ASN:OD1	1:O:168:ASN:HB2	2.18	0.43
5:S:237:GLU:O	5:S:238:GLU:CB	2.66	0.43
10:J:93:ARG:HD2	20:J:508:HOH:O	2.17	0.43
7:U:118:ILE:HG21	7:U:138:MET:HE2	2.00	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:X:182:ILE:HG13	10:X:183:ILE:N	2.34	0.43
2:P:197:LEU:HB3	2:P:201:MET:HE3	2.01	0.43
7:U:58:ASP:O	7:U:59:LYS:CB	2.66	0.42
1:A:165:ASN:OD1	1:A:168:ASN:HB2	2.19	0.42
1:A:147:GLN:HG3	1:A:162:MET:HE1	2.01	0.42
2:B:151:ASP:HB2	2:B:152:PRO:CD	2.49	0.42
12:L:99:ARG:HG3	12:L:104:TYR:CE2	2.54	0.42
11:Y:12:VAL:HG13	11:Y:179:VAL:HB	2.01	0.42
11:K:12:VAL:HG13	11:K:179:VAL:HB	2.01	0.42
7:U:212:PRO:HB2	7:U:232:GLU:HG3	2.02	0.42
4:R:157:ASP:HB2	4:R:158:PRO:CD	2.50	0.42
5:S:71:GLY:HA3	5:S:221:PHE:CZ	2.54	0.42
4:D:91:LYS:HG2	4:D:119:LEU:HD11	2.00	0.42
4:R:91:LYS:HG2	4:R:119:LEU:HD11	2.00	0.42
3:Q:100:ASP:OD1	11:Y:107:ARG:NH2	2.52	0.42
1:O:49:LYS:O	1:O:51:GLN:N	2.53	0.42
2:P:25[B]:MET:HE2	20:P:304:HOH:O	2.18	0.42
11:Y:186[A]:ARG:HB2	11:Y:186[A]:ARG:HE	1.69	0.41
2:B:33:THR:HB	2:B:166:ASN:O	2.20	0.41
4:D:157:ASP:HB2	4:D:158:PRO:CD	2.50	0.41
1:O:51:GLN:C	1:O:52:LYS:O	2.59	0.41
1:A:51:GLN:C	1:A:52:LYS:O	2.58	0.41
9:W:35:THR:HG21	20:W:417:HOH:O	2.20	0.41
3:C:5:ARG:HD3	4:D:125:GLU:OE2	2.20	0.41
2:P:158:GLY:HA3	3:Q:58:THR:HG21	2.03	0.41
3:Q:85:ASN:OD1	10:X:70:ARG:CZ	2.69	0.41
8:V:143:ARG:HE	8:V:143:ARG:HB2	1.67	0.41
11:Y:40:TYR:CD2	11:Y:73:ARG:NH1	2.89	0.41
6:F:87:LEU:HD13	6:F:131:PHE:CE2	2.55	0.41
1:A:75:TYR:HB3	1:A:82:TYR:CD2	2.56	0.41
8:V:146:MET:HE2	20:V:450:HOH:O	2.21	0.41
8:H:143:ARG:HE	8:H:143:ARG:HB2	1.67	0.41
12:L:144:MET:HE2	12:L:144:MET:HB3	1.84	0.41
13:M:166:ARG:NH2	13:M:200:GLU:OE2	2.53	0.41
1:O:68:THR:HG1	1:O:70:HIS:CE1	2.39	0.41
4:D:127:ASP:HB3	5:E:125:ARG:HD3	2.03	0.40
2:P:25[B]:MET:HE3	2:P:25[B]:MET:HA	2.02	0.40
3:Q:85:ASN:OD1	10:X:70:ARG:NH1	2.55	0.40
10:X:12:TYR:HB2	10:X:182:ILE:HD11	2.03	0.40
14:N:201:THR:HG22	14:N:202:LEU:N	2.37	0.40
5:S:18[B]:ARG:HG3	5:S:19:ILE:N	2.30	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:222:LYS:NZ	20:B:303:HOH:O	2.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
20:F:465:HOH:O	20:G:566:HOH:O[4_475]	2.06	0.14

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/234 (99%)	222 (96%)	4 (2%)	5 (2%)	8	4
1	O	228/234 (97%)	218 (96%)	4 (2%)	6 (3%)	7	3
2	B	248/261 (95%)	240 (97%)	8 (3%)	0	100	100
2	P	247/261 (95%)	233 (94%)	11 (4%)	3 (1%)	16	12
3	C	236/248 (95%)	217 (92%)	14 (6%)	5 (2%)	9	5
3	Q	230/248 (93%)	216 (94%)	8 (4%)	6 (3%)	7	3
4	D	232/241 (96%)	224 (97%)	5 (2%)	3 (1%)	15	11
4	R	232/241 (96%)	224 (97%)	4 (2%)	4 (2%)	11	7
5	E	232/263 (88%)	226 (97%)	5 (2%)	1 (0%)	39	42
5	S	238/263 (90%)	232 (98%)	4 (2%)	2 (1%)	24	22
6	F	241/255 (94%)	235 (98%)	5 (2%)	1 (0%)	39	42
6	T	239/255 (94%)	229 (96%)	6 (2%)	4 (2%)	11	7
7	G	241/246 (98%)	237 (98%)	4 (2%)	0	100	100
7	U	232/246 (94%)	227 (98%)	4 (2%)	1 (0%)	39	42
8	H	220/234 (94%)	217 (99%)	3 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	V	220/234 (94%)	217 (99%)	3 (1%)	0	100	100
9	I	205/205 (100%)	202 (98%)	3 (2%)	0	100	100
9	W	204/205 (100%)	200 (98%)	2 (1%)	2 (1%)	19	16
10	J	195/201 (97%)	192 (98%)	3 (2%)	0	100	100
10	X	195/201 (97%)	191 (98%)	4 (2%)	0	100	100
11	K	198/204 (97%)	196 (99%)	2 (1%)	0	100	100
11	Y	200/204 (98%)	197 (98%)	3 (2%)	0	100	100
12	L	213/213 (100%)	211 (99%)	2 (1%)	0	100	100
12	Z	212/213 (100%)	210 (99%)	2 (1%)	0	100	100
13	M	215/219 (98%)	207 (96%)	8 (4%)	0	100	100
13	a	216/219 (99%)	206 (95%)	10 (5%)	0	100	100
14	N	201/205 (98%)	198 (98%)	3 (2%)	0	100	100
14	b	202/205 (98%)	199 (98%)	3 (2%)	0	100	100
All	All	6203/6458 (96%)	6023 (97%)	137 (2%)	43 (1%)	26	25

All (43) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	50	LYS
1	A	53	SER
3	C	47	LYS
3	C	204	LYS
4	D	176	GLY
6	F	62	SER
1	O	50	LYS
1	O	52	LYS
1	O	53	SER
2	P	54	LYS
3	Q	47	LYS
3	Q	206	ILE
4	R	128	ALA
4	R	129	ASP
4	R	130	PRO
5	S	238	GLU
6	T	7	TYR
6	T	62	SER
6	T	208	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	52	LYS
4	D	175[A]	GLU
4	D	175[B]	GLU
5	E	59	HIS
1	O	231	ALA
2	P	52	ILE
3	Q	48	LYS
3	Q	221	ASN
1	A	176	ARG
1	O	176	ARG
7	U	58	ASP
3	C	50	VAL
3	Q	50	VAL
9	W	16[A]	LYS
9	W	16[B]	LYS
3	C	51	ALA
1	O	201	GLN
3	Q	51	ALA
4	R	126	GLU
5	S	236	LEU
1	A	201	GLN
2	P	203	VAL
3	C	203	GLY
6	T	204	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/191 (97%)	174 (94%)	11 (6%)	24	27
1	O	176/191 (92%)	165 (94%)	11 (6%)	22	24
2	B	199/221 (90%)	190 (96%)	9 (4%)	34	41
2	P	196/221 (89%)	184 (94%)	12 (6%)	23	26
3	C	179/210 (85%)	168 (94%)	11 (6%)	23	26

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	Q	183/210 (87%)	174 (95%)	9 (5%)	31	36
4	D	189/203 (93%)	185 (98%)	4 (2%)	61	74
4	R	187/203 (92%)	186 (100%)	1 (0%)	92	96
5	E	192/223 (86%)	184 (96%)	8 (4%)	36	44
5	S	197/223 (88%)	188 (95%)	9 (5%)	33	40
6	F	199/212 (94%)	189 (95%)	10 (5%)	30	35
6	T	192/212 (91%)	183 (95%)	9 (5%)	32	39
7	G	202/207 (98%)	195 (96%)	7 (4%)	43	53
7	U	186/207 (90%)	181 (97%)	5 (3%)	52	64
8	H	181/195 (93%)	173 (96%)	8 (4%)	35	42
8	V	172/195 (88%)	165 (96%)	7 (4%)	37	45
9	I	176/174 (101%)	173 (98%)	3 (2%)	68	81
9	W	173/174 (99%)	172 (99%)	1 (1%)	90	95
10	J	166/170 (98%)	158 (95%)	8 (5%)	31	37
10	X	165/170 (97%)	158 (96%)	7 (4%)	36	44
11	K	155/159 (98%)	146 (94%)	9 (6%)	25	28
11	Y	158/159 (99%)	152 (96%)	6 (4%)	40	49
12	L	175/178 (98%)	169 (97%)	6 (3%)	44	54
12	Z	175/178 (98%)	171 (98%)	4 (2%)	58	71
13	M	180/181 (99%)	176 (98%)	4 (2%)	60	72
13	a	178/181 (98%)	171 (96%)	7 (4%)	39	48
14	N	158/159 (99%)	154 (98%)	4 (2%)	55	67
14	b	158/159 (99%)	152 (96%)	6 (4%)	40	49
All	All	5032/5366 (94%)	4836 (96%)	196 (4%)	40	48

All (196) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS
1	A	51	GLN
1	A	53	SER
1	A	61	VAL
1	A	73	LEU
1	A	142	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	180	ASP
1	A	189	THR
1	A	206	ASN
1	A	223	THR
1	A	226	LYS
2	B	7	SER
2	B	33	THR
2	B	59	VAL
2	B	70	GLU
2	B	173	SER
2	B	190	LEU
2	B	207	SER
2	B	229	LYS
2	B	249	ARG
3	C	13	ASP
3	C	35	VAL
3	C	45	VAL
3	C	93	SER
3	C	113	SER
3	C	117	ARG
3	C	148	ASP
3	C	195	LEU
3	C	205	ASN
3	C	208	LEU
3	C	225	ILE
4	D	126	GLU
4	D	139	VAL
4	D	199	LEU
4	D	231	LYS
5	E	29	VAL
5	E	61	LYS
5	E	101[A]	ARG
5	E	101[B]	ARG
5	E	122	ARG
5	E	181	GLU
5	E	189	LYS
5	E	218	ASP
6	F	17	ASP
6	F	28	LYS
6	F	53	VAL
6	F	81	LEU
6	F	87	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	F	187	ARG
6	F	190	VAL
6	F	215	TRP
6	F	240	LYS
6	F	244	LYS
7	G	78	CYS
7	G	88	ARG
7	G	100	ASN
7	G	183	VAL
7	G	190	THR
7	G	206	LEU
7	G	209	ASP
8	H	6	VAL
8	H	65	LEU
8	H	68	LEU
8	H	153	ASN
8	H	183	LEU
8	H	197	THR
8	H	199	LEU
8	H	215	LYS
9	I	35	THR
9	I	68	PHE
9	I	115	THR
10	J	1[A]	MET
10	J	1[B]	MET
10	J	18	ASP
10	J	62	LYS
10	J	88	LEU
10	J	95	ARG
10	J	155	ARG
10	J	182	ILE
11	K	8	PHE
11	K	12	VAL
11	K	42	LEU
11	K	72	GLU
11	K	138	VAL
11	K	147	LEU
11	K	158	ARG
11	K	174	VAL
11	K	187	VAL
12	L	3[A]	SER
12	L	3[B]	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	102	PHE
12	L	163	HIS
12	L	174	LEU
12	L	207	THR
13	M	100	ARG
13	M	154	LEU
13	M	156	LYS
13	M	204	SER
14	N	22	THR
14	N	68	ILE
14	N	84	LYS
14	N	196	LYS
1	O	10	THR
1	O	53	SER
1	O	73	LEU
1	O	142	ARG
1	O	180	ASP
1	O	181	LEU
1	O	184	GLU
1	O	189	THR
1	O	206	ASN
1	O	223	THR
1	O	226	LYS
2	P	7[A]	SER
2	P	7[B]	SER
2	P	33	THR
2	P	70	GLU
2	P	173	SER
2	P	177	GLN
2	P	190	LEU
2	P	207	SER
2	P	230	GLN
2	P	235	GLN
2	P	236	LEU
2	P	246	LYS
3	Q	45	VAL
3	Q	56	GLU
3	Q	93	SER
3	Q	113	SER
3	Q	148	ASP
3	Q	195	LEU
3	Q	197	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	Q	206	ILE
3	Q	208	LEU
4	R	139	VAL
5	S	2	PHE
5	S	29	VAL
5	S	45	VAL
5	S	78	THR
5	S	101	ARG
5	S	122	ARG
5	S	181	GLU
5	S	204	ASP
5	S	234	GLU
6	T	17	ASP
6	T	28	LYS
6	T	54	LEU
6	T	81	LEU
6	T	87	LEU
6	T	190	VAL
6	T	215	TRP
6	T	223	ARG
6	T	240	LYS
7	U	78	CYS
7	U	100	ASN
7	U	196	GLU
7	U	199	ILE
7	U	206	LEU
8	V	1	THR
8	V	6	VAL
8	V	65	LEU
8	V	68	LEU
8	V	183	LEU
8	V	199	LEU
8	V	215	LYS
9	W	35	THR
10	X	1	MET
10	X	27	GLN
10	X	62	LYS
10	X	88	LEU
10	X	95	ARG
10	X	174	ASN
10	X	182	ILE
11	Y	12	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
11	Y	41	LEU
11	Y	138	VAL
11	Y	147	LEU
11	Y	186[A]	ARG
11	Y	186[B]	ARG
12	Z	102	PHE
12	Z	174	LEU
12	Z	207	THR
12	Z	208	VAL
13	a	71	VAL
13	a	92	LEU
13	a	94	ARG
13	a	100	ARG
13	a	154	LEU
13	a	204	SER
13	a	216	SER
14	b	22	THR
14	b	29	ARG
14	b	35	THR
14	b	84	LYS
14	b	92	GLU
14	b	196	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (36) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	108	GLN
1	A	206	ASN
2	B	40	ASN
5	E	60	GLN
5	E	65	HIS
5	E	185	ASN
6	F	63	ASN
6	F	143	ASN
9	I	161	HIS
10	J	87	ASN
10	J	101	ASN
10	J	132	HIS
11	K	10	HIS
11	K	162	GLN
12	L	77	HIS
12	L	131	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	L	157	ASN
13	M	47	ASN
1	O	118	GLN
1	O	206	ASN
2	P	40	ASN
2	P	146	GLN
3	Q	18	GLN
4	R	186	HIS
5	S	60	GLN
5	S	86	ASN
6	T	68	ASN
9	W	172	ASN
10	X	24	ASN
10	X	82	ASN
10	X	174	ASN
11	Y	162	GLN
12	Z	157	ASN
13	a	47	ASN
13	a	89	HIS
13	a	162	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

24 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	YCM	C	63	3	7,9,10	1.40	2 (28%)	5,10,12	1.27	1 (20%)
5	6V1	E	148	5	11,15,16	1.31	3 (27%)	11,20,22	1.58	2 (18%)
7	YCM	G	137	7	7,9,10	2.21	3 (42%)	5,10,12	6.63	3 (60%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	6V1	G	161	7	11,15,16	1.35	3 (27%)	11,20,22	2.34	4 (36%)
7	6V1	G	47	7	11,15,16	1.29	1 (9%)	11,20,22	2.91	2 (18%)
10	6V1	J	91	10	11,15,16	1.56	3 (27%)	11,20,22	4.91	7 (63%)
3	YCM	Q	63	3	7,9,10	1.61	1 (14%)	5,10,12	2.45	3 (60%)
5	6V1	S	148	5	11,15,16	1.39	2 (18%)	11,20,22	2.20	4 (36%)
7	YCM	U	137	7	7,9,10	1.63	2 (28%)	5,10,12	2.47	3 (60%)
7	6V1	U	161	7	11,15,16	1.80	2 (18%)	11,20,22	2.00	2 (18%)
7	6V1	U	47	7	11,15,16	1.16	2 (18%)	11,20,22	3.45	3 (27%)
10	6V1	X	91	10	11,15,16	1.44	3 (27%)	11,20,22	4.81	7 (63%)
15	6V9	c	1	15	6,8,9	0.90	0	2,10,12	4.40	2 (100%)
15	OAS	c	2	15	4,6,9	0.46	0	2,6,11	1.93	1 (50%)
15	OAS	c	3	15	4,6,9	0.58	0	2,6,11	1.87	1 (50%)
15	6V9	d	1	15	6,8,9	1.36	1 (16%)	2,10,12	7.76	2 (100%)
15	OAS	d	2	15	4,6,9	0.42	0	2,6,11	1.95	1 (50%)
15	OAS	d	3	15	4,6,9	0.83	0	2,6,11	1.42	1 (50%)
15	6V9	e	1	15	6,8,9	0.74	0	2,10,12	3.92	2 (100%)
15	OAS	e	2	15	4,6,9	0.47	0	2,6,11	0.99	0
15	OAS	e	3	15	4,6,9	0.43	0	2,6,11	1.77	1 (50%)
15	6V9	f	1	15	6,8,9	1.39	0	2,10,12	7.84	2 (100%)
15	OAS	f	2	15	4,6,9	0.44	0	2,6,11	1.87	1 (50%)
15	OAS	f	3	15	4,6,9	0.94	0	2,6,11	1.31	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	YCM	C	63	3	-	0/6/8/10	0/0/0/0
5	6V1	E	148	5	-	0/6/25/27	0/1/1/1
7	YCM	G	137	7	-	0/6/8/10	0/0/0/0
7	6V1	G	161	7	-	0/6/25/27	0/1/1/1
7	6V1	G	47	7	-	0/6/25/27	0/1/1/1
10	6V1	J	91	10	-	0/6/25/27	0/1/1/1
3	YCM	Q	63	3	-	0/6/8/10	0/0/0/0
5	6V1	S	148	5	-	0/6/25/27	0/1/1/1
7	YCM	U	137	7	-	0/6/8/10	0/0/0/0
7	6V1	U	161	7	-	0/6/25/27	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	6V1	U	47	7	1/1/5/6	0/6/25/27	0/1/1/1
10	6V1	X	91	10	-	0/6/25/27	0/1/1/1
15	6V9	c	1	15	-	0/0/2/4	0/1/1/1
15	OAS	c	2	15	-	0/3/5/9	0/0/0/0
15	OAS	c	3	15	-	0/3/5/9	0/0/0/0
15	6V9	d	1	15	-	0/0/2/4	0/1/1/1
15	OAS	d	2	15	-	0/3/5/9	0/0/0/0
15	OAS	d	3	15	-	0/3/5/9	0/0/0/0
15	6V9	e	1	15	-	0/0/2/4	0/1/1/1
15	OAS	e	2	15	-	0/3/5/9	0/0/0/0
15	OAS	e	3	15	-	0/3/5/9	0/0/0/0
15	6V9	f	1	15	-	0/0/2/4	0/1/1/1
15	OAS	f	2	15	-	0/3/5/9	0/0/0/0
15	OAS	f	3	15	-	0/3/5/9	0/0/0/0

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	U	161	6V1	C1-SG	-4.48	1.77	1.83
3	Q	63	YCM	CD-SG	-3.60	1.73	1.81
7	G	137	YCM	CB-SG	-3.59	1.74	1.81
10	J	91	6V1	C4-N3	-3.40	1.32	1.38
7	U	137	YCM	CB-SG	-3.20	1.75	1.81
5	S	148	6V1	C2-N3	-2.91	1.34	1.38
10	X	91	6V1	C4-N3	-2.73	1.33	1.38
7	U	161	6V1	C2-N3	-2.68	1.34	1.38
10	J	91	6V1	C1-SG	-2.65	1.79	1.83
3	C	63	YCM	CD-SG	-2.63	1.75	1.81
7	G	161	6V1	C1-SG	-2.62	1.80	1.83
7	G	47	6V1	C2-N3	-2.60	1.35	1.38
5	E	148	6V1	C2-N3	-2.46	1.35	1.38
7	U	47	6V1	C4-N3	-2.34	1.34	1.38
3	C	63	YCM	CB-SG	-2.27	1.76	1.81
10	X	91	6V1	C1-SG	-2.19	1.80	1.83
7	G	161	6V1	C2-N3	-2.19	1.35	1.38
7	U	47	6V1	C2-N3	-2.03	1.35	1.38
7	G	161	6V1	C4-N3	-2.00	1.35	1.38
5	E	148	6V1	C4-N3	-2.00	1.35	1.38
5	E	148	6V1	C5-C4	2.03	1.54	1.50
10	J	91	6V1	O7-C2	2.05	1.26	1.22
7	U	137	YCM	CD-CE	2.19	1.57	1.51
10	X	91	6V1	O7-C2	2.20	1.26	1.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
15	d	1	6V9	C2-C1	2.25	1.53	1.49
5	S	148	6V1	C5-C4	2.38	1.54	1.50
7	G	137	YCM	CE-NZ2	2.54	1.41	1.32
7	G	137	YCM	CD-SG	3.01	1.88	1.81

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	f	1	6V9	O1-C4-C3	-10.45	115.72	124.47
15	d	1	6V9	O1-C4-C3	-10.12	116.00	124.47
7	U	47	6V1	C5-C1-C2	-7.21	98.50	103.98
10	X	91	6V1	C6-N3-C4	-5.40	117.50	123.24
10	J	91	6V1	C6-N3-C4	-5.37	117.53	123.24
15	c	1	6V9	O1-C4-C3	-5.17	120.14	124.47
15	e	1	6V9	O1-C4-C3	-5.01	120.28	124.47
10	J	91	6V1	C5-C1-C2	-4.52	100.54	103.98
10	X	91	6V1	O7-C2-C1	-4.52	117.01	125.18
10	J	91	6V1	O7-C2-C1	-4.44	117.16	125.18
10	X	91	6V1	C5-C1-C2	-4.21	100.78	103.98
7	U	161	6V1	O8-C4-C5	-4.13	121.85	127.38
7	G	47	6V1	C5-C1-C2	-4.02	100.92	103.98
5	S	148	6V1	C5-C1-C2	-3.94	100.98	103.98
7	G	137	YCM	OZ1-CE-CD	-3.91	112.19	120.98
7	G	161	6V1	O8-C4-C5	-3.53	122.65	127.38
5	E	148	6V1	C5-C1-C2	-3.26	101.50	103.98
3	Q	63	YCM	CA-CB-SG	-3.12	105.48	112.84
5	S	148	6V1	O7-C2-N3	-2.91	120.16	124.19
7	U	137	YCM	CD-CE-NZ2	-2.91	112.28	115.48
7	G	161	6V1	C5-C1-C2	-2.73	101.90	103.98
15	f	2	OAS	O-C-CA	-2.60	118.75	125.72
7	U	137	YCM	CA-CB-SG	-2.54	106.84	112.84
3	Q	63	YCM	O-C-CA	-2.52	118.95	125.72
15	c	3	OAS	O-C-CA	-2.51	118.99	125.72
5	S	148	6V1	O-C-CA	-2.47	119.10	125.72
15	e	3	OAS	O-C-CA	-2.46	119.14	125.72
15	d	2	OAS	O-C-CA	-2.43	119.19	125.72
5	E	148	6V1	O-C-CA	-2.39	119.32	125.72
3	C	63	YCM	O-C-CA	-2.37	119.36	125.72
10	J	91	6V1	O-C-CA	-2.35	119.42	125.72
7	G	137	YCM	CA-CB-SG	-2.25	107.53	112.84
10	X	91	6V1	O-C-CA	-2.02	120.30	125.72
15	d	3	OAS	O-C-CA	-2.01	120.34	125.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
15	c	2	OAS	C1A-OG-CB	2.26	121.53	112.39
15	e	1	6V9	C2-C1-N1	2.38	127.93	121.74
7	U	47	6V1	C6-N3-C2	2.81	125.60	123.42
7	G	161	6V1	O8-C4-N3	3.30	128.01	123.91
7	U	137	YCM	OZ1-CE-CD	3.36	128.55	120.98
15	c	1	6V9	C2-C1-N1	3.47	130.78	121.74
3	Q	63	YCM	CD-CE-NZ2	3.54	119.39	115.48
15	f	1	6V9	C2-C1-N1	3.72	131.44	121.74
7	U	161	6V1	CB-SG-C1	3.74	109.02	101.58
5	S	148	6V1	C6-N3-C4	3.76	127.24	123.24
7	G	161	6V1	CB-SG-C1	4.13	109.80	101.58
15	d	1	6V9	C2-C1-N1	4.23	132.77	121.74
10	X	91	6V1	O7-C2-N3	5.19	131.36	124.19
10	J	91	6V1	O7-C2-N3	5.46	131.74	124.19
10	X	91	6V1	CB-SG-C1	6.35	114.21	101.58
10	J	91	6V1	CB-SG-C1	6.41	114.33	101.58
7	U	47	6V1	CB-SG-C1	7.76	117.01	101.58
7	G	47	6V1	CB-SG-C1	8.02	117.54	101.58
10	X	91	6V1	C6-N3-C2	10.46	131.56	123.42
10	J	91	6V1	C6-N3-C2	10.69	131.74	123.42
7	G	137	YCM	CD-CE-NZ2	13.85	130.74	115.48

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	E	148	6V1	1	0
7	G	137	YCM	1	0

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 29 ligands modelled in this entry, 16 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
18	1PE	H	303	-	15,15,15	0.66	0	14,14,14	0.77	0
18	1PE	I	302	-	15,15,15	0.74	0	14,14,14	0.85	0
18	1PE	K	302	-	15,15,15	0.72	0	14,14,14	0.76	0
18	1PE	L	301	-	15,15,15	0.61	0	14,14,14	0.47	0
18	1PE	N	301	-	15,15,15	0.58	0	14,14,14	0.52	0
18	1PE	U	301	-	15,15,15	0.67	0	14,14,14	0.69	0
18	1PE	W	302	-	15,15,15	0.70	0	14,14,14	0.33	0
18	1PE	Y	301	-	15,15,15	0.65	0	14,14,14	0.63	0
18	1PE	a	301	-	15,15,15	0.61	0	14,14,14	0.39	0
19	ACT	c	101	-	0,3,3	0.00	-	0,3,3	0.00	-
19	ACT	d	101	-	0,3,3	0.00	-	0,3,3	0.00	-
19	ACT	e	101	-	0,3,3	0.00	-	0,3,3	0.00	-
19	ACT	f	101	-	0,3,3	0.00	-	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	1PE	H	303	-	-	0/13/13/13	0/0/0/0
18	1PE	I	302	-	-	0/13/13/13	0/0/0/0
18	1PE	K	302	-	-	0/13/13/13	0/0/0/0
18	1PE	L	301	-	-	0/13/13/13	0/0/0/0
18	1PE	N	301	-	-	0/13/13/13	0/0/0/0
18	1PE	U	301	-	-	0/13/13/13	0/0/0/0
18	1PE	W	302	-	-	0/13/13/13	0/0/0/0
18	1PE	Y	301	-	-	0/13/13/13	0/0/0/0
18	1PE	a	301	-	-	0/13/13/13	0/0/0/0
19	ACT	c	101	-	-	0/0/0/0	0/0/0/0
19	ACT	d	101	-	-	0/0/0/0	0/0/0/0
19	ACT	e	101	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	ACT	f	101	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	230/234 (98%)	-0.06	4 (1%) 73 72	42, 62, 99, 120	0
1	O	230/234 (98%)	0.61	31 (13%) 4 4	55, 82, 127, 151	0
2	B	248/261 (95%)	0.30	18 (7%) 18 17	47, 67, 118, 170	0
2	P	247/261 (94%)	0.55	28 (11%) 7 6	53, 80, 137, 171	0
3	C	236/248 (95%)	0.68	30 (12%) 5 4	48, 78, 130, 180	0
3	Q	234/248 (94%)	0.95	43 (18%) 2 2	44, 81, 152, 204	0
4	D	233/241 (96%)	0.28	19 (8%) 14 14	51, 76, 109, 141	0
4	R	233/241 (96%)	-0.03	5 (2%) 67 65	39, 55, 84, 118	0
5	E	233/263 (88%)	0.09	10 (4%) 39 38	40, 56, 99, 130	0
5	S	237/263 (90%)	-0.19	4 (1%) 73 72	41, 58, 94, 125	0
6	F	239/255 (93%)	-0.09	2 (0%) 87 87	39, 51, 77, 98	0
6	T	240/255 (94%)	0.17	14 (5%) 26 26	43, 63, 105, 134	0
7	G	241/246 (97%)	0.26	9 (3%) 45 44	38, 54, 99, 148	0
7	U	235/246 (95%)	0.68	38 (16%) 3 2	53, 74, 111, 148	0
8	H	220/234 (94%)	-0.15	3 (1%) 78 77	34, 48, 82, 112	0
8	V	220/234 (94%)	0.12	6 (2%) 58 57	45, 62, 106, 126	0
9	I	204/205 (99%)	0.04	1 (0%) 91 91	37, 49, 77, 96	0
9	W	204/205 (99%)	0.03	4 (1%) 68 67	48, 66, 98, 109	0
10	J	195/201 (97%)	-0.09	3 (1%) 76 75	38, 53, 74, 91	0
10	X	195/201 (97%)	-0.04	2 (1%) 84 83	44, 56, 77, 95	0
11	K	200/204 (98%)	0.16	5 (2%) 61 60	46, 60, 90, 109	0
11	Y	199/204 (97%)	0.08	2 (1%) 84 83	35, 47, 72, 83	0
12	L	213/213 (100%)	-0.07	0 100 100	43, 65, 91, 114	0
12	Z	213/213 (100%)	-0.03	3 (1%) 78 77	33, 48, 78, 99	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	216/219 (98%)	0.11	4 (1%) 70 68	35, 51, 77, 115	0
13	a	216/219 (98%)	0.03	3 (1%) 78 77	33, 47, 73, 107	0
14	N	202/205 (98%)	0.03	3 (1%) 76 75	35, 44, 70, 117	0
14	b	203/205 (99%)	0.23	10 (4%) 33 33	39, 50, 81, 131	0
15	c	0/4	-	-	-	-
15	d	0/4	-	-	-	-
15	e	0/4	-	-	-	-
15	f	0/4	-	-	-	-
All	All	6216/6474 (96%)	0.18	304 (4%) 33 33	33, 59, 107, 204	0

All (304) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
7	G	187	PHE	12.9
3	Q	232	ILE	11.9
14	b	203	PRO	9.3
1	O	232	ILE	9.3
2	P	204	SER	8.6
13	a	216	SER	8.3
7	G	188	ASP	8.3
7	U	242	LEU	8.3
3	Q	238	GLU	8.0
3	Q	239	ASN	7.1
3	Q	234	LYS	6.8
3	Q	225	ILE	6.7
7	G	189	TRP	6.7
4	D	241	ILE	6.4
3	Q	229	VAL	6.3
5	E	237	GLU	6.2
7	U	235	ILE	6.2
4	R	130	PRO	6.1
5	S	2	PHE	6.0
2	B	204	SER	5.9
2	B	205	LYS	5.9
3	C	225	ILE	5.9
3	Q	181	ILE	5.8
14	b	201	THR	5.8
3	Q	237	GLU	5.8
1	O	229	LEU	5.7
3	Q	233	GLU	5.6
3	Q	240	GLU	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	230	ALA	5.6
3	C	232	ILE	5.6
3	C	229	VAL	5.5
2	P	246	LYS	5.5
3	C	230	ALA	5.5
7	U	202	LEU	5.4
2	P	234	GLU	5.4
3	Q	236	LYS	5.4
4	D	237	VAL	5.2
1	O	223	THR	5.2
3	C	203	GLY	5.1
3	Q	186	LEU	5.0
3	C	234	LYS	5.0
3	C	201	SER	4.9
3	C	200	GLN	4.9
8	V	203	ARG	4.9
1	O	50	LYS	4.9
7	U	204	THR	4.8
7	U	208	ILE	4.7
4	R	241	ILE	4.7
11	K	40	TYR	4.7
1	O	177	TYR	4.6
3	C	236	LYS	4.6
3	Q	230	ALA	4.6
2	P	61	PHE	4.6
3	Q	171	PHE	4.5
6	T	203	GLU	4.5
5	E	235	GLY	4.5
2	P	203	VAL	4.4
6	T	208	ALA	4.4
3	Q	223	GLU	4.4
14	b	202	LEU	4.4
2	B	248	GLU	4.4
3	Q	48	LYS	4.4
4	D	188	SER	4.4
1	O	192	LEU	4.4
2	B	247	ALA	4.4
7	U	198	ALA	4.4
11	K	145	TYR	4.4
3	Q	37	GLY	4.3
2	B	203	VAL	4.3
1	O	200	GLY	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	O	176	ARG	4.2
7	U	212	PRO	4.2
3	Q	192	ILE	4.2
1	A	231	ALA	4.1
7	U	200	THR	4.1
7	U	206	LEU	4.1
4	D	234	LEU	4.1
14	N	202	LEU	4.1
1	O	199	GLU	4.1
3	Q	179	GLU	4.0
2	P	233	VAL	4.0
7	U	199	ILE	4.0
1	O	225	VAL	4.0
3	Q	177	THR	4.0
1	A	232	ILE	3.9
10	J	1[A]	MET	3.9
2	P	197	LEU	3.9
2	B	61	PHE	3.8
7	U	243	ALA	3.8
7	U	213	SER	3.7
3	Q	182	GLU	3.7
3	Q	190	LEU	3.7
7	U	210	PHE	3.7
2	P	237	ILE	3.7
2	P	244	GLU	3.7
11	Y	40	TYR	3.6
14	b	199	VAL	3.6
2	P	177	GLN	3.5
2	P	202	ASP	3.5
7	U	239	LEU	3.5
14	b	200	ALA	3.5
14	b	26	ILE	3.5
3	Q	222	PRO	3.5
7	U	2	SER	3.5
1	O	191	ILE	3.5
2	P	236	LEU	3.5
7	G	185	LYS	3.5
5	E	236	LEU	3.5
3	C	228	TYR	3.5
3	C	185	ASP	3.4
2	B	249	ARG	3.4
1	O	227	ASP	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	P	247	ALA	3.4
6	T	241	GLU	3.4
1	O	228	TYR	3.4
8	V	132	LEU	3.3
3	C	237	GLU	3.2
5	E	232	PHE	3.2
1	O	198	PHE	3.2
7	U	3	ARG	3.2
2	B	206	LEU	3.2
2	P	242	GLU	3.2
1	O	189	THR	3.2
1	O	201	GLN	3.2
1	O	226	LYS	3.2
3	C	233	GLU	3.2
3	C	192	ILE	3.2
6	T	204	VAL	3.2
1	O	4	GLY	3.2
7	U	36	GLY	3.2
2	P	220	ASN	3.2
7	U	58	ASP	3.1
1	O	202	MET	3.1
5	S	3	ARG	3.1
7	U	57	PRO	3.1
7	U	211	LYS	3.1
3	C	156	TRP	3.1
4	D	230	THR	3.1
4	D	232	GLU	3.1
7	U	240	VAL	3.1
2	P	205	LYS	3.0
4	D	236	GLU	3.0
6	T	209	PHE	3.0
8	H	201	ARG	3.0
3	C	238	GLU	3.0
5	E	52	ALA	3.0
6	F	243	LEU	3.0
4	D	183	GLU	3.0
7	U	237	ALA	3.0
3	Q	191	VAL	2.9
13	M	33	LEU	2.9
8	H	204	CYS	2.9
3	C	235	GLU	2.9
1	O	194	LEU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
7	G	72	ILE	2.9
4	D	191	LEU	2.9
1	O	185	ASP	2.9
9	W	113	PRO	2.9
7	U	178	PHE	2.9
4	D	131	GLY	2.8
7	U	56	VAL	2.8
2	B	245	ALA	2.8
3	C	194	ALA	2.8
7	U	207	SER	2.8
4	D	130	PRO	2.8
1	O	181	LEU	2.8
14	b	198	ALA	2.8
1	O	190	ALA	2.8
10	X	95	ARG	2.8
7	U	7	ALA	2.7
3	Q	38	ARG	2.7
3	Q	241	LYS	2.7
8	V	202	TYR	2.7
6	T	207	LYS	2.7
8	V	1	THR	2.7
3	C	138	PHE	2.7
7	U	203	SER	2.7
3	Q	180	ALA	2.7
8	V	204	CYS	2.7
3	Q	205	ASN	2.7
1	O	186	ALA	2.7
5	E	218	ASP	2.7
8	H	219	LEU	2.6
1	A	201	GLN	2.6
4	D	195	ILE	2.6
4	D	238	ILE	2.6
2	P	178	ASP	2.6
2	P	206	LEU	2.6
2	P	243	GLU	2.6
1	O	180	ASP	2.6
7	U	245	ARG	2.6
1	O	184	GLU	2.6
3	C	48	LYS	2.6
12	Z	164	VAL	2.6
2	B	237	ILE	2.6
2	P	194	ILE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	226	GLU	2.6
4	D	194	ALA	2.6
6	T	237	LYS	2.6
2	B	202	ASP	2.5
3	C	186	LEU	2.6
3	Q	39	ASP	2.5
6	T	202	ASP	2.5
7	G	186	LYS	2.5
1	O	157	TRP	2.5
1	O	230	ALA	2.5
7	U	222	VAL	2.5
6	T	205	LYS	2.5
7	U	209	ASP	2.5
13	M	145	LEU	2.5
5	E	54	SER	2.5
1	O	59	ARG	2.5
5	E	56	LEU	2.5
6	T	54	LEU	2.5
4	D	184	VAL	2.5
2	P	230	GLN	2.4
3	Q	142	PRO	2.4
1	O	182	GLU	2.4
3	Q	175	ASN	2.4
7	U	230	LEU	2.4
2	B	101	TYR	2.4
3	Q	206	ILE	2.4
3	Q	213	ARG	2.4
11	Y	26	ILE	2.4
4	R	237	VAL	2.4
6	T	206	ASP	2.4
4	D	239	LYS	2.4
4	D	240	ASP	2.4
7	G	76	ILE	2.4
3	C	195	LEU	2.4
3	C	196	LEU	2.4
3	C	214	ASP	2.4
11	K	163	ALA	2.4
3	C	202	GLY	2.4
3	Q	183	THR	2.4
13	M	142	GLY	2.4
3	C	172	LEU	2.3
6	F	203	GLU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	P	179	TYR	2.3
2	P	235	GLN	2.3
5	E	182	CYS	2.3
2	B	244	GLU	2.3
1	O	187	ILE	2.3
8	V	199	LEU	2.3
13	a	33	LEU	2.3
14	N	201	THR	2.3
7	U	214	GLU	2.3
3	C	49	SER	2.3
14	b	25	TYR	2.3
3	C	171	PHE	2.3
3	Q	235	GLU	2.3
7	U	223	GLU	2.3
14	b	150	GLU	2.3
4	D	233	GLU	2.3
7	U	196	GLU	2.3
2	B	231	LYS	2.2
2	P	46	ALA	2.2
4	R	186	HIS	2.2
2	B	235	GLN	2.2
7	G	208	ILE	2.2
2	P	175	LEU	2.2
3	Q	197	GLU	2.2
10	J	147	TYR	2.2
5	S	18[A]	ARG	2.2
3	C	193	LYS	2.2
3	Q	85	ASN	2.2
2	P	172	VAL	2.2
12	Z	165	PRO	2.2
5	S	174	ARG	2.2
2	P	30	HIS	2.2
10	J	26	VAL	2.2
7	U	241	ALA	2.2
14	b	27	ALA	2.2
7	G	139	ILE	2.2
13	a	215	ILE	2.2
6	T	240	LYS	2.2
3	Q	176	TYR	2.2
9	I	178	ALA	2.2
2	B	190	LEU	2.1
7	U	160	TYR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
9	W	192	ASP	2.1
4	R	240	ASP	2.1
7	U	205	VAL	2.1
10	X	147	TYR	2.1
7	U	201	CYS	2.1
2	P	200	THR	2.1
6	T	63	ASN	2.1
3	Q	199	VAL	2.1
11	K	11	GLY	2.1
11	K	9	ARG	2.1
2	B	234	GLU	2.1
9	W	189	ILE	2.1
3	Q	53	LEU	2.1
9	W	31	ALA	2.1
13	M	143	ALA	2.1
6	T	180	GLN	2.1
4	D	190	THR	2.1
2	B	241	GLU	2.0
3	Q	214	ASP	2.0
3	Q	219	ILE	2.0
14	N	68	ILE	2.0
5	E	185	ASN	2.0
3	C	222	PRO	2.0
12	Z	143	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
15	OAS	e	3	7/10	0.98	0.13	-	35,35,38,39	0
7	YCM	G	137	10/11	0.92	0.15	-	46,53,68,69	0
15	OAS	e	2	7/10	0.98	0.14	-	34,37,43,48	0
7	6V1	G	47	15/16	0.91	0.16	-	53,79,84,85	0
7	6V1	U	161	15/16	0.91	0.12	-	70,89,97,99	0
15	OAS	d	3	7/10	0.98	0.10	-	42,45,51,52	0
15	6V9	c	1	8/9	0.98	0.09	-	51,52,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
15	6V9	e	1	8/9	0.99	0.10	-	41,42,44,45	0
10	6V1	J	91	15/16	0.93	0.17	-	43,64,69,69	0
15	OAS	c	3	7/10	0.98	0.14	-	47,48,48,48	0
15	6V9	f	1	8/9	0.92	0.13	-	61,63,68,68	0
5	6V1	E	148	15/16	0.89	0.17	-	47,68,74,76	0
7	6V1	U	47	15/16	0.87	0.33	-	94,131,141,141	0
3	YCM	C	63	10/11	0.94	0.12	-	63,69,85,89	0
5	6V1	S	148	15/16	0.88	0.16	-	44,74,82,83	0
7	6V1	G	161	15/16	0.92	0.17	-	46,69,77,78	0
15	OAS	d	2	7/10	0.95	0.10	-	45,46,47,49	0
15	OAS	c	2	7/10	0.95	0.14	-	49,50,52,54	0
15	6V9	d	1	8/9	0.95	0.12	-	52,55,61,63	0
10	6V1	X	91	15/16	0.92	0.17	-	48,69,76,76	0
3	YCM	Q	63	10/11	0.93	0.15	-	67,72,78,79	0
7	YCM	U	137	10/11	0.84	0.18	-	60,70,87,87	0
15	OAS	f	3	7/10	0.97	0.09	-	52,53,58,60	0
15	OAS	f	2	7/10	0.91	0.11	-	53,56,58,60	0

6.3 Carbohydrates

There are no carbohydrates in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
18	1PE	H	303	16/16	0.83	0.27	12.65	71,82,101,107	0
18	1PE	I	302	16/16	0.70	0.29	9.36	76,88,94,95	0
18	1PE	W	302	16/16	0.71	0.37	7.46	75,93,100,103	0
18	1PE	Y	301	16/16	0.77	0.18	5.22	64,80,88,91	0
16	K	U	302	1/1	0.97	0.21	4.66	62,62,62,62	0
19	ACT	f	101	4/4	0.92	0.18	3.85	59,60,63,67	0
18	1PE	L	301	16/16	0.80	0.34	3.10	80,89,117,117	0
18	1PE	a	301	16/16	0.86	0.23	2.64	77,82,114,116	0
18	1PE	K	302	16/16	0.75	0.19	2.50	78,86,93,94	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
18	1PE	U	301	16/16	0.88	0.17	1.75	57,66,87,89	0
19	ACT	d	101	4/4	0.97	0.16	1.37	54,60,61,65	0
18	1PE	N	301	16/16	0.83	0.13	0.81	51,64,78,79	0
16	K	G	301	1/1	0.97	0.12	0.60	59,59,59,59	0
16	K	L	302	1/1	0.91	0.09	-1.75	77,77,77,77	0
17	MG	I	301	1/1	0.97	0.09	-2.60	43,43,43,43	0
17	MG	K	301	1/1	0.88	0.07	-3.09	50,50,50,50	0
17	MG	H	302	1/1	0.95	0.07	-3.42	45,45,45,45	0
17	MG	W	301	1/1	0.99	0.03	-4.14	50,50,50,50	0
17	MG	L	303	1/1	0.94	0.04	-4.32	49,49,49,49	0
17	MG	I	303	1/1	0.95	0.09	-4.36	40,40,40,40	0
16	K	b	301	1/1	0.98	0.05	-6.44	60,60,60,60	0
16	K	Z	301	1/1	0.93	0.04	-7.91	67,67,67,67	0
16	K	N	302	1/1	0.97	0.06	-11.27	56,56,56,56	0
17	MG	V	301	1/1	0.91	0.16	-	64,64,64,64	0
19	ACT	e	101	4/4	0.97	0.12	-	47,48,49,49	0
17	MG	X	301	1/1	0.96	0.07	-	65,65,65,65	0
19	ACT	c	101	4/4	0.97	0.12	-	63,65,65,66	0
17	MG	H	301	1/1	0.78	0.17	-	59,59,59,59	0
17	MG	J	301	1/1	0.96	0.11	-	61,61,61,61	0

6.5 Other polymers

There are no such residues in this entry.