



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:42 PM GMT

PDB ID : 1LLC
Title : STRUCTURE DETERMINATION OF THE ALLOSTERIC L-LACTATE
DEHYDROGENASE FROM LACTOBACILLUS CASEI AT 3.0
ANGSTROMS RESOLUTION
Authors : Buehner, M.; Hecht, H.J.; Hensel, R.
Deposited on : 1988-11-21
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1912 (3.00-3.00)
Ramachandran outliers	100387	1853 (3.00-3.00)
Sidechain outliers	100360	1856 (3.00-3.00)
RSRZ outliers	91569	1592 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	325	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	AFP	A	1	-	-	X	-
3	SO4	A	2	-	-	X	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2479 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called L-LACTATE DEHYDROGENASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	321	Total	C	N	O	S	0	0	1
			2454	1565	409	474	6			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	38	PHE	TYR	CONFLICT	UNP P00343
A	102	LYS	GLN	CONFLICT	UNP P00343
A	103	GLN	LYS	CONFLICT	UNP P00343
A	133	LEU	GLY	CONFLICT	UNP P00343
A	281	ILE	LEU	CONFLICT	UNP P00343
A	285	LEU	ILE	CONFLICT	UNP P00343

- Molecule 2 is SUGAR (FRUCTOSE-1,6-DIPHOSPHATE) (three-letter code: AFP) (formula: $C_6H_{14}O_{12}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O	P	0	0
			20	6	12	2		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: L-LACTATE DEHYDROGENASE



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	169.20Å 85.38Å 180.18Å 90.00° 91.30° 90.00°	Depositor
Resolution (Å)	10.00 – 3.00 42.29 – 3.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-3.00) 55.3 (42.29-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$	-	Xtriage
Refinement program	EREF	Depositor
R, R_{free}	0.374 , (Not available) 0.410 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	36.5	Xtriage
Anisotropy	0.215	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.60 , -80.3	EDS
Estimated twinning fraction	0.064 for -h,-k,l	Xtriage
L-test for twinning ¹	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.22$	Xtriage
Outliers	0 of 30470 reflections	Xtriage
F_o, F_c correlation	0.15	EDS
Total number of atoms	2479	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AFP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.94	3/2498 (0.1%)	1.43	8/3389 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	73

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	150	TRP	NE1-CE2	-9.26	1.25	1.37
1	A	203	TRP	NE1-CE2	-7.83	1.27	1.37
1	A	212	TRP	NE1-CE2	-7.39	1.27	1.37

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	278	GLN	C-N-CA	6.00	136.69	121.70
1	A	322	LEU	CB-CA-C	-5.92	98.94	110.20
1	A	133	LEU	CB-CA-C	-5.87	99.06	110.20
1	A	116	ASN	CB-CA-C	-5.55	99.30	110.40
1	A	331	LYS	C-N-CA	5.27	134.87	121.70
1	A	16	THR	CA-CB-CG2	5.26	119.76	112.40
1	A	194	GLU	CB-CG-CD	-5.08	100.48	114.20
1	A	194	GLU	OE1-CD-OE2	-5.00	117.30	123.30

There are no chirality outliers.

All (73) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	103	GLN	Mainchain,Peptide
1	A	106	GLY	Mainchain
1	A	107	GLU	Mainchain
1	A	116	ASN	Sidechain,Mainchain
1	A	127	ILE	Mainchain
1	A	13	ALA	Mainchain
1	A	131	GLY	Mainchain
1	A	133	LEU	Mainchain
1	A	138	ALA	Mainchain
1	A	15	ILE	Mainchain,Peptide
1	A	159	ARG	Mainchain
1	A	16	THR	Mainchain,Peptide
1	A	174	GLN	Mainchain
1	A	181	ASN	Sidechain
1	A	186	SER	Mainchain
1	A	191	ILE	Mainchain
1	A	194	GLU	Sidechain
1	A	197	ASP	Sidechain
1	A	199	GLU	Sidechain
1	A	20	HIS	Mainchain
1	A	207	ASN	Sidechain,Mainchain
1	A	209(C)	VAL	Mainchain
1	A	210(B)	ALA	Mainchain
1	A	215	ALA	Mainchain
1	A	216	HIS	Peptide
1	A	218	GLU	Sidechain
1	A	22	GLN	Sidechain
1	A	221	GLU	Sidechain
1	A	229	PHE	Mainchain
1	A	231	ASP	Mainchain
1	A	238	GLU	Mainchain
1	A	243	LYS	Mainchain
1	A	245	ALA	Mainchain
1	A	246	THR	Mainchain
1	A	261	ILE	Mainchain
1	A	27	VAL	Mainchain
1	A	274	TYR	Sidechain,Mainchain
1	A	282	ASN	Mainchain
1	A	283	ASP	Mainchain
1	A	285	LEU	Mainchain,Peptide
1	A	288	GLY	Mainchain,Peptide
1	A	29	ASP	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	294	ASN	Sidechain
1	A	304	GLU	Mainchain
1	A	306	PRO	Mainchain
1	A	307	LEU	Mainchain
1	A	321	GLN	Sidechain,Mainchain,Peptide
1	A	324	LYS	Mainchain
1	A	333	ASP	Sidechain
1	A	43	GLN	Mainchain
1	A	46	ALA	Mainchain
1	A	62	ASP	Sidechain
1	A	80	SER	Mainchain,Peptide
1	A	81	ALA	Mainchain,Peptide
1	A	84	GLU	Sidechain,Mainchain
1	A	86	SER	Mainchain,Peptide
1	A	87	ASP	Mainchain
1	A	88	ALA	Mainchain
1	A	99	GLY	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2454	0	2475	222	11
2	A	20	0	7	10	0
3	A	5	0	0	5	0
All	All	2479	0	2482	223	11

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 45.

All (223) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:1:AFP:O1	2:A:1:AFP:C1	1.66	1.41
1:A:132(A):PHE:HE2	1:A:133:LEU:HD22	1.17	1.06
1:A:188:HIS:HD2	2:A:1:AFP:O2P	1.40	1.04

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:HIS:CD2	2:A:1:AFP:O2P	2.12	1.02
1:A:23:LYS:HB3	1:A:91:ALA:HA	1.39	1.01
1:A:101:PRO:HG2	1:A:116:ASN:ND2	1.77	0.99
1:A:118:LYS:HD2	1:A:333:ASP:HB3	1.41	0.98
1:A:102:LYS:HG2	1:A:115:LYS:HE3	1.44	0.95
1:A:27:VAL:HG11	1:A:123:ILE:HD13	1.48	0.93
1:A:132(A):PHE:CE2	1:A:133:LEU:HD22	2.04	0.92
1:A:42:LEU:HA	1:A:73:THR:HG21	1.54	0.90
1:A:216:HIS:HB2	1:A:217:PRO:HD3	1.52	0.89
1:A:103:GLN:HB3	1:A:109:ARG:HH21	1.38	0.89
1:A:112:LEU:HD23	1:A:141:PRO:HD3	1.54	0.88
1:A:52:VAL:HG22	1:A:81:ALA:HB3	1.54	0.88
1:A:257:ILE:HD11	1:A:271:LEU:HD22	1.57	0.86
1:A:37:ALA:HB1	1:A:66:LEU:HD21	1.60	0.82
1:A:268:VAL:O	2:A:1:AFP:O5P	1.98	0.82
1:A:103:GLN:HB2	1:A:112:LEU:HD11	1.62	0.80
1:A:246:THR:HG22	3:A:2:SO4:O1	1.80	0.80
1:A:168:ASP:HB3	1:A:191:ILE:HD13	1.64	0.80
1:A:103:GLN:CB	1:A:112:LEU:HD11	2.13	0.79
1:A:25:ILE:HB	1:A:94:VAL:HG23	1.65	0.78
1:A:113:VAL:CG2	1:A:144:ILE:HD13	2.15	0.77
1:A:101:PRO:CG	1:A:116:ASN:ND2	2.48	0.76
1:A:108:THR:HG21	1:A:322:LEU:HD21	1.67	0.75
1:A:168:ASP:HB2	1:A:191:ILE:HG21	1.69	0.75
1:A:96:ILE:HB	1:A:137:VAL:HG12	1.68	0.74
1:A:298:ILE:HD11	1:A:302:ILE:HG12	1.70	0.74
1:A:246:THR:HG21	3:A:2:SO4:S	2.28	0.73
1:A:103:GLN:HB3	1:A:109:ARG:NH2	2.02	0.73
1:A:101:PRO:CG	1:A:116:ASN:CG	2.57	0.72
1:A:165:THR:HG23	1:A:191:ILE:HG22	1.72	0.72
1:A:108:THR:HG21	1:A:322:LEU:CD2	2.21	0.71
1:A:108:THR:HG23	1:A:144:ILE:HD12	1.73	0.71
1:A:209(C):VAL:HG12	1:A:209(D):THR:H	1.55	0.70
1:A:101:PRO:HG2	1:A:116:ASN:CG	2.13	0.69
1:A:257:ILE:HD11	1:A:271:LEU:CD2	2.23	0.68
1:A:103:GLN:HB2	1:A:112:LEU:CD1	2.23	0.68
1:A:218:GLU:HA	1:A:225:LEU:HD11	1.76	0.68
1:A:269:LEU:HG	2:A:1:AFP:O5P	1.94	0.67
1:A:113:VAL:HG21	1:A:144:ILE:HD13	1.77	0.67
1:A:110:LEU:HA	1:A:325:VAL:HG13	1.76	0.67
1:A:245:ALA:HB1	1:A:247:PHE:HD2	1.60	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:225:LEU:HD13	1:A:226:VAL:HG23	1.76	0.66
1:A:40:MET:SD	1:A:45:ILE:HB	2.35	0.66
1:A:281:ILE:HG13	1:A:285:LEU:HD11	1.78	0.65
1:A:245:ALA:HB1	1:A:247:PHE:CD2	2.31	0.65
1:A:132(A):PHE:CE2	1:A:133:LEU:HB2	2.31	0.65
1:A:138:ALA:HB3	1:A:254:LEU:HD21	1.79	0.65
1:A:89:LYS:HG3	1:A:131:GLY:O	1.97	0.64
1:A:285:LEU:HD21	1:A:319:ALA:HB1	1.79	0.64
1:A:48:GLU:HG3	1:A:77:LYS:HG3	1.80	0.64
1:A:173:ARG:HH21	2:A:1:AFP:H11	1.63	0.64
1:A:256:ARG:NE	2:A:1:AFP:O4P	2.31	0.64
1:A:113:VAL:HG22	1:A:144:ILE:HG21	1.80	0.64
1:A:106:GLY:O	1:A:107:GLU:HB3	1.98	0.63
1:A:193:GLY:HA2	1:A:287:ILE:HD11	1.79	0.63
1:A:22:GLN:HB2	1:A:47:GLN:HB2	1.81	0.62
1:A:120:LEU:HD11	1:A:145:LEU:HG	1.80	0.62
1:A:85:TYR:HA	1:A:88:ALA:HB2	1.82	0.62
1:A:203:TRP:CZ3	1:A:210(A):ILE:HD11	2.34	0.62
1:A:246:THR:CG2	3:A:2:SO4:O1	2.48	0.62
1:A:271:LEU:O	1:A:273:VAL:HG13	1.99	0.62
1:A:24:VAL:HG12	1:A:49:ILE:HG12	1.80	0.62
1:A:113:VAL:O	1:A:117:LEU:HB2	2.00	0.62
1:A:275:MET:HG3	1:A:281:ILE:HD11	1.82	0.62
1:A:261:ILE:HG22	1:A:293:ILE:HG12	1.81	0.61
1:A:29:ASP:HB2	1:A:51:ILE:HG22	1.83	0.61
1:A:207:ASN:HB3	1:A:209(C):VAL:O	1.99	0.61
1:A:132(A):PHE:HE2	1:A:133:LEU:CD2	2.02	0.61
1:A:200:PHE:HE2	1:A:307:LEU:CD2	2.12	0.61
1:A:190:TYR:CE1	2:A:1:AFP:O2	2.52	0.60
1:A:200:PHE:HE2	1:A:307:LEU:HD22	1.66	0.60
1:A:187:VAL:HG22	1:A:208:ILE:HG23	1.84	0.60
1:A:102:LYS:HG2	1:A:115:LYS:CE	2.27	0.60
1:A:134:ILE:HD11	1:A:295:ARG:O	2.02	0.60
1:A:113:VAL:HG22	1:A:144:ILE:HD13	1.85	0.59
1:A:246:THR:CG2	3:A:2:SO4:S	2.91	0.59
1:A:158:ASN:HB3	1:A:298:ILE:HG23	1.84	0.58
1:A:236:ALA:O	1:A:240:ILE:HG13	2.03	0.58
1:A:273:VAL:CG1	1:A:298:ILE:HD12	2.33	0.58
1:A:127:ILE:O	1:A:132(A):PHE:HB2	2.03	0.58
1:A:141:PRO:O	1:A:145:LEU:HB2	2.05	0.57
1:A:88:ALA:HB1	1:A:127:ILE:CD1	2.34	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:GLN:HB3	1:A:112:LEU:HD11	1.87	0.57
1:A:55:PHE:O	1:A:56:LYS:HG3	2.05	0.57
1:A:243:LYS:HD3	1:A:245:ALA:HB2	1.86	0.56
1:A:190:TYR:HB2	1:A:202:VAL:CG2	2.35	0.56
1:A:174:GLN:HA	1:A:177:ALA:HB2	1.88	0.56
1:A:281:ILE:HD12	1:A:287:ILE:HG21	1.87	0.56
1:A:165:THR:HG23	1:A:191:ILE:CG2	2.35	0.56
1:A:102:LYS:H	1:A:115:LYS:HZ1	1.53	0.56
1:A:101:PRO:HG3	1:A:116:ASN:HA	1.86	0.56
1:A:285:LEU:HD13	1:A:287:ILE:HG22	1.87	0.56
1:A:257:ILE:CD1	1:A:271:LEU:HD22	2.32	0.55
1:A:167:LEU:O	1:A:171:ARG:HG3	2.06	0.55
1:A:89:LYS:HG2	1:A:90:ASP:H	1.72	0.55
1:A:273:VAL:HG12	1:A:298:ILE:HD12	1.88	0.55
1:A:228:MET:O	1:A:232:VAL:HG13	2.07	0.54
1:A:113:VAL:HG21	1:A:325:VAL:HG12	1.89	0.54
1:A:139:ALA:HB3	1:A:145:LEU:HD22	1.89	0.54
1:A:182:VAL:HG21	1:A:208:ILE:HG21	1.88	0.54
1:A:36:TYR:CZ	1:A:95:VAL:HG21	2.43	0.53
1:A:281:ILE:HD12	1:A:287:ILE:CG2	2.38	0.53
1:A:89:LYS:CG	1:A:90:ASP:H	2.21	0.53
1:A:304:GLU:HA	1:A:305:ILE:HD12	1.91	0.53
1:A:180:VAL:HG12	1:A:181:ASN:H	1.74	0.53
1:A:132(A):PHE:HE1	1:A:135:PHE:CE1	2.27	0.53
1:A:101:PRO:HB3	1:A:115:LYS:HE2	1.91	0.52
1:A:153:SER:HB2	1:A:155:PHE:CD2	2.45	0.52
1:A:305:ILE:O	1:A:307:LEU:HD12	2.09	0.52
1:A:108:THR:HG23	1:A:144:ILE:CD1	2.38	0.52
1:A:200:PHE:CE2	1:A:307:LEU:HD22	2.43	0.52
1:A:88:ALA:HB1	1:A:127:ILE:HD13	1.91	0.51
1:A:93:LEU:N	1:A:133:LEU:HD23	2.25	0.51
1:A:168:ASP:CB	1:A:191:ILE:HG21	2.38	0.51
1:A:174:GLN:HA	1:A:177:ALA:CB	2.40	0.51
1:A:231:ASP:O	1:A:235:ALA:HB2	2.11	0.51
1:A:161:VAL:HG13	1:A:271:LEU:HD13	1.93	0.51
1:A:198:THR:HB	1:A:318:SER:OG	2.11	0.51
1:A:218:GLU:O	1:A:219:ILE:HB	2.09	0.51
1:A:91:ALA:C	1:A:133:LEU:HD21	2.32	0.50
1:A:101:PRO:HG3	1:A:116:ASN:CA	2.41	0.50
1:A:143:ASP:HB3	1:A:286:TYR:O	2.12	0.50
1:A:307:LEU:O	1:A:311:GLU:HB2	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:32:VAL:HB	1:A:97:THR:HG22	1.92	0.50
1:A:102:LYS:H	1:A:115:LYS:CE	2.25	0.50
1:A:24:VAL:CG2	1:A:93:LEU:HB3	2.42	0.50
1:A:158:ASN:CB	1:A:298:ILE:HG23	2.42	0.50
1:A:108:THR:CG2	1:A:144:ILE:HD12	2.41	0.50
1:A:24:VAL:HG23	1:A:93:LEU:HB3	1.93	0.50
1:A:298:ILE:HD11	1:A:302:ILE:CG1	2.40	0.50
1:A:216:HIS:HB2	1:A:217:PRO:CD	2.30	0.49
1:A:91:ALA:O	1:A:133:LEU:HD11	2.12	0.49
1:A:259:LYS:O	1:A:263:ASN:HB2	2.11	0.49
1:A:203:TRP:HZ3	1:A:210(A):ILE:HD11	1.76	0.49
1:A:134:ILE:HG22	1:A:161:VAL:HG23	1.95	0.49
1:A:218:GLU:HA	1:A:225:LEU:CD1	2.42	0.49
1:A:27:VAL:CG1	1:A:123:ILE:HD13	2.31	0.49
1:A:165:THR:HB	1:A:270:PRO:HB2	1.95	0.48
1:A:123:ILE:O	1:A:127:ILE:HG22	2.13	0.48
1:A:173:ARG:NH2	2:A:1:AFP:H11	2.28	0.48
1:A:29:ASP:HB2	1:A:51:ILE:CG2	2.43	0.48
1:A:110:LEU:HA	1:A:325:VAL:CG1	2.43	0.48
1:A:28:GLY:O	1:A:33:GLY:HA3	2.13	0.48
1:A:162:GLY:HA3	1:A:272:SER:OG	2.14	0.48
1:A:37:ALA:O	1:A:41:VAL:HG23	2.13	0.48
1:A:133:LEU:HB3	1:A:134:ILE:H	1.45	0.47
1:A:142:VAL:HG11	1:A:163:SER:HB3	1.96	0.47
1:A:254:LEU:O	1:A:258:SER:HB2	2.15	0.47
1:A:250:ILE:O	1:A:254:LEU:HD12	2.14	0.47
1:A:132(A):PHE:HB3	1:A:155:PHE:HZ	1.78	0.47
1:A:107:GLU:HB2	1:A:197:ASP:OD2	2.15	0.47
1:A:157:LYS:HB3	1:A:274:TYR:HD1	1.78	0.47
1:A:262:LEU:H	1:A:295:ARG:HA	1.79	0.47
1:A:218:GLU:HB3	1:A:226:VAL:CG2	2.45	0.47
1:A:181:ASN:HD22	1:A:181:ASN:HA	1.32	0.47
1:A:91:ALA:CB	1:A:133:LEU:HD21	2.45	0.47
1:A:102:LYS:H	1:A:115:LYS:NZ	2.13	0.46
1:A:132(A):PHE:HE2	1:A:133:LEU:HB2	1.79	0.46
1:A:101:PRO:HG3	1:A:116:ASN:CG	2.34	0.46
1:A:144:ILE:HG13	1:A:322:LEU:HD22	1.97	0.46
1:A:192:MET:HB2	1:A:200:PHE:CZ	2.51	0.46
1:A:190:TYR:CD1	1:A:270:PRO:HG3	2.50	0.46
1:A:285:LEU:CD2	1:A:319:ALA:HB1	2.46	0.46
1:A:37:ALA:CB	1:A:66:LEU:HD21	2.38	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:289:THR:HG23	1:A:290:PRO:HD2	1.97	0.46
1:A:103:GLN:NE2	1:A:112:LEU:HD12	2.30	0.45
1:A:146:THR:HG23	1:A:286:TYR:CD2	2.50	0.45
1:A:165:THR:CG2	1:A:270:PRO:HB2	2.46	0.45
1:A:143:ASP:OD2	1:A:287:ILE:HA	2.16	0.45
1:A:66:LEU:HB3	1:A:78:ILE:HD13	1.98	0.45
1:A:93:LEU:CD1	1:A:261:ILE:HD11	2.46	0.45
1:A:194:GLU:OE2	1:A:322:LEU:HG	2.16	0.45
1:A:256:ARG:CD	2:A:1:AFP:O4P	2.65	0.45
1:A:109:ARG:O	1:A:325:VAL:HG11	2.16	0.45
1:A:239:ILE:C	1:A:241:LYS:H	2.19	0.45
1:A:203:TRP:CE3	1:A:210(A):ILE:HD11	2.51	0.45
1:A:250:ILE:HG13	1:A:254:LEU:CD1	2.46	0.45
1:A:321:GLN:O	1:A:325:VAL:HG23	2.17	0.44
1:A:45:ILE:HD12	1:A:259:LYS:HB2	1.99	0.44
1:A:26:LEU:HD21	1:A:33:GLY:CA	2.47	0.44
1:A:182:VAL:HG11	1:A:208:ILE:HG22	2.00	0.44
1:A:120:LEU:O	1:A:124:VAL:HB	2.18	0.44
1:A:26:LEU:HD23	1:A:51:ILE:HG23	1.99	0.44
1:A:24:VAL:HG22	1:A:93:LEU:HD23	1.99	0.44
1:A:145:LEU:O	1:A:148:ALA:HB3	2.18	0.44
1:A:193:GLY:HA2	1:A:287:ILE:CD1	2.46	0.44
1:A:89:LYS:HG2	1:A:90:ASP:N	2.31	0.44
1:A:134:ILE:HG21	1:A:261:ILE:HD12	1.99	0.43
1:A:32:VAL:HG21	1:A:98:ALA:HB2	2.00	0.43
1:A:269:LEU:HB3	1:A:271:LEU:HD23	2.00	0.43
1:A:42:LEU:HD23	1:A:73:THR:HG21	1.99	0.43
1:A:76:LYS:HB2	1:A:77:LYS:H	1.67	0.43
1:A:128:VAL:HG22	1:A:155:PHE:HE2	1.84	0.43
1:A:37:ALA:HB1	1:A:66:LEU:CD2	2.39	0.43
1:A:136:LEU:HD21	1:A:257:ILE:CG2	2.48	0.43
1:A:324:LYS:HB3	1:A:324:LYS:HE3	1.81	0.43
1:A:331:LYS:N	1:A:331:LYS:HD3	2.34	0.42
1:A:273:VAL:O	1:A:274:TYR:HB2	2.19	0.42
1:A:58:LYS:O	1:A:62:ASP:HB2	2.19	0.42
1:A:261:ILE:HD13	1:A:261:ILE:HG21	1.67	0.42
1:A:51:ILE:O	1:A:59:THR:HG21	2.19	0.42
1:A:332:ASN:C	1:A:332:ASN:HD22	2.23	0.42
1:A:156:PRO:O	1:A:160:VAL:HG22	2.19	0.42
1:A:93:LEU:CA	1:A:133:LEU:HD23	2.50	0.42
1:A:169:THR:HG22	1:A:191:ILE:HG22	2.00	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:MET:CG	1:A:281:ILE:HD11	2.47	0.41
1:A:250:ILE:HG13	1:A:254:LEU:HD12	2.01	0.41
1:A:134:ILE:HG23	1:A:159:ARG:HA	2.02	0.41
1:A:88:ALA:HB1	1:A:127:ILE:HD12	2.02	0.41
1:A:257:ILE:HD12	1:A:257:ILE:HG23	1.66	0.41
1:A:196:GLY:H	1:A:199:GLU:CD	2.23	0.41
1:A:287:ILE:HD13	1:A:315:MET:HE3	2.02	0.41
1:A:163:SER:O	1:A:271:LEU:HA	2.21	0.41
1:A:134:ILE:HG13	1:A:261:ILE:HD11	2.03	0.41
1:A:246:THR:HG21	3:A:2:SO4:O2	2.21	0.40
1:A:84:GLU:HB3	1:A:85:TYR:H	1.54	0.40
1:A:285:LEU:O	1:A:285:LEU:HD12	2.22	0.40
1:A:210(A):ILE:HG21	1:A:210(A):ILE:HD13	1.75	0.40
1:A:150:TRP:HA	1:A:160:VAL:HG11	2.02	0.40
1:A:49:ILE:O	1:A:78:ILE:HA	2.22	0.40

All (11) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:18:LYS:CG	1:A:264:ASP:OD1[2_555]	0.69	1.51
1:A:18:LYS:CG	1:A:264:ASP:CG[2_555]	0.93	1.27
1:A:18:LYS:CD	1:A:264:ASP:CG[2_555]	1.38	0.82
1:A:18:LYS:CG	1:A:264:ASP:OD2[2_555]	1.52	0.68
1:A:18:LYS:CD	1:A:264:ASP:OD2[2_555]	1.59	0.61
1:A:18:LYS:CE	1:A:264:ASP:CA[2_555]	1.69	0.51
1:A:18:LYS:CB	1:A:264:ASP:OD2[2_555]	1.90	0.30
1:A:18:LYS:CB	1:A:264:ASP:OD1[2_555]	1.98	0.22
1:A:18:LYS:CD	1:A:264:ASP:OD1[2_555]	1.99	0.21
1:A:18:LYS:CE	1:A:264:ASP:CG[2_555]	2.08	0.12
1:A:18:LYS:CE	1:A:264:ASP:CB[2_555]	2.10	0.10

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	319/325 (98%)	211 (66%)	64 (20%)	44 (14%)	0 1

All (44) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	17	ASP
1	A	54	ILE
1	A	159	ARG
1	A	165	THR
1	A	177	ALA
1	A	178	GLU
1	A	187	VAL
1	A	216	HIS
1	A	219	ILE
1	A	243	LYS
1	A	262	LEU
1	A	274	TYR
1	A	279	TYR
1	A	308	THR
1	A	332	ASN
1	A	48	GLU
1	A	53	ASP
1	A	108	THR
1	A	163	SER
1	A	189	ALA
1	A	197	ASP
1	A	206	ALA
1	A	222	ASP
1	A	275	MET
1	A	282	ASN
1	A	88	ALA
1	A	107	GLU
1	A	225	LEU
1	A	272	SER
1	A	283	ASP
1	A	323	LYS
1	A	333	ASP
1	A	18	LYS
1	A	31	ALA
1	A	183	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	209(C)	VAL
1	A	221	GLU
1	A	301	ASN
1	A	215	ALA
1	A	309	ASP
1	A	290	PRO
1	A	70	LEU
1	A	244	GLY
1	A	180	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	264/269 (98%)	203 (77%)	61 (23%)	1 5

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	ASP
1	A	20	HIS
1	A	24	VAL
1	A	32	VAL
1	A	43	GLN
1	A	45	ILE
1	A	62	ASP
1	A	65	ASP
1	A	73	THR
1	A	76	LYS
1	A	94	VAL
1	A	97	THR
1	A	112	LEU
1	A	120	LEU
1	A	123	ILE
1	A	128	VAL
1	A	129	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	132(A)	PHE
1	A	132(B)	ASN
1	A	133	LEU
1	A	134	ILE
1	A	140	ASN
1	A	141	PRO
1	A	144	ILE
1	A	145	LEU
1	A	158	ASN
1	A	169	THR
1	A	181	ASN
1	A	182	VAL
1	A	191	ILE
1	A	201	PRO
1	A	202	VAL
1	A	207	ASN
1	A	208	ILE
1	A	216	HIS
1	A	218	GLU
1	A	219	ILE
1	A	225	LEU
1	A	229	PHE
1	A	239	ILE
1	A	247	PHE
1	A	250	ILE
1	A	257	ILE
1	A	261	ILE
1	A	263	ASN
1	A	271	LEU
1	A	273	VAL
1	A	276	ASP
1	A	283	ASP
1	A	285	LEU
1	A	294	ASN
1	A	295	ARG
1	A	296	ASN
1	A	298	ILE
1	A	299	GLN
1	A	307	LEU
1	A	309	ASP
1	A	310	HIS
1	A	331	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	332	ASN
1	A	333	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	43	GLN
1	A	103	GLN
1	A	116	ASN
1	A	140	ASN
1	A	174	GLN
1	A	181	ASN
1	A	188	HIS
1	A	296	ASN
1	A	310	HIS
1	A	332	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	AFP	A	1	-	18,20,20	2.52	5 (27%)	21,32,32	0.95	1 (4%)
3	SO4	A	2	-	4,4,4	1.19	0	6,6,6	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AFP	A	1	-	-	0/13/32/32	0/1/1/1
3	SO4	A	2	-	-	0/0/0/0	0/0/0/0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	AFP	O5-C2	-2.30	1.39	1.43
2	A	1	AFP	O2-C2	2.22	1.44	1.41
2	A	1	AFP	P1-O3P	2.29	1.62	1.54
2	A	1	AFP	O1-C1	6.39	1.66	1.43
2	A	1	AFP	P1-O1	7.11	1.84	1.60

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	AFP	O2-C2-O5	-2.10	105.04	109.37

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	AFP	10	0
3	A	2	SO4	5	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	312/325 (96%)	1.59	95 (30%) 1 0	15, 15, 15, 15	0

All (95) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	327	THR	5.9
1	A	334	ILE	5.8
1	A	129	ASP	5.0
1	A	13	ALA	4.8
1	A	225	LEU	4.8
1	A	14	SER	4.4
1	A	57	ASP	4.4
1	A	106	GLY	4.0
1	A	84	GLU	4.0
1	A	296	ASN	3.9
1	A	128	VAL	3.9
1	A	216	HIS	3.7
1	A	43	GLN	3.5
1	A	111	ASP	3.5
1	A	90	ASP	3.4
1	A	212	TRP	3.4
1	A	17	ASP	3.3
1	A	292	VAL	3.3
1	A	149	THR	3.2
1	A	42	LEU	3.2
1	A	226	VAL	3.2
1	A	211	GLU	3.2
1	A	16	THR	3.1
1	A	263	ASN	3.1
1	A	204	SER	3.1
1	A	220	LYS	3.1
1	A	217	PRO	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	98	ALA	3.0
1	A	304	GLU	3.0
1	A	209(D)	THR	2.9
1	A	74	SER	2.9
1	A	324	LYS	2.8
1	A	158	ASN	2.8
1	A	309	ASP	2.8
1	A	308	THR	2.8
1	A	301	ASN	2.8
1	A	282	ASN	2.8
1	A	330(B)	ALA	2.8
1	A	312	GLU	2.7
1	A	102	LYS	2.7
1	A	95	VAL	2.7
1	A	332	ASN	2.7
1	A	107	GLU	2.7
1	A	156	PRO	2.7
1	A	110	LEU	2.6
1	A	303	LEU	2.6
1	A	33	GLY	2.6
1	A	316	GLN	2.6
1	A	283	ASP	2.6
1	A	154	GLY	2.6
1	A	54	ILE	2.6
1	A	330(A)	PHE	2.6
1	A	275	MET	2.6
1	A	276	ASP	2.5
1	A	268	VAL	2.5
1	A	114	ASN	2.5
1	A	291	ALA	2.5
1	A	272	SER	2.5
1	A	253	ALA	2.5
1	A	306	PRO	2.5
1	A	248	TYR	2.4
1	A	35	SER	2.4
1	A	87	ASP	2.4
1	A	103	GLN	2.4
1	A	157	LYS	2.4
1	A	15	ILE	2.4
1	A	75	PRO	2.3
1	A	127	ILE	2.3
1	A	130	SER	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	315	MET	2.3
1	A	65	ASP	2.3
1	A	162	GLY	2.3
1	A	89	LYS	2.3
1	A	274	TYR	2.2
1	A	101	PRO	2.2
1	A	58	LYS	2.2
1	A	218	GLU	2.2
1	A	175	SER	2.2
1	A	108	THR	2.2
1	A	80	SER	2.2
1	A	219	ILE	2.1
1	A	321	GLN	2.1
1	A	116	ASN	2.1
1	A	271	LEU	2.1
1	A	96	ILE	2.1
1	A	310	HIS	2.1
1	A	132(A)	PHE	2.1
1	A	152	LEU	2.1
1	A	256	ARG	2.1
1	A	261	ILE	2.1
1	A	314	SER	2.0
1	A	44	GLY	2.0
1	A	20	HIS	2.0
1	A	320	SER	2.0
1	A	118	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	AFP	A	1	20/20	0.75	0.36	0.04	15,15,15,15	0
3	SO4	A	2	5/5	0.88	0.25	-2.74	15,15,15,15	0

6.5 Other polymers [i](#)

There are no such residues in this entry.