



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:20 AM GMT

PDB ID : 3LQ6
Title : Crystal Structure of Murine Norovirus Protruding (P) Domain
Authors : Rubin, J.R.; Stuckey, J.A.
Deposited on : 2010-02-08
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	320	<div> <div>7%</div> <div>83%</div> <div>12%</div> <div>..</div> </div>
1	B	320	<div> <div>7%</div> <div>80%</div> <div>15%</div> <div>..</div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Capsid protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	313	Total	C	N	O	S	0	0	0
			2404	1542	397	457	8			
1	B	313	Total	C	N	O	S	0	0	0
			2404	1542	397	457	8			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	131	Total	O	0	0
			131	131		
2	B	125	Total	O	0	0
			125	125		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Capsid protein



• Molecule 1: Capsid protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	57.80 Å 86.33 Å 83.54 Å 90.00° 110.92° 90.00°	Depositor
Resolution (Å)	35.46 – 2.00 35.46 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.2 (35.46-2.00) 94.8 (35.46-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.12 (at 2.00 Å)	Xtriage
Refinement program	REFMAC 5.5.0072	Depositor
R, R_{free}	0.189 , 0.240 0.200 , 0.241	Depositor DCC
R_{free} test set	2597 reflections (5.38%)	DCC
Wilson B-factor (Å ²)	23.4	Xtriage
Anisotropy	0.137	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 20.9	EDS
Estimated twinning fraction	0.089 for h,-k,-h-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Outliers	1 of 50850 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5064	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.13	3/2467 (0.1%)	0.95	7/3376 (0.2%)
1	B	1.15	4/2467 (0.2%)	0.98	9/3376 (0.3%)
All	All	1.14	7/4934 (0.1%)	0.97	16/6752 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	296	GLU	CG-CD	-5.71	1.43	1.51
1	B	404	THR	C-N	-5.64	1.21	1.34
1	B	337	ILE	C-N	-5.59	1.21	1.34
1	A	514	ILE	C-N	-5.59	1.21	1.34
1	B	462	ALA	CA-CB	5.52	1.64	1.52
1	B	521	VAL	CB-CG2	5.45	1.64	1.52
1	A	356	GLU	CG-CD	5.15	1.59	1.51

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	364	ASN	N-CA-CB	9.28	127.30	110.60
1	B	255	ASP	CB-CA-C	9.23	128.86	110.40
1	A	255	ASP	CB-CA-C	8.13	126.67	110.40
1	B	365	ALA	CB-CA-C	6.17	119.35	110.10
1	A	303	GLU	N-CA-C	6.11	127.50	111.00
1	B	255	ASP	N-CA-C	-5.96	94.91	111.00
1	B	322	ARG	NE-CZ-NH2	-5.88	117.36	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	431	ARG	NE-CZ-NH2	-5.79	117.41	120.30
1	A	407	GLU	N-CA-C	-5.76	95.45	111.00
1	A	255	ASP	N-CA-C	-5.75	95.47	111.00
1	A	252	LEU	CB-CG-CD1	5.71	120.70	111.00
1	B	235	ILE	O-C-N	-5.36	114.12	122.70
1	A	513	GLY	O-C-N	-5.22	114.34	122.70
1	B	378	VAL	CB-CA-C	-5.17	101.58	111.40
1	A	433	ARG	NE-CZ-NH1	-5.13	117.74	120.30
1	B	514	ILE	O-C-N	5.07	130.81	122.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	385	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2404	0	2358	54	1
1	B	2404	0	2357	59	1
2	A	131	0	0	3	0
2	B	125	0	0	2	0
All	All	5064	0	4715	112	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:478:ARG:CZ	1:A:485:LEU:HD21	1.47	1.42
1:B:358:ILE:HG21	1:B:362:THR:CB	1.50	1.39
1:B:358:ILE:CG2	1:B:362:THR:HB	1.52	1.39

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:358:ILE:HG21	1:B:362:THR:OG1	1.24	1.33
1:B:358:ILE:CG2	1:B:362:THR:CB	2.09	1.28
1:B:358:ILE:HG22	1:B:362:THR:HB	1.24	1.20
1:A:364:ASN:HD22	1:A:365:ALA:N	1.45	1.12
1:A:478:ARG:NH2	1:A:485:LEU:HD21	1.65	1.09
1:B:229:MET:HG3	1:B:229:MET:O	1.38	1.07
1:A:478:ARG:CZ	1:A:485:LEU:CD2	2.33	1.05
1:B:363:THR:HG22	1:B:364:ASN:N	1.72	1.05
1:A:539:LEU:O	1:A:540:LYS:HG2	1.56	1.04
1:B:358:ILE:CG2	1:B:362:THR:OG1	2.06	1.00
1:A:252:LEU:HD23	1:A:509:PHE:HB2	1.42	0.98
1:B:252:LEU:HD23	1:B:509:PHE:HB2	1.46	0.94
1:B:363:THR:HG22	1:B:364:ASN:H	1.26	0.92
1:B:360:GLY:O	1:B:362:THR:HG22	1.69	0.90
1:A:406:PRO:HG3	2:A:542:HOH:O	1.73	0.89
1:A:364:ASN:HD22	1:A:365:ALA:H	0.92	0.89
1:A:480:THR:CG2	1:A:514:ILE:CD1	2.52	0.88
1:A:478:ARG:NH1	1:A:485:LEU:HD21	1.90	0.87
1:A:364:ASN:ND2	1:A:365:ALA:H	1.72	0.87
1:A:338:GLU:HB2	1:A:396:ARG:HD2	1.54	0.87
1:B:229:MET:CG	1:B:229:MET:O	2.20	0.84
1:A:384:LEU:HD23	1:A:384:LEU:O	1.78	0.83
1:A:480:THR:HG21	1:A:514:ILE:HD13	1.62	0.81
1:A:480:THR:CG2	1:A:514:ILE:HD11	2.12	0.79
1:A:366:ASP:OD2	1:A:373:ARG:NH2	2.13	0.78
1:B:489:CYS:HB3	1:B:499:LEU:HD11	1.66	0.76
1:B:378:VAL:HG13	1:B:378:VAL:O	1.86	0.76
1:B:358:ILE:HG22	1:B:362:THR:CB	1.95	0.75
1:A:470:SER:O	1:A:493:ASN:ND2	2.20	0.73
1:A:480:THR:CG2	1:A:514:ILE:HD13	2.17	0.73
1:A:384:LEU:CD2	1:A:384:LEU:O	2.35	0.73
1:A:364:ASN:ND2	1:A:365:ALA:N	2.30	0.71
1:A:539:LEU:O	1:A:540:LYS:CG	2.38	0.70
1:A:480:THR:HG21	1:A:514:ILE:CD1	2.18	0.70
1:A:469:GLN:HE21	1:A:520:TRP:HE1	1.38	0.69
1:B:489:CYS:HB3	1:B:499:LEU:CD1	2.22	0.69
1:A:362:THR:O	1:A:362:THR:HG22	1.93	0.68
1:B:228:ARG:HA	2:B:216:HOH:O	1.95	0.68
1:A:383:SER:O	1:A:384:LEU:CB	2.43	0.67
1:A:364:ASN:ND2	1:A:366:ASP:H	1.94	0.65
1:A:338:GLU:CB	1:A:396:ARG:HD2	2.25	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:487:PHE:CE2	1:B:499:LEU:HD21	2.34	0.63
1:A:480:THR:HG23	1:A:514:ILE:CD1	2.29	0.62
1:B:358:ILE:HD13	1:B:362:THR:OG1	1.99	0.62
1:B:489:CYS:CB	1:B:499:LEU:HD11	2.30	0.62
1:B:487:PHE:CD2	1:B:499:LEU:HD21	2.36	0.61
1:B:471:GLU:O	1:B:472:ALA:HB2	2.01	0.60
1:B:359:LEU:HD22	2:B:212:HOH:O	2.02	0.59
1:B:363:THR:CG2	1:B:364:ASN:N	2.46	0.58
1:B:489:CYS:CB	1:B:499:LEU:CD1	2.81	0.58
1:A:356:GLU:HG3	1:A:379:THR:HG21	1.85	0.58
1:A:410:ASP:CG	1:A:411:GLY:H	2.06	0.58
1:B:358:ILE:CD1	1:B:362:THR:OG1	2.52	0.58
1:B:378:VAL:CG1	1:B:378:VAL:O	2.52	0.57
1:A:303:GLU:HG2	1:A:386:LEU:HD21	1.86	0.57
1:A:478:ARG:NH2	1:A:485:LEU:CD2	2.55	0.56
1:A:470:SER:HB2	1:A:520:TRP:HB3	1.86	0.56
1:B:478:ARG:HG2	1:B:479:ASN:N	2.20	0.56
1:B:361:PRO:C	1:B:362:THR:HG22	2.26	0.56
1:B:361:PRO:O	1:B:362:THR:CG2	2.54	0.56
1:B:361:PRO:O	1:B:362:THR:HG22	2.06	0.55
1:B:363:THR:CG2	1:B:364:ASN:H	1.97	0.55
1:A:478:ARG:NH1	1:A:485:LEU:CD2	2.58	0.54
1:B:360:GLY:O	1:B:362:THR:CG2	2.51	0.54
1:A:401:PHE:H	1:A:438:GLN:NE2	2.06	0.54
1:B:507:LEU:HD23	1:B:509:PHE:CZ	2.45	0.52
1:B:262:PRO:HG2	1:B:420:ILE:HD12	1.92	0.51
1:A:465:ALA:O	2:A:556:HOH:O	2.20	0.50
1:B:360:GLY:O	1:B:361:PRO:C	2.50	0.50
1:B:358:ILE:CB	1:B:362:THR:OG1	2.59	0.49
1:B:229:MET:O	1:B:230:VAL:C	2.50	0.49
1:A:366:ASP:O	1:A:375:PHE:CE2	2.67	0.48
1:B:498:ALA:O	1:B:499:LEU:HD12	2.13	0.48
1:B:539:LEU:O	1:B:539:LEU:HG	2.14	0.48
1:B:498:ALA:C	1:B:499:LEU:HD12	2.34	0.47
1:A:359:LEU:HD22	2:A:542:HOH:O	2.14	0.47
1:A:303:GLU:HG2	1:A:386:LEU:CD2	2.45	0.47
1:B:301:THR:O	1:B:379:THR:HA	2.15	0.46
1:B:343:THR:HG22	1:B:350:LEU:HD21	1.98	0.46
1:B:507:LEU:HD23	1:B:509:PHE:HZ	1.81	0.46
1:A:383:SER:O	1:A:384:LEU:HB3	2.14	0.45
1:B:470:SER:O	1:B:471:GLU:HG3	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:242:HIS:CD2	1:B:434:THR:HG22	2.52	0.45
1:A:351:LYS:HD3	1:A:385:ASP:HB3	1.99	0.45
1:A:338:GLU:HB2	1:A:396:ARG:CD	2.38	0.44
1:B:230:VAL:HG22	1:B:466:PHE:HB3	1.99	0.44
1:A:539:LEU:C	1:A:540:LYS:HG2	2.32	0.44
1:B:236:GLN:HG3	1:B:514:ILE:HD11	1.98	0.44
1:B:245:TRP:CD2	1:B:436:MET:HG2	2.53	0.43
1:B:489:CYS:HB2	1:B:499:LEU:HD12	2.01	0.43
1:A:480:THR:HG22	1:A:514:ILE:HD11	1.95	0.43
1:A:252:LEU:HD23	1:A:509:PHE:CB	2.31	0.43
1:B:385:ASP:CG	1:B:385:ASP:O	2.57	0.43
1:A:263:GLN:O	1:A:265:GLN:NE2	2.48	0.42
1:A:410:ASP:CG	1:A:411:GLY:N	2.69	0.42
1:B:252:LEU:CD2	1:B:509:PHE:HB2	2.33	0.42
1:A:364:ASN:HD22	1:A:364:ASN:C	2.07	0.42
1:A:469:GLN:NE2	1:A:520:TRP:HE1	2.11	0.42
1:A:269:VAL:O	1:A:495:GLY:HA3	2.20	0.41
1:B:269:VAL:O	1:B:495:GLY:HA3	2.20	0.41
1:A:470:SER:CB	1:A:520:TRP:HB3	2.47	0.41
1:B:361:PRO:C	1:B:362:THR:CG2	2.88	0.41
1:B:252:LEU:HD11	1:B:430:LEU:HD21	2.03	0.41
1:B:255:ASP:HB3	1:B:258:LEU:HD12	2.03	0.41
1:A:366:ASP:O	1:A:375:PHE:HE2	2.03	0.41
1:A:242:HIS:CD2	1:A:434:THR:HG22	2.56	0.41
1:A:396:ARG:NH2	1:B:338:GLU:OE2	2.41	0.41
1:B:252:LEU:HD23	1:B:509:PHE:CB	2.35	0.40
1:B:478:ARG:HB2	1:B:485:LEU:HD23	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:480:THR:OG1	1:B:540:LYS:NZ[2_655]	1.51	0.69

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	311/320 (97%)	302 (97%)	9 (3%)	0	100	100
1	B	311/320 (97%)	294 (94%)	17 (6%)	0	100	100
All	All	622/640 (97%)	596 (96%)	26 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/263 (98%)	254 (99%)	3 (1%)	78	81
1	B	257/263 (98%)	253 (98%)	4 (2%)	70	73
All	All	514/526 (98%)	507 (99%)	7 (1%)	74	77

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	364	ASN
1	A	385	ASP
1	A	386	LEU
1	B	229	MET
1	B	252	LEU
1	B	386	LEU
1	B	440	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	364	ASN
1	A	438	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	469	GLN
1	B	455	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	313/320 (97%)	0.04	22 (7%)	19 21	11, 21, 51, 67	0
1	B	313/320 (97%)	-0.06	22 (7%)	19 21	11, 20, 52, 62	0
All	All	626/640 (97%)	-0.01	44 (7%)	19 21	11, 21, 52, 67	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	363	THR	12.3
1	A	297	PHE	10.9
1	A	299	SER	8.9
1	B	362	THR	8.6
1	A	300	GLY	8.0
1	A	301	THR	7.1
1	B	442	ALA	6.8
1	A	366	ASP	5.6
1	A	298	GLN	5.5
1	B	364	ASN	5.0
1	B	540	LYS	5.0
1	B	300	GLY	4.7
1	B	365	ALA	4.4
1	A	362	THR	4.4
1	B	385	ASP	4.4
1	B	363	THR	4.3
1	A	364	ASN	4.3
1	A	384	LEU	4.1
1	A	441	THR	4.0
1	B	228	ARG	3.6
1	A	296	GLU	3.5
1	A	365	ALA	3.2
1	A	540	LYS	3.2
1	A	383	SER	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	299	SER	2.9
1	A	442	ALA	2.9
1	B	229	MET	2.9
1	B	366	ASP	2.8
1	A	303	GLU	2.8
1	B	383	SER	2.7
1	B	441	THR	2.6
1	B	381	ALA	2.4
1	A	440	ASP	2.4
1	B	301	THR	2.3
1	A	361	PRO	2.3
1	B	410	ASP	2.2
1	B	480	THR	2.2
1	B	470	SER	2.2
1	A	481	LEU	2.1
1	A	382	ALA	2.1
1	B	384	LEU	2.1
1	B	499	LEU	2.1
1	A	360	GLY	2.1
1	B	539	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.