



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:29 PM GMT

PDB ID : 4LSL  
Title : Crystal Structure of HIV-1 Reverse Transcriptase in Complex with (E)-3-(3-(4-chloro-2-(2-(2,4-dioxo-3,4-dihydropyrimidin-1(2H)-yl)ethoxy)phenoxy)phenyl)acrylonitrile (JLJ476), a non-nucleoside inhibitor  
Authors : Frey, K.M.; Anderson, K.S.  
Deposited on : 2013-07-22  
Resolution : 2.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	557	<div> <div>8%</div> <div>79%</div> <div>18%</div> <div>••</div> </div>
2	B	428	<div> <div>11%</div> <div>81%</div> <div>15%</div> <div>••</div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7958 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 reverse transcriptase, p66 subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	548	Total	C	N	O	S	0	0	0
			4458	2886	741	824	7			

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	EXPRESSION TAG	UNP P03366
A	0	VAL	-	EXPRESSION TAG	UNP P03366
A	172	ALA	LYS	ENGINEERED MUTATION	UNP P03366
A	173	ALA	LYS	ENGINEERED MUTATION	UNP P03366
A	280	SER	CYS	ENGINEERED MUTATION	UNP P03366


- Molecule 2 is a protein called HIV-1 reverse transcriptase, p51 subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	417	Total	C	N	O	S	0	0	0
			3436	2235	568	626	7			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	280	SER	CYS	ENGINEERED MUTATION	UNP P03366

- Molecule 3 is (2E)-3-(3-{4-CHLORO-2-[2-(2,4-DIOXO-3,4-DIHYDROPYRIMIDIN-1(2H)-YL)ETHOXY]PHENOXY}PHENYL)PROP-2-ENENITRILE (three-letter code: 1YQ) (formula: C<sub>21</sub>H<sub>16</sub>ClN<sub>3</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 29	C 21	Cl 1	N 3	O 4	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	16	Total O 16 16	0	0
4	B	19	Total O 19 19	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: HIV-1 reverse transcriptase, p66 subunit



- Molecule 2: HIV-1 reverse transcriptase, p51 subunit



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	224.87Å 69.32Å 104.34Å 90.00° 106.38° 90.00°	Depositor
Resolution (Å)	34.77 – 2.69 34.77 – 2.69	Depositor EDS
% Data completeness (in resolution range)	98.5 (34.77-2.69) 98.5 (34.77-2.69)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.38 (at 2.68Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, $R_{free}$	0.244 , 0.270 0.250 , 0.279	Depositor DCC
$R_{free}$ test set	2000 reflections (4.93%)	DCC
Wilson B-factor (Å <sup>2</sup> )	77.0	Xtriage
Anisotropy	0.216	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 60.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	1 of 42552 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	7958	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	91.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.98% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 1YQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.23	0/4576	0.45	0/6220
2	B	0.22	0/3534	0.43	0/4803
All	All	0.23	0/8110	0.44	0/11023

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4458	0	4507	61	0
2	B	3436	0	3471	40	0
3	A	29	0	16	2	0
4	A	16	0	0	0	0
4	B	19	0	0	0	0
All	All	7958	0	7994	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:226:PRO:HA	1:A:227:PHE:HB2	1.68	0.74
2:B:85:GLN:HA	2:B:88:TRP:HB2	1.72	0.72
2:B:206:ARG:NH1	2:B:216:THR:OG1	2.22	0.72
1:A:194:GLU:H	1:A:197:GLN:HE21	1.39	0.71
1:A:84:THR:HG21	1:A:153:TRP:HE1	1.59	0.68
1:A:64:LYS:NZ	1:A:68:SER:O	2.25	0.67
1:A:100:LEU:HD13	3:A:601:1YQ:H12	1.77	0.66
1:A:331:LYS:HE2	1:A:333:GLY:HA2	1.78	0.66
1:A:320:ASP:O	1:A:343:GLN:NE2	2.31	0.64
1:A:240:THR:HG1	1:A:315:HIS:HD1	1.39	0.64
2:B:390:LYS:NZ	2:B:415:GLU:OE2	2.31	0.63
1:A:88:TRP:CE2	2:B:143:ARG:HD2	2.35	0.62
1:A:104:LYS:HB2	1:A:192:ASP:HA	1.83	0.60
1:A:252:TRP:HD1	1:A:295:LEU:HD21	1.66	0.59
2:B:65:LYS:HG3	2:B:72:ARG:HD2	1.84	0.59
1:A:390:LYS:NZ	1:A:415:GLU:OE2	2.32	0.59
1:A:406:TRP:CZ3	1:A:407:GLN:HG3	2.39	0.58
1:A:217:PRO:HB3	1:A:222:GLN:HG3	1.86	0.57
1:A:29:GLU:HG3	1:A:30:LYS:HG3	1.86	0.57
1:A:406:TRP:CE3	2:B:420:PRO:HG3	2.39	0.56
2:B:421:PRO:HG2	2:B:423:VAL:HG23	1.86	0.55
1:A:24:TRP:N	1:A:25:PRO:HD2	2.21	0.55
2:B:191:SER:OG	2:B:198:HIS:ND1	2.27	0.55
1:A:281:LYS:HA	1:A:284:ARG:HG3	1.88	0.55
2:B:60:VAL:HG12	2:B:75:VAL:HG22	1.89	0.54
2:B:73:LYS:NZ	2:B:146:TYR:OH	2.39	0.54
1:A:252:TRP:CD1	1:A:295:LEU:HD21	2.44	0.52
2:B:252:TRP:CD1	2:B:295:LEU:HD11	2.45	0.52
1:A:429:LEU:HD11	1:A:506:ILE:HG22	1.93	0.50
1:A:220:LYS:HG3	1:A:221:HIS:H	1.77	0.50
1:A:278:GLN:NE2	1:A:334:GLN:OE1	2.45	0.50
1:A:406:TRP:CH2	1:A:407:GLN:HG3	2.47	0.50
1:A:236:PRO:HA	3:A:601:1YQ:C0X	2.42	0.49
1:A:406:TRP:CD2	2:B:420:PRO:HG3	2.47	0.49
1:A:443:ASP:OD1	1:A:444:GLY:N	2.46	0.49
1:A:195:ILE:HD12	1:A:195:ILE:H	1.76	0.49
2:B:85:GLN:HG3	2:B:154:LYS:HB3	1.94	0.49
1:A:277:ARG:HH11	1:A:334:GLN:HG2	1.76	0.49
2:B:317:VAL:HG12	2:B:347:LYS:HB3	1.94	0.49
1:A:19:PRO:HG3	1:A:80:LEU:HB2	1.95	0.49
1:A:354:TYR:OH	1:A:370:GLU:OE1	2.22	0.48
1:A:46:LYS:HD3	1:A:116:PHE:HB3	1.95	0.48

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:442:VAL:HG12	1:A:457:TYR:HB3	1.96	0.48
1:A:399:GLU:HG2	1:A:402:TRP:CZ2	2.49	0.48
2:B:115:TYR:OH	2:B:184:MET:O	2.30	0.48
2:B:254:VAL:HG13	2:B:283:LEU:HD22	1.96	0.47
2:B:248:GLU:HG2	2:B:307:ARG:HH22	1.78	0.47
1:A:180:ILE:HG12	1:A:189:VAL:HG13	1.96	0.47
1:A:513:SER:OG	1:A:514:GLU:N	2.48	0.47
1:A:80:LEU:O	1:A:84:THR:HG23	2.15	0.47
2:B:157:PRO:HG3	2:B:184:MET:HA	1.96	0.47
2:B:85:GLN:HG3	2:B:154:LYS:CB	2.45	0.47
2:B:99:GLY:HA2	2:B:102:LYS:HG3	1.97	0.47
1:A:277:ARG:NH1	1:A:334:GLN:HG2	2.31	0.46
1:A:64:LYS:HE2	1:A:71:TRP:NE1	2.31	0.46
2:B:236:PRO:HA	2:B:239:TRP:CD2	2.51	0.46
1:A:3:SER:N	1:A:4:PRO:HD2	2.31	0.46
2:B:114:ALA:HB2	2:B:214:LEU:HG	1.98	0.45
1:A:331:LYS:HG2	1:A:333:GLY:H	1.80	0.45
1:A:328:GLU:HG3	1:A:390:LYS:HB2	1.97	0.45
1:A:222:GLN:HB3	1:A:223:LYS:H	1.54	0.45
2:B:421:PRO:HG2	2:B:423:VAL:CG2	2.48	0.44
2:B:234:LEU:HD13	2:B:239:TRP:HH2	1.83	0.44
1:A:295:LEU:H	1:A:295:LEU:HD22	1.82	0.44
1:A:311:LYS:HE2	1:A:311:LYS:HB3	1.87	0.43
2:B:10:VAL:HA	2:B:88:TRP:HZ2	1.82	0.43
1:A:202:ILE:HG21	1:A:221:HIS:HE1	1.83	0.43
2:B:248:GLU:HG2	2:B:307:ARG:NH2	2.34	0.43
2:B:270:ILE:O	2:B:272:PRO:HD3	2.18	0.43
2:B:1:PRO:HB2	2:B:2:ILE:H	1.61	0.43
2:B:320:ASP:N	2:B:343:GLN:OE1	2.38	0.42
1:A:312:GLU:HA	1:A:313:PRO:HD3	1.91	0.42
1:A:405:TYR:CE2	1:A:407:GLN:HB2	2.55	0.42
1:A:265:ASN:O	1:A:268:SER:OG	2.29	0.42
2:B:72:ARG:NH2	2:B:151:GLN:OE1	2.52	0.42
2:B:66:LYS:HD2	2:B:407:GLN:HB3	2.00	0.42
2:B:277:ARG:HH21	2:B:281:LYS:NZ	2.17	0.42
2:B:201:LYS:HA	2:B:201:LYS:HD2	1.87	0.42
2:B:216:THR:HA	2:B:217:PRO:HD3	1.82	0.42
1:A:10:VAL:HG21	1:A:153:TRP:HH2	1.85	0.42
1:A:512:LYS:HD2	1:A:512:LYS:HA	1.93	0.42
2:B:10:VAL:HG13	2:B:88:TRP:CZ2	2.55	0.42
1:A:435:VAL:HG22	2:B:290:THR:HG21	2.02	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:524:GLN:O	1:A:528:LYS:HG2	2.20	0.41
1:A:96:HIS:HA	1:A:97:PRO:HD3	1.92	0.41
1:A:503:LEU:HD22	1:A:535:TRP:HB2	2.03	0.41
2:B:230:MET:HE3	2:B:231:GLY:H	1.84	0.41
2:B:206:ARG:NH1	2:B:218:ASP:HB2	2.34	0.41
1:A:201:LYS:HA	1:A:201:LYS:HD3	1.91	0.41
1:A:198:HIS:O	1:A:202:ILE:HG12	2.21	0.41
1:A:111:VAL:HA	1:A:215:THR:O	2.21	0.41
1:A:222:GLN:OE1	1:A:223:LYS:HG3	2.21	0.40
2:B:66:LYS:O	2:B:407:GLN:NE2	2.54	0.40
1:A:33:ALA:O	1:A:37:ILE:HG12	2.21	0.40
2:B:257:ILE:HD13	2:B:282:LEU:HD23	2.02	0.40
1:A:64:LYS:HG3	1:A:71:TRP:CD2	2.57	0.40
1:A:492:GLU:HG2	1:A:530:LYS:HB2	2.02	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	546/557 (98%)	525 (96%)	20 (4%)	1 (0%)	52	80
2	B	413/428 (96%)	398 (96%)	15 (4%)	0	100	100
All	All	959/985 (97%)	923 (96%)	35 (4%)	1 (0%)	56	83

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	288	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	488/495 (99%)	460 (94%)	28 (6%)	25	53
2	B	379/390 (97%)	361 (95%)	18 (5%)	32	63
All	All	867/885 (98%)	821 (95%)	46 (5%)	28	57

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	26	LEU
1	A	53	GLU
1	A	111	VAL
1	A	135	ILE
1	A	168	LEU
1	A	177	ASP
1	A	179	VAL
1	A	216	THR
1	A	221	HIS
1	A	222	GLN
1	A	230	MET
1	A	269	GLN
1	A	283	LEU
1	A	287	LYS
1	A	289	LEU
1	A	290	THR
1	A	295	LEU
1	A	334	GLN
1	A	349	LEU
1	A	353	LYS
1	A	398	TRP
1	A	402	TRP
1	A	417	VAL
1	A	499	SER
1	A	539	HIS
1	A	545	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	547	GLN
2	B	11	LYS
2	B	22	LYS
2	B	65	LYS
2	B	85	GLN
2	B	102	LYS
2	B	173	LYS
2	B	218	ASP
2	B	232	TYR
2	B	283	LEU
2	B	314	VAL
2	B	317	VAL
2	B	330	GLN
2	B	356	ARG
2	B	361	HIS
2	B	414	TRP
2	B	417	VAL
2	B	422	LEU
2	B	425	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	197	GLN
1	A	208	HIS
1	A	221	HIS
1	A	265	ASN
1	A	361	HIS
1	A	367	GLN
2	B	85	GLN
2	B	161	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	1YQ	A	601	-	27,31,31	1.44	3 (11%)	33,41,41	3.43	7 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	1YQ	A	601	-	-	0/13/14/14	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	601	1YQ	C0H-C0G	2.29	1.43	1.39
3	A	601	1YQ	C05-C04	2.31	1.45	1.40
3	A	601	1YQ	C0Z-N0S	3.65	1.42	1.36

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	1YQ	O0B-C05-C00	-5.96	109.54	123.72
3	A	601	1YQ	C0Y-C0X-N0W	-3.19	114.93	123.12
3	A	601	1YQ	O0A-C04-C05	2.53	124.05	117.53
3	A	601	1YQ	C0O-O0B-C05	3.50	126.23	117.64
3	A	601	1YQ	O0B-C0O-C0P	4.67	111.16	106.96
3	A	601	1YQ	O0B-C05-C04	8.01	132.62	115.78

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	601	1YQ	C0X-N0W-C0V	14.36	128.36	114.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	1YQ	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	548/557 (98%)	0.49	42 (7%) 16 14	45, 86, 153, 237	1 (0%)
2	B	417/428 (97%)	0.68	45 (10%) 8 6	41, 77, 160, 271	1 (0%)
All	All	965/985 (97%)	0.57	87 (9%) 12 9	41, 82, 155, 271	2 (0%)

All (87) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	2	ILE	12.9
1	A	24	TRP	12.1
2	B	230	MET	10.2
2	B	1	PRO	9.7
1	A	1	PRO	9.2
2	B	231	GLY	8.6
1	A	137	ASN	7.0
2	B	359	GLY	6.9
1	A	221	HIS	6.0
2	B	295	LEU	5.9
2	B	360	ALA	5.6
1	A	140	PRO	5.4
2	B	299	ALA	5.2
1	A	71	TRP	5.0
2	B	67	ASP	4.7
1	A	138	GLU	4.7
1	A	2	ILE	4.5
2	B	357	MET	4.5
1	A	66	LYS	4.4
1	A	133	PRO	4.3
1	A	53	GLU	4.3
2	B	284	ARG	4.2
1	A	69	THR	4.2
2	B	409	THR	4.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	87	PHE	4.1
2	B	279	LEU	4.1
2	B	358	ARG	4.1
2	B	285	GLY	4.0
1	A	218	ASP	4.0
2	B	428	GLN	3.9
2	B	218	ASP	3.9
2	B	232	TYR	3.8
1	A	54	ASN	3.8
1	A	410	TRP	3.5
1	A	289	LEU	3.5
1	A	67	ASP	3.5
1	A	139	THR	3.5
1	A	65	LYS	3.4
2	B	5	ILE	3.4
1	A	548	VAL	3.3
2	B	423	VAL	3.3
1	A	398	TRP	3.2
2	B	277	ARG	3.1
2	B	276	VAL	3.1
1	A	290	THR	3.0
2	B	301	LEU	3.0
1	A	220	LYS	3.0
1	A	287	LYS	2.9
1	A	32	LYS	2.9
2	B	282	LEU	2.9
2	B	4	PRO	2.9
1	A	291	GLU	2.9
2	B	306	ASN	2.9
2	B	308	GLU	2.8
1	A	395	LYS	2.7
1	A	546	GLU	2.7
1	A	135	ILE	2.7
1	A	283	LEU	2.6
2	B	88	TRP	2.6
2	B	274	ILE	2.6
2	B	311	LYS	2.5
1	A	222	GLN	2.5
1	A	451	LYS	2.4
2	B	419	THR	2.4
1	A	424	LYS	2.4
1	A	134	SER	2.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	3	SER	2.3
2	B	310	LEU	2.3
1	A	288	ALA	2.3
2	B	104	LYS	2.3
2	B	420	PRO	2.3
1	A	286	THR	2.3
2	B	86	ASP	2.3
2	B	252	TRP	2.2
1	A	72	ARG	2.2
2	B	239	TRP	2.2
1	A	402	TRP	2.2
1	A	63	ILE	2.2
2	B	408	ALA	2.2
2	B	12	LEU	2.1
2	B	195	ILE	2.1
1	A	547	GLN	2.1
1	A	142	ILE	2.0
2	B	66	LYS	2.0
1	A	361	HIS	2.0
2	B	312	GLU	2.0
2	B	184	MET	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	1YQ	A	601	29/29	0.88	0.23	0.71	77,77,77,77	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.