



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:32 PM GMT

PDB ID : 4LX4
Title : Crystal Structure Determination of Pseudomonas stutzeri endoglucanase Cel5A using a Twinned Data Set
Authors : Dutoit, R.; Delsaute, M.; Berlemont, R.; Van Elder, D.; Galleni, M.; Bauvois, C.
Deposited on : 2013-07-29
Resolution : 1.56 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.56 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1665 (1.58-1.54)
Clashscore	102246	1014 (1.56-1.56)
Ramachandran outliers	100387	1704 (1.58-1.54)
Sidechain outliers	100360	1702 (1.58-1.54)
RSRZ outliers	91569	1668 (1.58-1.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	330	<div> <div>3%</div> <div>80%</div> <div>17%</div> <div>..</div> </div>
1	B	330	<div> <div>6%</div> <div>80%</div> <div>18%</div> <div>..</div> </div>
1	C	330	<div> <div>7%</div> <div>77%</div> <div>20%</div> <div>.</div> </div>
1	D	330	<div> <div>7%</div> <div>76%</div> <div>20%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	TRS	A	401	-	-	-	X

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 21329 atoms, of which 9851 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Endoglucanase(Endo-1,4-beta-glucanase)protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	322	Total	C	H	N	O	S	0	0	0
			5019	1651	2444	448	467	9			
1	B	328	Total	C	H	N	O	S	0	0	0
			5113	1678	2494	456	476	9			
1	C	321	Total	C	H	N	O	S	0	0	0
			5022	1651	2451	447	464	9			
1	D	319	Total	C	H	N	O	S	0	0	0
			4964	1637	2414	440	464	9			

- Molecule 2 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: $C_4H_{12}NO_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	N	O	0	0
			20	4	12	1	3		
2	B	1	Total	C	H	N	O	0	0
			20	4	12	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	H	N	O	0	0
			20	4	12	1	3		
2	D	1	Total	C	H	N	O	0	0
			20	4	12	1	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	258	Total	O	0	0
			258	258		
3	B	312	Total	O	0	0
			312	312		
3	C	276	Total	O	0	0
			276	276		
3	D	285	Total	O	0	0
			285	285		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Endoglucanase(Endo-1,4-beta-glucanase)protein




- Molecule 1: Endoglucanase(Endo-1,4-beta-glucanase)protein



- Molecule 1: Endoglucanase(Endo-1,4-beta-glucanase)protein



● Molecule 1: Endoglucanase(Endo-1,4-beta-glucanase)protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	70.39Å 82.90Å 104.74Å 90.00° 92.08° 90.00°	Depositor
Resolution (Å)	48.28 – 1.56 48.28 – 1.56	Depositor EDS
% Data completeness (in resolution range)	91.6 (48.28-1.56) 82.3 (48.28-1.56)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.41 (at 1.55Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.2_1309)	Depositor
R, R_{free}	0.220 , 0.237 0.219 , 0.237	Depositor DCC
R_{free} test set	7882 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	12.4	Xtriage
Anisotropy	0.273	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 23.9	EDS
Estimated twinning fraction	0.126 for h,-k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.71$, $\langle L^2 \rangle = 0.60$	Xtriage
Outliers	1 of 157658 reflections (0.001%)	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	21329	wwPDB-VP
Average B, all atoms (Å ²)	12.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TRS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	2/2655 (0.1%)	0.60	2/3607 (0.1%)
1	B	0.41	2/2700 (0.1%)	0.56	2/3668 (0.1%)
1	C	0.40	1/2651 (0.0%)	0.58	2/3601 (0.1%)
1	D	0.38	1/2629 (0.0%)	0.56	1/3573 (0.0%)
All	All	0.40	6/10635 (0.1%)	0.57	7/14449 (0.0%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	279	PRO	N-CD	5.51	1.55	1.47
1	D	134	PRO	N-CD	5.36	1.55	1.47
1	C	153	PRO	N-CD	5.25	1.55	1.47
1	B	236	PRO	N-CD	5.16	1.55	1.47
1	A	256	PRO	N-CD	5.09	1.54	1.47
1	A	134	PRO	N-CD	5.03	1.54	1.47

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	255	ILE	C-N-CD	5.81	140.60	128.40
1	A	255	ILE	C-N-CD	5.76	140.50	128.40
1	A	133	HIS	C-N-CD	5.70	140.38	128.40
1	B	235	ARG	C-N-CD	5.64	140.24	128.40
1	C	152	TRP	C-N-CD	5.50	139.96	128.40
1	D	133	HIS	C-N-CD	5.46	139.86	128.40
1	B	278	VAL	C-N-CD	5.34	139.61	128.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2575	2444	2457	38	1
1	B	2619	2494	2507	53	0
1	C	2571	2451	2464	52	0
1	D	2550	2414	2428	47	1
2	A	8	12	12	0	0
2	B	8	12	12	0	0
2	C	8	12	12	0	0
2	D	8	12	12	0	0
3	A	258	0	0	6	0
3	B	312	0	0	13	1
3	C	276	0	0	11	2
3	D	285	0	0	10	2
All	All	11478	9851	9904	186	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (186) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:246:GLN:HA	3:D:742:HOH:O	1.78	0.82
1:B:256:PRO:HG2	1:B:259:LEU:HG	1.62	0.82
1:A:172:ILE:HB	1:A:201:LEU:CD2	2.11	0.81
1:B:113:LYS:HB3	3:B:789:HOH:O	1.79	0.80
1:A:220:GLN:HB3	3:A:690:HOH:O	1.82	0.79
1:A:172:ILE:HB	1:A:201:LEU:HD23	1.64	0.79
1:C:45:LYS:HA	3:C:728:HOH:O	1.81	0.79
1:B:183:TYR:HB2	1:B:233:ARG:HG2	1.67	0.77
1:C:53:ARG:HA	1:C:92:GLN:HG2	1.67	0.75
1:D:81:LYS:HG3	1:D:130:PHE:HE1	1.53	0.74
1:C:229:ILE:O	1:C:233:ARG:HG3	1.89	0.73
1:B:293:LYS:HD3	3:B:658:HOH:O	1.92	0.70
1:C:282:TYR:HB2	1:C:310:MET:CE	2.21	0.69
1:D:177:GLU:HG3	1:D:178:ARG:H	1.58	0.69
1:B:40:GLU:HB3	3:B:803:HOH:O	1.92	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:266:MET:SD	1:A:309:LEU:HD23	2.33	0.68
1:C:258:ASP:O	1:C:259:LEU:HD23	1.95	0.66
1:A:267:ASP:CG	1:A:309:LEU:HD11	2.16	0.65
1:B:233:ARG:O	1:B:236:PRO:HD2	1.96	0.65
1:B:312:LYS:HE3	1:D:89:GLN:O	1.97	0.65
1:D:72:LEU:O	3:D:676:HOH:O	2.14	0.64
1:D:211:ASP:OD2	3:D:674:HOH:O	2.15	0.64
1:B:258:ASP:C	1:B:259:LEU:HD23	2.18	0.63
1:A:146:HIS:HA	1:A:177:GLU:OE2	1.99	0.63
1:B:64:VAL:HG11	1:B:126:LEU:HD21	1.80	0.62
1:B:64:VAL:HG12	1:B:72:LEU:HD22	1.80	0.62
1:A:138:GLY:HA2	1:A:170:THR:CG2	2.30	0.61
1:C:90:ASN:HB3	3:C:728:HOH:O	2.00	0.61
1:C:3:TRP:CG	1:C:4:PRO:HD2	2.35	0.61
1:D:185:TRP:HB3	1:D:186:PRO:HD3	1.82	0.61
1:A:53:ARG:HA	1:A:92:GLN:HG2	1.81	0.61
1:D:125:LYS:O	1:D:129:ARG:HG3	2.01	0.61
1:C:50:GLN:O	1:C:311:ARG:NH1	2.35	0.60
1:A:185:TRP:HB3	1:A:186:PRO:HD3	1.83	0.60
1:B:53:ARG:HA	1:B:92:GLN:HG2	1.84	0.60
1:C:3:TRP:CD1	1:C:4:PRO:HD2	2.37	0.60
1:C:125:LYS:O	1:C:129:ARG:HG2	2.02	0.59
1:B:321:ILE:HG12	3:B:718:HOH:O	2.02	0.59
1:B:259:LEU:N	1:B:259:LEU:HD23	2.16	0.58
1:C:282:TYR:HB2	1:C:310:MET:HE2	1.85	0.58
1:D:251:GLY:O	1:D:281:ALA:HB3	2.04	0.58
1:D:75:ASP:HB3	3:D:692:HOH:O	2.03	0.58
1:B:64:VAL:CG1	1:B:72:LEU:HD22	2.34	0.57
1:C:311:ARG:HH11	1:C:311:ARG:HG2	1.69	0.57
1:B:50:GLN:O	1:B:311:ARG:NH1	2.38	0.56
1:C:148:THR:O	1:C:149:VAL:HG22	2.05	0.56
1:C:195:ASN:HD22	1:D:33:GLY:HA2	1.70	0.56
1:C:229:ILE:HD13	3:C:650:HOH:O	2.06	0.56
1:C:48:ALA:HB3	3:C:728:HOH:O	2.03	0.56
1:B:11:LEU:HD13	1:B:321:ILE:HD13	1.87	0.56
1:C:123:TRP:CZ3	1:C:139:TYR:HB3	2.42	0.55
1:B:330:ASP:HB3	3:B:812:HOH:O	2.07	0.54
1:B:232:GLU:O	1:B:236:PRO:HD3	2.07	0.54
1:A:204:GLU:HG2	3:A:658:HOH:O	2.07	0.53
1:D:26:HIS:CD2	1:D:27:ILE:HG13	2.44	0.53
1:D:73:ASN:O	1:D:77:ILE:HG12	2.09	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:131:LYS:HE3	1:C:167:ASP:HA	1.90	0.53
1:A:142:MET:HB3	1:A:152:TRP:CH2	2.44	0.53
1:B:237:PHE:O	1:B:241:LEU:HG	2.09	0.53
1:A:54:LEU:O	1:A:55:ILE:HD13	2.09	0.52
1:C:42:LYS:HG3	1:C:43:HIS:N	2.24	0.52
1:D:145:PRO:HG2	1:D:176:GLY:O	2.08	0.52
1:A:29:PRO:HD3	3:A:575:HOH:O	2.08	0.52
1:C:201:LEU:HD22	1:C:203:TYR:CE1	2.44	0.52
1:A:189:ASN:HB3	1:A:192:PHE:HB2	1.90	0.52
1:C:225:ILE:O	3:C:692:HOH:O	2.19	0.51
1:B:40:GLU:HG3	1:B:42:LYS:HG2	1.91	0.51
1:D:189:ASN:HB3	1:D:192:PHE:HB2	1.93	0.51
1:C:282:TYR:CB	1:C:310:MET:HE1	2.41	0.51
1:D:311:ARG:HG2	1:D:311:ARG:HH11	1.76	0.50
1:D:248:GLY:O	1:D:279:PRO:HD2	2.11	0.50
1:B:311:ARG:HG2	1:B:311:ARG:HH11	1.77	0.50
1:B:160:VAL:HG21	1:B:194:ILE:HG21	1.93	0.50
1:A:189:ASN:HB3	1:A:192:PHE:CB	2.41	0.50
1:D:189:ASN:HB3	1:D:192:PHE:CB	2.42	0.50
1:B:282:TYR:OH	1:B:306:GLN:HG2	2.12	0.50
1:C:124:ARG:NH1	3:C:662:HOH:O	2.44	0.50
1:B:257:ASP:OD1	1:B:293:LYS:HD2	2.11	0.50
1:D:42:LYS:HE2	3:D:723:HOH:O	2.11	0.50
1:C:113:LYS:HG3	3:C:686:HOH:O	2.11	0.50
1:A:3:TRP:CG	1:A:4:PRO:HD2	2.47	0.50
1:B:99:HIS:HA	1:B:143:ASN:HB3	1.94	0.50
1:A:28:THR:HA	1:A:29:PRO:C	2.31	0.49
1:B:247:LYS:HD3	1:B:321:ILE:HB	1.94	0.49
1:D:117:GLU:HG3	3:D:660:HOH:O	2.13	0.49
1:C:46:TYR:O	1:C:50:GLN:HG2	2.13	0.48
1:A:311:ARG:CZ	1:A:311:ARG:HB2	2.43	0.48
1:C:282:TYR:HB2	1:C:310:MET:HE1	1.95	0.48
1:B:53:ARG:HG3	3:B:601:HOH:O	2.12	0.48
1:A:177:GLU:HG3	1:A:178:ARG:N	2.28	0.48
1:D:142:MET:HB3	1:D:152:TRP:CH2	2.49	0.47
1:D:282:TYR:OH	1:D:306:GLN:HG2	2.14	0.47
1:A:212:ASP:O	3:A:550:HOH:O	2.20	0.47
1:D:28:THR:HA	1:D:29:PRO:C	2.35	0.47
1:C:168:ASP:OD1	1:C:169:GLN:HG2	2.14	0.47
1:D:78:ARG:NH2	3:D:692:HOH:O	2.47	0.47
1:D:42:LYS:NZ	3:D:636:HOH:O	2.47	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:293:LYS:CD	3:B:658:HOH:O	2.57	0.47
1:B:186:PRO:O	1:B:190:ALA:HB2	2.14	0.47
1:A:186:PRO:HD2	3:A:743:HOH:O	2.14	0.47
1:C:242:GLN:HG2	1:C:324:THR:O	2.15	0.47
1:D:15:GLY:HA2	1:D:52:ILE:HG23	1.98	0.46
1:C:78:ARG:NH1	3:C:665:HOH:O	2.46	0.46
1:C:117:GLU:OE2	3:C:645:HOH:O	2.21	0.46
1:D:3:TRP:CG	1:D:4:PRO:HD2	2.51	0.46
1:B:279:PRO:HD3	1:B:321:ILE:HG23	1.97	0.46
1:B:218:MET:HB2	1:B:221:THR:OG1	2.16	0.46
1:D:93:LYS:HB3	1:D:137:LEU:HB2	1.97	0.46
1:D:235:ARG:HB3	1:D:236:PRO:HD3	1.97	0.46
1:A:45:LYS:NZ	1:A:49:ASP:OD2	2.48	0.46
1:C:64:VAL:HG13	1:C:77:ILE:HD11	1.97	0.46
1:D:19:SER:HB2	1:D:20:GLY:CA	2.47	0.46
1:B:8:GLU:HB2	3:B:686:HOH:O	2.16	0.46
1:C:64:VAL:HG11	1:C:126:LEU:HD21	1.98	0.45
1:C:97:ASP:HA	1:C:140:ASP:HB3	1.98	0.45
1:C:311:ARG:NH1	1:C:311:ARG:HG2	2.31	0.45
1:C:131:LYS:HE3	1:C:166:VAL:O	2.17	0.45
1:C:233:ARG:O	1:C:236:PRO:HD2	2.17	0.44
1:A:97:ASP:OD1	1:A:143:ASN:HB2	2.17	0.44
1:A:241:LEU:CD1	1:A:248:GLY:HA3	2.47	0.44
1:C:219:ALA:O	1:C:223:ARG:HG3	2.17	0.44
1:A:3:TRP:CZ3	1:A:137:LEU:HD21	2.53	0.44
1:B:311:ARG:HG2	1:B:311:ARG:NH1	2.32	0.44
1:D:188:VAL:HG23	1:D:189:ASN:CG	2.38	0.44
1:C:174:ILE:HG13	1:C:201:LEU:HD21	1.99	0.44
1:A:241:LEU:HD13	1:A:248:GLY:HA3	2.00	0.44
1:B:19:SER:HB2	1:B:20:GLY:CA	2.47	0.44
1:D:3:TRP:CD1	1:D:4:PRO:HD2	2.53	0.43
1:B:103:ARG:NE	3:B:689:HOH:O	2.43	0.43
1:B:142:MET:HB3	1:B:152:TRP:CH2	2.53	0.43
1:C:124:ARG:HE	1:C:162:ALA:HB1	1.82	0.43
1:C:297:GLU:CD	1:C:298:PRO:HD2	2.38	0.43
1:A:148:THR:O	1:A:149:VAL:HG23	2.18	0.43
1:C:269:LEU:O	1:C:273:LEU:HG	2.18	0.43
1:A:206:HIS:CG	1:A:252:GLU:HB2	2.53	0.43
1:A:127:ALA:HB3	1:A:166:VAL:HG21	2.00	0.43
1:B:178:ARG:HG3	3:B:800:HOH:O	2.18	0.43
1:A:235:ARG:N	1:A:236:PRO:CD	2.82	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:308:GLU:HA	1:A:311:ARG:HE	1.83	0.43
1:D:6:ASN:HB2	1:D:9:GLY:O	2.19	0.43
1:D:40:GLU:HG3	1:D:42:LYS:HG2	2.00	0.43
1:D:177:GLU:HG3	1:D:178:ARG:N	2.29	0.43
1:C:93:LYS:HB3	1:C:137:LEU:HB2	2.01	0.43
1:A:99:HIS:HA	1:A:143:ASN:HB3	2.01	0.43
1:B:302:LYS:HB3	1:B:302:LYS:HE3	1.61	0.43
1:C:235:ARG:N	1:C:236:PRO:CD	2.81	0.42
1:B:127:ALA:O	1:B:131:LYS:HB2	2.19	0.42
1:B:227:PRO:HB3	1:B:264:GLN:HG3	2.01	0.42
1:C:157:GLN:HG2	1:D:40:GLU:OE2	2.19	0.42
1:C:193:LEU:HD21	1:D:33:GLY:HA3	2.02	0.42
1:D:104:TYR:HB3	1:D:114:VAL:HG21	2.01	0.42
1:C:324:THR:HA	1:C:325:PRO:HD3	1.91	0.42
1:D:53:ARG:HA	1:D:92:GLN:HG2	2.01	0.42
1:A:175:GLU:HG2	3:A:658:HOH:O	2.19	0.42
1:C:78:ARG:NH2	3:C:765:HOH:O	2.52	0.42
1:B:223:ARG:NH1	3:B:797:HOH:O	2.53	0.42
1:B:93:LYS:HB3	1:B:137:LEU:HB2	2.02	0.42
1:A:3:TRP:CD1	1:A:4:PRO:HD2	2.55	0.42
1:D:105:HIS:HA	3:D:679:HOH:O	2.20	0.42
1:B:97:ASP:HA	1:B:140:ASP:HB3	2.02	0.42
1:A:220:GLN:HG2	1:A:221:THR:HG23	2.02	0.41
1:C:196:ASP:HB2	1:C:201:LEU:HD12	2.01	0.41
1:D:296:ILE:HD11	1:D:307:MET:HA	2.03	0.41
1:D:100:ASN:HB2	1:D:142:MET:SD	2.61	0.41
1:B:237:PHE:CZ	1:B:241:LEU:HD11	2.56	0.41
1:B:54:LEU:O	1:B:55:ILE:HD13	2.21	0.41
1:B:82:LYS:HD3	3:B:584:HOH:O	2.21	0.41
1:D:173:PHE:HA	1:D:202:ILE:O	2.21	0.41
1:C:196:ASP:CB	1:C:201:LEU:HD12	2.51	0.41
1:C:237:PHE:CZ	1:C:241:LEU:HD11	2.56	0.41
1:D:120:ALA:HB1	1:D:162:ALA:HB2	2.03	0.41
1:B:41:LYS:HE3	1:B:41:LYS:HB2	1.92	0.41
1:D:199:ASP:HA	3:D:538:HOH:O	2.21	0.41
1:D:97:ASP:HA	1:D:140:ASP:HB3	2.03	0.41
1:C:282:TYR:CB	1:C:310:MET:CE	2.94	0.41
1:A:196:ASP:HB2	1:A:201:LEU:HD11	2.03	0.40
1:D:125:LYS:O	1:D:129:ARG:CG	2.68	0.40
1:A:65:GLN:HG2	1:A:67:SER:O	2.21	0.40
1:B:185:TRP:N	1:B:186:PRO:HD2	2.36	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:223:ARG:HB2	1:B:223:ARG:HE	1.70	0.40
1:B:75:ASP:OD2	3:B:725:HOH:O	2.22	0.40
1:A:26:HIS:CD2	1:A:27:ILE:HG13	2.56	0.40
1:B:11:LEU:HD13	1:B:321:ILE:CD1	2.50	0.40
1:B:99:HIS:HA	1:B:143:ASN:CB	2.51	0.40
1:B:3:TRP:CG	1:B:4:PRO:HD2	2.56	0.40
1:C:302:LYS:N	3:C:703:HOH:O	2.54	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:GLU:HG2	1:D:319:THR:HG1[2_556]	1.32	0.28
3:C:776:HOH:O	3:D:748:HOH:O[1_565]	2.03	0.17
3:C:765:HOH:O	3:D:780:HOH:O[1_565]	2.07	0.13
3:B:586:HOH:O	3:B:608:HOH:O[2_557]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	320/330 (97%)	317 (99%)	3 (1%)	0	100	100
1	B	326/330 (99%)	321 (98%)	5 (2%)	0	100	100
1	C	317/330 (96%)	311 (98%)	6 (2%)	0	100	100
1	D	315/330 (96%)	312 (99%)	3 (1%)	0	100	100
All	All	1278/1320 (97%)	1261 (99%)	17 (1%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	261/267 (98%)	258 (99%)	3 (1%)	80	58
1	B	266/267 (100%)	263 (99%)	3 (1%)	80	58
1	C	262/267 (98%)	259 (99%)	3 (1%)	80	58
1	D	259/267 (97%)	257 (99%)	2 (1%)	86	71
All	All	1048/1068 (98%)	1037 (99%)	11 (1%)	82	62

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	149	VAL
1	A	178	ARG
1	A	180	SER
1	B	97	ASP
1	B	178	ARG
1	B	221	THR
1	C	42	LYS
1	C	178	ARG
1	C	180	SER
1	D	129	ARG
1	D	178	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	TRS	A	401	-	7,7,7	0.34	0	9,9,9	0.69	0
2	TRS	B	401	-	7,7,7	0.95	1 (14%)	9,9,9	1.19	1 (11%)
2	TRS	C	401	-	7,7,7	0.49	0	9,9,9	0.51	0
2	TRS	D	401	-	7,7,7	0.51	0	9,9,9	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TRS	A	401	-	-	0/9/9/9	0/0/0/0
2	TRS	B	401	-	-	0/9/9/9	0/0/0/0
2	TRS	C	401	-	-	0/9/9/9	0/0/0/0
2	TRS	D	401	-	-	0/9/9/9	0/0/0/0

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	TRS	C-N	-2.08	1.47	1.50

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	TRS	C2-C-N	-2.36	103.80	108.09

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	322/330 (97%)	0.68	10 (3%) 52 56	6, 11, 18, 25	0
1	B	328/330 (99%)	0.81	21 (6%) 23 23	6, 11, 18, 24	0
1	C	321/330 (97%)	0.88	23 (7%) 18 18	6, 12, 20, 26	0
1	D	319/330 (96%)	0.87	24 (7%) 17 17	5, 12, 19, 28	0
All	All	1290/1320 (97%)	0.81	78 (6%) 25 25	5, 11, 19, 28	0

All (78) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	259	LEU	5.8
1	B	329	ALA	5.4
1	D	74	PHE	4.5
1	B	328	ILE	4.0
1	C	225	ILE	4.0
1	D	72	LEU	3.7
1	C	201	LEU	3.4
1	A	201	LEU	3.3
1	C	151	LEU	3.1
1	D	71	GLY	3.0
1	C	150	GLY	3.0
1	D	64	VAL	3.0
1	B	179	TRP	2.9
1	C	179	TRP	2.9
1	C	315	ALA	2.9
1	C	224	ASN	2.9
1	B	74	PHE	2.9
1	D	324	THR	2.8
1	B	11	LEU	2.8
1	D	298	PRO	2.8
1	B	223	ARG	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	187	LEU	2.6
1	B	169	GLN	2.6
1	C	5	VAL	2.6
1	D	166	VAL	2.5
1	C	126	LEU	2.5
1	D	193	LEU	2.5
1	A	7	ASP	2.5
1	D	130	PHE	2.5
1	C	270	LEU	2.5
1	A	2	ASP	2.5
1	B	330	ASP	2.5
1	C	259	LEU	2.4
1	A	74	PHE	2.4
1	D	37	PHE	2.4
1	C	113	LYS	2.4
1	C	131	LYS	2.4
1	B	221	THR	2.4
1	B	68	LEU	2.4
1	A	200	ARG	2.3
1	D	223	ARG	2.3
1	D	150	GLY	2.3
1	D	126	LEU	2.3
1	A	224	ASN	2.3
1	B	225	ILE	2.3
1	A	300	ASN	2.2
1	D	16	VAL	2.2
1	D	303	ASP	2.2
1	C	294	LEU	2.2
1	B	321	ILE	2.2
1	B	130	PHE	2.2
1	B	183	TYR	2.2
1	A	309	LEU	2.2
1	B	309	LEU	2.2
1	D	51	GLY	2.2
1	C	163	ILE	2.2
1	D	77	ILE	2.2
1	C	149	VAL	2.1
1	D	308	GLU	2.1
1	D	61	TRP	2.1
1	C	130	PHE	2.1
1	A	187	LEU	2.1
1	C	223	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	123	TRP	2.1
1	D	192	PHE	2.1
1	D	188	VAL	2.1
1	C	260	PRO	2.1
1	B	187	LEU	2.1
1	B	302	LYS	2.1
1	B	149	VAL	2.1
1	B	84	LEU	2.1
1	C	124	ARG	2.0
1	A	314	LEU	2.0
1	D	68	LEU	2.0
1	B	258	ASP	2.0
1	C	27	ILE	2.0
1	D	128	GLU	2.0
1	C	319	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	TRS	A	401	8/8	0.83	0.20	9.45	8,16,24,29	0
2	TRS	C	401	8/8	0.85	0.14	0.84	8,12,15,19	0
2	TRS	B	401	8/8	0.87	0.14	0.82	8,12,16,18	0
2	TRS	D	401	8/8	0.91	0.12	0.07	9,12,15,16	0

6.5 Other polymers

There are no such residues in this entry.