



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 08:48 PM GMT

PDB ID : 1M3Z  
Title : Biosynthetic thiolase, C89A mutant, complexed with acetyl coenzyme A  
Authors : Kursula, P.; Ojala, J.; Lambeir, A.-M.; Wierenga, R.K.  
Deposited on : 2002-07-03  
Resolution : 1.87 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6965 (1.90-1.86)
Clashscore	102246	7778 (1.90-1.86)
Ramachandran outliers	100387	7691 (1.90-1.86)
Sidechain outliers	100360	7692 (1.90-1.86)
RSRZ outliers	91569	6979 (1.90-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	392	<div> <div style="width: 100%; height: 10px; background-color: red; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">%</span> </div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">86%</span> <span style="position: absolute; top: -10px; right: 0;">12% ..</span> </div> </div>
1	B	392	<div> <div style="width: 100%; height: 10px; background-color: red; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">%</span> </div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">83%</span> <span style="position: absolute; top: -10px; right: 0;">15% ..</span> </div> </div>
1	C	392	<div> <div style="width: 100%; height: 10px; background-color: red; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">2%</span> </div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">86%</span> <span style="position: absolute; top: -10px; right: 0;">12% ..</span> </div> </div>
1	D	392	<div> <div style="width: 100%; height: 10px; background-color: red; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">5%</span> </div> <div style="width: 100%; height: 10px; background-color: green; position: relative;"> <span style="position: absolute; top: -10px; left: 0;">80%</span> <span style="position: absolute; top: -10px; right: 0;">18% ..</span> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ACO	A	1393	-	-	-	X
3	ACO	B	2393	-	-	-	X
3	ACO	D	4393	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12568 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	390	Total	C	N	O	S	0	2	0
			2823	1753	510	540	20			
1	B	390	Total	C	N	O	S	0	2	0
			2823	1753	510	540	20			
1	C	390	Total	C	N	O	S	0	2	0
			2823	1753	510	540	20			
1	D	390	Total	C	N	O	S	0	2	0
			2823	1753	510	540	20			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	10	ALA	-	INSERTION	UNP P07097
A	89	ALA	CYS	ENGINEERED	UNP P07097
A	129	ARG	ALA	CONFLICT	UNP P07097
B	10	ALA	-	INSERTION	UNP P07097
B	89	ALA	CYS	ENGINEERED	UNP P07097
B	129	ARG	ALA	CONFLICT	UNP P07097
C	10	ALA	-	INSERTION	UNP P07097
C	89	ALA	CYS	ENGINEERED	UNP P07097
C	129	ARG	ALA	CONFLICT	UNP P07097
D	10	ALA	-	INSERTION	UNP P07097
D	89	ALA	CYS	ENGINEERED	UNP P07097
D	129	ARG	ALA	CONFLICT	UNP P07097

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is ACETYL COENZYME \*A (three-letter code: ACO) (formula:  $C_{23}H_{38}N_7O_{17}P_3S$ ).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
3	B	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
3	C	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
3	D	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	343	Total	O	0	0
			343	343		
4	B	346	Total	O	0	0
			346	346		
4	C	178	Total	O	0	0
			178	178		
4	D	185	Total	O	0	0
			185	185		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Acetyl-CoA acetyltransferase




- Molecule 1: Acetyl-CoA acetyltransferase




- Molecule 1: Acetyl-CoA acetyltransferase



- Molecule 1: Acetyl-CoA acetyltransferase







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	84.60Å 79.68Å 149.32Å 90.00° 92.83° 90.00°	Depositor
Resolution (Å)	20.00 – 1.87 19.78 – 1.87	Depositor EDS
% Data completeness (in resolution range)	90.9 (20.00-1.87) 78.5 (19.78-1.87)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.81 (at 1.87Å)	Xtriage
Refinement program	REFMAC 5.1.19	Depositor
R, $R_{free}$	0.192 , 0.242 0.202 , 0.248	Depositor DCC
$R_{free}$ test set	6848 reflections (4.82%)	DCC
Wilson B-factor (Å <sup>2</sup> )	23.1	Xtriage
Anisotropy	0.272	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 44.8	EDS
Estimated twinning fraction	0.149 for h,-k,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.38$ , $\langle L^2 \rangle = 0.20$	Xtriage
Outliers	0 of 148800 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	12568	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.24% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ACO, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.87	1/2873 (0.0%)	0.98	14/3879 (0.4%)
1	B	0.87	0/2873	0.94	12/3879 (0.3%)
1	C	0.64	1/2873 (0.0%)	0.84	9/3879 (0.2%)
1	D	0.56	0/2873	0.79	6/3879 (0.2%)
All	All	0.75	2/11492 (0.0%)	0.89	41/15516 (0.3%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	276	VAL	CB-CG2	-5.29	1.41	1.52
1	C	135	GLY	C-O	5.22	1.32	1.23

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	266	ARG	NE-CZ-NH2	-9.02	115.79	120.30
1	B	367	ARG	NE-CZ-NH1	8.09	124.35	120.30
1	A	107	ASP	CB-CG-OD2	7.77	125.30	118.30
1	A	266	ARG	NE-CZ-NH1	7.42	124.01	120.30
1	C	207	ARG	NE-CZ-NH1	7.17	123.88	120.30
1	C	107	ASP	CB-CG-OD2	6.96	124.56	118.30
1	B	107	ASP	CB-CG-OD2	6.68	124.31	118.30
1	D	146	ASP	CB-CG-OD2	6.47	124.12	118.30
1	A	146	ASP	CB-CG-OD2	6.44	124.09	118.30
1	B	309	ASP	CB-CG-OD2	6.43	124.09	118.30
1	B	176	ASP	CB-CG-OD2	6.33	124.00	118.30
1	B	311	ASP	CB-CG-OD2	6.28	123.96	118.30
1	A	329	ASP	CB-CG-OD2	6.10	123.79	118.30
1	C	329	ASP	CB-CG-OD2	6.09	123.78	118.30
1	A	214	ASP	CB-CG-OD2	6.08	123.78	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	267	ARG	NE-CZ-NH2	-6.03	117.28	120.30
1	A	226	ASP	CB-CG-OD2	5.99	123.69	118.30
1	A	251	ASP	CB-CG-OD2	5.95	123.65	118.30
1	B	251	ASP	CB-CG-OD2	5.91	123.62	118.30
1	A	141	ASP	CB-CG-OD2	5.91	123.62	118.30
1	B	210	ASP	CB-CG-OD2	5.90	123.61	118.30
1	A	311	ASP	CB-CG-OD2	5.89	123.60	118.30
1	B	192	ASP	CB-CG-OD2	5.88	123.59	118.30
1	D	251	ASP	CB-CG-OD2	5.87	123.58	118.30
1	A	284	ASP	CB-CG-OD1	5.84	123.56	118.30
1	B	367	ARG	NE-CZ-NH2	-5.83	117.39	120.30
1	B	329	ASP	CB-CG-OD2	5.80	123.52	118.30
1	A	192	ASP	CB-CG-OD2	5.69	123.42	118.30
1	A	210	ASP	CB-CG-OD2	5.66	123.39	118.30
1	A	339	VAL	CG1-CB-CG2	5.65	119.94	110.90
1	D	216	ASP	CB-CG-OD2	5.59	123.33	118.30
1	C	251	ASP	CB-CG-OD2	5.54	123.28	118.30
1	C	226	ASP	CB-CG-OD2	5.52	123.27	118.30
1	C	176	ASP	CB-CG-OD2	5.36	123.13	118.30
1	C	197	ASP	CB-CG-OD2	5.34	123.11	118.30
1	D	107	ASP	CB-CG-OD2	5.31	123.08	118.30
1	B	226	ASP	CB-CG-OD2	5.30	123.07	118.30
1	D	136	ASP	CB-CG-OD1	5.28	123.05	118.30
1	C	146	ASP	CB-CG-OD2	5.21	122.99	118.30
1	C	150	ASP	CB-CG-OD2	5.08	122.88	118.30
1	D	197	ASP	CB-CG-OD2	5.08	122.87	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2823	0	2829	25	0
1	B	2823	0	2829	40	0
1	C	2823	0	2829	30	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2823	0	2829	58	0
2	A	10	0	0	1	0
2	B	10	0	0	0	0
3	A	51	0	34	6	0
3	B	51	0	34	4	0
3	C	51	0	34	1	0
3	D	51	0	34	2	0
4	A	343	0	0	12	0
4	B	346	0	0	20	0
4	C	178	0	0	13	0
4	D	185	0	0	36	0
All	All	12568	0	11452	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:332:TRP:HB2	4:B:445:HOH:O	1.59	1.02
1:D:326:VAL:HG22	4:D:4413:HOH:O	1.64	0.97
1:D:82:ALA:HB2	4:D:4563:HOH:O	1.73	0.89
1:B:340:ASN:ND2	4:B:455:HOH:O	2.05	0.89
1:D:290:THR:HA	4:D:4413:HOH:O	1.76	0.85
1:C:128:LEU:HB3	4:C:3561:HOH:O	1.77	0.82
1:B:336:ILE:HD11	4:B:445:HOH:O	1.80	0.81
1:A:3:PRO:N	4:A:9979:HOH:O	2.15	0.79
1:D:8:ALA:HA	4:D:4564:HOH:O	1.83	0.77
1:A:378:CYS:SG	3:A:1393:ACO:HH33	2.26	0.75
1:D:254:ALA:HB2	4:D:4567:HOH:O	1.90	0.72
1:C:316:ASN:HD21	1:C:348:HIS:CE1	2.08	0.71
1:D:388:CYS:SG	4:D:4523:HOH:O	2.48	0.71
1:D:19:ASN:CG	4:D:4566:HOH:O	2.29	0.70
1:D:15:VAL:HG13	4:D:4555:HOH:O	1.92	0.70
1:D:64:GLN:OE1	4:D:4408:HOH:O	2.12	0.68
1:B:57:VAL:O	4:B:9945:HOH:O	2.11	0.68
1:C:87:GLN:NE2	4:C:3503:HOH:O	2.25	0.67
1:D:392:LEU:HD21	4:D:4557:HOH:O	1.94	0.67
1:C:349:PRO:HG3	4:C:3565:HOH:O	1.94	0.66
1:C:111:ILE:HG12	4:C:3526:HOH:O	1.96	0.65
1:C:15:VAL:HG22	4:C:3565:HOH:O	1.98	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:268:GLY:HA2	4:C:3427:HOH:O	2.00	0.62
1:B:378:CYS:SG	3:B:2393:ACO:HH33	2.39	0.62
1:C:207:ARG:HH11	1:C:207:ARG:HG2	1.65	0.62
1:D:164:VAL:HG21	4:D:4441:HOH:O	1.98	0.62
1:C:383:MET:HB3	4:C:3503:HOH:O	2.00	0.61
1:D:269:ILE:HG22	4:D:4564:HOH:O	1.99	0.61
4:A:443:HOH:O	1:D:134:MET:SD	2.56	0.61
1:D:242:THR:HG23	1:D:245:ASN:HD21	1.65	0.61
1:B:175:GLN:HE22	1:B:240:THR:CG2	2.15	0.59
1:D:144:ILE:HD13	1:D:148:LEU:HD12	1.83	0.59
1:C:28:HIS:ND1	1:C:62:GLU:OE2	2.34	0.59
1:D:315:ALA:HB2	4:D:4577:HOH:O	2.03	0.58
1:A:48:GLU:OE1	1:A:267:ARG:NH2	2.34	0.58
1:D:207:ARG:HD3	1:D:207:ARG:N	2.18	0.58
1:A:168:TRP:HH2	1:A:329:ASP:HB2	1.69	0.58
1:D:258:LEU:HD22	4:D:4562:HOH:O	2.05	0.57
1:C:180:VAL:HG22	1:C:228:MET:HE3	1.87	0.56
1:D:340:ASN:ND2	1:D:364:GLU:OE1	2.33	0.56
1:D:349:PRO:HG3	4:D:4555:HOH:O	2.06	0.55
3:D:4393:ACO:HH32	4:D:4497:HOH:O	2.05	0.55
1:B:144:ILE:HD13	1:B:148:LEU:HD12	1.88	0.55
1:B:191:LYS:HB3	1:B:191:LYS:NZ	2.22	0.55
1:B:100:MET:HG3	4:B:444:HOH:O	2.07	0.54
1:A:80:ALA:HB2	4:A:414:HOH:O	2.06	0.54
1:D:175:GLN:HE22	1:D:240:THR:HG21	1.73	0.54
1:C:330:LEU:HD12	1:C:332:TRP:CZ2	2.43	0.54
1:B:24:ASN:ND2	4:B:9941:HOH:O	2.10	0.54
1:B:138:LYS:NZ	4:B:9984:HOH:O	2.40	0.54
1:A:175:GLN:NE2	4:A:446:HOH:O	2.41	0.54
3:D:4393:ACO:H4B	4:D:4554:HOH:O	2.06	0.53
1:B:322:GLN:O	1:B:326:VAL:HG23	2.08	0.53
1:D:366:LYS:HB2	4:D:4556:HOH:O	2.07	0.53
1:D:356:ARG:HG2	4:D:4567:HOH:O	2.06	0.53
4:C:3553:HOH:O	1:D:64:GLN:HG3	2.07	0.53
1:D:333:ASP:HA	4:D:4551:HOH:O	2.09	0.53
1:A:148:LEU:HD22	3:A:1393:ACO:C5P	2.39	0.53
1:A:166:LYS:NZ	4:A:9990:HOH:O	2.42	0.52
1:D:251:ASP:O	4:D:4555:HOH:O	2.19	0.52
1:C:207:ARG:HH11	1:C:207:ARG:CG	2.23	0.52
1:A:226:ASP:CG	4:A:9836:HOH:O	2.47	0.52
1:B:207:ARG:HD3	1:B:207:ARG:N	2.24	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:20:GLY:O	4:D:4473:HOH:O	2.18	0.52
1:B:371:ARG:CD	4:B:9777:HOH:O	2.58	0.51
1:A:40:GLU:HG3	4:A:9914:HOH:O	2.10	0.51
1:A:322:GLN:HB3	4:A:409:HOH:O	2.09	0.51
1:C:276:VAL:HG22	1:C:388:CYS:HB2	1.92	0.51
1:A:168:TRP:CH2	1:A:329:ASP:HB2	2.46	0.50
1:A:378:CYS:SG	3:A:1393:ACO:CH3	2.99	0.50
3:A:1393:ACO:H10	4:A:443:HOH:O	2.12	0.49
1:D:52:VAL:HB	4:D:4563:HOH:O	2.12	0.48
1:C:54:LEU:HD21	4:C:3566:HOH:O	2.12	0.48
1:D:326:VAL:HG12	1:D:330:LEU:HD12	1.95	0.48
1:B:191:LYS:NZ	4:B:398:HOH:O	2.47	0.48
1:B:330:LEU:HD13	1:B:332:TRP:CH2	2.49	0.47
1:C:7:ILE:HD13	1:C:362:LEU:HD11	1.97	0.47
1:D:321:ALA:N	4:D:4507:HOH:O	2.46	0.47
1:D:57:VAL:HG21	1:D:350:ILE:HG22	1.95	0.47
1:D:271:PRO:HA	4:D:4564:HOH:O	2.14	0.47
1:C:103:ILE:HD11	4:C:3526:HOH:O	2.15	0.47
1:D:312:LEU:HD13	1:D:368:ARG:HD2	1.97	0.47
1:D:166:LYS:HE2	4:D:4440:HOH:O	2.15	0.47
1:A:144:ILE:HD13	1:A:148:LEU:HD12	1.96	0.46
1:D:148:LEU:HD23	4:D:4561:HOH:O	2.16	0.46
1:C:329:ASP:OD1	1:C:330:LEU:HD23	2.15	0.46
1:B:371:ARG:HD3	4:B:9777:HOH:O	2.15	0.46
1:B:174:GLU:OE1	4:B:395:HOH:O	2.20	0.46
3:B:2393:ACO:H141	4:B:448:HOH:O	2.14	0.46
1:A:321:ALA:CB	4:A:446:HOH:O	2.63	0.46
1:A:8:ALA:HB1	1:A:269:ILE:HG21	1.97	0.46
1:D:322:GLN:O	1:D:326:VAL:HG23	2.16	0.46
1:A:175:GLN:HE22	1:A:240:THR:CG2	2.28	0.46
1:A:227:SER:HB2	3:A:1393:ACO:H2A	1.98	0.46
1:D:257:LEU:HD23	1:D:258:LEU:N	2.31	0.45
1:D:334:PRO:HD2	4:D:4551:HOH:O	2.15	0.45
1:B:371:ARG:HD2	4:B:9777:HOH:O	2.15	0.45
1:C:144:ILE:HD13	1:C:148:LEU:HD12	1.99	0.45
1:C:276:VAL:CG2	1:C:388:CYS:HB2	2.47	0.45
1:D:271:PRO:CA	4:D:4564:HOH:O	2.64	0.45
1:C:110:ILE:CA	4:C:3526:HOH:O	2.65	0.45
1:B:194:ARG:HB3	4:B:455:HOH:O	2.16	0.45
1:B:297:ARG:NE	4:B:9823:HOH:O	2.50	0.45
1:A:175:GLN:HE22	1:A:240:THR:HG21	1.82	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:289:GLY:HA3	4:D:4441:HOH:O	2.17	0.45
1:D:254:ALA:HB3	1:D:355:ALA:HB3	1.98	0.44
1:D:291:GLY:N	1:D:292:PRO:CD	2.80	0.44
1:C:68:ARG:HG3	1:D:152:PHE:HZ	1.81	0.44
1:B:378:CYS:O	3:B:2393:ACO:HH31	2.17	0.44
1:B:175:GLN:HE22	1:B:240:THR:HG21	1.81	0.44
1:D:58:LEU:HD11	4:D:4494:HOH:O	2.16	0.44
1:D:357:ILE:HD11	1:D:377:LEU:HD11	1.98	0.44
1:C:180:VAL:CG2	1:C:228:MET:HE3	2.46	0.44
1:D:312:LEU:O	1:D:373:GLY:HA2	2.17	0.44
1:A:354:GLY:HA2	1:A:377:LEU:HD11	2.00	0.44
1:D:157:MET:HE1	4:D:4573:HOH:O	2.18	0.44
1:B:203:ILE:CD1	1:B:212:THR:OG1	2.65	0.44
1:B:88:LEU:HB2	1:B:379:ILE:HG23	2.00	0.44
1:D:19:ASN:ND2	4:D:4566:HOH:O	2.48	0.43
1:C:319:PHE:O	1:C:322:GLN:HG3	2.18	0.43
3:A:1393:ACO:H142	4:A:443:HOH:O	2.18	0.43
1:D:207:ARG:HD3	1:D:207:ARG:H	1.82	0.43
1:B:51:GLU:HB3	1:B:111:ILE:CD1	2.48	0.43
4:C:3553:HOH:O	1:D:64:GLN:CG	2.64	0.43
1:B:156:HIS:CD2	4:B:448:HOH:O	2.71	0.43
1:B:8:ALA:HB3	1:B:257:LEU:HD22	2.00	0.43
1:B:379:ILE:HB	1:B:383:MET:HB2	2.01	0.43
1:D:204:VAL:HG11	4:D:4488:HOH:O	2.19	0.42
1:B:200:VAL:HA	1:B:201:PRO:HD3	1.88	0.42
1:B:270:GLN:NE2	4:B:9971:HOH:O	2.51	0.42
1:D:4:SER:C	1:D:5:ILE:HD13	2.40	0.42
1:D:150:ASP:HB2	4:D:4573:HOH:O	2.19	0.42
1:C:220:ARG:HD3	3:C:3393:ACO:N6A	2.34	0.42
1:B:30:LEU:HD12	4:B:454:HOH:O	2.19	0.42
1:B:51:GLU:HB3	1:B:111:ILE:HD13	2.02	0.42
1:B:227:SER:HG	3:B:2393:ACO:C2A	2.33	0.42
1:B:291:GLY:N	1:B:292:PRO:CD	2.82	0.42
1:C:379:ILE:HB	1:C:383:MET:HB2	2.02	0.41
1:C:86:ASN:ND2	4:C:3518:HOH:O	2.53	0.41
1:D:300:LEU:HD13	1:D:307:ILE:HG13	2.01	0.41
1:C:54:LEU:O	1:C:84:GLY:HA2	2.21	0.41
1:D:9:SER:HA	1:D:272:LEU:CD2	2.50	0.41
1:D:187:GLU:O	1:D:187:GLU:OE1	2.39	0.41
1:B:257:LEU:HD23	1:B:257:LEU:C	2.41	0.41
1:A:298:LYS:HE3	2:A:9722:SO4:O3	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:315:ALA:CB	4:D:4577:HOH:O	2.63	0.41
1:A:236:ASP:HB3	1:A:239:GLY:HA3	2.03	0.41
1:B:367:ARG:NH1	4:B:455:HOH:O	2.54	0.41
1:B:191:LYS:HG3	4:B:9877:HOH:O	2.21	0.40
1:A:269:ILE:O	1:A:271:PRO:HD3	2.21	0.40
1:B:354:GLY:HA2	1:B:377:LEU:HD11	2.01	0.40
1:A:371:ARG:HG2	4:A:456:HOH:O	2.21	0.40
1:C:305:TRP:CZ3	1:C:388:CYS:HB3	2.55	0.40
1:C:135:GLY:O	1:C:136:ASP:C	2.58	0.40
1:B:52:VAL:O	1:B:82:ALA:HA	2.20	0.40
1:D:356:ARG:NH2	1:D:357:ILE:HG22	2.37	0.40
1:A:88:LEU:HD12	1:A:380:GLY:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/392 (100%)	379 (97%)	10 (3%)	1 (0%)	46	33
1	B	390/392 (100%)	379 (97%)	11 (3%)	0	100	100
1	C	390/392 (100%)	376 (96%)	13 (3%)	1 (0%)	46	33
1	D	390/392 (100%)	374 (96%)	15 (4%)	1 (0%)	46	33
All	All	1560/1568 (100%)	1508 (97%)	49 (3%)	3 (0%)	52	40

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	350	ILE
1	C	136	ASP
1	A	350	ILE



### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	278/278 (100%)	263 (95%)	15 (5%)	27	14
1	B	278/278 (100%)	260 (94%)	18 (6%)	21	9
1	C	278/278 (100%)	265 (95%)	13 (5%)	32	18
1	D	278/278 (100%)	263 (95%)	15 (5%)	27	14
All	All	1112/1112 (100%)	1051 (94%)	61 (6%)	27	13

All (61) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	LEU
1	A	155	TYR
1	A	191	LYS
1	A	207	ARG
1	A	220	ARG
1	A	221	HIS
1	A	230	LYS
1	A	237	LYS
1	A	272	LEU
1	A	288	MET
1	A	298	LYS
1	A	322	GLN
1	A	332	TRP
1	A	339	VAL
1	A	367	ARG
1	B	5	ILE
1	B	39	LEU
1	B	155	TYR
1	B	191	LYS
1	B	207	ARG
1	B	220	ARG
1	B	221	HIS
1	B	232	ARG
1	B	237	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	238	GLU
1	B	270	GLN
1	B	272	LEU
1	B	288	MET
1	B	298	LYS
1	B	322	GLN
1	B	332	TRP
1	B	339	VAL
1	B	371	ARG
1	C	39	LEU
1	C	78	GLN
1	C	155	TYR
1	C	191	LYS
1	C	207	ARG
1	C	208	LYS
1	C	232	ARG
1	C	257	LEU
1	C	272	LEU
1	C	288	MET
1	C	298	LYS
1	C	322	GLN
1	C	332	TRP
1	D	39	LEU
1	D	155	TYR
1	D	187	GLU
1	D	207	ARG
1	D	221	HIS
1	D	232	ARG
1	D	238	GLU
1	D	263	GLU
1	D	272	LEU
1	D	288	MET
1	D	298	LYS
1	D	322	GLN
1	D	328	LYS
1	D	332	TRP
1	D	371	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	175	GLN
1	A	184	ASN
1	B	78	GLN
1	B	175	GLN
1	B	184	ASN
1	C	78	GLN
1	C	175	GLN
1	C	184	ASN
1	C	316	ASN
1	C	322	GLN
1	D	78	GLN
1	D	175	GLN
1	D	184	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	ACO	A	1393	-	43,53,53	1.49	6 (13%)	55,79,79	1.41	5 (9%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	A	9720	-	4,4,4	0.39	0	6,6,6	0.28	0
2	SO4	A	9722	-	4,4,4	0.19	0	6,6,6	0.24	0
3	ACO	B	2393	-	43,53,53	1.50	5 (11%)	55,79,79	1.40	7 (12%)
2	SO4	B	9719	-	4,4,4	0.21	0	6,6,6	0.47	0
2	SO4	B	9721	-	4,4,4	0.42	0	6,6,6	0.41	0
3	ACO	C	3393	-	43,53,53	1.38	4 (9%)	55,79,79	1.37	3 (5%)
3	ACO	D	4393	-	43,53,53	1.53	6 (13%)	55,79,79	1.39	4 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ACO	A	1393	-	-	0/47/67/67	0/3/3/3
2	SO4	A	9720	-	-	0/0/0/0	0/0/0/0
2	SO4	A	9722	-	-	0/0/0/0	0/0/0/0
3	ACO	B	2393	-	-	0/47/67/67	0/3/3/3
2	SO4	B	9719	-	-	0/0/0/0	0/0/0/0
2	SO4	B	9721	-	-	0/0/0/0	0/0/0/0
3	ACO	C	3393	-	-	0/47/67/67	0/3/3/3
3	ACO	D	4393	-	-	0/47/67/67	0/3/3/3

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1393	ACO	O4B-C1B	2.04	1.43	1.41
3	D	4393	ACO	O4B-C1B	2.36	1.44	1.41
3	A	1393	ACO	C5A-C4A	2.44	1.46	1.40
3	C	3393	ACO	C5A-C4A	2.66	1.46	1.40
3	B	2393	ACO	C5A-C4A	2.69	1.46	1.40
3	D	4393	ACO	C5A-C4A	2.79	1.46	1.40
3	A	1393	ACO	P1A-O2A	3.58	1.70	1.54
3	B	2393	ACO	P1A-O2A	3.70	1.70	1.54
3	C	3393	ACO	P2A-O5A	3.70	1.70	1.54
3	A	1393	ACO	P2A-O5A	3.72	1.70	1.54
3	D	4393	ACO	P2A-O5A	3.72	1.70	1.54
3	D	4393	ACO	P1A-O2A	3.73	1.70	1.54
3	B	2393	ACO	P2A-O5A	3.75	1.71	1.54
3	C	3393	ACO	P3B-O9A	4.47	1.70	1.54
3	A	1393	ACO	P3B-O9A	4.48	1.70	1.54
3	B	2393	ACO	P3B-O8A	4.52	1.70	1.54

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	3393	ACO	P3B-O8A	4.52	1.70	1.54
3	D	4393	ACO	P3B-O9A	4.56	1.71	1.54
3	D	4393	ACO	P3B-O8A	4.59	1.71	1.54
3	A	1393	ACO	P3B-O8A	4.60	1.71	1.54
3	B	2393	ACO	P3B-O9A	4.69	1.71	1.54

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	3393	ACO	N3A-C2A-N1A	-7.35	123.27	128.89
3	D	4393	ACO	N3A-C2A-N1A	-7.06	123.49	128.89
3	B	2393	ACO	N3A-C2A-N1A	-6.59	123.85	128.89
3	A	1393	ACO	N3A-C2A-N1A	-6.55	123.88	128.89
3	B	2393	ACO	P2A-O3A-P1A	-3.71	122.31	132.73
3	A	1393	ACO	P2A-O3A-P1A	-3.66	122.46	132.73
3	A	1393	ACO	C2B-C1B-N9A	-3.00	109.70	114.29
3	B	2393	ACO	C4B-O4B-C1B	-2.83	106.61	109.72
3	A	1393	ACO	C1B-N9A-C4A	-2.69	122.88	126.94
3	B	2393	ACO	C1B-N9A-C4A	-2.62	122.99	126.94
3	D	4393	ACO	P2A-O3A-P1A	-2.05	126.98	132.73
3	B	2393	ACO	C2A-N1A-C6A	2.06	122.45	118.77
3	B	2393	ACO	CDP-CBP-CAP	2.09	113.16	109.34
3	B	2393	ACO	O4B-C1B-N9A	2.11	112.51	108.10
3	C	3393	ACO	O5A-P2A-O3A	2.13	114.76	105.09
3	D	4393	ACO	CEP-CBP-CCP	2.17	111.31	108.50
3	D	4393	ACO	C2A-N1A-C6A	2.33	122.92	118.77
3	C	3393	ACO	CDP-CBP-CAP	2.33	113.60	109.34
3	A	1393	ACO	O4B-C1B-N9A	2.73	113.82	108.10

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1393	ACO	6	0
2	A	9722	SO4	1	0
3	B	2393	ACO	4	0
3	C	3393	ACO	1	0
3	D	4393	ACO	2	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	390/392 (99%)	-0.35	5 (1%) 79 81	10, 18, 32, 54	0
1	B	390/392 (99%)	-0.37	2 (0%) 91 92	9, 18, 32, 58	0
1	C	390/392 (99%)	0.01	6 (1%) 76 78	9, 21, 33, 53	0
1	D	390/392 (99%)	0.32	19 (4%) 33 35	7, 21, 36, 52	0
All	All	1560/1568 (99%)	-0.10	32 (2%) 67 69	7, 20, 34, 58	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	208	LYS	4.8
1	D	206	GLY	4.7
1	D	392	LEU	4.4
1	D	173	ASP	4.0
1	B	207	ARG	3.5
1	A	392	LEU	3.5
1	D	207	ARG	3.3
1	B	392	LEU	3.3
1	D	228	MET	3.3
1	C	235	PHE	3.0
1	D	238	GLU	3.0
1	D	226	ASP	2.9
1	D	229	ALA	2.9
1	D	239	GLY	2.8
1	D	235	PHE	2.7
1	C	206	GLY	2.5
1	A	207	ARG	2.5
1	C	207	ARG	2.5
1	D	240	THR	2.4
1	C	243	ALA	2.4
1	D	210	ASP	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	60	ALA	2.4
1	D	170	LEU	2.3
1	D	237	LYS	2.3
1	C	135	GLY	2.2
1	D	221	HIS	2.2
1	C	208	LYS	2.2
1	D	169	GLN	2.1
1	A	132	VAL	2.1
1	D	332	TRP	2.1
1	A	133	LYS	2.0
1	D	178	PHE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	ACO	B	2393	51/51	0.75	0.25	6.30	54,65,71,72	0
3	ACO	D	4393	51/51	0.60	0.35	4.07	73,94,96,97	0
3	ACO	A	1393	51/51	0.74	0.23	3.38	42,66,69,69	0
3	ACO	C	3393	51/51	0.77	0.25	1.90	76,84,90,92	0
2	SO4	A	9722	5/5	0.92	0.12	0.50	73,73,75,76	0
2	SO4	B	9719	5/5	0.97	0.10	-	62,62,63,63	0
2	SO4	B	9721	5/5	0.98	0.10	-	50,50,53,57	0
2	SO4	A	9720	5/5	0.99	0.08	-	52,52,53,54	0



## 6.5 Other polymers ⓘ

There are no such residues in this entry.