



Full wwPDB NMR Structure Validation Report ⓘ

Apr 27, 2016 – 03:06 AM BST

PDB ID : 2ME9
Title : Solution structure of BCL-xL containing the alpha1-alpha2 disordered loop determined with selective isotope labelling of I,L,V sidechains
Authors : Viacava Follis, A.; Grace, C.R.; Kriwacki, R.W.
Deposited on : 2013-09-25

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 68%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	212	

2 Ensemble composition and analysis ⓘ

This entry contains 20 models. The atoms present in the NMR models are not consistent. Some calculations may have failed as a result. All residues are included in the validation scores. Model 8 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:4-A:23, A:88-A:192 (125)	1.15	8

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters. No single-model clusters were found.

Cluster number	Models
1	3, 5, 8, 10, 16, 19, 20
2	7, 9, 12, 14, 15, 18
3	1, 4, 11, 13, 17
4	2, 6

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3228 atoms, of which 1560 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Bcl-2-like protein 1.

Mol	Chain	Residues	Atoms						Trace
1	A	212	Total	C	H	N	O	S	0
			3228	1039	1560	290	333	6	

There are 3 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	EXPRESSION TAG	UNP Q07817
A	2	HIS	-	EXPRESSION TAG	UNP Q07817
A	3	SER	-	EXPRESSION TAG	UNP Q07817

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Bcl-2-like protein 1




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Bcl-2-like protein 1




4.2.2 Score per residue for model 2

- Molecule 1: Bcl-2-like protein 1




4.2.3 Score per residue for model 3

- Molecule 1: Bcl-2-like protein 1




4.2.4 Score per residue for model 4

- Molecule 1: Bcl-2-like protein 1




4.2.5 Score per residue for model 5

- Molecule 1: Bcl-2-like protein 1




4.2.6 Score per residue for model 6

- Molecule 1: Bcl-2-like protein 1




4.2.7 Score per residue for model 7

- Molecule 1: Bcl-2-like protein 1




4.2.8 Score per residue for model 8 (medoid)

- Molecule 1: Bcl-2-like protein 1




4.2.9 Score per residue for model 9

- Molecule 1: Bcl-2-like protein 1




4.2.10 Score per residue for model 10

- Molecule 1: Bcl-2-like protein 1




4.2.11 Score per residue for model 11

- Molecule 1: Bcl-2-like protein 1




4.2.12 Score per residue for model 12

- Molecule 1: Bcl-2-like protein 1




4.2.13 Score per residue for model 13

- Molecule 1: Bcl-2-like protein 1




4.2.14 Score per residue for model 14

- Molecule 1: Bcl-2-like protein 1




4.2.15 Score per residue for model 15

- Molecule 1: Bcl-2-like protein 1




4.2.16 Score per residue for model 16

- Molecule 1: Bcl-2-like protein 1




4.2.17 Score per residue for model 17

- Molecule 1: Bcl-2-like protein 1




4.2.18 Score per residue for model 18

- Molecule 1: Bcl-2-like protein 1




4.2.19 Score per residue for model 19

- Molecule 1: Bcl-2-like protein 1



4.2.20 Score per residue for model 20

- Molecule 1: Bcl-2-like protein 1



5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	
AMBER	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	2me9_cs.str
Number of chemical shift lists	1
Total number of shifts	1892
Number of shifts mapped to atoms	1892
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	68%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality i

6.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.72±0.04	1±1/1037 (0.1±0.1%)	0.90±0.03	1±1/1404 (0.1±0.1%)
All	All	0.72	16/20740 (0.1%)	0.90	23/28080 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	6.1±2.3
All	All	0	122

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	132	GLU	CD-OE2	8.92	1.35	1.25	1	2
1	A	182	GLU	CD-OE2	-8.43	1.16	1.25	11	1
1	A	182	GLU	CD-OE1	8.13	1.34	1.25	11	2
1	A	132	GLU	CD-OE1	-8.05	1.16	1.25	8	2
1	A	10	GLU	CD-OE2	7.11	1.33	1.25	14	1
1	A	10	GLU	CD-OE1	-6.95	1.18	1.25	14	1
1	A	95	GLU	CD-OE2	-6.92	1.18	1.25	20	1
1	A	95	GLU	CD-OE1	6.71	1.33	1.25	20	1
1	A	14	ASP	CG-OD2	5.75	1.38	1.25	9	1
1	A	159	ASP	CG-OD2	5.74	1.38	1.25	15	1
1	A	159	ASP	CG-OD1	-5.54	1.12	1.25	15	1
1	A	101	GLU	CD-OE1	-5.08	1.20	1.25	6	1
1	A	14	ASP	CG-OD1	-5.06	1.13	1.25	9	1

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	14	ASP	CB-CG-OD2	-11.83	107.66	118.30	9	2
1	A	159	ASP	CB-CG-OD2	-10.93	108.46	118.30	15	1
1	A	192	ASP	CB-CG-OD1	-8.00	111.10	118.30	17	3
1	A	192	ASP	CB-CG-OD2	-7.43	111.61	118.30	6	5
1	A	159	ASP	CB-CG-OD1	-6.68	112.29	118.30	9	1
1	A	14	ASP	CB-CG-OD1	6.58	124.23	118.30	9	1
1	A	179	ASP	CB-CG-OD2	-6.50	112.45	118.30	13	2
1	A	136	ASP	CB-CG-OD2	-6.05	112.85	118.30	1	1
1	A	98	ASP	CB-CG-OD2	-5.67	113.20	118.30	19	1
1	A	179	ASP	CB-CG-OD1	-5.64	113.22	118.30	13	1
1	A	10	GLU	OE1-CD-OE2	-5.49	116.71	123.30	13	1
1	A	98	ASP	CB-CG-OD1	-5.37	113.46	118.30	17	1
1	A	105	ARG	NE-CZ-NH1	5.26	122.93	120.30	4	1
1	A	94	ARG	NE-CZ-NH1	5.02	122.81	120.30	17	1
1	A	106	ARG	NE-CZ-NH2	-5.01	117.80	120.30	20	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	192	ASP	Mainchain,Sidechain	12
1	A	139	ASN	Mainchain	9
1	A	99	GLU	Sidechain	9
1	A	101	GLU	Sidechain	8
1	A	88	ALA	Mainchain	8
1	A	14	ASP	Sidechain,Mainchain	7
1	A	4	MET	Mainchain	7
1	A	98	ASP	Sidechain,Mainchain	7
1	A	182	GLU	Sidechain	7
1	A	10	GLU	Sidechain,Mainchain	6
1	A	95	GLU	Sidechain	4
1	A	178	ASN	Sidechain	3
1	A	179	ASP	Mainchain,Sidechain	3
1	A	91	GLN	Sidechain,Mainchain	3
1	A	159	ASP	Sidechain	3
1	A	18	TYR	Sidechain	2
1	A	163	GLN	Mainchain,Sidechain	2
1	A	8	ASN	Sidechain	2
1	A	161	GLU	Sidechain	2
1	A	187	GLU	Sidechain	2
1	A	136	ASP	Sidechain	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group	Models (Total)
1	A	137	GLY	Mainchain	2
1	A	156	GLU	Sidechain	2
1	A	151	GLY	Mainchain	1
1	A	94	ARG	Mainchain	1
1	A	17	SER	Mainchain	1
1	A	6	GLN	Mainchain	1
1	A	89	VAL	Mainchain	1
1	A	160	LYS	Mainchain	1
1	A	123	TYR	Mainchain	1

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1013	973	973	14±4
All	All	20260	19460	19460	275

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:138:VAL:HG21	1:A:181:LEU:HD11	1.00	1.32	4	5
1:A:138:VAL:HG11	1:A:181:LEU:HD21	0.96	1.34	18	2
1:A:117:ILE:HD11	1:A:153:LEU:HD11	0.94	1.36	7	3
1:A:153:LEU:HD12	1:A:169:ILE:HD12	0.93	1.40	1	5
1:A:115:LEU:HD21	1:A:153:LEU:HD22	0.93	1.40	4	2
1:A:117:ILE:HD13	1:A:153:LEU:HD21	0.86	1.47	17	2
1:A:138:VAL:HG21	1:A:181:LEU:HD21	0.83	1.50	13	3
1:A:117:ILE:HG21	1:A:165:LEU:HD11	0.82	1.49	16	2
1:A:115:LEU:HD13	1:A:129:VAL:HG11	0.82	1.52	4	1
1:A:111:LEU:HD22	1:A:129:VAL:HG23	0.82	1.49	4	1
1:A:117:ILE:HD13	1:A:153:LEU:HD11	0.79	1.55	1	2
1:A:118:THR:HG21	1:A:122:ALA:HB3	0.77	1.55	13	1
1:A:111:LEU:HD11	1:A:133:LEU:HD13	0.77	1.56	19	1
1:A:117:ILE:HG23	1:A:165:LEU:HD11	0.74	1.59	8	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:117:ILE:HG23	1:A:165:LEU:HD13	0.74	1.59	19	1
1:A:16:LEU:HD12	1:A:170:ALA:HB2	0.73	1.57	15	2
1:A:111:LEU:HD21	1:A:133:LEU:HD11	0.72	1.60	15	1
1:A:111:LEU:HD11	1:A:129:VAL:HG13	0.71	1.62	11	2
1:A:20:LEU:HD21	1:A:166:VAL:HG11	0.70	1.63	2	2
1:A:138:VAL:HG21	1:A:181:LEU:HD22	0.69	1.62	19	1
1:A:158:VAL:HG23	1:A:166:VAL:HG21	0.67	1.65	12	1
1:A:20:LEU:HD21	1:A:166:VAL:HG21	0.67	1.66	1	1
1:A:126:PHE:CZ	1:A:165:LEU:HD11	0.66	2.25	12	1
1:A:153:LEU:HD23	1:A:169:ILE:HD12	0.66	1.68	17	1
1:A:11:LEU:HD13	1:A:191:TRP:CH2	0.65	2.26	12	3
1:A:154:CYS:O	1:A:158:VAL:HG23	0.65	1.91	18	6
1:A:117:ILE:HD11	1:A:153:LEU:HD21	0.64	1.69	5	1
1:A:138:VAL:CG2	1:A:181:LEU:HD22	0.63	2.24	19	1
1:A:130:VAL:HG11	1:A:176:TYR:CD1	0.62	2.29	7	1
1:A:185:ILE:HG21	1:A:191:TRP:CZ2	0.62	2.29	6	2
1:A:117:ILE:HD11	1:A:153:LEU:CD1	0.62	2.21	15	2
1:A:115:LEU:CD1	1:A:129:VAL:HG11	0.62	2.25	4	1
1:A:138:VAL:HG11	1:A:181:LEU:HD22	0.62	1.71	1	1
1:A:11:LEU:HD12	1:A:147:PHE:CZ	0.61	2.30	4	1
1:A:133:LEU:HD11	1:A:149:PHE:CE2	0.61	2.31	17	1
1:A:153:LEU:HD23	1:A:169:ILE:CD1	0.61	2.26	17	2
1:A:117:ILE:HG23	1:A:122:ALA:CB	0.61	2.26	10	1
1:A:115:LEU:CD2	1:A:153:LEU:HD22	0.61	2.26	11	1
1:A:138:VAL:CG2	1:A:181:LEU:HD21	0.60	2.24	13	1
1:A:111:LEU:HD22	1:A:129:VAL:HG13	0.60	1.71	19	1
1:A:13:VAL:HG23	1:A:174:ALA:HB2	0.60	1.74	6	3
1:A:112:THR:HG23	1:A:153:LEU:HD12	0.59	1.74	20	1
1:A:126:PHE:O	1:A:129:VAL:HG12	0.59	1.97	4	2
1:A:143:ILE:HD11	1:A:185:ILE:HD11	0.59	1.75	1	1
1:A:9:ARG:HB2	1:A:174:ALA:HB1	0.59	1.73	6	4
1:A:89:VAL:HG11	1:A:191:TRP:HB3	0.59	1.74	6	1
1:A:138:VAL:HG11	1:A:181:LEU:CD2	0.58	2.21	18	2
1:A:153:LEU:HD22	1:A:169:ILE:HD12	0.58	1.75	9	2
1:A:11:LEU:HD23	1:A:147:PHE:CE2	0.58	2.34	6	1
1:A:115:LEU:HD13	1:A:129:VAL:HG21	0.58	1.74	2	3
1:A:20:LEU:HD11	1:A:154:CYS:SG	0.57	2.38	14	3
1:A:158:VAL:HG23	1:A:163:GLN:HA	0.57	1.75	14	2
1:A:20:LEU:HD21	1:A:166:VAL:CG2	0.57	2.30	1	1
1:A:138:VAL:CG2	1:A:181:LEU:HD11	0.57	2.25	12	3
1:A:126:PHE:CZ	1:A:169:ILE:HG23	0.57	2.35	20	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:111:LEU:CD2	1:A:133:LEU:HD11	0.57	2.29	15	1
1:A:149:PHE:CZ	1:A:153:LEU:HD13	0.57	2.35	20	1
1:A:107:ALA:HB1	1:A:152:ALA:HB2	0.57	1.76	11	1
1:A:117:ILE:HD12	1:A:153:LEU:HD11	0.56	1.75	10	3
1:A:20:LEU:HD21	1:A:154:CYS:HB2	0.56	1.77	8	1
1:A:163:GLN:O	1:A:166:VAL:HG12	0.56	2.00	1	5
1:A:117:ILE:HD13	1:A:165:LEU:HD11	0.56	1.76	14	1
1:A:115:LEU:HD22	1:A:117:ILE:HD13	0.56	1.75	13	2
1:A:134:PHE:CE1	1:A:138:VAL:HG23	0.55	2.37	4	1
1:A:117:ILE:HD12	1:A:165:LEU:CD1	0.55	2.31	15	1
1:A:162:MET:HB3	1:A:164:VAL:HG12	0.55	1.78	11	3
1:A:20:LEU:HD21	1:A:154:CYS:SG	0.54	2.41	17	2
1:A:20:LEU:HD21	1:A:166:VAL:CG1	0.54	2.33	3	1
1:A:8:ASN:HB2	1:A:185:ILE:HD13	0.54	1.80	8	1
1:A:111:LEU:HD22	1:A:149:PHE:CG	0.54	2.38	6	1
1:A:145:ALA:HB1	1:A:149:PHE:CE2	0.54	2.38	3	1
1:A:118:THR:O	1:A:122:ALA:HB2	0.54	2.03	20	1
1:A:117:ILE:CD1	1:A:153:LEU:HD11	0.54	2.32	1	4
1:A:154:CYS:HB2	1:A:166:VAL:HG23	0.54	1.79	17	2
1:A:13:VAL:HG13	1:A:174:ALA:HB2	0.54	1.80	18	2
1:A:157:SER:CB	1:A:165:LEU:HD12	0.53	2.33	8	1
1:A:16:LEU:CD2	1:A:170:ALA:HB2	0.53	2.33	10	4
1:A:89:VAL:HG23	1:A:191:TRP:CE3	0.53	2.39	8	2
1:A:115:LEU:HD12	1:A:125:SER:HB3	0.53	1.81	20	1
1:A:166:VAL:HA	1:A:169:ILE:HD12	0.53	1.79	19	1
1:A:8:ASN:ND2	1:A:185:ILE:HG21	0.53	2.19	18	1
1:A:13:VAL:CG1	1:A:174:ALA:HB2	0.52	2.34	19	3
1:A:130:VAL:HG21	1:A:176:TYR:CD2	0.52	2.39	7	1
1:A:129:VAL:HG11	1:A:149:PHE:CE1	0.52	2.39	11	1
1:A:157:SER:HB3	1:A:165:LEU:HD12	0.52	1.80	8	1
1:A:16:LEU:HD23	1:A:170:ALA:HB2	0.52	1.80	14	2
1:A:162:MET:HB3	1:A:164:VAL:HG22	0.52	1.79	1	2
1:A:154:CYS:CB	1:A:169:ILE:HG21	0.52	2.35	9	1
1:A:117:ILE:HG21	1:A:165:LEU:CD1	0.51	2.28	16	1
1:A:117:ILE:HG13	1:A:153:LEU:HD11	0.51	1.82	8	1
1:A:125:SER:O	1:A:129:VAL:HG23	0.51	2.06	2	2
1:A:151:GLY:O	1:A:155:VAL:HG23	0.51	2.06	19	4
1:A:20:LEU:HD22	1:A:158:VAL:HG21	0.51	1.81	12	1
1:A:115:LEU:HG	1:A:129:VAL:HG21	0.51	1.83	19	1
1:A:102:LEU:HD13	1:A:103:ARG:N	0.51	2.20	8	1
1:A:11:LEU:HD13	1:A:191:TRP:CZ3	0.50	2.42	12	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:154:CYS:O	1:A:158:VAL:HG12	0.50	2.07	14	3
1:A:8:ASN:HA	1:A:11:LEU:HD23	0.50	1.82	17	1
1:A:115:LEU:HG	1:A:129:VAL:HG11	0.49	1.83	17	5
1:A:111:LEU:HD11	1:A:129:VAL:CG1	0.49	2.36	11	1
1:A:88:ALA:HB1	1:A:91:GLN:CB	0.49	2.37	18	1
1:A:8:ASN:HB3	1:A:185:ILE:HD13	0.48	1.85	16	1
1:A:8:ASN:CB	1:A:185:ILE:HD13	0.48	2.37	15	3
1:A:154:CYS:HB3	1:A:169:ILE:HD13	0.48	1.85	13	2
1:A:20:LEU:HD21	1:A:166:VAL:HG12	0.48	1.85	3	1
1:A:154:CYS:HB3	1:A:169:ILE:HG21	0.48	1.85	1	2
1:A:122:ALA:HB3	1:A:126:PHE:CE2	0.48	2.44	1	1
1:A:115:LEU:HD12	1:A:125:SER:CB	0.48	2.38	20	1
1:A:117:ILE:CG2	1:A:165:LEU:HD21	0.48	2.39	14	1
1:A:130:VAL:HG23	1:A:146:PHE:CE2	0.47	2.43	8	1
1:A:142:ARG:NE	1:A:143:ILE:HD12	0.47	2.24	19	1
1:A:160:LYS:HB3	1:A:164:VAL:HG21	0.47	1.86	2	1
1:A:115:LEU:HD13	1:A:129:VAL:CG1	0.47	2.35	4	1
1:A:153:LEU:CD2	1:A:169:ILE:HD12	0.47	2.40	9	1
1:A:111:LEU:O	1:A:115:LEU:HD23	0.46	2.09	20	1
1:A:8:ASN:HB3	1:A:177:LEU:HD23	0.46	1.87	6	1
1:A:117:ILE:HG21	1:A:165:LEU:HD21	0.46	1.86	14	2
1:A:158:VAL:HG13	1:A:162:MET:HG3	0.46	1.88	8	1
1:A:171:ALA:O	1:A:175:THR:HG23	0.46	2.10	3	1
1:A:138:VAL:CG1	1:A:143:ILE:HD11	0.46	2.41	3	1
1:A:133:LEU:HD23	1:A:134:PHE:CE1	0.46	2.46	19	1
1:A:165:LEU:HD13	1:A:165:LEU:O	0.46	2.11	17	2
1:A:117:ILE:HD11	1:A:153:LEU:HD13	0.46	1.86	4	1
1:A:158:VAL:HG13	1:A:162:MET:HG2	0.46	1.87	15	1
1:A:153:LEU:CD1	1:A:169:ILE:HD12	0.45	2.40	13	1
1:A:165:LEU:O	1:A:165:LEU:HD13	0.45	2.11	11	1
1:A:117:ILE:HG22	1:A:165:LEU:HD11	0.45	1.87	18	1
1:A:143:ILE:HD12	1:A:181:LEU:HD13	0.45	1.88	1	1
1:A:117:ILE:CG1	1:A:153:LEU:HD11	0.45	2.42	5	3
1:A:117:ILE:HG23	1:A:122:ALA:HB2	0.45	1.89	10	1
1:A:138:VAL:CG1	1:A:181:LEU:HD21	0.45	2.33	16	1
1:A:115:LEU:HD13	1:A:153:LEU:HG	0.45	1.87	15	2
1:A:11:LEU:HD11	1:A:147:PHE:CZ	0.45	2.47	9	1
1:A:165:LEU:HD12	1:A:169:ILE:HG23	0.45	1.89	12	1
1:A:138:VAL:HG11	1:A:184:TRP:CD1	0.44	2.46	19	1
1:A:122:ALA:HB1	1:A:126:PHE:CE2	0.44	2.47	18	1
1:A:115:LEU:HD22	1:A:117:ILE:CD1	0.44	2.42	8	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:20:LEU:HD12	1:A:166:VAL:HG21	0.44	1.90	7	1
1:A:115:LEU:HD13	1:A:153:LEU:HD22	0.44	1.88	17	1
1:A:20:LEU:HD11	1:A:154:CYS:HB2	0.43	1.89	3	1
1:A:165:LEU:HD12	1:A:166:VAL:N	0.43	2.28	6	1
1:A:130:VAL:HG11	1:A:176:TYR:CZ	0.43	2.48	6	1
1:A:117:ILE:HD12	1:A:165:LEU:HD11	0.43	1.91	15	1
1:A:9:ARG:O	1:A:13:VAL:HG13	0.43	2.13	14	1
1:A:153:LEU:HD23	1:A:169:ILE:HD13	0.43	1.89	5	1
1:A:115:LEU:HD13	1:A:153:LEU:CD1	0.43	2.43	19	1
1:A:138:VAL:HG11	1:A:181:LEU:CD1	0.43	2.43	15	1
1:A:139:ASN:ND2	1:A:141:GLY:H	0.42	2.12	17	1
1:A:112:THR:HG23	1:A:153:LEU:CD1	0.42	2.43	20	1
1:A:115:LEU:HD23	1:A:115:LEU:O	0.42	2.13	17	1
1:A:117:ILE:HD13	1:A:169:ILE:CG2	0.42	2.44	18	1
1:A:8:ASN:CG	1:A:185:ILE:HD13	0.42	2.34	18	1
1:A:9:ARG:HG3	1:A:174:ALA:HB1	0.42	1.91	7	1
1:A:11:LEU:HD22	1:A:191:TRP:CH2	0.42	2.50	6	1
1:A:104:TYR:HB3	1:A:107:ALA:HB2	0.42	1.90	3	1
1:A:111:LEU:HD23	1:A:149:PHE:CD2	0.42	2.50	20	1
1:A:138:VAL:CG1	1:A:181:LEU:HD11	0.42	2.45	9	1
1:A:154:CYS:HB3	1:A:169:ILE:HD11	0.42	1.90	3	1
1:A:111:LEU:HD21	1:A:133:LEU:CD1	0.42	2.40	15	1
1:A:88:ALA:HB3	1:A:91:GLN:CB	0.42	2.45	8	1
1:A:96:ALA:HB1	1:A:144:VAL:HG21	0.41	1.91	10	1
1:A:115:LEU:CB	1:A:129:VAL:HG11	0.41	2.46	13	1
1:A:143:ILE:CD1	1:A:185:ILE:HD11	0.41	2.44	1	1
1:A:115:LEU:HD13	1:A:115:LEU:O	0.41	2.15	7	1
1:A:11:LEU:HD12	1:A:12:VAL:N	0.41	2.30	13	1
1:A:111:LEU:HD23	1:A:149:PHE:CG	0.41	2.50	20	1
1:A:126:PHE:O	1:A:130:VAL:HG23	0.41	2.15	9	2
1:A:117:ILE:HD13	1:A:153:LEU:CD1	0.41	2.35	2	1
1:A:88:ALA:HB3	1:A:91:GLN:HB2	0.41	1.93	7	1
1:A:117:ILE:HD13	1:A:153:LEU:CD2	0.41	2.34	17	1
1:A:138:VAL:HG13	1:A:184:TRP:CD1	0.41	2.51	17	1
1:A:16:LEU:HD11	1:A:173:MET:SD	0.41	2.56	19	1
1:A:109:SER:O	1:A:112:THR:HG22	0.41	2.16	12	1
1:A:154:CYS:HB2	1:A:166:VAL:HG13	0.40	1.93	5	1
1:A:16:LEU:HD22	1:A:170:ALA:HB2	0.40	1.93	18	1
1:A:117:ILE:HD12	1:A:126:PHE:CE1	0.40	2.51	12	1
1:A:157:SER:HB2	1:A:166:VAL:HG23	0.40	1.93	2	1
1:A:154:CYS:O	1:A:158:VAL:HG22	0.40	2.16	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:177:LEU:HG	1:A:181:LEU:HD12	0.40	1.92	14	1
1:A:104:TYR:CB	1:A:107:ALA:HB2	0.40	2.46	3	1
1:A:102:LEU:C	1:A:102:LEU:HD22	0.40	2.37	8	1
1:A:185:ILE:HG22	1:A:191:TRP:CB	0.40	2.46	11	1
1:A:9:ARG:HG2	1:A:174:ALA:HB1	0.40	1.93	18	1
1:A:16:LEU:HD11	1:A:150:GLY:O	0.40	2.17	18	1
1:A:93:LEU:HD23	1:A:93:LEU:O	0.40	2.16	15	1
1:A:117:ILE:HG12	1:A:165:LEU:HD11	0.40	1.93	20	1

6.3 Torsion angles

6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	125/212 (59%)	110±3 (88±2%)	10±2 (8±2%)	4±2 (4±1%)	7	36
All	All	2500/4240 (59%)	2202 (88%)	209 (8%)	89 (4%)	7	36

All 18 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	161	GLU	12
1	A	117	ILE	11
1	A	23	LYS	9
1	A	4	MET	9
1	A	120	GLY	7
1	A	138	VAL	7
1	A	105	ARG	6
1	A	165	LEU	5
1	A	6	GLN	4
1	A	190	GLY	4
1	A	88	ALA	4
1	A	5	SER	3
1	A	122	ALA	2
1	A	189	GLY	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	107	ALA	1
1	A	188	ASN	1
1	A	136	ASP	1
1	A	162	MET	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	107/176 (61%)	79±5 (74±4%)	28±5 (26±4%)	3	24
All	All	2140/3520 (61%)	1578 (74%)	562 (26%)	3	24

All 86 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	102	LEU	17
1	A	177	LEU	17
1	A	4	MET	15
1	A	165	LEU	14
1	A	103	ARG	14
1	A	125	SER	14
1	A	143	ILE	13
1	A	118	THR	13
1	A	142	ARG	13
1	A	111	LEU	13
1	A	176	TYR	12
1	A	7	SER	11
1	A	90	LYS	11
1	A	115	LEU	11
1	A	23	LYS	11
1	A	5	SER	10
1	A	181	LEU	10
1	A	9	ARG	10
1	A	168	ARG	9
1	A	136	ASP	9
1	A	94	ARG	9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	11	LEU	9
1	A	104	TYR	9
1	A	12	VAL	8
1	A	114	GLN	8
1	A	17	SER	8
1	A	100	PHE	8
1	A	162	MET	8
1	A	139	ASN	7
1	A	161	GLU	7
1	A	135	ARG	7
1	A	110	ASP	7
1	A	180	HIS	7
1	A	105	ARG	7
1	A	192	ASP	7
1	A	160	LYS	7
1	A	113	SER	7
1	A	187	GLU	7
1	A	173	MET	7
1	A	109	SER	7
1	A	148	SER	7
1	A	156	GLU	6
1	A	121	THR	6
1	A	91	GLN	6
1	A	153	LEU	6
1	A	6	GLN	6
1	A	15	PHE	5
1	A	163	GLN	5
1	A	22	GLN	5
1	A	101	GLU	5
1	A	157	SER	5
1	A	19	LYS	5
1	A	147	PHE	5
1	A	188	ASN	5
1	A	178	ASN	4
1	A	16	LEU	4
1	A	146	PHE	4
1	A	167	SER	4
1	A	124	GLN	4
1	A	99	GLU	4
1	A	106	ARG	4
1	A	186	GLN	4
1	A	21	SER	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	117	ILE	3
1	A	8	ASN	3
1	A	182	GLU	3
1	A	159	ASP	3
1	A	132	GLU	3
1	A	112	THR	3
1	A	128	GLN	3
1	A	93	LEU	3
1	A	116	HIS	3
1	A	179	ASP	3
1	A	166	VAL	3
1	A	191	TRP	3
1	A	131	ASN	2
1	A	20	LEU	2
1	A	126	PHE	2
1	A	123	TYR	2
1	A	127	GLU	2
1	A	172	TRP	1
1	A	108	PHE	1
1	A	14	ASP	1
1	A	149	PHE	1
1	A	134	PHE	1
1	A	95	GLU	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.6 Ligand geometry ⓘ

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 68% for the well-defined parts and 66% for the entire structure.

7.1 Chemical shift list 1

File name: 2me9_cs.str

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1892
Number of shifts mapped to atoms	1892
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	4

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	203	0.57 ± 0.17	Should be applied
$^{13}\text{C}_\beta$	187	1.63 ± 0.10	Should be applied
$^{13}\text{C}'$	190	0.00 ± 0.15	None needed (< 0.5 ppm)
^{15}N	203	0.42 ± 0.21	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 68%, i.e. 1065 atoms were assigned a chemical shift out of a possible 1573. 22 out of 23 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	607/621 (98%)	242/248 (98%)	242/250 (97%)	123/123 (100%)
Sidechain	450/784 (57%)	287/458 (63%)	163/285 (57%)	0/41 (0%)

Continued on next page...

Continued from previous page...

	Total	¹H	¹³C	¹⁵N
Aromatic	8/168 (5%)	4/88 (5%)	0/72 (0%)	4/8 (50%)
Overall	1065/1573 (68%)	533/794 (67%)	405/607 (67%)	127/172 (74%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 66%, i.e. 1692 atoms were assigned a chemical shift out of a possible 2549. 26 out of 30 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	996/1046 (95%)	400/417 (96%)	393/424 (93%)	203/205 (99%)
Sidechain	684/1253 (55%)	435/735 (59%)	249/456 (55%)	0/62 (0%)
Aromatic	12/250 (5%)	6/130 (5%)	0/104 (0%)	6/16 (38%)
Overall	1692/2549 (66%)	841/1282 (66%)	642/984 (65%)	209/283 (74%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	138	VAL	HG23	-0.75	2.20 – -0.60	-5.5
1	A	138	VAL	HG22	-0.75	2.20 – -0.60	-5.5
1	A	138	VAL	HG21	-0.75	2.20 – -0.60	-5.5
1	A	105	ARG	HG2	0.22	2.92 – 0.22	-5.0

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

