



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 03:53 PM BST

PDB ID : 1MFY
Title : SOLUTION STRUCTURE OF INFLUENZA A VIRUS C4 PROMOTER
Authors : Lee, M.-K.; Bae, S.-H.; Park, C.-J.; Cheong, H.-K.; Cheong, C.; Choi, B.-S.
Deposited on : 2002-08-14

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : unknown
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR


The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
RNA backbone	3027	600

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	31	

2 Ensemble composition and analysis ⓘ

This entry contains 16 models. This entry does not contain protein, therefore identification of well-defined residues and clustering analysis are not possible. All residues are included in the validation scores.

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 990 atoms, of which 335 are hydrogens and 0 are deuteriums.

- Molecule 1 is a RNA chain called C4 promoter of influneza A virus.


Mol	Chain	Residues	Atoms						Trace
1	A	31	Total	C	H	N	O	P	0
			990	294	335	115	216	30	

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: C4 promoter of influneza A virus




4.2 Scores per residue for each member of the ensemble

Colouring as in section [4.1](#) above.


4.2.1 Score per residue for model 1

- Molecule 1: C4 promoter of influneza A virus




4.2.2 Score per residue for model 2

- Molecule 1: C4 promoter of influneza A virus




4.2.3 Score per residue for model 3

- Molecule 1: C4 promoter of influneza A virus




4.2.4 Score per residue for model 4

- Molecule 1: C4 promoter of influneza A virus




4.2.5 Score per residue for model 5

- Molecule 1: C4 promoter of influneza A virus




4.2.6 Score per residue for model 6

- Molecule 1: C4 promoter of influneza A virus




4.2.7 Score per residue for model 7

- Molecule 1: C4 promoter of influneza A virus




4.2.8 Score per residue for model 8

- Molecule 1: C4 promoter of influneza A virus




4.2.9 Score per residue for model 9

- Molecule 1: C4 promoter of influneza A virus




4.2.10 Score per residue for model 10

- Molecule 1: C4 promoter of influneza A virus




4.2.11 Score per residue for model 11

- Molecule 1: C4 promoter of influneza A virus




4.2.12 Score per residue for model 12

- Molecule 1: C4 promoter of influneza A virus




4.2.13 Score per residue for model 13

- Molecule 1: C4 promoter of influneza A virus




4.2.14 Score per residue for model 14

- Molecule 1: C4 promoter of influneza A virus




4.2.15 Score per residue for model 15

- Molecule 1: C4 promoter of influneza A virus



4.2.16 Score per residue for model 16

- Molecule 1: C4 promoter of influneza A virus



5 Refinement protocol and experimental data overview

The models were refined using the following method: *distance geometry simulated annealing*.

Of the 100 calculated structures, 16 were deposited, based on the following criterion: *STRUCTURES WITH THE LOWEST ENERGY*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	structure solution	1.0
CNS	refinement	1.0

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 5553
Number of chemical shift lists	1
Total number of shifts	260
Number of shifts mapped to atoms	0
Number of unparsed shifts	0
Number of shifts with mapping errors	260
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	0%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality (i)

6.1 Standard geometry (i)

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	655	335	335	27±3
All	All	10480	5360	5360	438

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 28.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:2:G:O2'	1:A:3:U:H5'	0.99	1.56	16	10
1:A:5:G:HO2'	1:A:6:A:H8	0.88	1.03	9	13
1:A:24:C:O2'	1:A:25:U:H5'	0.81	1.75	14	2
1:A:21:C:H2'	1:A:22:U:O4'	0.81	1.76	14	4
1:A:18:G:H2'	1:A:19:G:O4'	0.74	1.82	15	1
1:A:4:A:H2'	1:A:5:G:O4'	0.73	1.83	10	7
1:A:22:U:H2'	1:A:23:G:O4'	0.69	1.87	12	3
1:A:29:G:H2'	1:A:30:C:O4'	0.68	1.88	3	2
1:A:18:G:N3	1:A:18:G:H3'	0.68	2.03	13	7
1:A:8:A:O2'	1:A:9:C:H5'	0.67	1.90	3	1
1:A:22:U:O2'	1:A:23:G:H5'	0.67	1.89	2	5
1:A:18:G:H3'	1:A:18:G:N3	0.67	2.05	2	9
1:A:4:A:O2'	1:A:5:G:H5'	0.66	1.91	11	2
1:A:23:G:H2'	1:A:24:C:O4'	0.64	1.92	5	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:30:C:O5'	1:A:30:C:H6	0.64	1.76	7	6
1:A:25:U:H6	1:A:25:U:O5'	0.62	1.77	11	5
1:A:5:G:O2'	1:A:6:A:H8	0.61	1.78	11	16
1:A:2:G:O2'	1:A:3:U:H6	0.60	1.78	2	5
1:A:12:G:O2'	1:A:13:G:H5'	0.60	1.97	12	2
1:A:24:C:H6	1:A:24:C:O5'	0.59	1.78	12	2
1:A:8:A:H2'	1:A:9:C:O4'	0.59	1.97	7	2
1:A:24:C:O5'	1:A:24:C:H6	0.59	1.80	16	3
1:A:25:U:O5'	1:A:25:U:H6	0.59	1.81	10	2
1:A:31:U:O5'	1:A:31:U:H6	0.59	1.80	2	5
1:A:26:U:H6	1:A:26:U:O5'	0.59	1.79	12	4
1:A:2:G:HO2'	1:A:3:U:H6	0.59	1.40	2	1
1:A:20:C:H6	1:A:20:C:O5'	0.58	1.81	16	5
1:A:30:C:H6	1:A:30:C:O5'	0.58	1.81	15	2
1:A:29:G:O2'	1:A:30:C:H5'	0.58	1.99	2	4
1:A:1:A:O2'	1:A:2:G:H5'	0.57	1.99	6	6
1:A:27:U:H6	1:A:27:U:O5'	0.57	1.82	16	6
1:A:19:G:O5'	1:A:19:G:H8	0.57	1.81	15	6
1:A:28:C:H6	1:A:28:C:O5'	0.57	1.82	2	5
1:A:1:A:N7	1:A:2:G:N7	0.57	2.53	9	3
1:A:5:G:N3	1:A:6:A:C8	0.57	2.72	10	11
1:A:23:G:O5'	1:A:23:G:H8	0.56	1.82	10	3
1:A:7:A:O2'	1:A:8:A:H5'	0.56	2.00	6	2
1:A:4:A:C5	1:A:29:G:N2	0.56	2.73	13	5
1:A:14:C:C4	1:A:15:U:C4	0.56	2.94	5	3
1:A:18:G:N2	1:A:19:G:N7	0.56	2.54	15	15
1:A:1:A:HO2'	1:A:2:G:H8	0.56	1.44	11	2
1:A:5:G:C2	1:A:6:A:C5	0.55	2.94	6	9
1:A:4:A:C5	1:A:29:G:C2	0.55	2.95	14	4
1:A:10:A:C2	1:A:11:A:C5	0.55	2.95	7	4
1:A:3:U:O2'	1:A:4:A:H5'	0.54	2.02	9	4
1:A:4:A:C6	1:A:29:G:C2	0.54	2.96	8	2
1:A:20:C:O5'	1:A:20:C:H6	0.54	1.85	9	8
1:A:4:A:C6	1:A:5:G:C6	0.54	2.96	6	4
1:A:14:C:C5	1:A:15:U:C4	0.54	2.96	4	10
1:A:10:A:N1	1:A:11:A:C6	0.54	2.76	6	1
1:A:5:G:C4	1:A:6:A:N7	0.54	2.76	1	8
1:A:7:A:C6	1:A:8:A:C6	0.54	2.95	10	1
1:A:23:G:C5	1:A:24:C:C2	0.54	2.96	5	1
1:A:4:A:C6	1:A:5:G:C2	0.54	2.96	10	1
1:A:8:A:N7	1:A:9:C:C4	0.54	2.75	10	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:9:C:O5'	1:A:9:C:H6	0.54	1.85	11	2
1:A:10:A:C6	1:A:11:A:N7	0.54	2.76	14	2
1:A:23:G:C2	1:A:24:C:N3	0.53	2.76	1	1
1:A:21:C:H6	1:A:21:C:O5'	0.53	1.86	5	4
1:A:24:C:C5	1:A:25:U:C4	0.53	2.96	11	1
1:A:21:C:C5	1:A:22:U:C4	0.53	2.97	7	1
1:A:4:A:N7	1:A:29:G:C2	0.53	2.76	10	1
1:A:13:G:C5	1:A:14:C:N4	0.53	2.76	2	2
1:A:22:U:H6	1:A:22:U:O5'	0.52	1.86	11	6
1:A:23:G:O2'	1:A:24:C:H5'	0.52	2.04	3	2
1:A:21:C:O2'	1:A:22:U:H5'	0.52	2.05	10	2
1:A:4:A:N6	1:A:5:G:N1	0.51	2.58	13	4
1:A:11:A:N6	1:A:12:G:C6	0.51	2.78	4	1
1:A:7:A:H2'	1:A:8:A:O4'	0.51	2.05	3	1
1:A:8:A:C5	1:A:9:C:C4	0.51	2.98	10	2
1:A:21:C:O5'	1:A:21:C:H6	0.51	1.89	8	7
1:A:18:G:N2	1:A:19:G:C5	0.51	2.79	13	5
1:A:18:G:N2	1:A:19:G:C8	0.50	2.79	16	1
1:A:10:A:N1	1:A:11:A:N6	0.50	2.60	6	1
1:A:10:A:C2	1:A:11:A:N7	0.50	2.80	7	3
1:A:4:A:C6	1:A:5:G:N1	0.50	2.79	3	1
1:A:4:A:N6	1:A:29:G:C2	0.50	2.80	1	3
1:A:1:A:C8	1:A:2:G:N7	0.50	2.80	9	1
1:A:4:A:N6	1:A:29:G:C6	0.49	2.80	3	4
1:A:23:G:H8	1:A:23:G:O5'	0.49	1.90	12	4
1:A:28:C:O5'	1:A:28:C:H6	0.49	1.89	12	3
1:A:10:A:N1	1:A:23:G:N2	0.49	2.61	12	1
1:A:18:G:N3	1:A:18:G:C3'	0.49	2.75	12	6
1:A:11:A:O5'	1:A:11:A:H8	0.49	1.91	13	1
1:A:3:U:O4	1:A:28:C:N4	0.48	2.46	4	2
1:A:4:A:N6	1:A:5:G:C6	0.48	2.81	6	1
1:A:2:G:O2'	1:A:3:U:C6	0.48	2.64	14	4
1:A:15:U:H6	1:A:15:U:O5'	0.48	1.91	3	4
1:A:3:U:O5'	1:A:3:U:C6	0.48	2.66	6	1
1:A:1:A:O2'	1:A:2:G:H8	0.48	1.92	1	3
1:A:27:U:O5'	1:A:27:U:H6	0.48	1.90	12	2
1:A:19:G:H8	1:A:19:G:O5'	0.47	1.91	4	2
1:A:10:A:C2	1:A:23:G:N1	0.47	2.82	7	1
1:A:24:C:O2'	1:A:25:U:C6	0.47	2.67	16	3
1:A:5:G:O2'	1:A:6:A:C8	0.47	2.67	6	3
1:A:9:C:H6	1:A:9:C:O5'	0.47	1.92	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:27:U:O2'	1:A:28:C:H5'	0.47	2.10	15	1
1:A:4:A:C8	1:A:29:G:N2	0.47	2.82	6	1
1:A:3:U:O2	1:A:4:A:N7	0.47	2.48	8	2
1:A:2:G:O5'	1:A:2:G:C8	0.46	2.68	12	2
1:A:13:G:C6	1:A:14:C:N4	0.46	2.83	2	3
1:A:18:G:C3'	1:A:18:G:N3	0.46	2.76	2	3
1:A:16:U:O2'	1:A:17:C:H5'	0.46	2.11	15	4
1:A:29:G:H8	1:A:29:G:O5'	0.46	1.93	12	1
1:A:10:A:N1	1:A:11:A:C5	0.46	2.84	2	1
1:A:30:C:H2'	1:A:31:U:O4'	0.46	2.11	2	1
1:A:19:G:O5'	1:A:19:G:C8	0.45	2.68	14	4
1:A:24:C:O2'	1:A:25:U:H6	0.45	1.95	15	1
1:A:10:A:H8	1:A:10:A:O5'	0.45	1.95	8	2
1:A:28:C:C4	1:A:29:G:O6	0.45	2.70	12	1
1:A:19:G:C8	1:A:19:G:O5'	0.45	2.70	1	3
1:A:28:C:N4	1:A:29:G:O6	0.45	2.50	12	1
1:A:15:U:O5'	1:A:15:U:H6	0.45	1.93	4	4
1:A:1:A:O2'	1:A:2:G:C5'	0.44	2.65	6	9
1:A:3:U:O2	1:A:4:A:C8	0.44	2.70	14	1
1:A:3:U:O5'	1:A:3:U:H6	0.44	1.96	8	1
1:A:12:G:N2	1:A:22:U:O2	0.44	2.51	1	1
1:A:14:C:C5	1:A:15:U:C5	0.44	3.05	6	1
1:A:1:A:O2'	1:A:2:G:O5'	0.43	2.36	11	1
1:A:4:A:N6	1:A:29:G:C4	0.43	2.87	15	2
1:A:4:A:N6	1:A:29:G:H21	0.43	2.10	11	1
1:A:11:A:O2'	1:A:12:G:H5'	0.43	2.13	10	1
1:A:11:A:C6	1:A:12:G:C6	0.43	3.07	5	1
1:A:18:G:O2'	1:A:19:G:H5'	0.43	2.14	15	1
1:A:2:G:O2'	1:A:3:U:C5'	0.43	2.66	1	5
1:A:8:A:N1	1:A:25:U:O4	0.43	2.52	8	1
1:A:10:A:C2	1:A:23:G:C6	0.42	3.07	7	1
1:A:12:G:H8	1:A:12:G:O5'	0.42	1.97	9	1
1:A:7:A:N6	1:A:8:A:N6	0.42	2.67	10	1
1:A:2:G:HO2'	1:A:3:U:H5'	0.42	1.70	4	1
1:A:10:A:O5'	1:A:10:A:H8	0.42	1.97	6	1
1:A:4:A:C5	1:A:5:G:C6	0.42	3.08	6	1
1:A:5:G:N3	1:A:6:A:N7	0.41	2.68	1	3
1:A:18:G:C2'	1:A:18:G:N3	0.41	2.83	12	1
1:A:11:A:N6	1:A:12:G:O6	0.41	2.53	11	1
1:A:4:A:N6	1:A:5:G:C2	0.41	2.89	10	1
1:A:16:U:O2'	1:A:17:C:C5'	0.41	2.69	7	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:8:A:N7	1:A:9:C:N4	0.41	2.69	10	1
1:A:23:G:C6	1:A:24:C:C2	0.41	3.09	5	1
1:A:4:A:N6	1:A:29:G:C5	0.40	2.89	14	1
1:A:24:C:O2'	1:A:25:U:C5	0.40	2.74	16	1
1:A:23:G:C6	1:A:24:C:O2	0.40	2.75	5	1
1:A:14:C:O5'	1:A:14:C:H6	0.40	2.00	11	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

There are no protein molecules in this entry.

6.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

6.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers	Suiteness
1	A	30/31 (97%)	6±1 (19±3%)	0±0 (0±0%)	0.40±0.03
All	All	480/496 (97%)	89 (19%)	0 (0%)	0.40

The overall RNA backbone suiteness is 0.40.

All unique RNA backbone outliers are listed below:

Mol	Chain	Res	Type	Models (Total)
1	A	6	A	16
1	A	4	A	16
1	A	18	G	16
1	A	17	C	15
1	A	19	G	10
1	A	24	C	5
1	A	3	U	3
1	A	25	U	3
1	A	11	A	2
1	A	23	G	1
1	A	10	A	1
1	A	2	G	1

There are no RNA pucker outliers to report.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.6 Ligand geometry ⓘ

There are no ligands in this entry.

6.7 Other polymers ⓘ

There are no such molecules in this entry.

6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 0% for the well-defined parts and 0% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 5553

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	260
Number of shifts mapped to atoms	0
Number of unparsed shifts	0
Number of shifts with mapping errors	260
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	28

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Chain not found in structure. All 260 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	11	A	H5'	4.408	0.0	1
UNMAPPED	8	A	H1'	5.676	0.001	1
UNMAPPED	9	C	H5''	4.269	0.0	1
UNMAPPED	20	C	H41	6.972	0.004	1
UNMAPPED	15	U	H5	5.715	0.001	1
UNMAPPED	28	C	H41	6.861	0.007	1
UNMAPPED	15	U	H2'	3.807	0.001	1
UNMAPPED	20	C	H42	8.83	0.004	1
UNMAPPED	17	C	H41	7.16	0.006	1
UNMAPPED	22	U	H2'	4.333	0.0	1
UNMAPPED	7	A	H4'	4.488	0.0	1
UNMAPPED	21	C	H42	8.553	0.008	1
UNMAPPED	5	G	N1	146.537	0.0	1
UNMAPPED	20	C	H3'	4.407	0.0	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	29	G	C8	122.255	0.0	1
UNMAPPED	20	C	H2'	4.457	0.003	1
UNMAPPED	7	A	HO2'	6.747	0.0	1
UNMAPPED	17	C	H4'	3.791	0.002	1
UNMAPPED	6	A	H4'	4.674	0.002	1
UNMAPPED	6	A	H2	7.127	0.0	1
UNMAPPED	1	A	H4'	4.703	0.0	1
UNMAPPED	23	G	H5'	4.138	0.0	1
UNMAPPED	21	C	H5	5.526	0.001	1
UNMAPPED	19	G	H2'	4.435	0.001	1
UNMAPPED	22	U	P	-3.934	0.0	1
UNMAPPED	20	C	H5	5.262	0.001	1
UNMAPPED	15	U	H3'	4.529	0.003	1
UNMAPPED	29	G	H8	7.54	0.0	1
UNMAPPED	17	C	H1'	5.965	0.002	1
UNMAPPED	28	C	H5	5.567	0.0	1
UNMAPPED	11	A	H4'	4.488	0.001	1
UNMAPPED	10	A	C8	125.791	0.0	1
UNMAPPED	24	C	H1'	5.728	0.001	1
UNMAPPED	10	A	H8	7.979	0.001	1
UNMAPPED	3	U	H2'	4.361	0.001	1
UNMAPPED	3	U	H6	7.725	0.001	1
UNMAPPED	30	C	H6	7.418	0.002	1
UNMAPPED	5	G	H2'	4.684	0.001	1
UNMAPPED	13	G	H5''	4.066	0.001	1
UNMAPPED	18	G	H8	7.853	0.0	1
UNMAPPED	12	G	H1	12.742	0.005	1
UNMAPPED	26	U	H1'	5.635	0.0	1
UNMAPPED	27	U	H4'	4.467	0.0	1
UNMAPPED	7	A	H2	7.285	0.0	1
UNMAPPED	12	G	H2'	4.53	0.001	1
UNMAPPED	18	G	C8	127.98	0.0	1
UNMAPPED	7	A	H8	7.608	0.001	1
UNMAPPED	18	G	H4'	4.396	0.002	1
UNMAPPED	13	G	H3'	4.497	0.0	1
UNMAPPED	6	A	H5'	4.492	0.001	1
UNMAPPED	13	G	H1	13.406	0.003	1
UNMAPPED	7	A	H61	6.743	0.001	1
UNMAPPED	27	U	H3'	4.389	0.001	1
UNMAPPED	4	A	P	-3.812	0.156	1
UNMAPPED	14	C	H42	8.634	0.003	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	16	U	N3	158.343	0.0	1
UNMAPPED	28	C	H2'	4.451	0.001	1
UNMAPPED	11	A	C8	125.233	0.0	1
UNMAPPED	23	G	H4'	4.622	0.0	1
UNMAPPED	19	G	N1	148.501	0.0	1
UNMAPPED	2	G	C8	123.446	0.0	1
UNMAPPED	6	A	H8	7.75	0.0	1
UNMAPPED	6	A	H62	7.736	0.003	1
UNMAPPED	7	A	C2	137.976	0.0	1
UNMAPPED	1	A	C8	126.62	0.0	1
UNMAPPED	16	U	H6	8.03	0.002	1
UNMAPPED	17	C	H6	7.694	0.001	1
UNMAPPED	8	A	C8	123.676	0.0	1
UNMAPPED	7	A	C8	124.026	0.0	1
UNMAPPED	17	C	H5	6.135	0.002	1
UNMAPPED	1	A	C2	139.585	0.0	1
UNMAPPED	8	A	H8	7.408	0.0	1
UNMAPPED	8	A	C2	138.602	0.0	1
UNMAPPED	20	C	C6	127.835	0.0	1
UNMAPPED	16	U	H1'	6.107	0.001	1
UNMAPPED	12	G	N1	147.419	0.0	1
UNMAPPED	29	G	H2'	4.407	0.001	1
UNMAPPED	8	A	H2	7.804	0.0	1
UNMAPPED	14	C	H5	5.205	0.001	1
UNMAPPED	25	U	H4'	4.535	0.0	1
UNMAPPED	27	U	H3	13.787	0.01	1
UNMAPPED	14	C	H6	7.395	0.001	1
UNMAPPED	25	U	H5	5.562	0.0	1
UNMAPPED	11	A	H5''	4.212	0.0	1
UNMAPPED	5	G	H4'	4.616	0.002	1
UNMAPPED	14	C	H2'	4.523	0.001	1
UNMAPPED	23	G	H3'	4.479	0.012	1
UNMAPPED	28	C	P	-4.231	0.0	1
UNMAPPED	13	G	H4'	4.457	0.0	1
UNMAPPED	19	G	H8	8.285	0.001	1
UNMAPPED	9	C	H3'	4.39	0.0	1
UNMAPPED	10	A	H5'	4.408	0.0	1
UNMAPPED	17	C	P	-5.127	0.004	1
UNMAPPED	23	G	P	-4.486	0.0	1
UNMAPPED	11	A	H2'	4.672	0.001	1
UNMAPPED	17	C	H42	6.434	0.005	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	14	C	H5'	4.408	0.0	1
UNMAPPED	1	A	H1'	6.048	0.0	1
UNMAPPED	27	U	H1'	5.636	0.001	1
UNMAPPED	13	G	H1'	5.803	0.001	1
UNMAPPED	15	U	H1'	5.682	0.001	1
UNMAPPED	19	G	P	-2.584	0.003	1
UNMAPPED	1	A	H2'	4.827	0.0	1
UNMAPPED	4	A	C2	140.468	0.0	1
UNMAPPED	23	G	H8	7.893	0.001	1
UNMAPPED	30	C	H5	5.25	0.0	1
UNMAPPED	26	U	H3'	4.449	0.0	1
UNMAPPED	23	G	H1'	5.587	0.001	1
UNMAPPED	18	G	H5'	4.178	0.002	1
UNMAPPED	17	C	H5''	2.705	0.001	1
UNMAPPED	9	C	H6	7.35	0.0	1
UNMAPPED	18	G	H1'	5.958	0.001	1
UNMAPPED	10	A	H3'	4.607	0.0	1
UNMAPPED	15	U	HO2'	6.679	0.005	1
UNMAPPED	10	A	C2	139.46	0.0	1
UNMAPPED	27	U	N3	163.057	0.0	1
UNMAPPED	21	C	H6	7.724	0.0	1
UNMAPPED	11	A	C2	138.553	0.0	1
UNMAPPED	10	A	H2	7.567	0.0	1
UNMAPPED	22	U	H4'	4.389	0.0	1
UNMAPPED	29	G	H1'	5.625	0.0	1
UNMAPPED	15	U	C6	125.749	0.0	1
UNMAPPED	14	C	H1'	5.512	0.0	1
UNMAPPED	13	G	C8	121.153	0.0	1
UNMAPPED	15	U	H4'	4.374	0.0	1
UNMAPPED	13	G	H5'	4.285	0.0	1
UNMAPPED	2	G	H1'	5.679	0.0	1
UNMAPPED	12	G	H8	7.162	0.002	1
UNMAPPED	19	G	H21	6.512	0.004	1
UNMAPPED	3	U	H5	5.703	0.002	1
UNMAPPED	5	G	H8	8.186	0.0	1
UNMAPPED	16	U	P	-3.559	0.001	1
UNMAPPED	14	C	H4'	4.428	0.0	1
UNMAPPED	26	U	H2'	4.496	0.0	1
UNMAPPED	11	A	H8	8.072	0.004	1
UNMAPPED	24	C	H6	7.677	0.002	1
UNMAPPED	6	A	H61	6.706	0.007	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	20	C	P	-4.722	0.0	1
UNMAPPED	16	U	H3'	4.019	0.002	1
UNMAPPED	12	G	H3'	4.371	0.002	1
UNMAPPED	5	G	H5'	3.826	0.0	1
UNMAPPED	16	U	H5''	4.237	0.001	1
UNMAPPED	29	G	P	-3.777	0.0	1
UNMAPPED	24	C	H5	5.54	0.0	1
UNMAPPED	7	A	H62	7.915	0.007	1
UNMAPPED	22	U	H5	5.435	0.001	1
UNMAPPED	14	C	H41	7.026	0.003	1
UNMAPPED	12	G	H5'	4.121	0.0	1
UNMAPPED	12	G	H1'	5.519	0.001	1
UNMAPPED	1	A	H3'	4.649	0.002	1
UNMAPPED	22	U	H6	7.698	0.001	1
UNMAPPED	9	C	H5'	4.487	0.0	1
UNMAPPED	28	C	H4'	4.392	0.0	1
UNMAPPED	9	C	H1'	5.172	0.001	1
UNMAPPED	21	C	H1'	5.53	0.003	1
UNMAPPED	23	G	H2'	4.551	0.0	1
UNMAPPED	25	U	H1'	5.567	0.001	1
UNMAPPED	11	A	H3'	4.618	0.001	1
UNMAPPED	19	G	H3'	4.244	0.0	1
UNMAPPED	24	C	H4'	4.084	0.0	1
UNMAPPED	15	U	P	-4.312	0.0	1
UNMAPPED	9	C	H2'	4.117	0.001	1
UNMAPPED	8	A	H4'	4.268	0.0	1
UNMAPPED	6	A	H1'	5.903	0.001	1
UNMAPPED	16	U	H4'	4.482	0.001	1
UNMAPPED	14	C	H3'	4.221	0.001	1
UNMAPPED	5	G	H1'	5.81	0.003	1
UNMAPPED	21	C	C6	126.255	0.0	1
UNMAPPED	9	C	P	-3.889	0.0	1
UNMAPPED	27	U	P	-4.012	0.0	1
UNMAPPED	12	G	H4'	4.33	0.0	1
UNMAPPED	21	C	H3'	4.401	0.001	1
UNMAPPED	25	U	H6	7.838	0.001	1
UNMAPPED	27	U	H5	5.562	0.0	1
UNMAPPED	22	U	C6	127.478	0.0	1
UNMAPPED	27	U	H6	7.998	0.001	1
UNMAPPED	18	G	H3'	5.629	0.001	1
UNMAPPED	18	G	P	-5.064	0.0	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	15	U	H5''	4.089	0.003	1
UNMAPPED	7	A	H1'	5.81	0.0	1
UNMAPPED	14	C	H5''	4.228	0.002	1
UNMAPPED	22	U	H3'	4.291	0.001	1
UNMAPPED	21	C	H41	6.96	0.008	1
UNMAPPED	3	U	H4'	4.479	0.001	1
UNMAPPED	3	U	N3	160.245	0.0	1
UNMAPPED	11	A	P	-4.049	0.0	1
UNMAPPED	28	C	H6	7.754	0.001	1
UNMAPPED	25	U	H2'	4.494	0.0	1
UNMAPPED	12	G	C8	121.193	0.0	1
UNMAPPED	4	A	H2	8.123	0.0	1
UNMAPPED	17	C	H5'	3.603	0.002	1
UNMAPPED	16	U	H2'	4.691	0.001	1
UNMAPPED	28	C	H3'	4.413	0.0	1
UNMAPPED	14	C	P	-4.195	0.0	1
UNMAPPED	6	A	H2'	4.608	0.001	1
UNMAPPED	8	A	H2'	4.531	0.001	1
UNMAPPED	19	G	H4'	4.262	0.0	1
UNMAPPED	9	C	H5	5.202	0.001	1
UNMAPPED	8	A	P	-4.035	0.0	1
UNMAPPED	5	G	C8	127.92	0.0	1
UNMAPPED	17	C	H2'	4.099	0.001	1
UNMAPPED	19	G	H5''	4.497	0.0	1
UNMAPPED	3	U	H1'	5.883	0.0	1
UNMAPPED	10	A	H4'	4.48	0.0	1
UNMAPPED	20	C	H6	7.678	0.001	1
UNMAPPED	18	G	H2'	4.849	0.001	1
UNMAPPED	24	C	H3'	4.188	0.001	1
UNMAPPED	26	U	H3	13.435	0.003	1
UNMAPPED	15	U	N3	160.17	0.0	1
UNMAPPED	5	G	H1	12.052	0.004	1
UNMAPPED	16	U	H5	5.859	0.002	1
UNMAPPED	7	A	H2'	4.63	0.001	1
UNMAPPED	3	U	H3'	4.644	0.001	1
UNMAPPED	19	G	H22	8.978	0.002	1
UNMAPPED	25	U	C6	127.37	0.0	1
UNMAPPED	2	G	H8	7.786	0.001	1
UNMAPPED	11	A	H1'	5.764	0.003	1
UNMAPPED	21	C	H2'	4.466	0.001	1
UNMAPPED	29	G	H3'	4.484	0.0	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	2	G	H2'	4.743	0.0	1
UNMAPPED	5	G	H5''	3.762	0.0	1
UNMAPPED	18	G	H5''	4.387	0.001	1
UNMAPPED	27	U	H2'	4.498	0.0	1
UNMAPPED	11	A	H2	7.597	0.001	1
UNMAPPED	10	A	H1'	5.851	0.0	1
UNMAPPED	24	C	P	-4.444	0.0	1
UNMAPPED	9	C	H4'	4.325	0.0	1
UNMAPPED	24	C	H2'	4.131	0.004	1
UNMAPPED	10	A	H2'	4.562	0.001	1
UNMAPPED	23	G	C8	123.438	0.0	1
UNMAPPED	28	C	H42	8.15	0.005	1
UNMAPPED	18	G	H1	9.918	0.004	1
UNMAPPED	3	U	P	-3.824	0.0	1
UNMAPPED	27	U	C6	127.709	0.0	1
UNMAPPED	18	G	N1	143.233	0.0	1
UNMAPPED	7	A	H3'	4.546	0.002	1
UNMAPPED	25	U	H5'	4.113	0.002	1
UNMAPPED	26	U	N3	162.763	0.0	1
UNMAPPED	26	U	H5	5.63	0.0	1
UNMAPPED	29	G	N1	146.268	0.0	1
UNMAPPED	3	U	C6	128.902	0.0	1
UNMAPPED	19	G	H1	13.559	0.003	1
UNMAPPED	1	A	H8	8.253	0.003	1
UNMAPPED	17	C	H3'	4.476	0.0	1
UNMAPPED	1	A	H2	7.985	0.0	1
UNMAPPED	22	U	H1'	5.597	0.0	1
UNMAPPED	13	G	N1	148.606	0.0	1
UNMAPPED	6	A	C2	137.906	0.0	1
UNMAPPED	19	G	H1'	4.451	0.001	1
UNMAPPED	6	A	H3'	4.543	0.001	1
UNMAPPED	19	G	C8	123.805	0.0	1
UNMAPPED	13	G	H2'	4.527	0.0	1
UNMAPPED	16	U	C6	129.724	0.0	1
UNMAPPED	2	G	H4'	4.462	0.0	1
UNMAPPED	6	A	C8	124.528	0.0	1
UNMAPPED	25	U	H3'	4.401	0.001	1
UNMAPPED	26	U	H6	7.947	0.001	1
UNMAPPED	15	U	H6	7.772	0.002	1
UNMAPPED	28	C	H1'	5.554	0.0	1
UNMAPPED	13	G	H8	7.339	0.001	1

7.1.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 0%, i.e. 0 atoms were assigned a chemical shift out of a possible 581. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Sidechain	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Aromatic	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Overall	0/581 (0%)	0/333 (0%)	0/209 (0%)	0/39 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 0%, i.e. 0 atoms were assigned a chemical shift out of a possible 581. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Sidechain	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Aromatic	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Overall	0/581 (0%)	0/333 (0%)	0/209 (0%)	0/39 (0%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
???	UNMAPPED	21	C	C6	126.25	148.60 – 132.80	-9.1
???	UNMAPPED	8	A	C8	123.68	148.09 – 130.69	-9.0
???	UNMAPPED	7	A	C8	124.03	148.09 – 130.69	-8.8
???	UNMAPPED	6	A	C2	137.91	161.87 – 144.47	-8.8
???	UNMAPPED	7	A	C2	137.98	161.87 – 144.47	-8.7
???	UNMAPPED	15	U	C6	125.75	150.24 – 132.24	-8.6
???	UNMAPPED	6	A	C8	124.53	148.09 – 130.69	-8.5
???	UNMAPPED	11	A	C2	138.55	161.87 – 144.47	-8.4
???	UNMAPPED	8	A	C2	138.60	161.87 – 144.47	-8.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
???	UNMAPPED	20	C	C6	127.83	148.60 – 132.80	-8.1
???	UNMAPPED	11	A	C8	125.23	148.09 – 130.69	-8.1
???	UNMAPPED	10	A	C2	139.46	161.87 – 144.47	-7.9
???	UNMAPPED	13	G	C8	121.15	146.33 – 126.73	-7.8
???	UNMAPPED	12	G	C8	121.19	146.33 – 126.73	-7.8
???	UNMAPPED	10	A	C8	125.79	148.09 – 130.69	-7.8
???	UNMAPPED	1	A	C2	139.59	161.87 – 144.47	-7.8
???	UNMAPPED	25	U	C6	127.37	150.24 – 132.24	-7.7
???	UNMAPPED	22	U	C6	127.48	150.24 – 132.24	-7.6
???	UNMAPPED	27	U	C6	127.71	150.24 – 132.24	-7.5
???	UNMAPPED	1	A	C8	126.62	148.09 – 130.69	-7.3
???	UNMAPPED	4	A	C2	140.47	161.87 – 144.47	-7.3
???	UNMAPPED	29	G	C8	122.25	146.33 – 126.73	-7.3
???	UNMAPPED	3	U	C6	128.90	150.24 – 132.24	-6.9
???	UNMAPPED	23	G	C8	123.44	146.33 – 126.73	-6.7
???	UNMAPPED	2	G	C8	123.45	146.33 – 126.73	-6.7
???	UNMAPPED	19	G	C8	123.81	146.33 – 126.73	-6.5
???	UNMAPPED	16	U	C6	129.72	150.24 – 132.24	-6.4
???	UNMAPPED	17	C	H5''	2.71	5.47 – 2.87	-5.6

7.1.5 Random Coil Index (RCI) plots [i](#)

No *random coil index* (RCI) plot could be generated from the current chemical shift list (assigned_chem_shift_list_1). RCI is only applicable to proteins.