



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:58 PM GMT

PDB ID : 6MHT
Title : TERNARY STRUCTURE OF HHAI METHYLTRANSFERASE WITH
ADOHCY AND DNA CONTAINING 4'-THIO-2'DEOXYCYTIDINE AT
THE TARGET
Authors : Cheng, X.
Deposited on : 1998-08-05
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1269 (2.04-2.04)
Ramachandran outliers	100387	1258 (2.04-2.04)
Sidechain outliers	100360	1258 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	C	12	 75% 25%
2	D	12	 92% 8%
3	A	327	 87% 11% •

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 3276 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called DNA (5'-D(P*CP*CP*AP*TP*GP*(5CM)P*GP*CP*TP*GP*AP*C)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	12	Total	C	N	O	P	0	0	0
			244	116	44	72	12			


- Molecule 2 is a DNA chain called DNA (5'-D(P*GP*TP*CP*AP*GP*(4SC)P*GP*CP*AP*TP*GP*G)-3').

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	D	12	Total	C	N	O	P	S	0	0	0
			250	118	48	71	12	1			

- Molecule 3 is a protein called CYTOSINE-SPECIFIC METHYLTRANSFERASE HHAI.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	327	Total	C	N	O	S	0	1	0
			2607	1662	444	487	14			

- Molecule 4 is S-ADENOSYLMETHIONINE (three-letter code: SAM) (formula: C₁₅H₂₂N₆O₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	N	O	S	0	0
			27	15	6	5	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	119	Total	O	0	0
			119	119		
5	C	13	Total	O	0	0
			13	13		
5	D	16	Total	O	0	0
			16	16		

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: DNA (5'-D(P*CP*CP*AP*TP*GP*(5CM)P*GP*CP*TP*GP*AP*C)-3')

Chain C: 




- Molecule 2: DNA (5'-D(P*GP*TP*CP*AP*GP*(4SC)P*GP*CP*AP*TP*GP*G)-3')

Chain D: 



- Molecule 3: CYTOSINE-SPECIFIC METHYLTRANSFERASE HHAI

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	99.86 Å 99.86 Å 325.20 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	5.00 – 2.05	Depositor
% Data completeness (in resolution range)	81.6 (5.00-2.05)	Depositor
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.186 , 0.231	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3276	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5CM, 4SC, SAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	C	2.76	18/249 (7.2%)	3.46	51/379 (13.5%)
2	D	2.79	23/257 (8.9%)	3.33	53/393 (13.5%)
3	A	0.63	1/2667 (0.0%)	0.86	6/3594 (0.2%)
All	All	1.25	42/3173 (1.3%)	1.63	110/4366 (2.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
2	D	0	1
3	A	0	2
All	All	0	4

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	405	DT	C5-C7	13.90	1.58	1.50
2	D	431	DT	C5-C7	10.03	1.56	1.50
2	D	429	DC	C5'-C4'	9.49	1.61	1.51
1	C	410	DT	C5-C7	8.82	1.55	1.50
2	D	426	DG	N9-C4	7.97	1.44	1.38
2	D	426	DG	P-O5'	7.68	1.67	1.59
2	D	428	DG	N9-C4	7.32	1.43	1.38
2	D	430	DA	O3'-P	7.20	1.69	1.61
2	D	425	DA	C8-N7	7.03	1.36	1.31
2	D	433	DG	C2'-C1'	6.99	1.59	1.52
2	D	428	DG	O3'-P	6.98	1.69	1.61
1	C	408	DG	N7-C5	6.83	1.43	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	428	DG	N7-C5	6.79	1.43	1.39
2	D	428	DG	N3-C4	6.77	1.40	1.35
2	D	426	DG	C5'-C4'	6.64	1.58	1.51
2	D	433	DG	C2-N3	6.64	1.38	1.32
1	C	412	DA	P-O5'	6.60	1.66	1.59
2	D	430	DA	N3-C4	-6.60	1.30	1.34
1	C	412	DA	N9-C8	6.50	1.43	1.37
2	D	423	DT	P-O5'	6.39	1.66	1.59
1	C	411	DG	C2-N3	6.24	1.37	1.32
1	C	404	DA	P-O5'	6.20	1.66	1.59
2	D	423	DT	C5'-C4'	6.06	1.58	1.51
2	D	424	DC	N3-C4	-6.02	1.29	1.33
1	C	402	DC	O3'-P	5.93	1.68	1.61
2	D	424	DC	N1-C6	-5.93	1.33	1.37
1	C	412	DA	N9-C4	5.87	1.41	1.37
2	D	425	DA	N7-C5	5.86	1.42	1.39
1	C	403	DC	C5'-C4'	5.84	1.57	1.51
1	C	402	DC	N1-C2	5.74	1.45	1.40
1	C	405	DT	N1-C2	5.64	1.42	1.38
2	D	426	DG	C3'-C2'	5.62	1.58	1.52
1	C	413	DC	P-O5'	5.49	1.65	1.59
1	C	402	DC	C4-C5	5.41	1.47	1.43
1	C	411	DG	C2'-C1'	5.30	1.57	1.52
2	D	422	DG	C5'-C4'	5.30	1.57	1.51
2	D	430	DA	C5'-C4'	5.24	1.57	1.51
2	D	429	DC	N1-C6	5.22	1.40	1.37
3	A	250	THR	C-N	-5.19	1.22	1.34
1	C	410	DT	P-O5'	5.13	1.64	1.59
1	C	410	DT	N1-C2	5.08	1.42	1.38
1	C	409	DC	P-O5'	5.06	1.64	1.59

All (110) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	193	LYS	CD-CE-NZ	18.03	153.18	111.70
2	D	431	DT	N3-C2-O2	-15.29	113.12	122.30
1	C	406	DG	O4'-C1'-C2'	-14.81	94.05	105.90
1	C	405	DT	O4'-C1'-C2'	-13.52	95.09	105.90
2	D	424	DC	P-O3'-C3'	13.30	135.66	119.70
1	C	402	DC	P-O3'-C3'	13.06	135.38	119.70
1	C	402	DC	N3-C2-O2	-11.44	113.89	121.90
2	D	429	DC	O4'-C1'-C2'	-11.25	96.90	105.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	424	DC	N3-C2-O2	-10.91	114.26	121.90
3	A	137	LYS	CD-CE-NZ	10.89	136.75	111.70
1	C	402	DC	N1-C2-O2	10.81	125.39	118.90
1	C	403	DC	P-O3'-C3'	10.56	132.37	119.70
3	A	249	ILE	O-C-N	-10.20	106.38	122.70
2	D	431	DT	O4'-C1'-C2'	-9.71	98.13	105.90
2	D	430	DA	O4'-C1'-N9	9.61	114.73	108.00
2	D	428	DG	O4'-C1'-N9	9.45	114.61	108.00
2	D	429	DC	O4'-C4'-C3'	-8.74	100.76	106.00
1	C	404	DA	O4'-C1'-N9	-8.70	101.91	108.00
2	D	431	DT	C6-C5-C7	-8.68	117.69	122.90
1	C	410	DT	C4-C5-C7	-8.67	113.80	119.00
1	C	405	DT	N3-C2-O2	-8.67	117.10	122.30
1	C	409	DC	O4'-C1'-C2'	-8.49	99.11	105.90
1	C	410	DT	N3-C2-O2	-8.45	117.23	122.30
2	D	428	DG	P-O3'-C3'	8.39	129.76	119.70
1	C	406	DG	C4'-C3'-C2'	-8.18	95.74	103.10
2	D	433	DG	O4'-C1'-C2'	-7.97	99.52	105.90
1	C	412	DA	C5-C6-N1	7.86	121.63	117.70
1	C	411	DG	C6-C5-N7	-7.77	125.74	130.40
1	C	402	DC	O4'-C4'-C3'	-7.76	101.34	106.00
2	D	431	DT	C4-C5-C6	7.63	122.58	118.00
2	D	429	DC	N3-C2-O2	-7.62	116.57	121.90
2	D	422	DG	C8-N9-C4	-7.59	103.36	106.40
2	D	426	DG	C8-N9-C4	-7.48	103.41	106.40
1	C	403	DC	O4'-C1'-C2'	-7.41	99.97	105.90
1	C	413	DC	N3-C2-O2	-7.35	116.76	121.90
2	D	423	DT	O4'-C1'-N1	7.32	113.12	108.00
2	D	429	DC	N1-C2-O2	7.29	123.28	118.90
2	D	426	DG	C2-N3-C4	7.29	115.54	111.90
1	C	405	DT	N1-C2-N3	7.24	118.94	114.60
1	C	406	DG	N3-C4-C5	-7.20	125.00	128.60
1	C	406	DG	N1-C2-N2	-7.13	109.78	116.20
1	C	411	DG	O4'-C1'-C2'	-7.08	100.23	105.90
1	C	413	DC	N1-C2-O2	7.08	123.14	118.90
1	C	404	DA	C2-N3-C4	-7.07	107.06	110.60
2	D	430	DA	C6-N1-C2	-7.06	114.36	118.60
2	D	423	DT	C4-C5-C6	7.05	122.23	118.00
2	D	433	DG	C8-N9-C4	-7.03	103.59	106.40
1	C	412	DA	C5-C6-N6	-7.00	118.10	123.70
1	C	405	DT	C4-C5-C6	6.93	122.16	118.00
2	D	429	DC	C1'-O4'-C4'	6.83	116.93	110.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	431	DT	N1-C2-N3	6.77	118.66	114.60
1	C	404	DA	O4'-C1'-C2'	-6.76	100.49	105.90
1	C	411	DG	C8-N9-C4	-6.69	103.72	106.40
2	D	424	DC	C2-N3-C4	-6.66	116.57	119.90
1	C	403	DC	N1-C2-O2	6.66	122.89	118.90
2	D	428	DG	C5-C6-N1	6.63	114.81	111.50
1	C	406	DG	C8-N9-C4	-6.57	103.77	106.40
2	D	428	DG	C2-N3-C4	6.48	115.14	111.90
1	C	410	DT	O4'-C1'-C2'	-6.46	100.73	105.90
1	C	403	DC	N3-C2-O2	-6.46	117.38	121.90
1	C	406	DG	N3-C2-N2	6.42	124.40	119.90
2	D	428	DG	N3-C4-C5	-6.41	125.40	128.60
1	C	411	DG	C5-N7-C8	-6.29	101.15	104.30
2	D	430	DA	O4'-C1'-C2'	-6.28	100.88	105.90
2	D	431	DT	N1-C2-O2	6.21	128.07	123.10
2	D	430	DA	N9-C4-C5	6.11	108.24	105.80
2	D	432	DG	O4'-C4'-C3'	-6.10	102.06	104.50
1	C	411	DG	C4-C5-C6	6.09	122.45	118.80
2	D	424	DC	O4'-C1'-C2'	-6.08	101.03	105.90
2	D	433	DG	C5-N7-C8	-6.05	101.28	104.30
1	C	412	DA	O4'-C1'-C2'	-6.03	101.08	105.90
1	C	410	DT	N1-C2-N3	6.00	118.20	114.60
1	C	411	DG	N7-C8-N9	6.00	116.10	113.10
2	D	424	DC	N1-C2-N3	5.97	123.38	119.20
2	D	422	DG	O4'-C1'-C2'	-5.96	101.13	105.90
1	C	404	DA	P-O3'-C3'	5.96	126.85	119.70
1	C	411	DG	O4'-C1'-N9	-5.89	103.88	108.00
2	D	425	DA	C5-N7-C8	-5.86	100.97	103.90
2	D	433	DG	N7-C8-N9	5.84	116.02	113.10
3	A	250	THR	C-N-CA	5.82	136.24	121.70
2	D	422	DG	C4'-C3'-C2'	-5.80	97.88	103.10
2	D	433	DG	C6-N1-C2	-5.77	121.64	125.10
2	D	424	DC	N1-C2-O2	5.75	122.35	118.90
2	D	425	DA	N1-C6-N6	5.69	122.01	118.60
2	D	423	DT	C6-C5-C7	-5.67	119.50	122.90
1	C	410	DT	C4-C5-C6	5.56	121.33	118.00
2	D	426	DG	N3-C4-C5	-5.53	125.84	128.60
2	D	428	DG	N3-C4-N9	5.52	129.31	126.00
1	C	409	DC	O4'-C1'-N1	5.51	111.86	108.00
2	D	422	DG	N9-C4-C5	5.45	107.58	105.40
1	C	404	DA	N7-C8-N9	5.42	116.51	113.80
2	D	431	DT	C5-C6-N1	-5.40	120.46	123.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	433	DG	C5-C6-N1	5.40	114.20	111.50
2	D	425	DA	C5-C6-N6	-5.39	119.39	123.70
2	D	422	DG	C4-C5-C6	5.37	122.02	118.80
2	D	429	DC	P-O3'-C3'	5.37	126.14	119.70
1	C	404	DA	C5-N7-C8	-5.37	101.22	103.90
3	A	249	ILE	CA-C-N	5.35	128.97	117.20
1	C	413	DC	O5'-P-OP2	-5.29	100.94	105.70
1	C	410	DT	C5'-C4'-C3'	-5.27	104.61	114.10
2	D	433	DG	P-O5'-C5'	-5.26	112.48	120.90
1	C	406	DG	C6-N1-C2	-5.26	121.94	125.10
1	C	411	DG	C2-N3-C4	-5.25	109.28	111.90
2	D	431	DT	O4'-C1'-N1	5.23	111.66	108.00
1	C	410	DT	C2-N3-C4	-5.18	124.09	127.20
1	C	411	DG	O4'-C4'-C3'	5.15	109.09	106.00
1	C	404	DA	N1-C6-N6	5.14	121.69	118.60
2	D	429	DC	O3'-P-O5'	-5.11	94.29	104.00
1	C	405	DT	P-O3'-C3'	5.07	125.78	119.70
3	A	16	ASP	CB-CG-OD1	5.03	122.83	118.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	A	157	TYR	Sidechain
3	A	249	ILE	Mainchain
1	C	411	DG	Sidechain
2	D	428	DG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	244	0	137	2	0
2	D	250	0	135	3	0
3	A	2607	0	2587	16	0
4	D	27	0	20	0	0
5	A	119	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	13	0	0	0	0
5	D	16	0	0	0	0
All	All	3276	0	2879	17	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (17) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:427:4SC:H62	3:A:81[B]:CYS:SG	1.83	1.18
2:D:427:4SC:C6	3:A:81[B]:CYS:SG	2.70	0.77
3:A:309:ASN:N	3:A:309:ASN:HD22	1.93	0.64
1:C:406:DG:O6	3:A:256:GLY:HA3	2.00	0.62
3:A:309:ASN:HD22	3:A:309:ASN:H	1.48	0.60
3:A:275:HIS:HD2	3:A:277:ARG:H	1.51	0.59
3:A:228:ARG:NH1	3:A:231:ILE:HD11	2.22	0.54
3:A:95:ASP:OD1	3:A:97:ARG:HD3	2.09	0.53
3:A:275:HIS:CD2	3:A:277:ARG:H	2.26	0.52
3:A:1:MET:HA	3:A:309:ASN:ND2	2.28	0.48
3:A:69:ILE:HA	3:A:70:PRO:HD3	1.83	0.45
3:A:223:THR:HG22	3:A:224:PRO:HD2	1.98	0.44
3:A:25:ARG:HD2	3:A:53:PHE:CE1	2.53	0.44
3:A:184:LYS:HA	3:A:185:PRO:HD3	1.88	0.42
3:A:309:ASN:N	3:A:309:ASN:ND2	2.65	0.41
2:D:427:4SC:S4'	3:A:165:ARG:NH2	2.93	0.41
1:C:407:5CM:H2"	1:C:408:DG:C8	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	326/327 (100%)	316 (97%)	8 (2%)	2 (1%)	30	18

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	A	60	ASP
3	A	144	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	284/283 (100%)	264 (93%)	20 (7%)	19	10

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	25	ARG
3	A	28	LEU
3	A	41	TRP
3	A	48	VAL
3	A	58	GLU
3	A	68	THR
3	A	81[A]	CYS
3	A	81[B]	CYS
3	A	117	PHE
3	A	134	GLU
3	A	174	ASP
3	A	176	ASN
3	A	220	GLU
3	A	223	THR
3	A	245	ARG
3	A	251	LEU
3	A	266	LEU
3	A	270	LYS
3	A	296	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	A	309	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	141	ASN
3	A	275	HIS
3	A	309	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	5CM	C	407	1,2	13,21,22	1.81	5 (38%)	17,30,33	1.01	1 (5%)
2	4SC	D	427	2,4	15,21,21	2.90	7 (46%)	14,30,30	2.85	5 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5CM	C	407	1,2	-	0/3/21/22	0/2/2/2
2	4SC	D	427	2,4	-	0/6/37/37	0/1/2/2

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	427	4SC	C6-N1	-5.90	1.39	1.46
2	D	427	4SC	C6-C5	-5.09	1.38	1.52
1	C	407	5CM	C4-N3	-2.75	1.30	1.35
1	C	407	5CM	O4'-C4'	-2.10	1.40	1.45
1	C	407	5CM	C5A-C5	2.11	1.55	1.51
2	D	427	4SC	C5M-C5	2.16	1.60	1.52
2	D	427	4SC	C2'-C3'	2.30	1.59	1.52
1	C	407	5CM	C5-C4	2.81	1.45	1.41
1	C	407	5CM	C6-N1	3.42	1.40	1.35
2	D	427	4SC	C4-N3	3.67	1.39	1.31
2	D	427	4SC	C4-N4	3.99	1.39	1.33
2	D	427	4SC	O3'-C3'	4.67	1.53	1.43

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	427	4SC	C5'-C4'-S4'	-6.40	101.68	111.45
2	D	427	4SC	C1'-S4'-C4'	-4.07	91.04	94.09
2	D	427	4SC	C2'-C3'-C4'	-3.73	103.00	106.55
1	C	407	5CM	O4'-C1'-C2'	-3.19	99.92	106.27
2	D	427	4SC	C3'-C4'-S4'	3.78	108.74	105.09
2	D	427	4SC	C2'-C1'-S4'	4.44	110.75	106.49

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	C	407	5CM	1	0
2	D	427	4SC	3	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul

statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	SAM	D	328	2	21,29,29	1.37	5 (23%)	17,42,42	1.47	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	SAM	D	328	2	-	0/8/33/33	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	328	SAM	CE-SD	-2.79	1.59	1.78
4	D	328	SAM	C8-N7	-2.05	1.30	1.34
4	D	328	SAM	C2-N3	2.23	1.36	1.32
4	D	328	SAM	C2-N1	2.24	1.38	1.33
4	D	328	SAM	C4-N3	2.35	1.39	1.35

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	328	SAM	O3'-C3'-C4'	-2.09	104.78	111.05
4	D	328	SAM	N3-C2-N1	2.21	130.59	128.89
4	D	328	SAM	CE-SD-CG	4.51	141.31	99.84

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section will therefore be empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section will therefore be empty.

6.4 Ligands ⓘ

EDS was not executed - this section will therefore be empty.

6.5 Other polymers ⓘ

EDS was not executed - this section will therefore be empty.