



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:40 AM GMT

PDB ID : 3MI5
Title : Axial Ligand Swapping In Double Mutant Maintains Intradiol-cleavage Chemistry in Protocatechuate 3,4-Dioxygenase
Authors : Purpero, V.M.; Lipscomb, J.D.
Deposited on : 2010-04-09
Resolution : 1.78 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.78 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6655 (1.80-1.76)
Clashscore	102246	7658 (1.80-1.76)
Ramachandran outliers	100387	7570 (1.80-1.76)
Sidechain outliers	100360	7569 (1.80-1.76)
RSRZ outliers	91569	6671 (1.80-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	200	<div> <div>5%</div> <div>93%</div> <div>8%</div> </div>
1	B	200	<div> <div>10%</div> <div>91%</div> <div>10%</div> </div>
1	C	200	<div> <div>2%</div> <div>94%</div> <div>6%</div> </div>
1	D	200	<div> <div>5%</div> <div>93%</div> <div>7%</div> </div>
1	E	200	<div> <div>9%</div> <div>94%</div> <div>6%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	200	
2	M	238	
2	N	238	
2	O	238	
2	P	238	
2	Q	238	
2	R	238	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	B	201	-	-	-	X
3	SO4	R	3	-	-	-	X
4	BME	B	202	-	-	X	-
4	BME	D	202	-	-	X	-
4	BME	D	207	-	-	-	X
4	BME	E	208[A]	-	-	-	X
4	BME	E	208[B]	-	-	-	X
4	BME	F	205	-	-	-	X
4	BME	F	207	-	-	X	X
4	BME	M	30[A]	-	-	-	X
4	BME	M	30[B]	-	-	-	X
4	BME	N	18	-	-	-	X
4	BME	N	8	-	-	-	X
4	BME	O	542	-	-	X	-
4	BME	O	9	-	-	-	X
4	BME	P	543	-	-	-	X
5	GOL	A	204[A]	-	-	-	X
5	GOL	A	204[B]	-	-	-	X
5	GOL	A	205	-	-	-	X
5	GOL	A	206	-	-	-	X
5	GOL	B	203	-	-	X	X
5	GOL	C	202[A]	-	-	-	X
5	GOL	C	202[B]	-	-	-	X
5	GOL	C	203	-	-	-	X
5	GOL	D	203	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	D	205	-	-	-	X
5	GOL	D	206	-	-	-	X
5	GOL	E	206	-	-	-	X
5	GOL	F	203	-	-	-	X
5	GOL	M	10[A]	-	-	-	X
5	GOL	M	10[B]	-	-	-	X
5	GOL	M	14[A]	-	-	X	X
5	GOL	M	14[B]	-	-	-	X
5	GOL	M	16	-	-	X	-
5	GOL	N	1[A]	-	-	-	X
5	GOL	N	1[B]	-	-	-	X
5	GOL	N	26	-	-	-	X
5	GOL	O	1	-	-	-	X
5	GOL	O	29[A]	-	-	-	X
5	GOL	O	29[B]	-	-	-	X
5	GOL	O	539	-	-	-	X
5	GOL	P	1	-	-	-	X
5	GOL	P	17[A]	-	-	-	X
5	GOL	P	17[B]	-	-	-	X
5	GOL	Q	1	-	-	-	X
5	GOL	Q	15[A]	-	-	-	X
5	GOL	Q	15[B]	-	-	-	X
5	GOL	Q	540	-	-	X	X
5	GOL	R	13[A]	-	-	-	X
5	GOL	R	13[B]	-	-	-	X
5	GOL	R	15[A]	-	-	-	X
5	GOL	R	15[B]	-	-	-	X
5	GOL	R	23	-	-	-	X
6	CAQ	A	207	-	-	-	X
6	CAQ	M	539	-	-	-	X
6	CAQ	N	3	-	-	-	X
6	CAQ	P	542	-	-	-	X
6	CAQ	Q	6	-	-	-	X

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 24211 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protocatechuate 3,4-dioxygenase alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	200	Total	C	N	O	S	0	9	0
			1629	1031	284	311	3			
1	B	200	Total	C	N	O	S	0	4	0
			1596	1010	278	305	3			
1	C	200	Total	C	N	O	S	0	9	0
			1632	1032	282	315	3			
1	D	200	Total	C	N	O	S	0	6	0
			1606	1016	277	310	3			
1	E	200	Total	C	N	O	S	0	7	0
			1615	1022	281	309	3			
1	F	200	Total	C	N	O	S	2	8	0
			1630	1030	283	314	3			

- Molecule 2 is a protein called Protocatechuate 3,4-dioxygenase beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	M	238	Total	C	N	O	S	0	6	0
			1921	1218	353	342	8			
2	N	238	Total	C	N	O	S	0	7	0
			1924	1220	353	343	8			
2	O	238	Total	C	N	O	S	0	5	0
			1913	1213	350	342	8			
2	P	238	Total	C	N	O	S	0	7	0
			1922	1221	349	344	8			
2	Q	238	Total	C	N	O	S	0	11	0
			1946	1238	356	344	8			
2	R	238	Total	C	N	O	S	0	7	0
			1927	1224	352	343	8			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
M	447	HIS	TYR	engineered	UNP P00437

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
M	462	TYR	HIS	engineered	UNP P00437
N	447	HIS	TYR	engineered	UNP P00437
N	462	TYR	HIS	engineered	UNP P00437
O	447	HIS	TYR	engineered	UNP P00437
O	462	TYR	HIS	engineered	UNP P00437
P	447	HIS	TYR	engineered	UNP P00437
P	462	TYR	HIS	engineered	UNP P00437
Q	447	HIS	TYR	engineered	UNP P00437
Q	462	TYR	HIS	engineered	UNP P00437
R	447	HIS	TYR	engineered	UNP P00437
R	462	TYR	HIS	engineered	UNP P00437

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	N	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	O	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	P	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	Q	1	Total	O	S	0	0
			5	4	1		
3	Q	1	Total	O	S	0	0
			5	4	1		
3	F	1	Total	O	S	0	0
			5	4	1		
3	R	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is BETA-MERCAPTOETHANOL (three-letter code: BME) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	O	S	0	0
			4	2	1	1		
4	M	1	Total	C	O	S	0	0
			4	2	1	1		
4	M	1	Total	C	O	S	0	1
			8	4	2	2		
4	M	1	Total	C	O	S	0	1
			8	4	2	2		
4	M	1	Total	C	O	S	0	0
			4	2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	B	1	Total 4	C 2	O 1	S 1	0	0
4	N	1	Total 4	C 2	O 1	S 1	0	0
4	N	1	Total 4	C 2	O 1	S 1	0	0
4	C	1	Total 4	C 2	O 1	S 1	0	0
4	O	1	Total 4	C 2	O 1	S 1	0	0
4	O	1	Total 4	C 2	O 1	S 1	0	0
4	O	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	D	1	Total 4	C 2	O 1	S 1	0	0
4	P	1	Total 4	C 2	O 1	S 1	0	0
4	P	1	Total 8	C 4	O 2	S 2	0	1
4	P	1	Total 4	C 2	O 1	S 1	0	0
4	P	1	Total 4	C 2	O 1	S 1	0	0
4	E	1	Total 4	C 2	O 1	S 1	0	0
4	E	1	Total 8	C 4	O 2	S 2	0	1
4	F	1	Total 4	C 2	O 1	S 1	0	0
4	F	1	Total 4	C 2	O 1	S 1	0	0
4	R	1	Total 4	C 2	O 1	S 1	0	0
4	R	1	Total 4	C 2	O 1	S 1	0	0

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	1
			12	6	6		
5	A	1	Total	C	O	0	1
			12	6	6		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	M	1	Total	C	O	0	0
			6	3	3		
5	M	1	Total	C	O	0	0
			6	3	3		
5	M	1	Total	C	O	0	1
			12	6	6		
5	M	1	Total	C	O	0	1
			12	6	6		
5	B	1	Total	C	O	0	0
			6	3	3		
5	B	1	Total	C	O	0	1
			12	6	6		
5	B	1	Total	C	O	0	0
			6	3	3		
5	N	1	Total	C	O	0	0
			6	3	3		
5	N	1	Total	C	O	0	1
			12	6	6		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	1
			12	6	6		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	O	1	Total	C	O	0	0
			6	3	3		
5	O	1	Total	C	O	0	1
			12	6	6		
5	O	1	Total	C	O	0	0
			6	3	3		
5	O	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	1
			12	6	6		
5	D	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	P	1	Total	C	O	0	1
			12	6	6		
5	P	1	Total	C	O	0	0
			6	3	3		
5	P	1	Total	C	O	0	0
			6	3	3		
5	E	1	Total	C	O	0	0
			6	3	3		
5	E	1	Total	C	O	0	1
			12	6	6		
5	E	1	Total	C	O	0	0
			6	3	3		
5	E	1	Total	C	O	0	0
			6	3	3		
5	Q	1	Total	C	O	0	1
			12	6	6		
5	Q	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	Q	1	Total	C	O	0	0
			6	3	3		
5	F	1	Total	C	O	0	0
			6	3	3		
5	F	1	Total	C	O	0	0
			6	3	3		
5	F	1	Total	C	O	0	1
			12	6	6		
5	R	1	Total	C	O	0	1
			12	6	6		
5	R	1	Total	C	O	0	0
			6	3	3		
5	R	1	Total	C	O	0	1
			12	6	6		

- Molecule 6 is CATECHOL (three-letter code: CAQ) (formula: C₆H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	6	2		
6	M	1	Total	C	O	0	0
			8	6	2		
6	B	1	Total	C	O	0	0
			8	6	2		
6	N	1	Total	C	O	0	0
			8	6	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total	C	O	0	0
			8	6	2		
6	O	1	Total	C	O	0	0
			8	6	2		
6	D	1	Total	C	O	0	0
			8	6	2		
6	P	1	Total	C	O	0	0
			8	6	2		
6	E	1	Total	C	O	0	0
			8	6	2		
6	Q	1	Total	C	O	0	0
			8	6	2		
6	F	1	Total	C	O	0	0
			8	6	2		
6	R	1	Total	C	O	0	0
			8	6	2		

- Molecule 7 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	P	1	Total	Fe	0	0
			1	1		
7	Q	1	Total	Fe	0	0
			1	1		
7	N	1	Total	Fe	0	0
			1	1		
7	O	1	Total	Fe	0	0
			1	1		
7	R	1	Total	Fe	0	0
			1	1		
7	M	1	Total	Fe	0	0
			1	1		

- Molecule 8 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	O	1	Total	Cl	0	0
			1	1		
8	R	1	Total	Cl	0	0
			1	1		
8	Q	1	Total	Cl	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	N	1	Total 1	Cl 1	0	0
8	M	1	Total 1	Cl 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	164	Total 166	O 166	0	2
9	M	228	Total 230	O 230	0	2
9	B	154	Total 156	O 156	0	2
9	N	208	Total 211	O 211	0	3
9	C	168	Total 169	O 169	0	1
9	O	217	Total 218	O 218	0	1
9	D	163	Total 166	O 166	0	3
9	P	226	Total 229	O 229	0	3
9	E	143	Total 145	O 145	0	2
9	Q	211	Total 214	O 214	0	3
9	F	181	Total 182	O 182	0	1
9	R	237	Total 239	O 239	0	2



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protocatechuate 3,4-dioxygenase alpha chain




- Molecule 1: Protocatechuate 3,4-dioxygenase alpha chain





- Molecule 1: Protocatechuate 3,4-dioxygenase alpha chain




- Molecule 1: Protocatechuate 3,4-dioxygenase alpha chain




- Molecule 1: Protocatechuate 3,4-dioxygenase alpha chain




- Molecule 1: Protocatechuate 3,4-dioxygenase alpha chain




- Molecule 2: Protocatechuate 3,4-dioxygenase beta chain




- Molecule 2: Protocatechuate 3,4-dioxygenase beta chain




- Molecule 2: Protocatechuate 3,4-dioxygenase beta chain




- Molecule 2: Protocatechuate 3,4-dioxygenase beta chain



- Molecule 2: Protocatechuate 3,4-dioxygenase beta chain



- Molecule 2: Protocatechuate 3,4-dioxygenase beta chain



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	190.54Å 168.00Å 128.34Å 90.00° 132.40° 90.00°	Depositor
Resolution (Å)	30.62 – 1.78 29.97 – 1.78	Depositor EDS
% Data completeness (in resolution range)	99.1 (30.62-1.78) 99.0 (29.97-1.78)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.01 (at 1.78Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.151 , 0.185 0.155 , 0.188	Depositor DCC
R_{free} test set	14274 reflections (5.33%)	DCC
Wilson B-factor (Å ²)	18.0	Xtriage
Anisotropy	0.031	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 58.5	EDS
Estimated twinning fraction	0.478 for -h-2*k,l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 282688 reflections	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	24211	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.80% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, CL, CAQ, BME, SO4, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.66	0/1694	0.64	0/2304
1	B	0.62	0/1648	0.63	0/2243
1	C	0.63	0/1693	0.65	1/2304 (0.0%)
1	D	0.68	0/1664	0.65	0/2265
1	E	0.65	0/1676	0.64	0/2280
1	F	0.95	2/1685 (0.1%)	0.67	0/2293
2	M	0.66	0/1993	0.70	0/2711
2	N	0.65	0/2002	0.67	0/2724
2	O	0.64	0/1982	0.69	0/2696
2	P	0.66	0/1997	0.72	1/2717 (0.0%)
2	Q	0.64	0/2037	0.67	0/2769
2	R	0.68	0/2002	0.70	1/2724 (0.0%)
All	All	0.68	2/22073 (0.0%)	0.67	3/30030 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	178[A]	ASP	CG-OD1	19.81	1.71	1.25
1	F	178[B]	ASP	CG-OD1	19.81	1.71	1.25

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	R	311	ARG	NE-CZ-NH2	-5.80	117.40	120.30
2	P	457	ARG	NE-CZ-NH2	-5.28	117.66	120.30
1	C	74	ASP	CB-CG-OD1	5.19	122.97	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1629	0	1573	9	0
1	B	1596	0	1535	21	0
1	C	1632	0	1566	9	0
1	D	1606	0	1541	13	0
1	E	1615	0	1558	12	0
1	F	1630	0	1561	12	0
2	M	1921	0	1888	27	0
2	N	1924	0	1892	12	0
2	O	1913	0	1875	22	0
2	P	1922	0	1891	18	0
2	Q	1946	0	1932	28	0
2	R	1927	0	1896	15	0
3	A	5	0	0	0	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	D	5	0	0	0	0
3	E	5	0	0	0	0
3	F	5	0	0	0	0
3	N	5	0	0	0	0
3	O	5	0	0	0	0
3	P	5	0	0	0	0
3	Q	10	0	0	0	0
3	R	5	0	0	0	0
4	A	4	0	6	2	0
4	B	8	0	12	7	0
4	C	4	0	6	0	0
4	D	8	0	12	7	0
4	E	12	0	18	3	0
4	F	8	0	12	8	0
4	M	24	0	36	5	0
4	N	8	0	12	1	0
4	O	12	0	18	7	0
4	P	20	0	30	1	0
4	R	8	0	12	3	0
5	A	42	0	55	3	0
5	B	24	0	32	10	0
5	C	30	0	39	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	30	0	40	2	0
5	E	30	0	40	7	0
5	F	24	0	32	0	0
5	M	36	0	48	18	0
5	N	18	0	24	1	0
5	O	30	0	40	1	0
5	P	24	0	32	4	0
5	Q	24	0	32	12	0
5	R	30	0	40	2	0
6	A	8	0	5	0	0
6	B	8	0	4	0	0
6	C	8	0	6	0	0
6	D	8	0	5	0	0
6	E	8	0	4	0	0
6	F	8	0	5	0	0
6	M	8	0	4	3	0
6	N	8	0	4	1	0
6	O	8	0	4	2	0
6	P	8	0	4	2	0
6	Q	8	0	4	2	0
6	R	8	0	4	2	0
7	M	1	0	0	0	0
7	N	1	0	0	0	0
7	O	1	0	0	0	0
7	P	1	0	0	0	0
7	Q	1	0	0	0	0
7	R	1	0	0	0	0
8	M	1	0	0	0	0
8	N	1	0	0	0	0
8	O	1	0	0	0	0
8	Q	1	0	0	0	0
8	R	1	0	0	0	0
9	A	166	0	0	2	0
9	B	156	0	0	0	0
9	C	169	0	0	1	0
9	D	166	0	0	6	0
9	E	145	0	0	3	0
9	F	182	0	0	4	0
9	M	230	0	0	7	0
9	N	211	0	0	1	0
9	O	218	0	0	0	0
9	P	229	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	Q	214	0	0	2	0
9	R	239	0	0	1	0
All	All	24211	0	21389	210	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (210) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:450[A]:ARG:NH1	5:M:14[A]:GOL:H32	1.26	1.40
2:M:450[A]:ARG:NH1	5:M:14[A]:GOL:C3	1.96	1.28
2:Q:450[A]:ARG:NH1	5:Q:540:GOL:H32	1.47	1.25
5:D:203:GOL:O1	9:D:1227:HOH:O	1.58	1.20
1:F:86[A]:GLU:OE2	9:F:1738:HOH:O	1.60	1.19
1:E:165[B]:GLN:HG3	9:E:910:HOH:O	1.01	1.18
5:M:14[B]:GOL:C3	9:M:2254:HOH:O	1.90	1.16
5:M:14[A]:GOL:O3	9:M:2254:HOH:O	1.61	1.16
2:M:450[A]:ARG:HH11	5:M:14[A]:GOL:C3	1.58	1.15
2:R:383:ARG:HH22	4:R:540:BME:H21	1.04	1.09
5:M:14[B]:GOL:H32	9:M:2254:HOH:O	1.53	1.05
1:B:99:PHE:H	4:B:202:BME:C1	1.71	1.04
1:B:99:PHE:H	4:B:202:BME:H11	1.23	1.02
1:C:184:ARG:NH1	9:C:2119:HOH:O	1.90	1.00
4:A:202:BME:H11	9:A:2124:HOH:O	1.61	0.99
2:R:383:ARG:NH2	4:R:540:BME:H21	1.83	0.92
2:Q:414[A]:ARG:NH1	2:Q:450[A]:ARG:HE	1.67	0.92
2:Q:414[A]:ARG:NH1	9:Q:2247:HOH:O	1.92	0.91
2:P:450:ARG:HH11	5:P:17[A]:GOL:H32	1.35	0.91
2:R:307:ARG:HD2	5:R:13[B]:GOL:H2	1.52	0.90
2:Q:450[A]:ARG:HH11	5:Q:540:GOL:H32	1.09	0.89
2:M:450[A]:ARG:HH12	5:M:14[A]:GOL:C3	1.83	0.88
2:R:383:ARG:HH22	4:R:540:BME:C2	1.86	0.88
2:Q:450[A]:ARG:NH1	5:Q:540:GOL:C3	2.36	0.86
2:O:383:ARG:HH22	4:O:542:BME:H22	1.40	0.84
2:P:414:ARG:HH11	2:P:414:ARG:HG3	1.43	0.84
2:P:450:ARG:NH1	5:P:17[A]:GOL:H32	1.93	0.81
2:M:407:ARG:HH22	5:M:16:GOL:H32	1.46	0.80
1:B:99:PHE:N	4:B:202:BME:H11	1.96	0.79
5:R:13[B]:GOL:HO1	5:R:13[B]:GOL:HO3	1.31	0.79
2:M:414:ARG:HG2	9:M:2287:HOH:O	1.82	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Q:450[A]:ARG:HH12	5:Q:540:GOL:H32	1.48	0.77
2:P:414:ARG:HH11	2:P:414:ARG:CG	1.96	0.77
2:Q:352:SER:OG	2:Q:394[B]:ASN:ND2	2.20	0.74
1:B:186:ASP:H	5:B:205[A]:GOL:H31	1.54	0.73
2:P:447[B]:HIS:CE1	2:P:460:HIS:HE1	2.06	0.72
1:A:6[B]:PRO:HG2	2:M:503[B]:GLN:OE1	1.89	0.72
2:Q:450[B]:ARG:HE	5:Q:540:GOL:H32	1.56	0.71
1:D:100:ASP:OD1	4:D:202:BME:S2	2.48	0.71
1:A:100:ASP:OD1	4:A:202:BME:S2	2.49	0.70
1:B:99:PHE:H	4:B:202:BME:H12	1.53	0.70
1:F:98:THR:HA	4:F:207:BME:H11	1.73	0.70
1:F:98:THR:HA	4:F:207:BME:C1	2.23	0.69
2:M:447[B]:HIS:CE1	2:M:460:HIS:HE1	2.10	0.69
1:A:180:LYS:NZ	9:A:1914:HOH:O	2.25	0.69
2:O:383:ARG:NH2	4:O:542:BME:H22	2.08	0.68
2:O:374:ILE:HD12	2:R:374[A]:ILE:HD12	1.78	0.66
2:N:352:SER:OG	2:N:394[B]:ASN:ND2	2.28	0.66
1:D:186:ASP:H	5:D:204[B]:GOL:H31	1.60	0.65
2:Q:447[B]:HIS:CE1	2:Q:460:HIS:HE1	2.14	0.65
2:O:383:ARG:HH12	4:O:542:BME:H22	1.62	0.64
1:D:99:PHE:H	4:D:202:BME:H11	1.63	0.63
2:R:447[B]:HIS:CE1	2:R:460:HIS:HE1	2.17	0.63
4:D:202:BME:H12	9:D:2122:HOH:O	1.98	0.62
1:A:70:VAL:HG11	1:A:106:LEU:HD11	1.80	0.62
2:P:447[B]:HIS:HE1	2:P:460:HIS:CE1	2.18	0.62
1:D:70:VAL:HG11	1:D:106:LEU:HD11	1.81	0.62
1:F:99:PHE:H	4:F:207:BME:C1	2.12	0.62
4:D:207:BME:H11	9:D:1498:HOH:O	1.99	0.62
2:P:488:MET:CE	9:F:2263:HOH:O	2.48	0.61
2:M:450[A]:ARG:HH11	5:M:14[A]:GOL:H32	0.65	0.61
1:D:99:PHE:H	4:D:202:BME:C1	2.13	0.61
2:M:449:TRP:HA	4:M:1[B]:BME:H22	1.83	0.60
2:M:407:ARG:HH12	5:M:16:GOL:H11	1.65	0.60
1:F:16:TYR:CE2	6:R:1:CAQ:H2	2.36	0.60
1:B:64:ARG:NH1	1:B:100:ASP:O	2.35	0.60
1:E:165[B]:GLN:CG	9:E:910:HOH:O	1.86	0.60
4:F:207:BME:H21	9:F:2074:HOH:O	2.02	0.59
2:O:418:PRO:HG2	2:R:374[B]:ILE:HD13	1.84	0.59
1:C:16:TYR:CE2	6:O:4:CAQ:H2	2.37	0.59
2:P:447[B]:HIS:CE1	2:P:460:HIS:CE1	2.89	0.59
2:O:447[B]:HIS:CE1	2:O:460:HIS:HE1	2.20	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:16:TYR:CE2	6:P:542:CAQ:H2	2.38	0.59
2:Q:414[B]:ARG:HH21	2:Q:414[B]:ARG:HB2	1.68	0.59
1:B:186:ASP:H	5:B:205[A]:GOL:C3	2.16	0.58
1:B:70:VAL:HG11	1:B:106:LEU:HD11	1.86	0.58
5:M:10[B]:GOL:O3	5:M:10[B]:GOL:O1	2.15	0.58
2:M:447[B]:HIS:CE1	2:M:460:HIS:CE1	2.92	0.57
1:E:188:ARG:HH21	5:E:203[A]:GOL:H32	1.69	0.57
2:O:507[A]:LYS:HG2	5:O:1:GOL:H32	1.85	0.57
5:Q:15[A]:GOL:O3	5:Q:15[A]:GOL:O1	2.22	0.57
2:Q:307:ARG:HD2	5:Q:15[A]:GOL:H2	1.85	0.57
1:E:16:TYR:CE2	6:Q:6:CAQ:H5	2.41	0.56
1:E:64:ARG:NH1	1:E:100:ASP:O	2.39	0.56
2:R:393:PRO:O	2:R:394[B]:ASN:ND2	2.34	0.56
2:Q:414[A]:ARG:HH12	2:Q:450[A]:ARG:HE	1.52	0.56
2:Q:450[A]:ARG:HH12	5:Q:540:GOL:C3	2.12	0.55
2:M:447[B]:HIS:HE1	2:M:460:HIS:CE1	2.23	0.55
1:C:51:LEU:HD11	1:C:126:ILE:CD1	2.37	0.55
1:B:186:ASP:H	5:B:205[B]:GOL:C3	2.20	0.55
1:F:64:ARG:NH1	1:F:100:ASP:O	2.39	0.55
1:E:70:VAL:HG11	1:E:106:LEU:HD11	1.88	0.55
2:R:329:ALA:HB3	9:R:1656:HOH:O	2.07	0.55
1:C:64:ARG:NH1	1:C:100:ASP:O	2.39	0.54
2:M:326:THR:HG22	2:M:330:ARG:HD2	1.89	0.54
2:O:383:ARG:NH1	4:O:542:BME:H22	2.23	0.54
2:O:393:PRO:O	2:O:394[B]:ASN:ND2	2.33	0.54
1:E:99:PHE:CD2	4:E:204:BME:H21	2.43	0.54
2:P:450:ARG:NH1	5:P:17[A]:GOL:C3	2.68	0.54
2:P:326:THR:HG22	2:P:330:ARG:HD2	1.90	0.54
1:F:51:LEU:HD11	1:F:126:ILE:CD1	2.38	0.54
5:M:10[A]:GOL:O1	5:M:10[A]:GOL:O3	2.26	0.53
2:Q:447[B]:HIS:HE1	2:Q:460:HIS:CE1	2.26	0.53
2:M:447[B]:HIS:NE2	6:M:539:CAQ:C3	2.72	0.52
1:A:16:TYR:CE2	6:M:539:CAQ:H5	2.44	0.52
2:N:447[B]:HIS:CE1	2:N:460:HIS:HE1	2.27	0.52
1:F:99:PHE:H	4:F:207:BME:H12	1.72	0.52
5:Q:540:GOL:O1	5:Q:540:GOL:O3	2.26	0.52
2:P:447[B]:HIS:NE2	6:P:542:CAQ:C4	2.73	0.51
1:D:98:THR:HA	4:D:202:BME:O1	2.11	0.51
2:M:449:TRP:HA	4:M:1[A]:BME:H21	1.91	0.51
1:E:41:LYS:HE3	5:E:205:GOL:H11	1.93	0.51
2:R:447[B]:HIS:NE2	6:R:1:CAQ:C4	2.74	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:O:515:PRO:HD2	5:Q:15[B]:GOL:H32	1.93	0.51
1:E:99:PHE:H	4:E:204:BME:C2	2.24	0.51
1:F:51:LEU:HD11	1:F:126:ILE:HD12	1.93	0.51
1:B:16:TYR:CE2	6:N:3:CAQ:H2	2.47	0.50
2:R:447[B]:HIS:HE1	2:R:460:HIS:CE1	2.30	0.50
1:B:90:ASN:HD22	5:B:207:GOL:C1	2.24	0.50
2:P:488:MET:HE3	9:F:2263:HOH:O	2.11	0.49
2:P:414:ARG:NH1	2:P:414:ARG:CG	2.65	0.49
1:F:98:THR:CA	4:F:207:BME:H11	2.40	0.49
1:D:51:LEU:HD11	1:D:126:ILE:CD1	2.43	0.49
2:P:340:PRO:HD3	5:Q:540:GOL:H31	1.95	0.49
2:O:447[B]:HIS:NE2	6:O:4:CAQ:C4	2.76	0.49
1:A:36:TRP:HZ2	5:A:204[A]:GOL:H31	1.76	0.48
2:O:447[B]:HIS:HE1	2:O:460:HIS:HE1	1.61	0.48
2:N:400:TRP:HA	2:N:425:GLY:O	2.13	0.48
1:D:99:PHE:HB2	4:D:202:BME:H11	1.96	0.48
1:D:47[A]:GLU:HG2	9:D:2068:HOH:O	2.13	0.48
1:C:114[A]:VAL:HG11	2:O:343:ILE:CG2	2.43	0.48
2:P:478:LEU:C	2:P:478:LEU:HD23	2.35	0.48
1:D:47[A]:GLU:OE2	9:D:2186:HOH:O	2.20	0.47
2:M:478:LEU:C	2:M:478:LEU:HD23	2.34	0.47
2:Q:414[B]:ARG:NH2	2:Q:414[B]:ARG:CB	2.77	0.47
2:Q:447[B]:HIS:CE1	2:Q:460:HIS:CE1	2.96	0.47
2:R:478:LEU:C	2:R:478:LEU:HD23	2.35	0.47
2:M:409:ARG:HH12	4:M:28:BME:H11	1.80	0.47
2:O:447[B]:HIS:HE1	2:O:460:HIS:CE1	2.32	0.47
5:M:10[A]:GOL:H12	2:N:320:LEU:HD21	1.95	0.47
1:D:47[A]:GLU:CD	9:D:2186:HOH:O	2.53	0.47
5:B:203:GOL:H2	2:N:367:PHE:HD1	1.80	0.46
2:M:503[B]:GLN:HE21	2:M:503[B]:GLN:HA	1.80	0.46
1:C:39:LEU:HD11	1:C:93:GLY:HA3	1.98	0.46
1:C:41:LYS:HG3	5:C:202[A]:GOL:H2	1.98	0.46
2:Q:414[B]:ARG:HH21	2:Q:414[B]:ARG:CB	2.28	0.46
1:C:185:PHE:HA	5:C:204:GOL:H32	1.96	0.46
2:M:407:ARG:NH1	5:M:16:GOL:H11	2.29	0.46
2:M:407:ARG:HH12	5:M:16:GOL:C1	2.29	0.46
2:Q:507[B]:LYS:HG2	5:Q:1:GOL:H11	1.96	0.46
1:B:69:GLU:HG2	1:B:94:ARG:HG2	1.98	0.46
2:O:400:TRP:HA	2:O:425:GLY:O	2.16	0.45
2:R:400:TRP:HA	2:R:425:GLY:O	2.16	0.45
1:B:166:ARG:HD2	2:N:334[A]:GLN:NE2	2.32	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Q:394[A]:ASN:ND2	9:Q:1697:HOH:O	2.36	0.45
1:E:90:ASN:ND2	5:E:205:GOL:O1	2.50	0.45
1:E:131:PHE:CE2	1:E:138:HIS:HB3	2.52	0.45
2:N:507:LYS:HG2	5:N:1[A]:GOL:H32	1.99	0.45
1:A:51:LEU:HD11	1:A:126:ILE:CD1	2.47	0.45
1:B:39:LEU:C	5:B:207:GOL:H11	2.37	0.45
2:Q:400:TRP:HA	2:Q:425:GLY:O	2.18	0.44
1:B:98:THR:HA	4:B:202:BME:H11	2.00	0.44
2:P:400:TRP:HA	2:P:425:GLY:O	2.17	0.43
4:N:8:BME:H11	9:N:1404:HOH:O	2.18	0.43
5:E:206:GOL:H2	2:Q:367:PHE:HD1	1.82	0.43
2:Q:326:THR:HG22	2:Q:330:ARG:HD2	2.01	0.43
2:O:478:LEU:C	2:O:478:LEU:HD23	2.38	0.43
2:Q:447[B]:HIS:NE2	6:Q:6:CAQ:C3	2.81	0.43
1:A:64[B]:ARG:HD3	1:A:99:PHE:O	2.19	0.43
1:B:185:PHE:HA	5:B:205[B]:GOL:H31	2.01	0.43
2:N:399:MET:HA	2:N:462:TYR:O	2.19	0.43
1:F:99:PHE:CD2	4:F:207:BME:H22	2.53	0.43
5:A:206:GOL:H32	9:M:98:HOH:O	2.18	0.43
5:E:205:GOL:H2	9:E:1232:HOH:O	2.18	0.43
2:M:400:TRP:HA	2:M:425:GLY:O	2.18	0.43
2:N:478:LEU:HD23	2:N:478:LEU:C	2.40	0.43
1:B:98:THR:CA	4:B:202:BME:H11	2.49	0.42
5:P:17[B]:GOL:H2	2:R:340:PRO:HD3	2.01	0.42
5:B:203:GOL:H32	2:N:426:VAL:CG1	2.49	0.42
2:M:450[A]:ARG:NH1	5:M:14[A]:GOL:O3	2.34	0.42
5:M:14[B]:GOL:H2	2:O:340:PRO:HD3	1.99	0.42
1:F:98:THR:HA	4:F:207:BME:H12	1.99	0.42
2:M:356:PHE:CD2	4:M:540:BME:H21	2.54	0.42
2:O:326:THR:HG22	2:O:330:ARG:HD2	2.01	0.42
2:O:383:ARG:CZ	4:O:542:BME:H22	2.49	0.42
2:Q:478:LEU:C	2:Q:478:LEU:HD23	2.40	0.42
5:M:10[B]:GOL:C3	9:M:1220:HOH:O	2.68	0.42
4:M:1[A]:BME:H22	6:M:539:CAQ:H6	2.01	0.41
2:O:383:ARG:HH12	4:O:542:BME:C2	2.30	0.41
1:B:29:PRO:HD2	5:B:203:GOL:H11	2.02	0.41
5:A:206:GOL:H31	2:M:367:PHE:CD1	2.56	0.41
2:Q:414[A]:ARG:NH1	2:Q:450[A]:ARG:NE	2.51	0.41
5:E:206:GOL:H11	2:Q:426:VAL:CG1	2.51	0.41
5:E:206:GOL:H2	2:Q:367:PHE:CD1	2.55	0.41
2:M:394[A]:ASN:ND2	9:M:2218:HOH:O	2.41	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:99:PHE:CD2	4:B:202:BME:H12	2.56	0.41
2:N:447[B]:HIS:CE1	2:N:460:HIS:CE1	3.09	0.41
2:R:447[B]:HIS:HE1	2:R:460:HIS:HE1	1.59	0.41
1:E:99:PHE:H	4:E:204:BME:H22	1.86	0.41
1:B:131:PHE:CE2	1:B:138:HIS:HB3	2.56	0.41
1:D:131:PHE:CE2	1:D:138:HIS:HB3	2.56	0.41
1:C:114[A]:VAL:CG1	2:O:343:ILE:CG2	2.99	0.41
2:O:383:ARG:HH22	4:O:542:BME:C2	2.22	0.40
1:B:51:LEU:HD11	1:B:126:ILE:CD1	2.51	0.40
2:P:449:TRP:HA	4:P:539[B]:BME:H21	2.04	0.40
1:A:66[A]:SER:HB2	1:A:130:LEU:HD11	2.03	0.40
2:P:399:MET:HA	2:P:462:TYR:O	2.22	0.40
2:Q:399:MET:HA	2:Q:462:TYR:O	2.21	0.40
2:M:399:MET:HA	2:M:462:TYR:O	2.21	0.40
5:B:203:GOL:H2	2:N:367:PHE:CD1	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/200 (104%)	202 (98%)	5 (2%)	0	100	100
1	B	202/200 (101%)	199 (98%)	3 (2%)	0	100	100
1	C	207/200 (104%)	204 (99%)	3 (1%)	0	100	100
1	D	204/200 (102%)	200 (98%)	4 (2%)	0	100	100
1	E	205/200 (102%)	202 (98%)	3 (2%)	0	100	100
1	F	206/200 (103%)	202 (98%)	4 (2%)	0	100	100
2	M	242/238 (102%)	236 (98%)	6 (2%)	0	100	100
2	N	243/238 (102%)	238 (98%)	5 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	O	241/238 (101%)	236 (98%)	5 (2%)	0	100	100
2	P	243/238 (102%)	237 (98%)	6 (2%)	0	100	100
2	Q	247/238 (104%)	241 (98%)	6 (2%)	0	100	100
2	R	243/238 (102%)	239 (98%)	4 (2%)	0	100	100
All	All	2690/2628 (102%)	2636 (98%)	54 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	172/163 (106%)	168 (98%)	4 (2%)	58	40
1	B	167/163 (102%)	167 (100%)	0	100	100
1	C	172/163 (106%)	172 (100%)	0	100	100
1	D	169/163 (104%)	166 (98%)	3 (2%)	66	52
1	E	170/163 (104%)	170 (100%)	0	100	100
1	F	171/163 (105%)	168 (98%)	3 (2%)	66	52
2	M	208/202 (103%)	203 (98%)	5 (2%)	57	38
2	N	209/202 (104%)	205 (98%)	4 (2%)	65	49
2	O	207/202 (102%)	203 (98%)	4 (2%)	65	49
2	P	209/202 (104%)	204 (98%)	5 (2%)	57	38
2	Q	213/202 (105%)	208 (98%)	5 (2%)	58	40
2	R	209/202 (104%)	204 (98%)	5 (2%)	57	38
All	All	2276/2190 (104%)	2238 (98%)	38 (2%)	70	54

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43[A]	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	43[B]	ASP
1	A	176[A]	GLU
1	A	176[B]	GLU
2	M	395	THR
2	M	473	LYS
2	M	487	PRO
2	M	511	ASN
2	M	534	HIS
2	N	395	THR
2	N	473	LYS
2	N	478	LEU
2	N	534	HIS
2	O	395	THR
2	O	399	MET
2	O	473	LYS
2	O	534	HIS
1	D	24	GLU
1	D	43[A]	ASP
1	D	43[B]	ASP
2	P	395	THR
2	P	399	MET
2	P	414	ARG
2	P	473	LYS
2	P	534	HIS
2	Q	395	THR
2	Q	414[A]	ARG
2	Q	414[B]	ARG
2	Q	473	LYS
2	Q	534	HIS
1	F	43	ASP
1	F	106	LEU
1	F	180	LYS
2	R	390	LYS
2	R	395	THR
2	R	399	MET
2	R	473	LYS
2	R	534	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
2	N	530	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	87	ASN
1	E	90	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 121 ligands modelled in this entry, 11 are monoatomic - leaving 110 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	SO4	A	201	-	4,4,4	0.31	0	6,6,6	0.26	0
4	BME	A	202	-	3,3,3	0.61	0	2,2,2	1.20	0
5	GOL	A	203[A]	-	5,5,5	0.33	0	5,5,5	0.32	0
5	GOL	A	203[B]	-	5,5,5	0.28	0	5,5,5	0.68	0
5	GOL	A	204[A]	-	5,5,5	0.37	0	5,5,5	0.20	0
5	GOL	A	204[B]	-	5,5,5	0.33	0	5,5,5	0.26	0
5	GOL	A	205	-	5,5,5	0.42	0	5,5,5	0.62	0
5	GOL	A	206	-	5,5,5	0.25	0	5,5,5	0.45	0
6	CAQ	A	207	-	8,8,8	1.96	1 (12%)	10,10,10	0.57	0
5	GOL	A	208	-	5,5,5	1.23	1 (20%)	5,5,5	1.15	0
3	SO4	B	201	-	4,4,4	0.29	0	6,6,6	0.22	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BME	B	202	-	3,3,3	0.66	0	2,2,2	0.97	0
5	GOL	B	203	-	5,5,5	0.21	0	5,5,5	0.68	0
4	BME	B	204	-	3,3,3	0.43	0	2,2,2	0.27	0
5	GOL	B	205[A]	-	5,5,5	0.26	0	5,5,5	0.36	0
5	GOL	B	205[B]	-	5,5,5	0.41	0	5,5,5	0.48	0
6	CAQ	B	206	-	8,8,8	1.88	1 (12%)	10,10,10	0.57	0
5	GOL	B	207	-	5,5,5	0.36	0	5,5,5	0.89	0
3	SO4	C	201	-	4,4,4	0.34	0	6,6,6	0.15	0
5	GOL	C	202[A]	-	5,5,5	1.09	0	5,5,5	1.47	1 (20%)
5	GOL	C	202[B]	-	5,5,5	0.35	0	5,5,5	0.79	0
5	GOL	C	203	-	5,5,5	0.47	0	5,5,5	0.96	0
5	GOL	C	204	-	5,5,5	0.35	0	5,5,5	0.54	0
4	BME	C	205	-	3,3,3	0.22	0	2,2,2	1.04	0
6	CAQ	C	206	-	8,8,8	1.91	1 (12%)	10,10,10	0.63	0
5	GOL	C	207	-	5,5,5	1.56	1 (20%)	5,5,5	0.86	0
3	SO4	D	201	-	4,4,4	0.33	0	6,6,6	0.25	0
4	BME	D	202	-	3,3,3	0.68	0	2,2,2	1.42	0
5	GOL	D	203	-	5,5,5	0.45	0	5,5,5	0.48	0
5	GOL	D	204[A]	-	5,5,5	0.32	0	5,5,5	0.36	0
5	GOL	D	204[B]	-	5,5,5	0.34	0	5,5,5	0.32	0
5	GOL	D	205	-	5,5,5	0.30	0	5,5,5	0.26	0
5	GOL	D	206	-	5,5,5	0.48	0	5,5,5	0.70	0
4	BME	D	207	-	3,3,3	0.34	0	2,2,2	0.41	0
6	CAQ	D	208	-	8,8,8	1.80	1 (12%)	10,10,10	0.70	0
3	SO4	E	201	-	4,4,4	0.32	0	6,6,6	0.08	0
5	GOL	E	202	-	5,5,5	0.42	0	5,5,5	0.49	0
5	GOL	E	203[A]	-	5,5,5	0.38	0	5,5,5	0.71	0
5	GOL	E	203[B]	-	5,5,5	0.81	0	5,5,5	0.81	0
4	BME	E	204	-	3,3,3	0.56	0	2,2,2	0.22	0
5	GOL	E	205	-	5,5,5	0.45	0	5,5,5	0.64	0
5	GOL	E	206	-	5,5,5	0.27	0	5,5,5	0.67	0
6	CAQ	E	207	-	8,8,8	1.87	1 (12%)	10,10,10	0.55	0
4	BME	E	208[A]	-	3,3,3	0.34	0	2,2,2	0.44	0
4	BME	E	208[B]	-	3,3,3	0.35	0	2,2,2	0.40	0
3	SO4	F	201	-	4,4,4	0.32	0	6,6,6	0.16	0
5	GOL	F	202	-	5,5,5	0.33	0	5,5,5	0.48	0
5	GOL	F	203	-	5,5,5	0.39	0	5,5,5	0.22	0
5	GOL	F	204[A]	-	5,5,5	0.24	0	5,5,5	0.37	0
5	GOL	F	204[B]	-	5,5,5	0.33	0	5,5,5	0.28	0
4	BME	F	205	-	3,3,3	0.37	0	2,2,2	0.59	0
6	CAQ	F	206	-	8,8,8	1.82	1 (12%)	10,10,10	0.81	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	BME	F	207	-	3,3,3	0.49	0	2,2,2	0.52	0
4	BME	M	1[A]	-	3,3,3	0.41	0	2,2,2	0.32	0
4	BME	M	1[B]	-	3,3,3	1.04	0	2,2,2	0.72	0
5	GOL	M	10[A]	-	5,5,5	0.32	0	5,5,5	0.08	0
5	GOL	M	10[B]	-	5,5,5	0.27	0	5,5,5	0.53	0
5	GOL	M	12	-	5,5,5	0.46	0	5,5,5	0.30	0
5	GOL	M	14[A]	-	5,5,5	0.37	0	5,5,5	0.29	0
5	GOL	M	14[B]	-	5,5,5	0.40	0	5,5,5	0.25	0
5	GOL	M	16	-	5,5,5	0.39	0	5,5,5	0.41	0
4	BME	M	28	-	3,3,3	0.31	0	2,2,2	0.66	0
4	BME	M	30[A]	-	3,3,3	0.36	0	2,2,2	0.27	0
4	BME	M	30[B]	-	3,3,3	0.36	0	2,2,2	0.49	0
6	CAQ	M	539	7	8,8,8	1.62	1 (12%)	10,10,10	0.83	0
4	BME	M	540	-	3,3,3	0.30	0	2,2,2	0.81	0
5	GOL	N	1[A]	-	5,5,5	0.41	0	5,5,5	0.29	0
5	GOL	N	1[B]	-	5,5,5	0.41	0	5,5,5	0.23	0
3	SO4	N	11	-	4,4,4	0.21	0	6,6,6	0.14	0
4	BME	N	18	-	3,3,3	0.51	0	2,2,2	0.36	0
5	GOL	N	26	-	5,5,5	0.48	0	5,5,5	0.59	0
6	CAQ	N	3	7	8,8,8	1.62	1 (12%)	10,10,10	0.87	0
4	BME	N	8	-	3,3,3	0.31	0	2,2,2	0.54	0
5	GOL	O	1	-	5,5,5	0.55	0	5,5,5	0.46	0
3	SO4	O	12	-	4,4,4	0.18	0	6,6,6	0.12	0
5	GOL	O	17	-	5,5,5	0.38	0	5,5,5	0.61	0
5	GOL	O	29[A]	-	5,5,5	0.36	0	5,5,5	0.27	0
5	GOL	O	29[B]	-	5,5,5	0.35	0	5,5,5	0.31	0
6	CAQ	O	4	7	8,8,8	1.71	1 (12%)	10,10,10	0.69	0
5	GOL	O	539	-	5,5,5	0.40	0	5,5,5	0.17	0
4	BME	O	540	-	3,3,3	0.41	0	2,2,2	0.76	0
4	BME	O	542	-	3,3,3	0.28	0	2,2,2	1.28	0
4	BME	O	9	-	3,3,3	0.43	0	2,2,2	0.15	0
5	GOL	P	1	-	5,5,5	0.45	0	5,5,5	0.52	0
5	GOL	P	17[A]	-	5,5,5	0.32	0	5,5,5	0.27	0
5	GOL	P	17[B]	-	5,5,5	0.34	0	5,5,5	0.29	0
3	SO4	P	2	-	4,4,4	0.23	0	6,6,6	0.18	0
4	BME	P	5	-	3,3,3	0.36	0	2,2,2	0.41	0
4	BME	P	539[A]	-	3,3,3	0.49	0	2,2,2	0.55	0
4	BME	P	539[B]	-	3,3,3	0.25	0	2,2,2	1.19	0
5	GOL	P	540	-	5,5,5	0.41	0	5,5,5	0.75	0
4	BME	P	541	-	3,3,3	0.55	0	2,2,2	0.07	0
6	CAQ	P	542	7	8,8,8	1.62	1 (12%)	10,10,10	0.76	0
4	BME	P	543	-	3,3,3	0.29	0	2,2,2	0.26	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	Q	1	-	5,5,5	0.63	0	5,5,5	0.37	0
3	SO4	Q	10	-	4,4,4	0.18	0	6,6,6	0.19	0
5	GOL	Q	15[A]	-	5,5,5	0.29	0	5,5,5	0.33	0
5	GOL	Q	15[B]	-	5,5,5	0.37	0	5,5,5	0.25	0
3	SO4	Q	539	-	4,4,4	0.14	0	6,6,6	0.12	0
5	GOL	Q	540	-	5,5,5	0.52	0	5,5,5	0.95	0
6	CAQ	Q	6	7	8,8,8	1.51	1 (12%)	10,10,10	0.83	0
6	CAQ	R	1	7	8,8,8	1.71	1 (12%)	10,10,10	0.74	0
5	GOL	R	13[A]	-	5,5,5	0.30	0	5,5,5	0.49	0
5	GOL	R	13[B]	-	5,5,5	0.33	0	5,5,5	0.30	0
5	GOL	R	15[A]	-	5,5,5	0.46	0	5,5,5	0.38	0
5	GOL	R	15[B]	-	5,5,5	0.58	0	5,5,5	0.35	0
4	BME	R	21	-	3,3,3	0.41	0	2,2,2	0.37	0
5	GOL	R	23	-	5,5,5	0.28	0	5,5,5	0.31	0
3	SO4	R	3	-	4,4,4	0.29	0	6,6,6	0.17	0
4	BME	R	540	-	3,3,3	0.25	0	2,2,2	0.14	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SO4	A	201	-	-	0/0/0/0	0/0/0/0
4	BME	A	202	-	-	0/1/1/1	0/0/0/0
5	GOL	A	203[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	A	203[B]	-	-	0/4/4/4	0/0/0/0
5	GOL	A	204[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	A	204[B]	-	-	0/4/4/4	0/0/0/0
5	GOL	A	205	-	-	0/4/4/4	0/0/0/0
5	GOL	A	206	-	-	0/4/4/4	0/0/0/0
6	CAQ	A	207	-	-	0/0/0/0	0/1/1/1
5	GOL	A	208	-	-	0/4/4/4	0/0/0/0
3	SO4	B	201	-	-	0/0/0/0	0/0/0/0
4	BME	B	202	-	-	0/1/1/1	0/0/0/0
5	GOL	B	203	-	-	0/4/4/4	0/0/0/0
4	BME	B	204	-	-	0/1/1/1	0/0/0/0
5	GOL	B	205[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	B	205[B]	-	-	0/4/4/4	0/0/0/0
6	CAQ	B	206	-	-	0/0/0/0	0/1/1/1
5	GOL	B	207	-	-	0/4/4/4	0/0/0/0
3	SO4	C	201	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	C	202[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	C	202[B]	-	-	0/4/4/4	0/0/0/0
5	GOL	C	203	-	-	0/4/4/4	0/0/0/0
5	GOL	C	204	-	-	0/4/4/4	0/0/0/0
4	BME	C	205	-	-	0/1/1/1	0/0/0/0
6	CAQ	C	206	-	-	0/0/0/0	0/1/1/1
5	GOL	C	207	-	-	0/4/4/4	0/0/0/0
3	SO4	D	201	-	-	0/0/0/0	0/0/0/0
4	BME	D	202	-	-	0/1/1/1	0/0/0/0
5	GOL	D	203	-	-	0/4/4/4	0/0/0/0
5	GOL	D	204[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	D	204[B]	-	-	0/4/4/4	0/0/0/0
5	GOL	D	205	-	-	0/4/4/4	0/0/0/0
5	GOL	D	206	-	-	0/4/4/4	0/0/0/0
4	BME	D	207	-	-	0/1/1/1	0/0/0/0
6	CAQ	D	208	-	-	0/0/0/0	0/1/1/1
3	SO4	E	201	-	-	0/0/0/0	0/0/0/0
5	GOL	E	202	-	-	0/4/4/4	0/0/0/0
5	GOL	E	203[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	E	203[B]	-	-	0/4/4/4	0/0/0/0
4	BME	E	204	-	-	0/1/1/1	0/0/0/0
5	GOL	E	205	-	-	0/4/4/4	0/0/0/0
5	GOL	E	206	-	-	0/4/4/4	0/0/0/0
6	CAQ	E	207	-	-	0/0/0/0	0/1/1/1
4	BME	E	208[A]	-	-	0/1/1/1	0/0/0/0
4	BME	E	208[B]	-	-	0/1/1/1	0/0/0/0
3	SO4	F	201	-	-	0/0/0/0	0/0/0/0
5	GOL	F	202	-	-	0/4/4/4	0/0/0/0
5	GOL	F	203	-	-	0/4/4/4	0/0/0/0
5	GOL	F	204[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	F	204[B]	-	-	0/4/4/4	0/0/0/0
4	BME	F	205	-	-	0/1/1/1	0/0/0/0
6	CAQ	F	206	-	-	0/0/0/0	0/1/1/1
4	BME	F	207	-	-	0/1/1/1	0/0/0/0
4	BME	M	1[A]	-	-	0/1/1/1	0/0/0/0
4	BME	M	1[B]	-	-	0/1/1/1	0/0/0/0
5	GOL	M	10[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	M	10[B]	-	-	0/4/4/4	0/0/0/0
5	GOL	M	12	-	-	0/4/4/4	0/0/0/0
5	GOL	M	14[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	M	14[B]	-	-	0/4/4/4	0/0/0/0
5	GOL	M	16	-	-	0/4/4/4	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	BME	M	28	-	-	0/1/1/1	0/0/0/0
4	BME	M	30[A]	-	-	0/1/1/1	0/0/0/0
4	BME	M	30[B]	-	-	0/1/1/1	0/0/0/0
6	CAQ	M	539	7	-	0/0/0/0	0/1/1/1
4	BME	M	540	-	-	0/1/1/1	0/0/0/0
5	GOL	N	1[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	N	1[B]	-	-	0/4/4/4	0/0/0/0
3	SO4	N	11	-	-	0/0/0/0	0/0/0/0
4	BME	N	18	-	-	0/1/1/1	0/0/0/0
5	GOL	N	26	-	-	0/4/4/4	0/0/0/0
6	CAQ	N	3	7	-	0/0/0/0	0/1/1/1
4	BME	N	8	-	-	0/1/1/1	0/0/0/0
5	GOL	O	1	-	-	0/4/4/4	0/0/0/0
3	SO4	O	12	-	-	0/0/0/0	0/0/0/0
5	GOL	O	17	-	-	0/4/4/4	0/0/0/0
5	GOL	O	29[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	O	29[B]	-	-	0/4/4/4	0/0/0/0
6	CAQ	O	4	7	-	0/0/0/0	0/1/1/1
5	GOL	O	539	-	-	0/4/4/4	0/0/0/0
4	BME	O	540	-	-	0/1/1/1	0/0/0/0
4	BME	O	542	-	-	0/1/1/1	0/0/0/0
4	BME	O	9	-	-	0/1/1/1	0/0/0/0
5	GOL	P	1	-	-	0/4/4/4	0/0/0/0
5	GOL	P	17[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	P	17[B]	-	-	0/4/4/4	0/0/0/0
3	SO4	P	2	-	-	0/0/0/0	0/0/0/0
4	BME	P	5	-	-	0/1/1/1	0/0/0/0
4	BME	P	539[A]	-	-	0/1/1/1	0/0/0/0
4	BME	P	539[B]	-	-	0/1/1/1	0/0/0/0
5	GOL	P	540	-	-	0/4/4/4	0/0/0/0
4	BME	P	541	-	-	0/1/1/1	0/0/0/0
6	CAQ	P	542	7	-	0/0/0/0	0/1/1/1
4	BME	P	543	-	-	0/1/1/1	0/0/0/0
5	GOL	Q	1	-	-	0/4/4/4	0/0/0/0
3	SO4	Q	10	-	-	0/0/0/0	0/0/0/0
5	GOL	Q	15[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	Q	15[B]	-	-	0/4/4/4	0/0/0/0
3	SO4	Q	539	-	-	0/0/0/0	0/0/0/0
5	GOL	Q	540	-	-	0/4/4/4	0/0/0/0
6	CAQ	Q	6	7	-	0/0/0/0	0/1/1/1
6	CAQ	R	1	7	-	0/0/0/0	0/1/1/1
5	GOL	R	13[A]	-	-	0/4/4/4	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	R	13[B]	-	-	0/4/4/4	0/0/0/0
5	GOL	R	15[A]	-	-	0/4/4/4	0/0/0/0
5	GOL	R	15[B]	-	-	0/4/4/4	0/0/0/0
4	BME	R	21	-	-	0/1/1/1	0/0/0/0
5	GOL	R	23	-	-	0/4/4/4	0/0/0/0
3	SO4	R	3	-	-	0/0/0/0	0/0/0/0
4	BME	R	540	-	-	0/1/1/1	0/0/0/0

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	C	207	GOL	O2-C2	-3.25	1.33	1.43
5	A	208	GOL	O2-C2	-2.48	1.36	1.43
6	Q	6	CAQ	C4-C3	4.20	1.47	1.40
6	M	539	CAQ	C4-C3	4.39	1.47	1.40
6	P	542	CAQ	C4-C3	4.43	1.47	1.40
6	N	3	CAQ	C4-C3	4.48	1.47	1.40
6	R	1	CAQ	C4-C3	4.69	1.48	1.40
6	O	4	CAQ	C4-C3	4.69	1.48	1.40
6	D	208	CAQ	C4-C3	4.85	1.48	1.40
6	F	206	CAQ	C4-C3	4.86	1.48	1.40
6	C	206	CAQ	C4-C3	5.10	1.49	1.40
6	E	207	CAQ	C4-C3	5.12	1.49	1.40
6	B	206	CAQ	C4-C3	5.18	1.49	1.40
6	A	207	CAQ	C4-C3	5.21	1.49	1.40

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	C	202[A]	GOL	O1-C1-C2	-2.69	97.16	110.18

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

47 monomers are involved in 117 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	202	BME	2	0
5	A	204[A]	GOL	1	0
5	A	206	GOL	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	202	BME	7	0
5	B	203	GOL	4	0
5	B	205[A]	GOL	2	0
5	B	205[B]	GOL	2	0
5	B	207	GOL	2	0
5	C	202[A]	GOL	1	0
5	C	204	GOL	1	0
4	D	202	BME	6	0
5	D	203	GOL	1	0
5	D	204[B]	GOL	1	0
4	D	207	BME	1	0
5	E	203[A]	GOL	1	0
4	E	204	BME	3	0
5	E	205	GOL	3	0
5	E	206	GOL	3	0
4	F	207	BME	8	0
4	M	1[A]	BME	2	0
4	M	1[B]	BME	1	0
5	M	10[A]	GOL	2	0
5	M	10[B]	GOL	2	0
5	M	14[A]	GOL	7	0
5	M	14[B]	GOL	3	0
5	M	16	GOL	4	0
4	M	28	BME	1	0
6	M	539	CAQ	3	0
4	M	540	BME	1	0
5	N	1[A]	GOL	1	0
6	N	3	CAQ	1	0
4	N	8	BME	1	0
5	O	1	GOL	1	0
6	O	4	CAQ	2	0
4	O	542	BME	7	0
5	P	17[A]	GOL	3	0
5	P	17[B]	GOL	1	0
4	P	539[B]	BME	1	0
6	P	542	CAQ	2	0
5	Q	1	GOL	1	0
5	Q	15[A]	GOL	2	0
5	Q	15[B]	GOL	1	0
5	Q	540	GOL	8	0
6	Q	6	CAQ	2	0
6	R	1	CAQ	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	R	13[B]	GOL	2	0
4	R	540	BME	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	200/200 (100%)	0.06	10 (5%) 32 30	13, 18, 30, 40	4 (2%)
1	B	200/200 (100%)	0.41	19 (9%) 10 9	14, 24, 37, 50	2 (1%)
1	C	200/200 (100%)	-0.08	3 (1%) 76 76	13, 18, 28, 33	1 (0%)
1	D	200/200 (100%)	0.06	10 (5%) 32 30	13, 19, 31, 45	0
1	E	200/200 (100%)	0.40	18 (9%) 12 11	14, 24, 37, 49	3 (1%)
1	F	200/200 (100%)	-0.08	1 (0%) 91 91	13, 18, 28, 32	1 (0%)
2	M	238/238 (100%)	-0.14	4 (1%) 73 72	13, 17, 25, 40	2 (0%)
2	N	238/238 (100%)	-0.02	9 (3%) 44 42	14, 19, 29, 44	2 (0%)
2	O	238/238 (100%)	-0.18	5 (2%) 67 66	14, 17, 26, 39	1 (0%)
2	P	238/238 (100%)	-0.11	7 (2%) 55 53	14, 17, 26, 40	0
2	Q	238/238 (100%)	-0.02	10 (4%) 40 38	14, 19, 29, 42	1 (0%)
2	R	238/238 (100%)	-0.16	4 (1%) 73 72	14, 17, 25, 36	4 (1%)
All	All	2628/2628 (100%)	0.00	100 (3%) 44 42	13, 18, 30, 50	21 (0%)

All (100) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	Q	538	CYS	6.4
1	B	177	VAL	6.0
2	N	538	CYS	5.9
1	E	177	VAL	5.9
1	B	178	ASP	5.5
1	E	178	ASP	5.4
1	D	178	ASP	5.3
2	O	538	CYS	5.3
2	Q	537	ASN	4.9
1	A	178	ASP	4.7
2	R	538	CYS	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	43	ASP	4.3
2	M	538	CYS	4.2
1	B	179	GLY	4.1
1	B	43	ASP	4.1
2	P	537	ASN	3.9
2	N	301	PRO	3.9
2	N	537	ASN	3.9
1	B	100	ASP	3.8
1	D	179	GLY	3.8
1	E	150	GLN	3.7
1	E	100	ASP	3.7
1	E	179	GLY	3.6
2	P	538	CYS	3.6
1	B	99	PHE	3.6
1	A	179	GLY	3.6
2	M	537	ASN	3.6
2	O	414	ARG	3.5
1	E	176	GLU	3.5
1	C	43[A]	ASP	3.4
2	O	537	ASN	3.3
1	B	176	GLU	3.3
2	Q	353	HIS	3.2
2	Q	301	PRO	3.2
1	E	70	VAL	3.2
2	P	414	ARG	3.1
1	B	70	VAL	3.1
1	D	100	ASP	3.1
2	Q	303	GLN	3.1
1	A	177	VAL	3.0
2	R	537	ASN	3.0
1	E	32[A]	ASP	2.9
1	A	128	ILE	2.9
2	R	414[A]	ARG	2.9
1	E	180	LYS	2.9
2	N	303	GLN	2.8
2	P	442[A]	ILE	2.8
2	Q	414[A]	ARG	2.7
1	E	86	GLU	2.7
1	B	150	GLN	2.7
2	N	353	HIS	2.7
2	P	499[A]	GLU	2.7
1	E	99	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	128	ILE	2.6
1	B	192	GLU	2.6
1	B	180	LYS	2.6
2	N	470	ILE	2.6
1	B	42	PRO	2.6
1	B	86	GLU	2.6
2	Q	470	ILE	2.6
1	A	100	ASP	2.6
1	A	130	LEU	2.5
1	D	24	GLU	2.5
2	P	303	GLN	2.5
2	N	370	GLY	2.4
1	E	101	ALA	2.4
1	D	176	GLU	2.4
1	C	192[A]	GLU	2.4
1	D	42	PRO	2.3
1	E	24[A]	GLU	2.3
2	Q	305	ASN	2.3
2	M	303	GLN	2.3
1	B	118	ALA	2.3
1	D	177	VAL	2.3
1	B	24[A]	GLU	2.2
2	N	414[A]	ARG	2.2
1	A	192	GLU	2.2
2	Q	442[A]	ILE	2.2
1	C	150	GLN	2.2
1	A	176[A]	GLU	2.2
1	D	128	ILE	2.2
2	O	461	ILE	2.2
2	R	442[A]	ILE	2.2
1	B	101	ALA	2.2
1	A	70	VAL	2.2
1	E	3[A]	GLU	2.1
1	E	128	ILE	2.1
1	B	32	ASP	2.1
2	O	499	GLU	2.1
1	D	101	ALA	2.1
2	Q	475	ILE	2.1
2	P	305	ASN	2.1
2	N	305	ASN	2.1
1	F	150	GLN	2.1
1	A	43[A]	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	41	LYS	2.0
1	E	42	PRO	2.0
1	D	99	PHE	2.0
2	M	433	SER	2.0
1	E	154	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	BME	M	30[B]	4/4	0.58	0.45	34.10	45,45,46,48	4
4	BME	P	543	4/4	0.88	0.39	21.24	20,20,20,20	0
4	BME	M	30[A]	4/4	0.58	0.45	15.45	38,39,40,42	4
5	GOL	M	14[B]	6/6	0.83	0.45	10.75	20,21,21,23	6
3	SO4	R	3	5/5	0.89	0.35	10.74	50,52,52,53	5
4	BME	D	207	4/4	0.91	0.27	9.51	47,48,48,50	0
5	GOL	M	14[A]	6/6	0.83	0.45	9.12	19,19,19,20	6
5	GOL	O	29[A]	6/6	0.84	0.20	8.79	39,41,41,41	6
5	GOL	C	203	6/6	0.86	0.19	8.66	29,37,39,39	0
5	GOL	O	29[B]	6/6	0.84	0.20	8.47	36,37,38,38	6
5	GOL	Q	15[B]	6/6	0.80	0.23	6.03	47,48,48,49	6
5	GOL	M	10[A]	6/6	0.85	0.17	5.96	42,43,44,44	6
5	GOL	P	17[B]	6/6	0.81	0.21	5.87	41,42,43,43	6
5	GOL	Q	15[A]	6/6	0.80	0.23	5.80	30,31,32,33	6
5	GOL	R	23	6/6	0.64	0.23	5.76	52,53,54,54	0
5	GOL	B	203	6/6	0.80	0.16	5.67	44,47,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	GOL	P	17[A]	6/6	0.81	0.21	5.65	36,37,37,38	6
5	GOL	A	204[B]	6/6	0.95	0.21	5.12	26,27,29,30	6
5	GOL	N	26	6/6	0.89	0.18	4.93	44,47,49,50	0
5	GOL	M	10[B]	6/6	0.85	0.17	4.83	28,31,31,33	6
5	GOL	Q	1	6/6	0.77	0.23	4.79	37,43,45,46	0
4	BME	F	207	4/4	0.84	0.41	4.72	20,20,20,20	0
5	GOL	D	206	6/6	0.86	0.16	4.56	38,44,47,48	0
6	CAQ	P	542	8/8	0.90	0.19	4.50	19,22,23,23	8
5	GOL	C	202[A]	6/6	0.79	0.26	4.47	33,34,35,35	6
5	GOL	C	202[B]	6/6	0.79	0.26	4.47	30,30,31,32	6
4	BME	E	208[B]	4/4	0.89	0.19	4.03	33,35,35,38	4
5	GOL	R	13[B]	6/6	0.88	0.17	4.01	35,37,37,38	6
5	GOL	Q	540	6/6	0.75	0.19	3.97	33,34,35,36	6
5	GOL	A	206	6/6	0.86	0.14	3.72	44,46,48,51	0
4	BME	O	9	4/4	0.81	0.17	3.68	56,57,57,59	0
5	GOL	R	15[B]	6/6	0.88	0.21	3.48	21,27,28,32	6
6	CAQ	N	3	8/8	0.91	0.17	3.48	23,25,26,28	8
5	GOL	R	13[A]	6/6	0.88	0.17	3.40	30,32,33,33	6
5	GOL	R	15[A]	6/6	0.88	0.21	3.35	32,34,35,37	6
4	BME	F	205	4/4	0.82	0.13	3.16	57,57,57,58	0
5	GOL	E	206	6/6	0.88	0.12	3.04	42,47,48,49	0
4	BME	E	208[A]	4/4	0.89	0.19	3.04	36,37,37,38	4
5	GOL	A	205	6/6	0.81	0.25	2.96	31,34,35,36	0
6	CAQ	M	539	8/8	0.93	0.16	2.95	20,21,22,22	8
5	GOL	O	1	6/6	0.87	0.18	2.86	30,36,38,40	0
6	CAQ	Q	6	8/8	0.94	0.16	2.57	22,23,24,25	8
5	GOL	N	1[A]	6/6	0.87	0.18	2.52	24,29,29,30	6
5	GOL	N	1[B]	6/6	0.87	0.18	2.48	40,41,41,41	6
4	BME	N	8	4/4	0.86	0.12	2.46	52,52,52,54	0
5	GOL	A	204[A]	6/6	0.95	0.21	2.45	33,34,35,35	6
5	GOL	F	203	6/6	0.91	0.20	2.35	28,34,36,39	0
5	GOL	D	205	6/6	0.86	0.18	2.33	36,40,41,41	0
5	GOL	P	1	6/6	0.88	0.17	2.31	38,42,43,46	0
5	GOL	D	203	6/6	0.89	0.20	2.15	27,27,30,30	6
4	BME	N	18	4/4	0.86	0.13	2.15	52,52,52,56	0
3	SO4	B	201	5/5	0.93	0.16	2.11	49,50,51,51	5
6	CAQ	A	207	8/8	0.93	0.13	2.03	28,32,33,35	0
5	GOL	O	539	6/6	0.88	0.12	2.01	47,49,50,50	0
4	BME	P	539[B]	4/4	0.82	0.24	1.98	28,32,33,34	4
5	GOL	F	204[A]	6/6	0.85	0.20	1.98	29,32,32,33	6
4	BME	P	539[A]	4/4	0.82	0.24	1.98	42,44,45,47	4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	CAQ	O	4	8/8	0.93	0.15	1.89	21,22,22,23	8
5	GOL	F	202	6/6	0.78	0.16	1.85	46,51,53,53	0
5	GOL	A	208	6/6	0.89	0.25	1.81	20,20,20,20	0
5	GOL	F	204[B]	6/6	0.85	0.20	1.67	28,35,36,38	6
5	GOL	M	12	6/6	0.87	0.16	1.54	39,44,44,48	0
6	CAQ	D	208	8/8	0.90	0.13	1.50	29,32,33,34	0
5	GOL	B	207	6/6	0.85	0.25	1.47	31,32,33,37	0
4	BME	O	540	4/4	0.92	0.11	1.47	32,35,35,37	4
6	CAQ	F	206	8/8	0.92	0.14	1.42	32,33,33,33	0
3	SO4	E	201	5/5	0.97	0.15	1.41	52,52,53,54	5
4	BME	M	1[B]	4/4	0.86	0.18	1.34	45,46,46,47	4
4	BME	M	1[A]	4/4	0.86	0.18	1.28	32,35,35,37	4
4	BME	B	202	4/4	0.88	0.28	1.27	46,47,47,50	0
5	GOL	B	205[A]	6/6	0.92	0.14	1.27	28,28,30,32	6
6	CAQ	R	1	8/8	0.94	0.13	1.26	21,22,22,23	8
5	GOL	B	205[B]	6/6	0.92	0.14	1.23	34,35,36,36	6
5	GOL	E	205	6/6	0.83	0.22	1.23	47,49,49,49	0
5	GOL	D	204[B]	6/6	0.90	0.14	1.20	34,36,37,38	6
5	GOL	C	207	6/6	0.93	0.18	1.17	20,20,20,20	0
5	GOL	D	204[A]	6/6	0.90	0.14	1.17	20,23,24,26	6
6	CAQ	C	206	8/8	0.88	0.16	1.12	32,33,33,34	0
5	GOL	E	202	6/6	0.85	0.16	1.06	40,42,43,48	0
5	GOL	O	17	6/6	0.86	0.19	1.05	30,39,41,44	0
4	BME	E	204	4/4	0.67	0.25	0.49	38,43,44,48	4
5	GOL	C	204	6/6	0.91	0.12	0.39	37,42,43,45	0
5	GOL	A	203[B]	6/6	0.94	0.11	0.27	15,20,22,23	6
5	GOL	A	203[A]	6/6	0.94	0.11	0.25	29,31,31,32	6
6	CAQ	B	206	8/8	0.92	0.11	0.17	36,37,38,39	0
6	CAQ	E	207	8/8	0.94	0.10	-0.63	37,38,39,40	0
8	CL	Q	541	1/1	0.91	0.07	-1.08	46,46,46,46	0
7	FE	R	600	1/1	0.99	0.06	-1.69	22,22,22,22	1
7	FE	O	600	1/1	1.00	0.04	-2.10	21,21,21,21	1
7	FE	Q	600	1/1	0.99	0.04	-2.19	21,21,21,21	1
7	FE	N	600	1/1	0.99	0.04	-2.59	21,21,21,21	1
7	FE	P	600	1/1	1.00	0.04	-2.68	21,21,21,21	1
7	FE	M	600	1/1	0.99	0.03	-2.69	20,20,20,20	1
4	BME	D	202	4/4	0.91	0.21	-	68,68,69,69	0
3	SO4	Q	10	5/5	0.93	0.34	-	51,51,51,52	5
4	BME	M	540	4/4	0.92	0.18	-	41,42,43,43	0
3	SO4	C	201	5/5	0.95	0.19	-	49,50,51,51	5
4	BME	C	205	4/4	0.81	0.27	-	44,45,45,48	0
4	BME	M	28	4/4	0.90	0.16	-	39,39,39,41	4

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SO4	F	201	5/5	0.95	0.22	-	47,48,48,49	5
3	SO4	D	201	5/5	0.94	0.15	-	44,45,46,47	5
4	BME	B	204	4/4	0.76	0.17	-	41,43,44,48	4
4	BME	R	540	4/4	0.89	0.47	-	20,20,20,20	0
3	SO4	O	12	5/5	0.89	0.24	-	58,59,59,59	5
3	SO4	Q	539	5/5	0.83	0.23	-	63,63,63,64	5
4	BME	A	202	4/4	0.86	0.23	-	68,68,68,70	0
4	BME	P	5	4/4	0.88	0.26	-	61,62,63,63	0
8	CL	O	541	1/1	0.93	0.11	-	47,47,47,47	0
3	SO4	A	201	5/5	0.95	0.15	-	39,41,42,42	5
3	SO4	P	2	5/5	0.92	0.19	-	55,55,56,56	5
4	BME	O	542	4/4	0.83	0.24	-	34,35,37,38	4
8	CL	M	2	1/1	0.92	0.19	-	59,59,59,59	0
3	SO4	N	11	5/5	0.91	0.28	-	50,50,51,51	5
4	BME	R	21	4/4	0.88	0.24	-	63,63,63,63	0
5	GOL	P	540	6/6	0.83	0.23	-	28,38,40,43	0
5	GOL	E	203[B]	6/6	0.77	0.30	-	50,52,52,52	6
4	BME	P	541	4/4	0.82	0.12	-	49,51,52,53	0
5	GOL	E	203[A]	6/6	0.77	0.30	-	50,52,52,52	6
8	CL	R	539	1/1	0.86	0.16	-	54,54,54,54	0
5	GOL	M	16	6/6	0.83	0.22	-	36,44,45,46	0
8	CL	N	539	1/1	0.93	0.09	-	45,45,45,45	0

6.5 Other polymers

There are no such residues in this entry.