



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:41 AM GMT

PDB ID : 3MQG  
Title : crystal structure of the 3-N-acetyl transferase WlbB from Bordetella petrii in complex with acetyl-CoA  
Authors : Thoden, J.B.; Holden, H.M.  
Deposited on : 2010-04-28  
Resolution : 1.43 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1164 (1.46-1.42)
Clashscore	102246	1219 (1.46-1.42)
Ramachandran outliers	100387	1200 (1.46-1.42)
Sidechain outliers	100360	1200 (1.46-1.42)
RSRZ outliers	91569	1166 (1.46-1.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	192	<div> <div>3%</div> <div>92%</div> <div>6% ..</div> </div>
1	B	192	<div> <div>3%</div> <div>87%</div> <div>10% ..</div> </div>
1	C	192	<div> <div>6%</div> <div>91%</div> <div>7% .</div> </div>
1	D	192	<div> <div>5%</div> <div>92%</div> <div>6% .</div> </div>
1	E	192	<div> <div>4%</div> <div>91%</div> <div>6% ..</div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	192	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	U5P	A	192	-	-	-	X
3	U5P	D	192	-	-	-	X
3	U5P	E	192	-	-	-	X
5	UDP	B	192	-	-	-	X
5	UDP	F	193	-	-	-	X
6	PO4	B	193	-	-	-	X
6	PO4	D	195	-	-	-	X
7	EDO	B	194	-	-	X	-
7	EDO	C	194	-	-	-	X
8	PE4	C	193	-	-	-	X

## 2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 10694 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Lipopolysaccharides biosynthesis acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	190	Total	C	N	O	S	0	2	0
			1457	910	273	264	10			
1	B	190	Total	C	N	O	S	0	4	0
			1467	917	270	270	10			
1	C	192	Total	C	N	O	S	0	3	0
			1473	920	276	268	9			
1	D	192	Total	C	N	O	S	0	1	0
			1462	913	273	266	10			
1	E	190	Total	C	N	O	S	0	2	0
			1455	909	270	266	10			
1	F	189	Total	C	N	O	S	0	0	0
			1435	895	268	263	9			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	EXPRESSION TAG	UNP A9IH93
A	0	HIS	-	EXPRESSION TAG	UNP A9IH93
B	-1	GLY	-	EXPRESSION TAG	UNP A9IH93
B	0	HIS	-	EXPRESSION TAG	UNP A9IH93
C	-1	GLY	-	EXPRESSION TAG	UNP A9IH93
C	0	HIS	-	EXPRESSION TAG	UNP A9IH93
D	-1	GLY	-	EXPRESSION TAG	UNP A9IH93
D	0	HIS	-	EXPRESSION TAG	UNP A9IH93
E	-1	GLY	-	EXPRESSION TAG	UNP A9IH93
E	0	HIS	-	EXPRESSION TAG	UNP A9IH93
F	-1	GLY	-	EXPRESSION TAG	UNP A9IH93
F	0	HIS	-	EXPRESSION TAG	UNP A9IH93

- Molecule 2 is ACETYL COENZYME \*A (three-letter code: ACO) (formula: C<sub>23</sub>H<sub>38</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	B	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	C	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	D	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	E	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		
2	F	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		

- Molecule 3 is URIDINE-5'-MONOPHOSPHATE (three-letter code: U5P) (formula: C<sub>9</sub>H<sub>13</sub>N<sub>2</sub>O<sub>9</sub>P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			21	9	2	9	1		
3	D	1	Total	C	N	O	P	0	0
			21	9	2	9	1		
3	E	1	Total	C	N	O	P	0	0
			21	9	2	9	1		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Na	0	0
			1	1		
4	D	1	Total	Na	0	0
			1	1		

- Molecule 5 is URIDINE-5'-DIPHOSPHATE (three-letter code: UDP) (formula: C<sub>9</sub>H<sub>14</sub>N<sub>2</sub>O<sub>12</sub>P<sub>2</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total 25	C 9	N 2	O 12	P 2	0	0
5	C	1	Total 25	C 9	N 2	O 12	P 2	0	0
5	F	1	Total 1			O 1		0	0
5	F	1	Total 24	C 9	N 2	O 11	P 2	0	0

- Molecule 6 is PHOSPHATE ION (three-letter code: PO4) (formula:  $\text{O}_4\text{P}$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	O	P	0	0
			5	4	1		
6	D	1	Total	O	P	0	0
			5	4	1		

- Molecule 7 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			4	2	2		
7	C	1	Total	C	O	0	0
			4	2	2		
7	D	1	Total	C	O	0	0
			4	2	2		
7	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 8 is 2-{2-[2-(2-{2-[2-(2-ETHOXY-ETHOXY)-ETHOXY]-ETHOXY}-ETHOXY)-ETHOXY]-ETHOXY}-ETHANOL (three-letter code: PE4) (formula: C<sub>16</sub>H<sub>34</sub>O<sub>8</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	C	1	Total	C	O	0	0
			24	16	8		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	246	Total	O	0	0
			246	246		
9	B	243	Total	O	0	0
			243	243		
9	C	238	Total	O	0	0
			238	238		
9	D	230	Total	O	0	0
			230	230		
9	E	250	Total	O	0	0
			250	250		
9	F	242	Total	O	0	0
			242	242		

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Lipopolysaccharides biosynthesis acetyltransferase

Chain A: 




- Molecule 1: Lipopolysaccharides biosynthesis acetyltransferase

Chain B: 




- Molecule 1: Lipopolysaccharides biosynthesis acetyltransferase

Chain C: 




- Molecule 1: Lipopolysaccharides biosynthesis acetyltransferase

Chain D: 




- Molecule 1: Lipopolysaccharides biosynthesis acetyltransferase

Chain E: 



- Molecule 1: Lipopolysaccharides biosynthesis acetyltransferase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	68.49Å 107.82Å 90.97Å 90.00° 102.49° 90.00°	Depositor
Resolution (Å)	30.00 – 1.43 25.95 – 1.43	Depositor EDS
% Data completeness (in resolution range)	95.6 (30.00-1.43) 95.5 (25.95-1.43)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	6.76 (at 1.43Å)	Xtriage
Refinement program	REFMAC 5.5.0066	Depositor
R, $R_{free}$	0.190 , 0.217 0.182 , 0.206	Depositor DCC
$R_{free}$ test set	11375 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	9.6	Xtriage
Anisotropy	0.817	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.43 , 61.2	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	7 of 226774 reflections (0.003%)	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	10694	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	14.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 36.55 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 4.9142e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: UDP, PE4, NA, PO4, ACO, U5P, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.55	0/1492	1.06	6/2024 (0.3%)
1	B	0.57	0/1508	1.07	5/2046 (0.2%)
1	C	0.60	0/1512	1.08	8/2053 (0.4%)
1	D	0.55	0/1495	1.03	5/2030 (0.2%)
1	E	0.55	0/1490	1.07	5/2022 (0.2%)
1	F	0.60	0/1464	1.12	7/1989 (0.4%)
All	All	0.57	0/8961	1.07	36/12164 (0.3%)

There are no bond length outliers.

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	154	MET	CA-CB-CG	8.23	127.29	113.30
1	C	94	ARG	NE-CZ-NH1	8.03	124.31	120.30
1	C	94	ARG	NE-CZ-NH2	-7.97	116.31	120.30
1	E	139	ASP	CB-CG-OD1	7.94	125.44	118.30
1	A	188	ARG	NE-CZ-NH1	7.91	124.25	120.30
1	A	163	LEU	CA-CB-CG	7.80	133.25	115.30
1	E	94	ARG	NE-CZ-NH2	-7.32	116.64	120.30
1	E	72	ASP	CB-CG-OD1	7.20	124.78	118.30
1	F	94	ARG	NE-CZ-NH1	7.07	123.84	120.30
1	E	94	ARG	NE-CZ-NH1	7.06	123.83	120.30
1	A	94	ARG	NE-CZ-NH2	-6.95	116.83	120.30
1	F	139	ASP	CB-CG-OD1	6.88	124.49	118.30
1	A	94	ARG	NE-CZ-NH1	6.74	123.67	120.30
1	F	139	ASP	CB-CG-OD2	-6.60	112.36	118.30
1	D	94	ARG	NE-CZ-NH2	-6.51	117.05	120.30
1	F	179	ARG	NE-CZ-NH2	6.48	123.54	120.30
1	C	139	ASP	CB-CG-OD2	-6.33	112.60	118.30
1	F	180	TYR	CG-CD1-CE1	-6.21	116.33	121.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	178	GLU	CG-CD-OE1	-6.18	105.93	118.30
1	D	149	ARG	NE-CZ-NH1	-6.07	117.26	120.30
1	A	139	ASP	CB-CG-OD1	6.07	123.76	118.30
1	C	178	GLU	CG-CD-OE2	6.06	130.42	118.30
1	C	15	ARG	NE-CZ-NH1	-6.00	117.30	120.30
1	F	149	ARG	NE-CZ-NH1	-5.90	117.35	120.30
1	B	11	ASP	CB-CG-OD2	-5.77	113.11	118.30
1	C	51	ARG	NE-CZ-NH1	-5.58	117.51	120.30
1	D	188	ARG	NE-CZ-NH2	-5.56	117.52	120.30
1	E	72	ASP	CB-CG-OD2	-5.53	113.33	118.30
1	F	94	ARG	NE-CZ-NH2	-5.50	117.55	120.30
1	B	109	LEU	CB-CG-CD2	5.49	120.33	111.00
1	B	72	ASP	CB-CG-OD2	-5.47	113.37	118.30
1	D	57	LYS	CD-CE-NZ	-5.45	99.17	111.70
1	B	139	ASP	CB-CG-OD1	5.31	123.08	118.30
1	B	89	ARG	NE-CZ-NH1	5.21	122.91	120.30
1	C	104	ARG	NE-CZ-NH2	-5.21	117.70	120.30
1	A	21	ARG	NE-CZ-NH2	5.16	122.88	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1457	0	1445	18	0
1	B	1467	0	1450	38	0
1	C	1473	0	1452	30	1
1	D	1462	0	1440	10	0
1	E	1455	0	1438	23	0
1	F	1435	0	1407	8	0
2	A	51	0	34	1	0
2	B	51	0	34	0	0
2	C	51	0	34	0	0
2	D	51	0	34	0	0
2	E	51	0	34	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	51	0	34	0	0
3	A	21	0	11	2	0
3	D	21	0	11	1	0
3	E	21	0	11	1	0
4	A	1	0	0	0	0
4	D	1	0	0	0	0
5	B	25	0	11	1	0
5	C	25	0	11	2	0
5	F	25	0	11	0	0
6	B	5	0	0	0	0
6	D	5	0	0	0	0
7	B	4	0	6	15	0
7	C	4	0	6	0	0
7	D	8	0	12	0	0
8	C	24	0	34	6	0
9	A	246	0	0	8	2
9	B	243	0	0	8	1
9	C	238	0	0	4	4
9	D	230	0	0	3	1
9	E	250	0	0	8	0
9	F	242	0	0	2	1
All	All	10694	0	8960	132	5

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:135:LYS:CB	1:B:135:LYS:HZ2	1.15	1.45
1:B:135:LYS:HB3	1:B:135:LYS:NZ	1.15	1.24
1:E:135:LYS:NZ	1:E:135:LYS:HB3	1.39	1.18
1:C:67:ASN:ND2	1:C:98:TYR:CD2	2.11	1.17
1:C:67:ASN:ND2	1:C:98:TYR:HD2	1.44	1.15
1:E:178:GLU:HG2	1:E:189:LEU:HD11	1.29	1.13
1:E:149:ARG:HD3	9:E:1980:HOH:O	1.50	1.10
1:E:149:ARG:NH1	9:E:958:HOH:O	1.90	1.03
1:E:135:LYS:HZ2	1:E:135:LYS:CB	1.73	1.01
1:B:15:ARG:HH21	1:B:33:GLU:CD	1.63	1.01
1:B:57[A]:LYS:HE2	1:B:59:GLN:HE22	1.27	1.00
1:B:135:LYS:HG2	7:B:194:EDO:H22	1.47	0.95

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:21[A]:ARG:HH11	1:C:21[A]:ARG:CG	1.79	0.95
1:C:21[A]:ARG:CB	1:C:21[A]:ARG:HH11	1.82	0.91
1:E:135:LYS:HZ2	1:E:135:LYS:HB3	0.77	0.88
1:E:149:ARG:HH11	1:E:149:ARG:CG	1.86	0.86
1:B:133:VAL:HG13	7:B:194:EDO:H12	1.56	0.86
1:C:51:ARG:HH21	8:C:193:PE4:H42	1.39	0.85
1:E:149:ARG:HH11	1:E:149:ARG:HG3	1.41	0.84
1:B:57[A]:LYS:HG2	1:B:59:GLN:HE21	1.44	0.83
1:D:21:ARG:HH11	1:D:21:ARG:HG3	1.43	0.82
1:A:15:ARG:NH2	1:A:33:GLU:CG	2.43	0.82
1:A:57[A]:LYS:HE3	1:A:59:GLN:OE1	1.79	0.82
1:C:21[A]:ARG:HG3	1:C:21[A]:ARG:HH11	1.46	0.81
1:C:51:ARG:HH22	8:C:193:PE4:C1	1.94	0.80
1:E:178:GLU:HG2	1:E:189:LEU:CD1	2.08	0.80
1:C:21[A]:ARG:HG3	1:C:21[A]:ARG:NH1	1.97	0.80
1:F:156:ARG:NH2	1:F:178:GLU:OE1	2.16	0.77
1:A:149:ARG:HD3	9:A:1847:HOH:O	1.83	0.77
1:B:57[A]:LYS:HE2	1:B:59:GLN:NE2	2.00	0.76
1:F:67:ASN:ND2	1:F:98:TYR:HD2	1.84	0.76
1:E:149:ARG:CD	9:E:1980:HOH:O	2.18	0.75
1:E:135:LYS:NZ	1:E:135:LYS:CB	2.18	0.72
1:B:149:ARG:NH2	9:B:1225:HOH:O	2.23	0.72
1:A:51:ARG:NH2	9:A:494:HOH:O	2.22	0.72
1:E:55:ARG:NE	9:E:1955:HOH:O	2.02	0.71
1:C:36:GLU:HG3	9:C:840:HOH:O	1.89	0.71
1:F:174:PRO:HD3	9:F:725:HOH:O	1.90	0.71
1:C:51:ARG:HH22	8:C:193:PE4:H12	1.54	0.71
1:B:57[A]:LYS:HD3	1:B:75:PHE:CE1	2.25	0.71
1:B:135:LYS:CG	7:B:194:EDO:H22	2.20	0.69
1:B:15:ARG:NH2	1:B:33:GLU:OE1	2.24	0.69
1:B:36[B]:GLU:OE1	9:B:1428:HOH:O	2.10	0.69
1:C:36:GLU:CG	9:C:840:HOH:O	2.41	0.68
1:B:134:ASN:H	7:B:194:EDO:H21	1.58	0.68
1:A:15:ARG:NH2	1:A:33:GLU:CD	2.47	0.68
1:A:57[A]:LYS:NZ	3:A:192:U5P:O3P	2.24	0.68
1:B:134:ASN:N	7:B:194:EDO:H21	2.08	0.68
1:A:189:LEU:O	9:A:960:HOH:O	2.12	0.67
1:C:51:ARG:HH22	8:C:193:PE4:H11	1.60	0.67
3:E:192:U5P:N3	9:E:1788:HOH:O	2.02	0.67
1:E:178:GLU:CG	1:E:189:LEU:HD11	2.17	0.66
1:E:15:ARG:HH21	1:E:33:GLU:CD	1.98	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:135:LYS:H	7:B:194:EDO:C2	2.09	0.65
1:B:135:LYS:HZ3	1:B:135:LYS:HB3	1.53	0.65
1:A:57[A]:LYS:HE2	9:A:1446:HOH:O	1.96	0.65
1:E:15:ARG:NH2	1:E:33:GLU:OE1	2.29	0.65
1:D:149:ARG:HD3	9:D:1722:HOH:O	1.96	0.65
3:D:192:U5P:N3	9:D:574:HOH:O	1.80	0.65
1:E:188:ARG:NE	9:E:1084:HOH:O	2.09	0.65
1:B:55:ARG:NE	9:B:1974:HOH:O	2.17	0.64
1:B:57[A]:LYS:HD3	1:B:75:PHE:HE1	1.65	0.62
1:A:57[A]:LYS:HZ1	3:A:192:U5P:P	2.23	0.61
1:E:149:ARG:HG3	1:E:149:ARG:NH1	2.12	0.61
1:F:135:LYS:NZ	9:F:734:HOH:O	2.33	0.60
1:B:135:LYS:HG2	7:B:194:EDO:C2	2.27	0.60
1:F:67:ASN:ND2	1:F:98:TYR:CD2	2.69	0.60
1:C:69:PHE:HB3	8:C:193:PE4:H52	1.84	0.59
1:A:15:ARG:NH2	1:A:33:GLU:HG3	2.17	0.59
1:D:90:ALA:O	1:E:57[A]:LYS:HE2	2.02	0.58
1:A:1:MET:N	9:A:735:HOH:O	2.33	0.58
5:B:192:UDP:N3	9:B:1827:HOH:O	2.08	0.58
1:B:135:LYS:N	7:B:194:EDO:H22	2.19	0.57
1:B:15:ARG:NH2	1:B:33:GLU:CD	2.47	0.57
7:B:194:EDO:O1	9:B:723:HOH:O	2.17	0.57
1:C:67:ASN:HD21	1:C:98:TYR:HD2	0.70	0.57
1:B:15:ARG:HH21	1:B:33:GLU:CG	2.18	0.57
1:B:135:LYS:H	7:B:194:EDO:H22	1.70	0.55
1:D:21:ARG:CG	1:D:21:ARG:HH11	2.18	0.55
1:A:1:MET:N	9:A:1709:HOH:O	2.38	0.55
1:B:135:LYS:H	7:B:194:EDO:H21	1.71	0.55
1:B:133:VAL:HG13	7:B:194:EDO:C1	2.34	0.55
1:E:135:LYS:CB	1:E:135:LYS:HZ3	2.19	0.55
1:C:21[A]:ARG:HB2	1:C:21[A]:ARG:HH11	1.69	0.55
1:B:57[A]:LYS:HG2	1:B:59:GLN:NE2	2.19	0.54
1:B:134:ASN:H	7:B:194:EDO:C2	2.20	0.53
1:E:55:ARG:HD2	9:E:1145:HOH:O	2.09	0.53
1:C:21[A]:ARG:NH1	1:C:21[A]:ARG:H	2.05	0.53
1:C:156:ARG:NH2	1:C:178:GLU:OE1	2.32	0.53
1:B:166:ARG:HB2	1:B:166:ARG:HH11	1.73	0.53
1:C:67:ASN:ND2	1:C:98:TYR:CG	2.74	0.52
1:B:135:LYS:HB3	1:B:135:LYS:HZ2	0.37	0.52
1:D:1:MET:HE1	1:D:2:ALA:H	1.75	0.52
1:B:135:LYS:CB	1:B:135:LYS:NZ	1.98	0.52

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:95:LYS:HA	1:D:98:TYR:CE1	2.45	0.52
1:B:21:ARG:NH1	1:B:39:SER:HB2	2.25	0.51
1:A:57[A]:LYS:CG	1:A:59:GLN:OE1	2.60	0.49
1:D:16[A]:ILE:CD1	1:D:34:ILE:HD12	2.42	0.49
1:F:67:ASN:HD21	1:F:98:TYR:HD2	1.59	0.49
2:A:191:ACO:HH32	9:B:1280:HOH:O	2.11	0.49
1:C:51:ARG:NH2	8:C:193:PE4:H12	2.23	0.49
1:E:135:LYS:HB3	1:E:135:LYS:HZ3	1.63	0.48
5:C:192:UDP:N3	9:C:342:HOH:O	2.25	0.48
1:D:1:MET:HA	1:D:1:MET:HE2	1.94	0.48
1:A:189:LEU:HB3	9:A:960:HOH:O	2.15	0.47
1:B:135:LYS:N	7:B:194:EDO:C2	2.77	0.47
1:C:166:ARG:HD3	1:C:166:ARG:N	2.29	0.47
1:C:21[A]:ARG:NH1	1:C:21[A]:ARG:CG	2.47	0.46
1:B:55:ARG:NH2	9:B:1974:HOH:O	2.46	0.46
1:C:21[A]:ARG:HH11	1:C:21[A]:ARG:CA	2.28	0.46
1:C:67:ASN:ND2	1:C:98:TYR:CB	2.79	0.45
1:D:100:ASP:OD1	9:D:1941:HOH:O	2.21	0.45
1:C:67:ASN:HD22	1:C:98:TYR:HB3	1.82	0.44
1:C:170:GLU:O	9:C:1419:HOH:O	2.21	0.44
1:E:149:ARG:HG2	1:E:149:ARG:HH11	1.74	0.44
1:F:67:ASN:HD22	1:F:98:TYR:HB3	1.83	0.44
1:A:21:ARG:HH21	1:A:21:ARG:HG3	1.83	0.44
1:E:55:ARG:NH2	9:E:1955:HOH:O	2.49	0.43
1:B:1:MET:SD	1:B:16:ILE:O	2.77	0.43
1:A:15:ARG:HH22	1:A:33:GLU:CD	2.22	0.43
1:A:149:ARG:NH2	9:A:1847:HOH:O	2.15	0.42
1:B:148:ALA:HB3	7:B:194:EDO:H11	2.01	0.42
1:B:149:ARG:HD3	9:B:598:HOH:O	2.20	0.42
1:F:67:ASN:ND2	1:F:98:TYR:HB3	2.34	0.41
1:C:21[A]:ARG:CB	1:C:21[A]:ARG:NH1	2.65	0.41
1:D:1:MET:CE	1:D:2:ALA:H	2.33	0.41
1:C:21[A]:ARG:NH1	1:C:21[A]:ARG:HB2	2.33	0.41
1:C:21[B]:ARG:NH1	5:C:192:UDP:O2B	2.54	0.41
1:B:147:PRO:O	1:B:149:ARG:HD2	2.21	0.41
1:A:57[A]:LYS:CE	1:A:59:GLN:OE1	2.61	0.40

All (5) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:1965:HOH:O	9:C:1875:HOH:O[2_454]	1.63	0.57
9:C:1725:HOH:O	9:F:1805:HOH:O[1_454]	1.64	0.56
9:A:1944:HOH:O	9:C:1835:HOH:O[2_454]	1.97	0.23
1:C:190:ALA:O	9:D:1964:HOH:O[2_545]	2.02	0.18
9:B:1064:HOH:O	9:C:1712:HOH:O[2_554]	2.16	0.04

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	190/192 (99%)	187 (98%)	3 (2%)	0	100	100
1	B	192/192 (100%)	188 (98%)	4 (2%)	0	100	100
1	C	193/192 (100%)	189 (98%)	4 (2%)	0	100	100
1	D	191/192 (100%)	188 (98%)	3 (2%)	0	100	100
1	E	190/192 (99%)	187 (98%)	3 (2%)	0	100	100
1	F	187/192 (97%)	184 (98%)	3 (2%)	0	100	100
All	All	1143/1152 (99%)	1123 (98%)	20 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	152/151 (101%)	152 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	154/151 (102%)	151 (98%)	3 (2%)	65	27
1	C	153/151 (101%)	148 (97%)	5 (3%)	45	10
1	D	152/151 (101%)	149 (98%)	3 (2%)	63	25
1	E	152/151 (101%)	146 (96%)	6 (4%)	39	6
1	F	149/151 (99%)	147 (99%)	2 (1%)	76	44
All	All	912/906 (101%)	893 (98%)	19 (2%)	63	23

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	1	MET
1	B	135	LYS
1	B	166	ARG
1	C	21[A]	ARG
1	C	21[B]	ARG
1	C	96	SER
1	C	154	MET
1	C	166	ARG
1	D	1	MET
1	D	154	MET
1	D	166	ARG
1	E	1	MET
1	E	95	LYS
1	E	96	SER
1	E	135	LYS
1	E	149	ARG
1	E	178	GLU
1	F	93	GLU
1	F	154	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	175	HIS
1	B	59	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 22 ligands modelled in this entry, 1 is modelled with single atom and 2 are monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	ACO	A	191	-	43,53,53	0.75	0	55,79,79	1.67	9 (16%)
3	U5P	A	192	-	16,22,22	0.79	0	21,33,33	2.17	5 (23%)
2	ACO	B	191	-	43,53,53	0.74	0	55,79,79	1.50	5 (9%)
5	UDP	B	192	-	18,26,26	0.66	0	26,40,40	1.95	6 (23%)
6	PO4	B	193	-	4,4,4	1.05	0	6,6,6	0.37	0
7	EDO	B	194	-	3,3,3	0.40	0	2,2,2	0.47	0
2	ACO	C	191	-	43,53,53	0.81	1 (2%)	55,79,79	1.47	7 (12%)
5	UDP	C	192	-	18,26,26	0.65	0	26,40,40	1.99	7 (26%)
8	PE4	C	193	-	23,23,23	0.48	0	22,22,22	1.02	0
7	EDO	C	194	-	3,3,3	0.56	0	2,2,2	0.55	0
2	ACO	D	191	-	43,53,53	0.75	0	55,79,79	1.70	8 (14%)
3	U5P	D	192	-	16,22,22	0.75	0	21,33,33	2.81	7 (33%)
7	EDO	D	194	-	3,3,3	0.47	0	2,2,2	0.37	0
6	PO4	D	195	-	4,4,4	1.17	1 (25%)	6,6,6	0.28	0
7	EDO	D	196	-	3,3,3	0.46	0	2,2,2	0.77	0
2	ACO	E	191	-	43,53,53	0.80	0	55,79,79	1.72	6 (10%)
3	U5P	E	192	-	16,22,22	0.70	0	21,33,33	2.28	4 (19%)
2	ACO	F	191	-	43,53,53	0.76	0	55,79,79	1.35	7 (12%)
5	UDP	F	193	-	15,25,26	0.76	0	20,37,40	2.11	7 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACO	A	191	-	-	0/47/67/67	0/3/3/3
3	U5P	A	192	-	-	0/6/26/26	0/2/2/2
2	ACO	B	191	-	-	0/47/67/67	0/3/3/3
5	UDP	B	192	-	-	0/12/32/32	0/2/2/2
6	PO4	B	193	-	-	0/0/0/0	0/0/0/0
7	EDO	B	194	-	-	0/1/1/1	0/0/0/0
2	ACO	C	191	-	-	0/47/67/67	0/3/3/3
5	UDP	C	192	-	-	0/12/32/32	0/2/2/2
8	PE4	C	193	-	-	0/21/21/21	0/0/0/0
7	EDO	C	194	-	-	0/1/1/1	0/0/0/0
2	ACO	D	191	-	-	0/47/67/67	0/3/3/3
3	U5P	D	192	-	-	0/6/26/26	0/2/2/2
7	EDO	D	194	-	-	0/1/1/1	0/0/0/0
6	PO4	D	195	-	-	0/0/0/0	0/0/0/0
7	EDO	D	196	-	-	0/1/1/1	0/0/0/0
2	ACO	E	191	-	-	0/47/67/67	0/3/3/3
3	U5P	E	192	-	-	0/6/26/26	0/2/2/2
2	ACO	F	191	-	-	0/47/67/67	0/3/3/3
5	UDP	F	193	-	-	0/9/31/32	0/2/2/2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	195	PO4	P-O4	2.20	1.61	1.53
2	C	191	ACO	O4B-C1B	2.37	1.44	1.41

All (78) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	191	ACO	N3A-C2A-N1A	-8.74	122.20	128.89
2	D	191	ACO	N3A-C2A-N1A	-8.20	122.61	128.89
2	A	191	ACO	N3A-C2A-N1A	-7.51	123.14	128.89
2	B	191	ACO	N3A-C2A-N1A	-7.12	123.44	128.89
3	D	192	U5P	O4'-C4'-C3'	-5.21	94.65	105.15
2	C	191	ACO	N3A-C2A-N1A	-4.66	125.33	128.89
3	E	192	U5P	O4'-C4'-C3'	-4.02	97.05	105.15
2	F	191	ACO	N3A-C2A-N1A	-3.66	126.09	128.89
5	F	193	UDP	O3A-PA-O5'	-3.61	93.35	102.94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	192	U5P	O4'-C4'-C3'	-3.41	98.28	105.15
2	A	191	ACO	C4B-O4B-C1B	-3.17	106.23	109.72
3	D	192	U5P	O5'-P-O1P	-3.15	99.12	107.14
5	F	193	UDP	O4'-C4'-C3'	-3.13	98.85	105.15
5	C	192	UDP	O4'-C4'-C3'	-3.07	98.96	105.15
3	D	192	U5P	O4'-C4'-C5'	-3.05	98.41	109.32
2	C	191	ACO	O3B-P3B-O7A	-3.00	99.62	107.11
5	B	192	UDP	O3A-PA-O5'	-2.98	95.03	102.94
2	E	191	ACO	C2P-C3P-N4P	-2.98	106.40	112.36
5	F	193	UDP	O4'-C1'-N1	-2.92	101.93	108.08
2	D	191	ACO	C4A-C5A-N7A	-2.79	106.91	109.48
5	C	192	UDP	O3A-PA-O5'	-2.71	95.76	102.94
2	D	191	ACO	O3B-P3B-O7A	-2.47	100.94	107.11
5	B	192	UDP	O4'-C4'-C3'	-2.44	100.23	105.15
2	C	191	ACO	C4A-C5A-N7A	-2.33	107.34	109.48
2	F	191	ACO	O4B-C1B-N9A	-2.32	103.24	108.10
2	C	191	ACO	CDP-CBP-CAP	-2.28	105.19	109.34
2	A	191	ACO	C4A-C5A-N7A	-2.24	107.42	109.48
2	A	191	ACO	C2B-C1B-N9A	-2.15	111.01	114.29
5	C	192	UDP	O2'-C2'-C3'	-2.15	104.84	111.83
2	A	191	ACO	O4B-C1B-N9A	-2.14	103.62	108.10
2	D	191	ACO	CDP-CBP-CAP	-2.10	105.50	109.34
5	F	193	UDP	O3'-C3'-C2'	-2.04	105.19	111.83
2	F	191	ACO	C4A-C5A-N7A	-2.03	107.61	109.48
3	A	192	U5P	O2'-C2'-C3'	-2.03	105.22	111.83
2	F	191	ACO	P3B-O3B-C3B	2.00	126.36	121.56
2	C	191	ACO	O2B-C2B-C3B	2.01	116.95	111.16
5	C	192	UDP	O3B-PB-O2B	2.04	115.16	107.38
2	D	191	ACO	CEP-CBP-CAP	2.04	113.08	109.34
2	F	191	ACO	CDP-CBP-CCP	2.05	111.16	108.50
5	F	193	UDP	O2A-PA-O3A	2.10	114.62	105.09
3	E	192	U5P	O3P-P-O2P	2.10	115.38	107.38
2	B	191	ACO	C3P-C2P-S1P	2.12	117.05	111.36
3	D	192	U5P	C5'-C4'-C3'	2.14	123.72	115.21
2	E	191	ACO	O8A-P3B-O7A	2.15	117.51	110.58
2	F	191	ACO	CEP-CBP-CCP	2.19	111.34	108.50
2	C	191	ACO	P3B-O3B-C3B	2.19	126.82	121.56
2	A	191	ACO	CDP-CBP-CCP	2.22	111.38	108.50
5	B	192	UDP	O3B-PB-O2B	2.24	115.90	107.38
2	A	191	ACO	C2A-N1A-C6A	2.24	122.77	118.77
2	A	191	ACO	C7P-N8P-C9P	2.32	127.11	122.53
2	D	191	ACO	C7P-N8P-C9P	2.34	127.16	122.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	193	UDP	C4'-O4'-C1'	2.34	112.29	109.72
2	B	191	ACO	O8A-P3B-O7A	2.35	118.14	110.58
2	D	191	ACO	C3P-C2P-S1P	2.40	117.78	111.36
3	A	192	U5P	O3P-P-O2P	2.40	116.51	107.38
5	C	192	UDP	O2A-PA-O3A	2.40	115.99	105.09
5	B	192	UDP	C4'-O4'-C1'	2.47	112.43	109.72
2	B	191	ACO	CEP-CBP-CAP	2.50	113.91	109.34
2	B	191	ACO	O9A-P3B-O8A	2.61	117.33	107.38
2	D	191	ACO	O9A-P3B-O8A	2.64	117.44	107.38
3	D	192	U5P	O3P-P-O2P	2.64	117.44	107.38
2	A	191	ACO	O9A-P3B-O8A	2.70	117.67	107.38
2	E	191	ACO	O9A-P3B-O8A	2.76	117.90	107.38
2	C	191	ACO	CDP-CBP-CCP	2.92	112.29	108.50
5	B	192	UDP	O2A-PA-O3A	2.99	118.68	105.09
2	E	191	ACO	C7P-N8P-C9P	3.22	128.90	122.53
2	E	191	ACO	CEP-CBP-CAP	3.25	115.28	109.34
5	C	192	UDP	C4'-O4'-C1'	3.33	113.38	109.72
2	F	191	ACO	O9A-P3B-O7A	3.47	121.74	110.58
3	E	192	U5P	C4'-O4'-C1'	4.12	114.24	109.72
3	A	192	U5P	C4'-O4'-C1'	4.86	115.06	109.72
5	F	193	UDP	C4-N3-C2	5.43	119.52	114.14
3	A	192	U5P	C4-N3-C2	6.13	120.22	114.14
5	B	192	UDP	C4-N3-C2	6.61	120.69	114.14
3	D	192	U5P	C4-N3-C2	6.62	120.69	114.14
5	C	192	UDP	C4-N3-C2	6.81	120.88	114.14
3	D	192	U5P	C4'-O4'-C1'	6.97	117.37	109.72
3	E	192	U5P	C4-N3-C2	7.04	121.11	114.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 29 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	191	ACO	1	0
3	A	192	U5P	2	0
5	B	192	UDP	1	0
7	B	194	EDO	15	0
5	C	192	UDP	2	0
8	C	193	PE4	6	0
3	D	192	U5P	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	192	U5P	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	A	190/192 (98%)	0.46	6 (3%)	51	52	5, 12, 23, 35	0
1	B	190/192 (98%)	0.47	6 (3%)	51	52	5, 11, 24, 36	0
1	C	192/192 (100%)	0.50	12 (6%)	23	22	5, 9, 25, 44	0
1	D	192/192 (100%)	0.37	10 (5%)	31	31	5, 10, 22, 35	0
1	E	190/192 (98%)	0.42	7 (3%)	45	46	5, 11, 22, 32	0
1	F	189/192 (98%)	0.44	7 (3%)	45	46	5, 10, 23, 45	0
All	All	1143/1152 (99%)	0.44	48 (4%)	40	40	5, 10, 23, 45	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	-1	GLY	7.7
1	D	1	MET	6.9
1	C	98	TYR	6.9
1	C	96	SER	6.1
1	B	1	MET	5.5
1	F	95	LYS	5.5
1	C	1	MET	5.4
1	F	98	TYR	5.2
1	C	93	GLU	5.2
1	C	95	LYS	5.0
1	D	-1	GLY	4.8
1	A	1	MET	4.7
1	F	96	SER	4.7
1	C	2	ALA	4.6
1	D	96	SER	4.6
1	D	0	HIS	4.4
1	C	0	HIS	4.3
1	B	95	LYS	3.9
1	D	95	LYS	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	1	MET	3.8
1	A	95	LYS	3.6
1	F	93	GLU	3.6
1	C	97	GLU	3.4
1	B	2	ALA	3.3
1	A	3	THR	3.3
1	D	2	ALA	3.1
1	F	97	GLU	3.0
1	D	98	TYR	2.6
1	C	3	THR	2.6
1	A	96	SER	2.6
1	E	167	GLY	2.6
1	B	3	THR	2.5
1	A	19	HIS	2.5
1	F	2	ALA	2.5
1	D	12	GLU	2.4
1	C	12	GLU	2.4
1	D	93	GLU	2.3
1	B	15	ARG	2.3
1	B	49	ARG	2.2
1	A	175	HIS	2.2
1	E	162	ASP	2.2
1	F	3	THR	2.2
1	D	3	THR	2.1
1	E	49	ARG	2.1
1	E	190	ALA	2.1
1	C	166	ARG	2.1
1	E	166	ARG	2.1
1	E	95	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	U5P	E	192	21/21	0.85	0.21	11.79	17,29,39,43	0
3	U5P	D	192	21/21	0.88	0.22	7.35	13,27,37,42	0
6	PO4	D	195	5/5	0.94	0.14	5.65	21,23,25,37	0
6	PO4	B	193	5/5	0.92	0.16	5.54	21,22,24,29	0
5	UDP	B	192	25/25	0.74	0.26	5.04	19,29,41,46	0
3	U5P	A	192	21/21	0.81	0.21	3.21	15,29,38,43	0
7	EDO	C	194	4/4	0.85	0.11	3.10	22,22,23,25	0
5	UDP	F	193	24/25	0.85	0.22	2.72	16,25,35,37	0
8	PE4	C	193	24/24	0.86	0.13	2.21	22,28,33,39	0
7	EDO	B	194	4/4	0.95	0.17	1.52	17,21,23,27	0
5	UDP	C	192	25/25	0.80	0.21	1.45	16,29,43,47	0
2	ACO	A	191	51/51	0.94	0.11	0.55	5,10,22,26	0
2	ACO	C	191	51/51	0.94	0.10	0.45	6,11,22,26	0
2	ACO	F	191	51/51	0.94	0.10	0.27	6,11,28,31	0
2	ACO	D	191	51/51	0.95	0.10	0.21	6,9,21,24	0
7	EDO	D	196	4/4	0.94	0.09	0.19	21,22,22,25	0
2	ACO	B	191	51/51	0.95	0.10	-0.01	5,8,30,34	0
2	ACO	E	191	51/51	0.95	0.09	-0.31	4,8,27,34	0
7	EDO	D	194	4/4	0.97	0.08	-0.54	12,14,14,18	0
4	NA	D	193	1/1	0.99	0.08	-0.62	6,6,6,6	0
4	NA	A	193	1/1	1.00	0.08	-0.92	6,6,6,6	0
5	UDP	F	192	1/25	0.72	0.16	-	21,21,21,21	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.