



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:47 PM GMT

PDB ID : 4MT6  
Title : Crystal structure of closed inactive collybistin  
Authors : Schneeberger, D.; Schindelin, H.  
Deposited on : 2013-09-19  
Resolution : 5.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 5.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	1015 (7.38-3.62)
Clashscore	102246	1020 (7.10-3.70)
Ramachandran outliers	100387	1014 (7.36-3.64)
Sidechain outliers	100360	1013 (7.38-3.62)
RSRZ outliers	91569	1014 (7.38-3.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	456	

## 2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 3298 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Rho guanine nucleotide exchange factor 9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	389	3298	2096	576	604	22	6	1	0


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	33	GLU	GLY	ENGINEERED MUTATION	UNP Q9QX73
A	34	LEU	VAL	ENGINEERED MUTATION	UNP Q9QX73

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Rho guanine nucleotide exchange factor 9



## 4 Data and refinement statistics

Property	Value	Source
Space group	I 21 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	217.26Å 217.26Å 217.26Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	108.63 – 5.50 88.70 – 5.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (108.63-5.50) 100.0 (88.70-5.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.15	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.85 (at 5.41Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, $R_{free}$	0.237 , 0.282 0.281 , 0.296	Depositor DCC
$R_{free}$ test set	No test flags present.	DCC
Wilson B-factor (Å <sup>2</sup> )	307.9	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 116.1	EDS
Estimated twinning fraction	0.075 for -l,-k,-h	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.39$ , $\langle L^2 \rangle = 0.22$	Xtriage
Outliers	0 of 5689 reflections	Xtriage
$F_o, F_c$ correlation	0.87	EDS
Total number of atoms	3298	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	177.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.66% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/3377	0.41	0/4543

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3298	0	3197	207	0
All	All	3298	0	3197	207	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 32.

All (207) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:292:ASN:O	1:A:295:LYS:N	1.77	1.17
1:A:390:ASP:HA	1:A:391:PHE:C	1.69	1.11
1:A:252:LYS:HD2	1:A:256:TYR:CE1	1.89	1.07
1:A:254:CYS:O	1:A:257:PRO:HD2	1.60	1.02
1:A:292:ASN:O	1:A:294:ARG:N	1.95	0.98

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:326:LEU:HD22	1:A:327:ILE:H	1.39	0.88
1:A:363:ARG:HG3	1:A:363:ARG:HH11	1.39	0.86
1:A:406:THR:HG22	1:A:407:GLU:H	1.41	0.84
1:A:351:ASP:O	1:A:352:HIS:HB2	1.77	0.84
1:A:326:LEU:HD22	1:A:327:ILE:N	1.93	0.82
1:A:110:MET:HE3	1:A:266:TYR:CE2	2.17	0.79
1:A:302:ASP:O	1:A:306:GLN:HB2	1.84	0.77
1:A:424:LEU:O	1:A:428:ARG:HG3	1.84	0.77
1:A:390:ASP:HA	1:A:392:ASN:N	1.99	0.77
1:A:251:GLN:O	1:A:255:LYS:HG3	1.86	0.76
1:A:341:ARG:HB2	1:A:341:ARG:NH1	2.00	0.75
1:A:406:THR:HG22	1:A:407:GLU:N	2.02	0.73
1:A:176:GLN:NE2	1:A:186:GLU:O	2.22	0.72
1:A:265:LYS:HB3	1:A:265:LYS:NZ	2.05	0.72
1:A:115:ILE:O	1:A:119:MET:HG2	1.89	0.71
1:A:435:GLN:O	1:A:439:LYS:HB3	1.90	0.71
1:A:24:TRP:CZ3	1:A:292:ASN:HB2	2.27	0.70
1:A:110:MET:O	1:A:114:VAL:HG23	1.91	0.70
1:A:232:ARG:NH1	1:A:239:ASP:HA	2.06	0.69
1:A:119:MET:O	1:A:123:ARG:HG3	1.93	0.68
1:A:319:ILE:HD11	1:A:350:PHE:CD2	2.29	0.67
1:A:252:LYS:HD2	1:A:256:TYR:CZ	2.28	0.67
1:A:21:GLU:OE1	1:A:258:LEU:HD21	1.94	0.67
1:A:215:LEU:O	1:A:219:MET:HG2	1.95	0.66
1:A:333:ALA:HB3	1:A:413:PHE:HB2	1.78	0.66
1:A:120:SER:O	1:A:124:HIS:ND1	2.28	0.66
1:A:355:VAL:HG13	1:A:371:GLY:O	1.96	0.66
1:A:294:ARG:O	1:A:298:LEU:HD13	1.95	0.65
1:A:25:ASP:OD2	1:A:27:VAL:HG13	1.96	0.65
1:A:209:LEU:O	1:A:213:MET:HG3	1.95	0.65
1:A:400:LYS:HD3	1:A:409:VAL:CG2	2.28	0.64
1:A:252:LYS:HG3	1:A:256:TYR:CZ	2.33	0.64
1:A:292:ASN:CG	1:A:293:GLU:N	2.48	0.63
1:A:248:THR:OG1	1:A:249:PRO:HD3	2.00	0.62
1:A:265:LYS:HB3	1:A:265:LYS:HZ3	1.65	0.62
1:A:388:ASP:OD1	1:A:389:ASP:N	2.33	0.61
1:A:380:VAL:HG22	1:A:401:LEU:HD21	1.82	0.61
1:A:230:ALA:O	1:A:234:LEU:HD22	2.01	0.61
1:A:292:ASN:C	1:A:294:ARG:N	2.54	0.61
1:A:358:LYS:HD2	1:A:370:LYS:HE3	1.82	0.61
1:A:356:LEU:HD13	1:A:356:LEU:H	1.65	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:327:ILE:CD1	1:A:430:GLU:CB	2.78	0.60
1:A:319:ILE:HD12	1:A:350:PHE:CZ	2.37	0.60
1:A:292:ASN:O	1:A:294:ARG:C	2.40	0.60
1:A:319:ILE:HD11	1:A:350:PHE:CE2	2.36	0.60
1:A:292:ASN:O	1:A:294:ARG:CA	2.50	0.59
1:A:24:TRP:CH2	1:A:292:ASN:HB2	2.37	0.59
1:A:391:PHE:O	1:A:392:ASN:HB3	2.03	0.59
1:A:122:GLU:OE1	1:A:252:LYS:NZ	2.34	0.59
1:A:256:TYR:HB2	1:A:257:PRO:HD3	1.85	0.59
1:A:166:GLN:O	1:A:170:VAL:HG23	2.03	0.59
1:A:319:ILE:CD1	1:A:350:PHE:CZ	2.85	0.58
1:A:400:LYS:HD3	1:A:409:VAL:HG21	1.83	0.58
1:A:265:LYS:CB	1:A:265:LYS:NZ	2.66	0.58
1:A:281:LEU:O	1:A:285:ARG:HG3	2.03	0.58
1:A:390:ASP:CA	1:A:391:PHE:C	2.59	0.58
1:A:391:PHE:O	1:A:392:ASN:CB	2.52	0.58
1:A:252:LYS:CG	1:A:256:TYR:CZ	2.87	0.58
1:A:319:ILE:CD1	1:A:350:PHE:CE2	2.86	0.58
1:A:341:ARG:HH11	1:A:341:ARG:HB2	1.68	0.58
1:A:363:ARG:CG	1:A:363:ARG:HH11	2.14	0.57
1:A:292:ASN:O	1:A:293:GLU:C	2.42	0.57
1:A:192:LEU:HD21	1:A:280:ALA:HA	1.87	0.57
1:A:363:ARG:HB2	1:A:366:ILE:HD12	1.87	0.57
1:A:363:ARG:NH1	1:A:363:ARG:HG3	2.12	0.56
1:A:131:ASP:HB3	1:A:237:MET:HE2	1.87	0.56
1:A:363:ARG:NH1	1:A:366:ILE:HD11	2.20	0.56
1:A:406:THR:CG2	1:A:407:GLU:H	2.17	0.56
1:A:425:ARG:HD2	1:A:425:ARG:O	2.06	0.56
1:A:247:LEU:O	1:A:251:GLN:HG3	2.06	0.56
1:A:351:ASP:O	1:A:352:HIS:CB	2.52	0.55
1:A:29:MET:CE	1:A:306:GLN:NE2	2.70	0.55
1:A:169:PHE:CE2	1:A:173:LEU:HD11	2.41	0.55
1:A:417:LEU:HD23	1:A:417:LEU:O	2.06	0.55
1:A:360:ASP:HB2	1:A:366:ILE:HB	1.87	0.55
1:A:115:ILE:O	1:A:119:MET:CG	2.55	0.54
1:A:319:ILE:HD12	1:A:350:PHE:CE1	2.42	0.54
1:A:57:ILE:HG22	1:A:58:ASP:N	2.22	0.54
1:A:356:LEU:O	1:A:356:LEU:HD22	2.07	0.54
1:A:70:ARG:CB	1:A:258:LEU:HD13	2.37	0.54
1:A:205:CYS:SG	1:A:291:ILE:CG2	2.95	0.54
1:A:252:LYS:HG3	1:A:256:TYR:CE2	2.42	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:327:ILE:HD12	1:A:430:GLU:CB	2.37	0.54
1:A:263:LEU:O	1:A:263:LEU:HG	2.07	0.54
1:A:188:GLY:N	1:A:189:PRO:CD	2.71	0.53
1:A:117:GLU:OE2	1:A:259:GLN:NE2	2.42	0.53
1:A:169:PHE:CZ	1:A:173:LEU:HD11	2.44	0.53
1:A:122:GLU:OE1	1:A:256:TYR:HE1	1.92	0.52
1:A:260:LEU:HD13	1:A:281:LEU:HA	1.91	0.52
1:A:205:CYS:SG	1:A:291:ILE:HG23	2.49	0.52
1:A:263:LEU:O	1:A:267:THR:OG1	2.09	0.52
1:A:406:THR:CG2	1:A:407:GLU:N	2.73	0.52
1:A:54:TRP:CH2	1:A:62:GLY:HA2	2.45	0.52
1:A:380:VAL:HG22	1:A:401:LEU:CD2	2.39	0.52
1:A:381:ILE:HB	1:A:400:LYS:HB3	1.91	0.52
1:A:355:VAL:HG13	1:A:369:TYR:CE1	2.46	0.51
1:A:162:ILE:HA	1:A:200:ILE:HD11	1.93	0.51
1:A:70:ARG:HG3	1:A:258:LEU:HD12	1.92	0.51
1:A:383:ILE:HG21	1:A:395:MET:SD	2.51	0.51
1:A:230:ALA:O	1:A:234:LEU:CD2	2.59	0.51
1:A:360:ASP:CB	1:A:366:ILE:HB	2.42	0.50
1:A:53:TRP:CZ3	1:A:66:ALA:HB1	2.47	0.50
1:A:187:ILE:C	1:A:189:PRO:HD2	2.31	0.50
1:A:348:PHE:O	1:A:354:MET:HG3	2.12	0.50
1:A:140:CYS:HB3	1:A:152:LEU:HD21	1.94	0.50
1:A:132:ILE:O	1:A:136:TYR:HB2	2.12	0.50
1:A:363:ARG:CG	1:A:363:ARG:NH1	2.72	0.49
1:A:251:GLN:HB3	1:A:255:LYS:HE3	1.93	0.49
1:A:425:ARG:O	1:A:425:ARG:CD	2.61	0.49
1:A:391:PHE:CE1	1:A:411:LEU:HB2	2.47	0.49
1:A:355:VAL:HA	1:A:372:ARG:HA	1.95	0.49
1:A:112:ALA:HB2	1:A:183:HIS:HB3	1.94	0.49
1:A:27:VAL:HG23	1:A:303:LYS:HG3	1.93	0.49
1:A:248:THR:N	1:A:249:PRO:CD	2.76	0.49
1:A:148:SER:O	1:A:152:LEU:HG	2.13	0.48
1:A:327:ILE:CD1	1:A:430:GLU:HB3	2.44	0.48
1:A:176:GLN:HG3	1:A:190:CYS:SG	2.53	0.48
1:A:192:LEU:HD21	1:A:280:ALA:CA	2.42	0.48
1:A:110:MET:HE3	1:A:266:TYR:CZ	2.49	0.48
1:A:254:CYS:C	1:A:257:PRO:HD2	2.31	0.48
1:A:395:MET:O	1:A:396:LYS:HG2	2.13	0.48
1:A:23:VAL:HG23	1:A:69:VAL:HA	1.95	0.48
1:A:297:ARG:HG2	1:A:298:LEU:CD1	2.43	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:ALA:O	1:A:245:PHE:HD2	1.97	0.47
1:A:189:PRO:O	1:A:192:LEU:N	2.47	0.47
1:A:159:ILE:HG23	1:A:160:GLU:N	2.28	0.47
1:A:57:ILE:CG2	1:A:58:ASP:N	2.77	0.47
1:A:375:MET:HB3	1:A:430:GLU:OE2	2.15	0.47
1:A:111:ARG:O	1:A:114:VAL:HB	2.14	0.47
1:A:70:ARG:HB3	1:A:258:LEU:HD13	1.97	0.47
1:A:287:VAL:O	1:A:291:ILE:HG13	2.14	0.47
1:A:308:GLN:OE1	1:A:319:ILE:HG22	2.15	0.47
1:A:398:ALA:HB2	1:A:413:PHE:CD1	2.49	0.46
1:A:327:ILE:HD12	1:A:430:GLU:HB3	1.97	0.46
1:A:123:ARG:O	1:A:126:ILE:HG22	2.15	0.46
1:A:252:LYS:CD	1:A:256:TYR:CZ	2.96	0.46
1:A:38:ALA:H	1:A:296[A]:ARG:HH22	1.63	0.46
1:A:205:CYS:SG	1:A:291:ILE:HG21	2.56	0.46
1:A:391:PHE:CZ	1:A:411:LEU:HB2	2.51	0.46
1:A:308:GLN:HE22	1:A:318:ASP:HA	1.80	0.46
1:A:18:VAL:HG12	1:A:19:SER:N	2.31	0.46
1:A:245:PHE:C	1:A:247:LEU:H	2.19	0.45
1:A:203:GLU:HG2	1:A:203:GLU:O	2.15	0.45
1:A:347:PHE:CE2	1:A:412:PHE:HE2	2.34	0.45
1:A:252:LYS:HA	1:A:255:LYS:HD2	1.97	0.45
1:A:356:LEU:N	1:A:356:LEU:HD13	2.31	0.45
1:A:404:LYS:HD2	1:A:404:LYS:O	2.15	0.45
1:A:292:ASN:ND2	1:A:293:GLU:N	2.64	0.45
1:A:327:ILE:CD1	1:A:430:GLU:HA	2.46	0.45
1:A:389:ASP:O	1:A:390:ASP:C	2.55	0.45
1:A:430:GLU:O	1:A:434:VAL:HG23	2.16	0.45
1:A:26:HIS:CE1	1:A:65:PRO:HD3	2.52	0.45
1:A:128:HIS:O	1:A:132:ILE:HG13	2.17	0.45
1:A:162:ILE:HG12	1:A:200:ILE:CD1	2.46	0.45
1:A:221:ASP:HB3	1:A:224:TYR:HD2	1.81	0.45
1:A:171:ARG:O	1:A:175:LYS:HG3	2.17	0.45
1:A:341:ARG:HB2	1:A:341:ARG:CZ	2.47	0.45
1:A:338:PRO:O	1:A:339:TYR:HB2	2.17	0.45
1:A:356:LEU:HD13	1:A:371:GLY:C	2.37	0.44
1:A:292:ASN:OD1	1:A:296[A]:ARG:HB2	2.18	0.44
1:A:297:ARG:HG2	1:A:298:LEU:HD12	1.99	0.44
1:A:425:ARG:HD3	1:A:425:ARG:HA	1.75	0.44
1:A:29:MET:HE1	1:A:306:GLN:NE2	2.33	0.44
1:A:307:TRP:O	1:A:310:SER:OG	2.26	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:215:LEU:HD13	1:A:243:ASP:HB3	1.99	0.43
1:A:235:GLN:HG2	1:A:237:MET:HE2	2.00	0.43
1:A:250:VAL:HG12	1:A:250:VAL:O	2.18	0.43
1:A:253:ILE:HA	1:A:256:TYR:CD2	2.54	0.43
1:A:327:ILE:HD13	1:A:430:GLU:CA	2.49	0.43
1:A:29:MET:HE3	1:A:306:GLN:NE2	2.32	0.43
1:A:209:LEU:HD22	1:A:209:LEU:HA	1.88	0.43
1:A:293:GLU:O	1:A:297:ARG:HB3	2.19	0.43
1:A:162:ILE:HA	1:A:200:ILE:CD1	2.49	0.43
1:A:132:ILE:HD11	1:A:245:PHE:HB3	2.00	0.42
1:A:119:MET:CE	1:A:177:TYR:HB2	2.48	0.42
1:A:115:ILE:HD12	1:A:185:SER:HB2	2.01	0.42
1:A:256:TYR:N	1:A:257:PRO:CD	2.83	0.42
1:A:357:CYS:SG	1:A:369:TYR:HA	2.59	0.42
1:A:235:GLN:O	1:A:236:GLN:HB2	2.19	0.42
1:A:265:LYS:CB	1:A:265:LYS:HZ2	2.32	0.42
1:A:64:PHE:HB2	1:A:65:PRO:HD2	2.02	0.41
1:A:111:ARG:NH1	1:A:263:LEU:HD11	2.35	0.41
1:A:333:ALA:O	1:A:413:PHE:N	2.47	0.41
1:A:193:GLU:HG3	1:A:194:HIS:ND1	2.36	0.41
1:A:303:LYS:HD3	1:A:303:LYS:HA	1.90	0.41
1:A:122:GLU:OE1	1:A:252:LYS:CE	2.68	0.41
1:A:322:ARG:NH2	1:A:352:HIS:O	2.53	0.41
1:A:187:ILE:C	1:A:189:PRO:CD	2.90	0.41
1:A:377:LYS:O	1:A:404:LYS:N	2.54	0.41
1:A:273:ASP:CG	1:A:277:VAL:HG23	2.41	0.41
1:A:115:ILE:CD1	1:A:187:ILE:HD13	2.51	0.41
1:A:358:LYS:CD	1:A:370:LYS:HE3	2.51	0.41
1:A:399:PHE:O	1:A:411:LEU:HD23	2.21	0.40
1:A:114:VAL:HG11	1:A:263:LEU:HB2	2.03	0.40
1:A:419:GLU:O	1:A:423:TRP:HD1	2.03	0.40
1:A:192:LEU:CD2	1:A:280:ALA:HA	2.50	0.40
1:A:70:ARG:CB	1:A:258:LEU:CD1	2.99	0.40
1:A:383:ILE:HG21	1:A:395:MET:CE	2.51	0.40
1:A:42:ILE:HD12	1:A:42:ILE:N	2.37	0.40
1:A:355:VAL:CG1	1:A:369:TYR:CE1	3.04	0.40
1:A:209:LEU:O	1:A:209:LEU:HD13	2.20	0.40
1:A:345:ARG:NH1	1:A:358:LYS:HD2	2.37	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	386/456 (85%)	350 (91%)	29 (8%)	7 (2%)	11	53

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	293	GLU
1	A	324	SER
1	A	391	PHE
1	A	392	ASN
1	A	292	ASN
1	A	352	HIS
1	A	390	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	353/408 (86%)	330 (94%)	23 (6%)	21	59

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	MET
1	A	137	LEU
1	A	164	ARG
1	A	209	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	220	LYS
1	A	234	LEU
1	A	254	CYS
1	A	269	GLN
1	A	294	ARG
1	A	297	ARG
1	A	302	ASP
1	A	334	TRP
1	A	349	LEU
1	A	356	LEU
1	A	393	VAL
1	A	394	SER
1	A	405	GLU
1	A	408	GLU
1	A	411	LEU
1	A	416	LYS
1	A	418	GLU
1	A	424	LEU
1	A	425	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	306	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	389/456 (85%)	0.66	29 (7%) <b>17</b> <b>19</b>	80, 167, 273, 399	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	28	THR	8.3
1	A	29	MET	7.3
1	A	394	SER	4.0
1	A	395	MET	3.8
1	A	380	VAL	3.4
1	A	325	GLU	3.2
1	A	382	ASP	3.1
1	A	373	ILE	3.0
1	A	27	VAL	2.9
1	A	384	GLU	2.8
1	A	407	GLU	2.8
1	A	30	ALA	2.7
1	A	315	GLU	2.5
1	A	26	HIS	2.5
1	A	33	GLU	2.4
1	A	391	PHE	2.4
1	A	319	ILE	2.4
1	A	237	MET	2.3
1	A	414	ALA	2.2
1	A	390	ASP	2.2
1	A	246	LEU	2.2
1	A	314	TRP	2.2
1	A	350	PHE	2.2
1	A	375	MET	2.1
1	A	305	ALA	2.1
1	A	392	ASN	2.1
1	A	324	SER	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	415	LYS	2.1
1	A	393	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.