



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:49 PM GMT

PDB ID : 4MVT  
Title : Crystal structure of SUMO E3 Ligase PIAS3  
Authors : Dong, A.; Hu, J.; Li, Y.; Tempel, W.; Bountra, C.; Arrowsmith, C.H.; Edwards, A.M.; Tong, Y.; Structural Genomics Consortium (SGC)  
Deposited on : 2013-09-24  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	374	<div> <div>2%</div> <div>64%</div> <div>32%</div> </div>
1	B	374	<div> <div>%</div> <div>63%</div> <div>33%</div> </div>
1	C	374	<div> <div>3%</div> <div>64%</div> <div>32%</div> </div>
1	D	374	<div> <div>2%</div> <div>61%</div> <div>6%</div> <div>33%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	UNX	A	509	-	-	-	X
4	UNX	A	510	-	-	-	X
4	UNX	A	511	-	-	-	X
4	UNX	B	504	-	-	-	X
4	UNX	B	505	-	-	-	X
4	UNX	B	506	-	-	-	X
4	UNX	B	508	-	-	-	X
4	UNX	C	503	-	-	-	X
4	UNX	C	504	-	-	-	X
4	UNX	C	506	-	-	-	X
4	UNX	C	507	-	-	-	X
4	UNX	D	502	-	-	-	X
4	UNX	D	503	-	-	-	X
4	UNX	D	504	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7900 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called E3 SUMO-protein ligase PIAS3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	255	Total	C	N	O	S	0	1	0
			1954	1253	322	360	19			
1	B	251	Total	C	N	O	S	0	0	0
			1918	1236	312	351	19			
1	C	253	Total	C	N	O	S	0	0	0
			1937	1249	317	352	19			
1	D	249	Total	C	N	O	S	0	0	0
			1905	1226	319	341	19			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	94	MET	-	EXPRESSION TAG	UNP Q9Y6X2
A	95	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
A	96	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
A	97	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
A	98	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
A	99	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
A	100	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
A	101	SER	-	EXPRESSION TAG	UNP Q9Y6X2
A	102	SER	-	EXPRESSION TAG	UNP Q9Y6X2
A	103	GLY	-	EXPRESSION TAG	UNP Q9Y6X2
A	104	ARG	-	EXPRESSION TAG	UNP Q9Y6X2
A	105	GLU	-	EXPRESSION TAG	UNP Q9Y6X2
A	106	ASN	-	EXPRESSION TAG	UNP Q9Y6X2
A	107	LEU	-	EXPRESSION TAG	UNP Q9Y6X2
A	108	TYR	-	EXPRESSION TAG	UNP Q9Y6X2
A	109	PHE	-	EXPRESSION TAG	UNP Q9Y6X2
A	110	GLN	-	EXPRESSION TAG	UNP Q9Y6X2
A	111	GLY	-	EXPRESSION TAG	UNP Q9Y6X2
B	94	MET	-	EXPRESSION TAG	UNP Q9Y6X2
B	95	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
B	96	HIS	-	EXPRESSION TAG	UNP Q9Y6X2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	97	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
B	98	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
B	99	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
B	100	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
B	101	SER	-	EXPRESSION TAG	UNP Q9Y6X2
B	102	SER	-	EXPRESSION TAG	UNP Q9Y6X2
B	103	GLY	-	EXPRESSION TAG	UNP Q9Y6X2
B	104	ARG	-	EXPRESSION TAG	UNP Q9Y6X2
B	105	GLU	-	EXPRESSION TAG	UNP Q9Y6X2
B	106	ASN	-	EXPRESSION TAG	UNP Q9Y6X2
B	107	LEU	-	EXPRESSION TAG	UNP Q9Y6X2
B	108	TYR	-	EXPRESSION TAG	UNP Q9Y6X2
B	109	PHE	-	EXPRESSION TAG	UNP Q9Y6X2
B	110	GLN	-	EXPRESSION TAG	UNP Q9Y6X2
B	111	GLY	-	EXPRESSION TAG	UNP Q9Y6X2
C	94	MET	-	EXPRESSION TAG	UNP Q9Y6X2
C	95	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
C	96	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
C	97	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
C	98	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
C	99	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
C	100	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
C	101	SER	-	EXPRESSION TAG	UNP Q9Y6X2
C	102	SER	-	EXPRESSION TAG	UNP Q9Y6X2
C	103	GLY	-	EXPRESSION TAG	UNP Q9Y6X2
C	104	ARG	-	EXPRESSION TAG	UNP Q9Y6X2
C	105	GLU	-	EXPRESSION TAG	UNP Q9Y6X2
C	106	ASN	-	EXPRESSION TAG	UNP Q9Y6X2
C	107	LEU	-	EXPRESSION TAG	UNP Q9Y6X2
C	108	TYR	-	EXPRESSION TAG	UNP Q9Y6X2
C	109	PHE	-	EXPRESSION TAG	UNP Q9Y6X2
C	110	GLN	-	EXPRESSION TAG	UNP Q9Y6X2
C	111	GLY	-	EXPRESSION TAG	UNP Q9Y6X2
D	94	MET	-	EXPRESSION TAG	UNP Q9Y6X2
D	95	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
D	96	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
D	97	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
D	98	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
D	99	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
D	100	HIS	-	EXPRESSION TAG	UNP Q9Y6X2
D	101	SER	-	EXPRESSION TAG	UNP Q9Y6X2
D	102	SER	-	EXPRESSION TAG	UNP Q9Y6X2

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	103	GLY	-	EXPRESSION TAG	UNP Q9Y6X2
D	104	ARG	-	EXPRESSION TAG	UNP Q9Y6X2
D	105	GLU	-	EXPRESSION TAG	UNP Q9Y6X2
D	106	ASN	-	EXPRESSION TAG	UNP Q9Y6X2
D	107	LEU	-	EXPRESSION TAG	UNP Q9Y6X2
D	108	TYR	-	EXPRESSION TAG	UNP Q9Y6X2
D	109	PHE	-	EXPRESSION TAG	UNP Q9Y6X2
D	110	GLN	-	EXPRESSION TAG	UNP Q9Y6X2
D	111	GLY	-	EXPRESSION TAG	UNP Q9Y6X2

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl	0	0
			1	1		
3	C	1	Total	Cl	0	0
			1	1		

- Molecule 4 is UNKNOWN ATOM OR ION (three-letter code: UNX) (formula: X).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	7	Total	X	0	0
			7	7		
4	A	10	Total	X	0	0
			10	10		
4	D	6	Total	X	0	0
			6	6		
4	C	9	Total	X	0	0
			9	9		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	39	Total 39	O 39	0	0
5	B	37	Total 37	O 37	0	0
5	C	34	Total 35	O 35	0	1
5	D	36	Total 37	O 37	0	1


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: E3 SUMO-protein ligase PIAS3



#### • Molecule 1: E3 SUMO-protein ligase PIAS3




#### • Molecule 1: E3 SUMO-protein ligase PIAS3





● Molecule 1: E3 SUMO-protein ligase PIAS3



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	55.45Å 85.44Å 89.53Å 83.08° 86.57° 86.14°	Depositor
Resolution (Å)	48.04 – 2.30 48.04 – 2.29	Depositor EDS
% Data completeness (in resolution range)	97.3 (48.04-2.30) 94.5 (48.04-2.29)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.44 (at 2.29Å)	Xtriage
Refinement program	BUSTER 2.10.0, COOT 0.6.2	Depositor
R, $R_{free}$	0.238 , 0.270 0.245 , 0.279	Depositor DCC
$R_{free}$ test set	1423 reflections (2.05%)	DCC
Wilson B-factor (Å <sup>2</sup> )	38.2	Xtriage
Anisotropy	0.213	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 48.5	EDS
Estimated twinning fraction	0.075 for -h,-l,-k	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtriage
Outliers	0 of 71155 reflections	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	7900	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.98% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UNX, ZN, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.51	0/1996	0.67	0/2724
1	B	0.50	0/1958	0.66	0/2667
1	C	0.49	0/1980	0.65	0/2701
1	D	0.49	0/1946	0.63	0/2649
All	All	0.50	0/7880	0.65	0/10741

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1954	0	1904	6	0
1	B	1918	0	1871	4	0
1	C	1937	0	1902	5	0
1	D	1905	0	1865	7	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	1	0	0	0	0
4	A	10	0	0	0	0
4	B	7	0	0	0	0
4	C	9	0	0	0	0
4	D	6	0	0	0	0
5	A	39	0	0	0	0
5	B	37	0	0	0	0
5	C	35	0	0	0	0
5	D	37	0	0	0	0
All	All	7900	0	7542	22	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (22) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:285:LEU:HD22	1:B:375:TYR:CZ	2.38	0.57
1:B:330:GLY:HA3	1:B:353:LEU:CD2	2.41	0.50
1:A:208:PRO:HD2	1:A:211:LEU:HD13	1.93	0.50
1:A:338:CYS:HB2	1:A:379:ILE:O	2.12	0.49
1:A:336:VAL:HB	1:A:351:ALA:HB3	1.97	0.46
1:A:391:CYS:SG	1:A:394:CYS:HB3	2.55	0.46
1:C:295:ARG:HD3	1:C:379:ILE:HD13	1.98	0.45
1:D:330:GLY:HA3	1:D:353:LEU:CD2	2.47	0.45
1:A:311:ASP:HB3	1:A:314:SER:HB2	1.98	0.45
1:D:209:PRO:HG2	1:D:263:SER:O	2.19	0.43
1:C:213:VAL:HB	1:C:220:CYS:HB3	2.01	0.43
1:D:397:ILE:HD12	1:D:405:TRP:CZ3	2.54	0.42
1:A:220:CYS:HA	1:A:221:PRO:HD3	1.95	0.41
1:C:300:SER:OG	1:C:381:ASP:OD2	2.36	0.41
1:B:209:PRO:HG2	1:B:263:SER:O	2.20	0.41
1:D:213:VAL:HB	1:D:220:CYS:HB3	2.01	0.41
1:D:172:ILE:HG21	1:D:250:LEU:HD22	2.03	0.41
1:C:338:CYS:HB2	1:C:379:ILE:O	2.21	0.40
1:B:338:CYS:HB2	1:B:351:ALA:HB2	2.02	0.40
1:D:394:CYS:SG	1:D:407:PRO:HB3	2.61	0.40
1:C:285:LEU:HA	1:C:285:LEU:HD12	1.89	0.40
1:D:295:ARG:HD3	1:D:379:ILE:HD13	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	245/374 (66%)	238 (97%)	7 (3%)	0	100	100
1	B	237/374 (63%)	234 (99%)	3 (1%)	0	100	100
1	C	243/374 (65%)	236 (97%)	7 (3%)	0	100	100
1	D	235/374 (63%)	229 (97%)	6 (3%)	0	100	100
All	All	960/1496 (64%)	937 (98%)	23 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/338 (63%)	206 (97%)	6 (3%)	51	68
1	B	208/338 (62%)	202 (97%)	6 (3%)	50	66
1	C	210/338 (62%)	204 (97%)	6 (3%)	50	66
1	D	205/338 (61%)	197 (96%)	8 (4%)	39	53
All	All	835/1352 (62%)	809 (97%)	26 (3%)	47	64

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	287	GLN
1	A	331	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	332	MET
1	A	338	CYS
1	A	346	LEU
1	A	389	SER
1	B	269	ASN
1	B	288	LYS
1	B	321	LEU
1	B	332	MET
1	B	346	LEU
1	B	377	SER
1	C	212	PHE
1	C	219	LEU
1	C	271	SER
1	C	320	SER
1	C	332	MET
1	C	338	CYS
1	D	237	ARG
1	D	268	ARG
1	D	320	SER
1	D	321	LEU
1	D	322	ARG
1	D	332	MET
1	D	346	LEU
1	D	360	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

Of 38 ligands modelled in this entry, 32 are unknown and 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	255/374 (68%)	0.38	6 (2%) 62 71	27, 45, 72, 98	0
1	B	251/374 (67%)	0.38	5 (1%) 68 75	27, 46, 73, 100	0
1	C	253/374 (67%)	0.44	10 (3%) 42 51	29, 46, 70, 94	0
1	D	249/374 (66%)	0.46	6 (2%) 62 71	27, 46, 75, 97	0
All	All	1008/1496 (67%)	0.41	27 (2%) 58 67	27, 46, 73, 100	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	269	ASN	4.6
1	C	317	ALA	4.5
1	C	318	THR	4.3
1	A	155	PHE	3.6
1	D	403	GLY	3.3
1	B	212	PHE	2.9
1	D	208	PRO	2.9
1	C	253	THR	2.8
1	A	394	CYS	2.6
1	C	316	VAL	2.6
1	A	211	LEU	2.5
1	C	269	ASN	2.5
1	B	155	PHE	2.5
1	A	317	ALA	2.4
1	D	397	ILE	2.4
1	C	384	PHE	2.4
1	B	405	TRP	2.3
1	B	309	THR	2.3
1	C	147	LEU	2.3
1	D	197	CYS	2.2
1	A	318	THR	2.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	208	PRO	2.1
1	D	312	PRO	2.1
1	C	212	PHE	2.1
1	C	321	LEU	2.1
1	B	222	LEU	2.0
1	C	338	CYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	UNX	B	508	1/1	0.28	1.29	104.27	300,300,300,300	0
4	UNX	A	509	1/1	0.17	1.49	102.20	300,300,300,300	0
4	UNX	B	504	1/1	-0.01	1.61	99.86	300,300,300,300	0
4	UNX	C	506	1/1	-0.03	1.64	91.40	300,300,300,300	0
4	UNX	A	511	1/1	-0.11	1.27	82.18	300,300,300,300	0
4	UNX	D	502	1/1	0.37	1.39	73.39	295,295,295,295	0
4	UNX	C	504	1/1	0.46	1.55	68.05	300,300,300,300	0
4	UNX	C	507	1/1	0.42	1.44	65.44	300,300,300,300	0
4	UNX	C	503	1/1	0.46	1.21	63.36	269,269,269,269	0
4	UNX	A	510	1/1	0.34	1.24	58.05	299,299,299,299	0
4	UNX	B	505	1/1	0.53	1.26	55.19	275,275,275,275	0
4	UNX	D	503	1/1	-0.17	1.41	54.61	300,300,300,300	0
4	UNX	B	506	1/1	0.35	1.31	47.99	300,300,300,300	0
4	UNX	D	504	1/1	0.59	1.25	44.60	281,281,281,281	0
2	ZN	B	501	1/1	1.00	0.18	1.13	43,43,43,43	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	CL	C	502	1/1	0.99	0.13	-1.45	29,29,29,29	0
3	CL	A	502	1/1	0.99	0.14	-1.56	29,29,29,29	0
4	UNX	C	508	1/1	0.35	1.24	-	300,300,300,300	0
4	UNX	B	502	1/1	-0.38	1.30	-	300,300,300,300	0
4	UNX	C	509	1/1	-0.46	1.42	-	300,300,300,300	0
4	UNX	B	503	1/1	0.42	1.44	-	300,300,300,300	0
4	UNX	C	510	1/1	0.28	1.46	-	300,300,300,300	0
4	UNX	B	507	1/1	0.21	1.39	-	300,300,300,300	0
4	UNX	A	506	1/1	-0.22	1.40	-	300,300,300,300	0
2	ZN	C	501	1/1	1.00	0.16	-	44,44,44,44	0
4	UNX	C	505	1/1	-0.35	1.42	-	300,300,300,300	0
4	UNX	A	504	1/1	0.58	1.25	-	300,300,300,300	0
2	ZN	A	501	1/1	1.00	0.18	-	41,41,41,41	0
4	UNX	C	511	1/1	0.59	1.70	-	300,300,300,300	0
4	UNX	D	507	1/1	0.20	1.56	-	297,297,297,297	0
4	UNX	A	507	1/1	-0.34	1.65	-	300,300,300,300	0
4	UNX	D	506	1/1	0.66	1.35	-	300,300,300,300	0
4	UNX	A	505	1/1	-0.45	1.41	-	300,300,300,300	0
2	ZN	D	501	1/1	0.99	0.15	-	44,44,44,44	0
4	UNX	A	508	1/1	0.10	1.40	-	300,300,300,300	0
4	UNX	A	512	1/1	0.45	1.53	-	300,300,300,300	0
4	UNX	D	505	1/1	0.62	1.41	-	300,300,300,300	0
4	UNX	A	503	1/1	0.59	1.46	-	300,300,300,300	0

## 6.5 Other polymers

There are no such residues in this entry.