



Full wwPDB NMR Structure Validation Report ⓘ

Apr 26, 2016 – 03:59 PM BST

PDB ID : 1MX8
Title : Two homologous rat cellular retinol-binding proteins differ in local structure and flexibility
Authors : Lu, J.; Cistola, D.P.; Li, E.
Deposited on : 2002-10-01

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20027457
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20027457


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR


The overall completeness of chemical shifts assignment is 86%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	114402	11133
Ramachandran outliers	111179	9975
Sidechain outliers	111093	9958

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	134	

2 Ensemble composition and analysis ⓘ

This entry contains 25 models. Model 16 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *minimized average structure*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:3-A:134 (132)	0.54	16

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 5 single-model clusters were found.

Cluster number	Models
1	1, 3, 6, 7, 10, 11, 16, 18, 19, 20
2	2, 9, 14, 21, 23
3	8, 15, 25
4	12, 17
Single-model clusters	4; 5; 13; 22; 24


3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 2233 atoms, of which 1110 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called CELLULAR RETINOL-BINDING PROTEIN I, HOLO.

Mol	Chain	Residues	Atoms						Trace
1	A	134	Total	C	H	N	O	S	0
			2182	695	1080	189	210	8	

- Molecule 2 is RETINOL (three-letter code: RTL) (formula: $C_{20}H_{30}O$).




Mol	Chain	Residues	Atoms			
2	A	1	Total	C	H	O
			51	20	30	1

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO



4.2.2 Score per residue for model 2

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO






4.2.3 Score per residue for model 3

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO


Chain A: 63% 32%



4.2.4 Score per residue for model 4

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO


Chain A: 57% 33% 9%



4.2.5 Score per residue for model 5


- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO

Chain A: 57% 30% 11%




4.2.6 Score per residue for model 6

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.7 Score per residue for model 7

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.8 Score per residue for model 8

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.9 Score per residue for model 9

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.10 Score per residue for model 10

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.11 Score per residue for model 11

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.12 Score per residue for model 12

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.13 Score per residue for model 13

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.14 Score per residue for model 14

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.15 Score per residue for model 15

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.16 Score per residue for model 16 (medoid)

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.17 Score per residue for model 17

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.18 Score per residue for model 18

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.19 Score per residue for model 19

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.20 Score per residue for model 20

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.21 Score per residue for model 21

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.22 Score per residue for model 22

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.23 Score per residue for model 23

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO




4.2.24 Score per residue for model 24

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO



4.2.25 Score per residue for model 25

- Molecule 1: CELLULAR RETINOL-BINDING PROTEIN I, HOLO



5 Refinement protocol and experimental data overview

The models were refined using the following method: *distance geometry simulated annealing*.

Of the 50 calculated structures, 25 were deposited, based on the following criterion: *target function*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
TINKER	structure solution	3.3
TINKER	refinement	3.3

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 5578
Number of chemical shift lists	2
Total number of shifts	1667
Number of shifts mapped to atoms	1642
Number of unparsed shifts	0
Number of shifts with mapping errors	25
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	86%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality

6.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: RTL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.89±0.02	4±1/1108 (0.3±0.1%)	1.65±0.03	9±3/1486 (0.6±0.2%)
All	All	0.89	88/27700 (0.3%)	1.65	235/37150 (0.6%)

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	88	TRP	CD2-CE2	-6.10	1.34	1.41	12	18
1	A	106	TRP	CD2-CE2	-6.07	1.34	1.41	21	13
1	A	109	TRP	CD2-CE2	-6.00	1.34	1.41	1	10
1	A	8	TRP	CD2-CE2	-5.96	1.34	1.41	2	13
1	A	8	TRP	CG-CD2	-5.73	1.33	1.43	23	6
1	A	88	TRP	CG-CD2	-5.67	1.34	1.43	18	11
1	A	109	TRP	CG-CD2	-5.54	1.34	1.43	10	8
1	A	106	TRP	CG-CD2	-5.51	1.34	1.43	13	9

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	21	ARG	NE-CZ-NH2	-10.88	114.86	120.30	1	8
1	A	80	ARG	NE-CZ-NH1	9.89	125.25	120.30	16	10
1	A	21	ARG	NE-CZ-NH1	9.63	125.12	120.30	17	12
1	A	8	TRP	CG-CD1-NE1	-8.82	101.28	110.10	21	4
1	A	120	ARG	NE-CZ-NH1	8.82	124.71	120.30	25	6
1	A	120	ARG	NE-CZ-NH2	-8.64	115.98	120.30	5	8
1	A	30	ARG	NE-CZ-NH1	8.19	124.39	120.30	13	5
1	A	58	ARG	NE-CZ-NH2	-8.04	116.28	120.30	2	9
1	A	130	PHE	CB-CG-CD1	7.90	126.33	120.80	22	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	8	TRP	CD1-CG-CD2	7.72	112.48	106.30	5	3
1	A	30	ARG	NE-CZ-NH2	-7.59	116.51	120.30	16	5
1	A	104	ARG	NE-CZ-NH1	7.56	124.08	120.30	18	7
1	A	8	TRP	CD1-NE1-CE2	7.48	115.73	109.00	21	2
1	A	52	ARG	NE-CZ-NH1	7.35	123.97	120.30	13	9
1	A	80	ARG	NE-CZ-NH2	-7.33	116.64	120.30	13	9
1	A	19	TYR	CB-CG-CD1	-7.20	116.68	121.00	6	3
1	A	7	TYR	CB-CG-CD2	-7.19	116.69	121.00	1	5
1	A	58	ARG	NE-CZ-NH1	7.18	123.89	120.30	14	13
1	A	7	TYR	CB-CG-CD1	7.14	125.28	121.00	1	3
1	A	109	TRP	CE2-CD2-CG	7.02	112.92	107.30	12	3
1	A	60	TYR	CB-CG-CD2	-6.91	116.86	121.00	24	8
1	A	38	PRO	N-CA-CB	6.78	111.44	103.30	20	4
1	A	64	PHE	CB-CG-CD2	-6.75	116.07	120.80	3	2
1	A	57	PHE	CB-CG-CD2	-6.61	116.17	120.80	14	2
1	A	106	TRP	CD1-CG-CD2	6.44	111.45	106.30	11	3
1	A	8	TRP	CB-CG-CD1	-6.39	118.69	127.00	23	2
1	A	8	TRP	CE2-CD2-CG	6.32	112.36	107.30	2	4
1	A	104	ARG	NE-CZ-NH2	-6.31	117.15	120.30	23	7
1	A	8	TRP	CG-CD2-CE3	-6.30	128.23	133.90	2	3
1	A	60	TYR	CG-CD1-CE1	-6.24	116.31	121.30	21	1
1	A	8	TRP	NE1-CE2-CZ2	6.08	137.09	130.40	22	2
1	A	111	GLU	OE1-CD-OE2	6.06	130.57	123.30	11	2
1	A	60	TYR	CB-CG-CD1	-6.01	117.39	121.00	13	1
1	A	18	GLU	OE1-CD-OE2	6.01	130.51	123.30	2	1
1	A	106	TRP	CG-CD2-CE3	-5.97	128.53	133.90	21	2
1	A	100	GLU	OE1-CD-OE2	5.91	130.39	123.30	5	2
1	A	109	TRP	CD1-CG-CD2	-5.86	101.61	106.30	12	2
1	A	24	ASP	CB-CG-OD2	-5.86	113.03	118.30	2	1
1	A	114	GLU	OE1-CD-OE2	5.79	130.25	123.30	24	1
1	A	52	ARG	NE-CZ-NH2	5.75	123.17	120.30	21	2
1	A	41	GLU	OE1-CD-OE2	5.74	130.18	123.30	8	2
1	A	109	TRP	CG-CD1-NE1	-5.74	104.36	110.10	8	1
1	A	19	TYR	CG-CD1-CE1	-5.72	116.72	121.30	16	1
1	A	4	PHE	CB-CG-CD2	-5.68	116.82	120.80	24	3
1	A	88	TRP	CE2-CD2-CG	5.67	111.83	107.30	11	3
1	A	60	TYR	CG-CD2-CE2	-5.65	116.78	121.30	24	3
1	A	109	TRP	NE1-CE2-CZ2	5.61	136.57	130.40	8	1
1	A	79	ASP	CB-CG-OD1	-5.55	113.30	118.30	5	1
1	A	106	TRP	CE2-CD2-CG	-5.53	102.88	107.30	11	2
1	A	88	TRP	CG-CD2-CE3	-5.51	128.94	133.90	6	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
1	A	7	TYR	CG-CD1-CE1	-5.50	116.90	121.30	6	2
1	A	39	ASP	CB-CG-OD1	-5.49	113.36	118.30	16	1
1	A	8	TRP	CH2-CZ2-CE2	5.49	122.89	117.40	22	3
1	A	130	PHE	CB-CG-CD2	-5.46	116.98	120.80	22	2
1	A	109	TRP	CH2-CZ2-CE2	5.43	122.83	117.40	8	2
1	A	89	ASP	CB-CG-OD2	-5.40	113.44	118.30	22	2
1	A	118	GLU	OE1-CD-OE2	5.37	129.75	123.30	8	2
1	A	113	ASP	CB-CG-OD1	-5.33	113.50	118.30	7	2
1	A	73	ASP	CB-CG-OD1	-5.32	113.51	118.30	14	1
1	A	58	ARG	O-C-N	5.32	131.21	122.70	22	1
1	A	91	ASP	CB-CG-OD1	-5.30	113.53	118.30	19	1
1	A	89	ASP	CB-CG-OD1	-5.29	113.54	118.30	6	1
1	A	101	LYS	O-C-N	5.26	131.12	122.70	17	1
1	A	106	TRP	NE1-CE2-CZ2	5.26	136.19	130.40	25	1
1	A	19	TYR	CB-CG-CD2	-5.23	117.86	121.00	9	2
1	A	106	TRP	NE1-CE2-CD2	5.19	112.49	107.30	11	1
1	A	88	TRP	NE1-CE2-CZ2	5.18	136.09	130.40	4	1
1	A	109	TRP	CG-CD2-CE3	-5.17	129.25	133.90	4	1
1	A	70	PHE	CB-CG-CD2	-5.16	117.19	120.80	17	1
1	A	16	PHE	CB-CG-CD2	-5.15	117.20	120.80	25	1
1	A	91	ASP	CB-CG-OD2	-5.15	113.67	118.30	16	1
1	A	88	TRP	CH2-CZ2-CE2	5.14	122.54	117.40	4	1
1	A	70	PHE	CB-CG-CD1	-5.13	117.21	120.80	12	1
1	A	71	GLU	OE1-CD-OE2	5.04	129.35	123.30	4	1
1	A	3	ASP	CB-CG-OD1	-5.04	113.76	118.30	22	1
1	A	133	VAL	O-C-N	5.04	130.76	122.70	11	1
1	A	39	ASP	CB-CG-OD2	-5.03	113.77	118.30	21	1
1	A	55	SER	O-C-N	5.02	130.73	122.70	15	1
1	A	122	GLU	OE1-CD-OE2	5.01	129.31	123.30	2	1

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1088	1062	1059	17±4
2	A	21	30	30	2±1
All	All	27725	27300	27225	459

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:11:LEU:HD12	1:A:129:VAL:HG12	0.80	1.52	10	1
1:A:102:GLU:CD	1:A:121:ALA:HB1	0.79	1.98	17	1
1:A:66:VAL:HG22	1:A:86:VAL:HG11	0.75	1.59	5	1
1:A:16:PHE:CZ	1:A:20:LEU:HD11	0.74	2.17	21	2
1:A:101:LYS:CG	1:A:102:GLU:N	0.74	2.50	25	1
1:A:8:TRP:CD2	1:A:115:LEU:HD12	0.73	2.19	12	1
1:A:117:LEU:HD11	1:A:119:MET:HE3	0.70	1.62	1	1
2:A:135:RTL:H161	2:A:135:RTL:C8	0.69	2.17	1	6
1:A:8:TRP:CD2	1:A:115:LEU:HD13	0.69	2.23	7	3
1:A:48:HIS:CE1	1:A:50:ILE:HD11	0.68	2.23	8	1
1:A:60:TYR:C	1:A:61:ILE:HD12	0.68	2.09	10	2
2:A:135:RTL:C8	2:A:135:RTL:H161	0.67	2.19	14	6
1:A:27:VAL:HG23	1:A:30:ARG:NH2	0.67	2.04	11	1
1:A:94:GLN:CG	1:A:107:THR:HG22	0.66	2.20	2	1
1:A:94:GLN:HB3	1:A:107:THR:HG23	0.66	1.68	22	1
1:A:115:LEU:HD13	1:A:116:HIS:N	0.64	2.07	22	1
1:A:23:LEU:HD22	1:A:78:ASP:OD2	0.64	1.92	10	2
1:A:42:ILE:HD12	1:A:42:ILE:N	0.64	2.07	14	2
1:A:8:TRP:CD2	1:A:8:TRP:N	0.64	2.62	23	2
1:A:84:THR:HG23	1:A:97:GLN:HG2	0.63	1.71	24	1
1:A:4:PHE:HB3	1:A:42:ILE:HG21	0.63	1.71	1	3
1:A:64:PHE:CE1	1:A:86:VAL:HG23	0.63	2.27	15	1
1:A:11:LEU:HD23	1:A:130:PHE:HB3	0.63	1.69	22	1
1:A:86:VAL:CG1	1:A:93:LEU:HD11	0.62	2.24	4	2
1:A:106:TRP:CH2	1:A:117:LEU:HD22	0.62	2.28	18	1
1:A:8:TRP:CG	1:A:130:PHE:CZ	0.62	2.87	22	1
1:A:8:TRP:CE3	1:A:115:LEU:HD13	0.62	2.30	6	6
1:A:32:ILE:HG22	1:A:57:PHE:CZ	0.62	2.29	3	1
1:A:52:ARG:HG3	1:A:61:ILE:HD12	0.61	1.73	20	2
1:A:117:LEU:HD23	1:A:117:LEU:O	0.61	1.95	15	1
1:A:8:TRP:HD1	1:A:115:LEU:HD13	0.61	1.55	23	1
1:A:8:TRP:CE2	1:A:42:ILE:HD13	0.61	2.30	14	1
1:A:8:TRP:CE3	1:A:115:LEU:HD12	0.60	2.30	12	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:60:TYR:C	1:A:61:ILE:HD13	0.59	2.17	23	1
1:A:94:GLN:HG3	1:A:107:THR:HG22	0.59	1.74	2	1
1:A:11:LEU:HD22	1:A:11:LEU:N	0.59	2.12	8	1
1:A:72:GLU:O	1:A:74:LEU:HD12	0.59	1.97	9	1
1:A:106:TRP:CE3	1:A:117:LEU:HD21	0.59	2.32	6	1
1:A:77:ILE:HG23	2:A:135:RTL:H183	0.59	1.72	8	2
1:A:8:TRP:CE3	1:A:130:PHE:CE2	0.59	2.91	22	1
1:A:32:ILE:HG21	1:A:57:PHE:CE2	0.58	2.33	12	3
1:A:130:PHE:C	1:A:130:PHE:CD1	0.58	2.76	22	1
1:A:36:LEU:HD12	1:A:38:PRO:HD3	0.58	1.75	19	1
1:A:11:LEU:HD12	1:A:131:LYS:HB2	0.58	1.74	25	1
1:A:61:ILE:HD12	1:A:61:ILE:N	0.57	2.13	1	4
1:A:101:LYS:HG2	1:A:102:GLU:N	0.57	2.14	25	1
1:A:36:LEU:HD23	1:A:38:PRO:HD3	0.57	1.77	17	1
1:A:32:ILE:O	1:A:36:LEU:HD23	0.57	2.00	18	1
2:A:135:RTL:C8	2:A:135:RTL:C17	0.57	2.83	11	5
1:A:61:ILE:N	1:A:61:ILE:HD12	0.56	2.15	7	2
2:A:135:RTL:C17	2:A:135:RTL:C8	0.56	2.83	12	8
1:A:115:LEU:CB	1:A:130:PHE:CE2	0.56	2.89	22	1
1:A:25:VAL:HG12	1:A:26:ASN:N	0.56	2.16	11	3
1:A:106:TRP:CH2	2:A:135:RTL:H203	0.56	2.36	9	1
1:A:56:THR:HG22	1:A:57:PHE:N	0.56	2.16	7	1
1:A:117:LEU:O	1:A:117:LEU:HD23	0.56	2.01	21	1
1:A:8:TRP:CH2	1:A:42:ILE:HD12	0.56	2.36	20	2
1:A:16:PHE:HE2	1:A:33:ALA:HB1	0.56	1.60	6	2
1:A:28:ALA:O	1:A:32:ILE:HD12	0.56	2.01	2	4
1:A:116:HIS:CE1	1:A:129:VAL:HG22	0.56	2.36	9	1
1:A:76:GLY:O	1:A:77:ILE:HD13	0.56	2.00	6	1
1:A:8:TRP:CD1	1:A:115:LEU:HD13	0.55	2.35	23	1
1:A:8:TRP:CZ3	1:A:41:GLU:HA	0.55	2.37	23	2
1:A:8:TRP:CZ2	1:A:42:ILE:CG1	0.55	2.89	10	1
1:A:77:ILE:N	1:A:77:ILE:HD12	0.55	2.16	15	1
1:A:20:LEU:HD22	1:A:25:VAL:HG21	0.55	1.77	17	2
2:A:135:RTL:H171	2:A:135:RTL:H8	0.55	1.79	24	1
1:A:117:LEU:HD12	1:A:117:LEU:C	0.55	2.22	10	1
1:A:128:GLN:CB	1:A:130:PHE:CE2	0.54	2.90	20	1
1:A:8:TRP:CE3	1:A:41:GLU:HA	0.54	2.37	21	2
1:A:116:HIS:C	1:A:117:LEU:HD23	0.54	2.23	9	1
1:A:57:PHE:CE2	1:A:58:ARG:CB	0.53	2.90	24	1
1:A:132:LYS:HD2	1:A:133:VAL:N	0.53	2.18	24	1
1:A:43:VAL:HG12	1:A:50:ILE:HB	0.53	1.79	25	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:16:PHE:CE2	1:A:33:ALA:HB1	0.53	2.39	6	1
1:A:8:TRP:CE3	1:A:115:LEU:CD1	0.53	2.91	18	1
1:A:117:LEU:HD12	1:A:118:GLU:N	0.53	2.18	24	3
1:A:76:GLY:C	1:A:77:ILE:HD13	0.53	2.23	6	1
1:A:106:TRP:CE2	1:A:119:MET:CG	0.53	2.92	6	1
1:A:32:ILE:HG23	1:A:57:PHE:CZ	0.53	2.39	6	1
1:A:76:GLY:C	1:A:77:ILE:HD12	0.53	2.23	2	2
1:A:8:TRP:N	1:A:8:TRP:CD1	0.53	2.76	14	7
1:A:116:HIS:CD2	1:A:117:LEU:N	0.53	2.77	18	2
1:A:16:PHE:C	1:A:16:PHE:CD1	0.52	2.82	13	1
1:A:8:TRP:CZ3	1:A:42:ILE:HD13	0.52	2.39	18	2
1:A:93:LEU:HD23	1:A:93:LEU:O	0.52	2.04	7	1
1:A:36:LEU:HD21	1:A:57:PHE:HB2	0.52	1.79	25	2
2:A:135:RTL:C8	2:A:135:RTL:C16	0.52	2.86	1	5
1:A:121:ALA:O	1:A:124:VAL:HG22	0.52	2.04	20	1
1:A:8:TRP:CD1	1:A:42:ILE:HD12	0.52	2.39	19	2
1:A:8:TRP:CD2	1:A:130:PHE:CE2	0.52	2.98	22	1
1:A:8:TRP:CZ3	1:A:115:LEU:HD13	0.52	2.39	5	1
1:A:22:ALA:HB1	1:A:122:GLU:HB2	0.52	1.82	5	1
1:A:32:ILE:CG2	1:A:57:PHE:CE2	0.52	2.92	12	2
1:A:74:LEU:HD22	1:A:77:ILE:HD12	0.52	1.81	23	1
1:A:74:LEU:HG	1:A:77:ILE:HD12	0.52	1.81	8	1
1:A:20:LEU:HD21	2:A:135:RTL:C18	0.52	2.34	17	1
1:A:8:TRP:CD1	1:A:8:TRP:N	0.51	2.78	7	9
1:A:6:GLY:N	1:A:8:TRP:CZ2	0.51	2.78	23	2
1:A:8:TRP:CD2	1:A:115:LEU:CD1	0.51	2.93	7	2
1:A:11:LEU:HD21	1:A:131:LYS:HB2	0.51	1.81	13	1
1:A:107:THR:HG23	1:A:108:GLN:N	0.51	2.21	8	1
1:A:75:THR:HG23	1:A:79:ASP:OD2	0.51	2.05	14	1
1:A:64:PHE:CE2	1:A:86:VAL:HG21	0.51	2.41	17	1
1:A:70:PHE:CD1	1:A:70:PHE:N	0.51	2.78	9	4
1:A:74:LEU:HD12	1:A:74:LEU:N	0.51	2.20	11	2
1:A:11:LEU:HD11	1:A:131:LYS:HB2	0.51	1.82	10	1
1:A:36:LEU:HD11	1:A:57:PHE:CD1	0.51	2.41	14	1
1:A:42:ILE:HD13	1:A:42:ILE:N	0.50	2.20	10	1
1:A:92:LYS:CD	1:A:109:TRP:CE3	0.50	2.94	14	1
1:A:4:PHE:CE1	1:A:110:ILE:HD11	0.50	2.42	17	1
1:A:106:TRP:CZ2	1:A:119:MET:CG	0.50	2.94	6	1
1:A:106:TRP:CZ2	1:A:119:MET:HG3	0.50	2.42	6	1
1:A:7:TYR:CE1	1:A:41:GLU:CG	0.50	2.95	15	1
1:A:8:TRP:HB2	1:A:40:LYS:CG	0.50	2.37	19	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:8:TRP:CE2	1:A:115:LEU:CD1	0.50	2.95	7	1
1:A:133:VAL:HG12	1:A:134:HIS:N	0.49	2.21	24	1
1:A:64:PHE:CD2	1:A:86:VAL:HG21	0.49	2.42	1	4
1:A:20:LEU:HD21	2:A:135:RTL:H182	0.49	1.83	22	4
1:A:128:GLN:HB2	1:A:130:PHE:CE2	0.49	2.42	20	1
1:A:86:VAL:HG22	1:A:95:CYS:HB2	0.49	1.84	9	2
1:A:77:ILE:HG22	1:A:78:ASP:N	0.49	2.22	2	2
1:A:61:ILE:N	1:A:61:ILE:HD13	0.49	2.23	23	1
1:A:93:LEU:C	1:A:93:LEU:HD23	0.49	2.28	7	1
1:A:8:TRP:CD2	1:A:130:PHE:CZ	0.49	3.01	22	1
1:A:109:TRP:C	1:A:109:TRP:CD1	0.49	2.86	12	4
1:A:117:LEU:HD13	1:A:119:MET:HG3	0.49	1.84	10	1
1:A:130:PHE:N	1:A:130:PHE:CD1	0.48	2.80	15	1
1:A:88:TRP:O	1:A:88:TRP:CG	0.48	2.66	18	1
1:A:104:ARG:H	1:A:104:ARG:NE	0.48	2.06	14	1
1:A:60:TYR:CE2	1:A:77:ILE:CD1	0.48	2.96	19	1
1:A:8:TRP:CH2	1:A:42:ILE:HD13	0.48	2.43	18	2
1:A:42:ILE:N	1:A:42:ILE:HD13	0.48	2.24	2	1
1:A:117:LEU:HD23	1:A:117:LEU:N	0.48	2.23	9	1
1:A:72:GLU:OE2	1:A:74:LEU:HD11	0.48	2.08	20	1
1:A:75:THR:HG23	1:A:79:ASP:CG	0.48	2.29	14	1
1:A:74:LEU:N	1:A:74:LEU:CD2	0.47	2.78	13	1
1:A:104:ARG:N	1:A:104:ARG:CD	0.47	2.76	16	1
1:A:119:MET:CG	1:A:126:CYS:HB3	0.47	2.39	18	1
1:A:125:THR:HG22	1:A:127:LYS:HE2	0.47	1.86	25	1
1:A:92:LYS:HD3	1:A:109:TRP:CE3	0.47	2.44	14	1
1:A:13:ASN:ND2	1:A:16:PHE:CG	0.47	2.82	14	1
1:A:130:PHE:CD1	1:A:130:PHE:N	0.47	2.82	19	2
1:A:8:TRP:CZ2	1:A:42:ILE:HG12	0.47	2.45	10	1
1:A:8:TRP:N	1:A:132:LYS:HG2	0.47	2.24	24	1
1:A:74:LEU:N	1:A:74:LEU:HD22	0.47	2.25	13	1
1:A:77:ILE:HD12	1:A:77:ILE:N	0.47	2.24	5	2
1:A:8:TRP:CH2	1:A:132:LYS:HE2	0.47	2.44	15	1
1:A:51:ILE:HD13	1:A:62:MET:CE	0.47	2.40	16	1
1:A:8:TRP:CZ2	1:A:42:ILE:HG13	0.47	2.44	10	1
1:A:61:ILE:HG22	1:A:62:MET:N	0.47	2.25	21	2
1:A:39:ASP:O	1:A:54:LEU:HD12	0.47	2.09	5	1
1:A:96:VAL:O	1:A:96:VAL:HG12	0.47	2.10	7	1
1:A:80:ARG:CZ	1:A:80:ARG:CB	0.47	2.93	21	1
1:A:8:TRP:CA	1:A:132:LYS:HG2	0.47	2.39	24	1
1:A:115:LEU:HB3	1:A:130:PHE:CD2	0.47	2.45	22	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:117:LEU:HD23	1:A:130:PHE:HZ	0.47	1.69	20	1
1:A:104:ARG:CD	1:A:104:ARG:N	0.46	2.78	1	1
1:A:20:LEU:HD12	1:A:30:ARG:HB2	0.46	1.86	13	1
1:A:16:PHE:CE1	1:A:20:LEU:HD11	0.46	2.45	17	1
1:A:32:ILE:HG21	1:A:57:PHE:CZ	0.46	2.45	7	2
1:A:94:GLN:NE2	1:A:107:THR:HG23	0.46	2.26	19	1
1:A:57:PHE:CE2	1:A:58:ARG:HB2	0.46	2.45	24	1
1:A:56:THR:O	1:A:56:THR:HG23	0.46	2.10	8	1
1:A:52:ARG:CD	1:A:61:ILE:HG23	0.46	2.41	24	1
2:A:135:RTL:C16	2:A:135:RTL:C8	0.46	2.93	13	2
1:A:32:ILE:HG21	1:A:57:PHE:HE2	0.46	1.70	12	1
1:A:36:LEU:HG	1:A:57:PHE:CZ	0.46	2.46	3	1
1:A:75:THR:O	1:A:75:THR:HG22	0.46	2.10	4	1
1:A:16:PHE:CD1	1:A:16:PHE:C	0.46	2.88	17	1
1:A:115:LEU:HD23	1:A:116:HIS:N	0.46	2.26	18	1
1:A:19:TYR:CD1	1:A:19:TYR:C	0.46	2.90	21	1
1:A:101:LYS:HB3	1:A:104:ARG:CD	0.46	2.41	2	1
1:A:124:VAL:HG12	1:A:125:THR:N	0.46	2.26	18	1
1:A:43:VAL:HG13	1:A:43:VAL:O	0.45	2.11	25	1
1:A:8:TRP:CZ3	1:A:115:LEU:HD12	0.45	2.46	8	1
1:A:9:LYS:O	1:A:131:LYS:N	0.45	2.49	12	4
1:A:16:PHE:CE1	1:A:33:ALA:HB1	0.45	2.46	13	1
1:A:62:MET:HE3	1:A:72:GLU:HG2	0.45	1.89	3	1
1:A:16:PHE:CE2	1:A:20:LEU:HD11	0.45	2.46	25	2
1:A:88:TRP:N	1:A:88:TRP:CD1	0.45	2.84	21	1
1:A:64:PHE:CE1	1:A:86:VAL:CG2	0.45	3.00	5	2
1:A:50:ILE:HG23	1:A:62:MET:O	0.45	2.12	16	1
1:A:36:LEU:HD21	1:A:57:PHE:HB3	0.45	1.88	2	1
1:A:108:GLN:HG3	1:A:117:LEU:CD1	0.45	2.42	4	2
1:A:129:VAL:HG12	1:A:130:PHE:N	0.45	2.27	8	2
1:A:11:LEU:CD2	1:A:11:LEU:N	0.45	2.80	8	1
1:A:61:ILE:CD1	1:A:61:ILE:N	0.45	2.79	1	1
1:A:32:ILE:CG2	1:A:57:PHE:CZ	0.45	3.00	4	1
1:A:20:LEU:HD11	1:A:33:ALA:CB	0.45	2.42	11	1
1:A:75:THR:HG22	1:A:79:ASP:OD1	0.45	2.11	17	1
1:A:84:THR:HG23	1:A:97:GLN:OE1	0.45	2.12	17	1
1:A:8:TRP:HB3	1:A:130:PHE:CD1	0.45	2.47	22	1
1:A:37:LYS:N	1:A:38:PRO:CD	0.44	2.79	12	1
1:A:75:THR:HG22	1:A:75:THR:O	0.44	2.12	14	1
1:A:4:PHE:CD1	1:A:110:ILE:CD1	0.44	3.01	24	1
2:A:135:RTL:H172	2:A:135:RTL:C8	0.44	2.42	10	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:42:ILE:N	1:A:42:ILE:CD1	0.44	2.78	14	1
1:A:7:TYR:C	1:A:8:TRP:CG	0.44	2.90	5	1
1:A:52:ARG:CG	1:A:61:ILE:HD12	0.44	2.42	23	1
1:A:58:ARG:CG	1:A:59:ASN:N	0.44	2.80	14	1
2:A:135:RTL:C8	2:A:135:RTL:H172	0.44	2.42	11	2
1:A:106:TRP:CZ3	1:A:117:LEU:HD21	0.44	2.48	6	1
1:A:77:ILE:CD1	1:A:77:ILE:N	0.44	2.80	5	1
1:A:57:PHE:CE2	1:A:58:ARG:HB3	0.44	2.47	24	1
1:A:115:LEU:HB2	1:A:130:PHE:CE2	0.44	2.48	22	1
1:A:104:ARG:CZ	1:A:104:ARG:HB2	0.44	2.43	25	1
1:A:36:LEU:HD21	1:A:57:PHE:CB	0.44	2.42	25	2
1:A:93:LEU:HD23	1:A:93:LEU:C	0.44	2.34	25	1
1:A:88:TRP:CD1	1:A:88:TRP:N	0.43	2.85	17	1
1:A:11:LEU:CD1	1:A:131:LYS:HB2	0.43	2.43	23	1
1:A:124:VAL:CG1	1:A:125:THR:N	0.43	2.81	10	1
1:A:25:VAL:CG2	1:A:78:ASP:CB	0.43	2.96	14	1
1:A:60:TYR:O	1:A:61:ILE:CB	0.43	2.66	19	1
1:A:75:THR:O	1:A:75:THR:HG23	0.43	2.14	24	1
1:A:97:GLN:HB2	1:A:104:ARG:HD3	0.43	1.91	17	1
1:A:48:HIS:CD2	1:A:65:GLN:CG	0.43	3.01	9	1
1:A:53:THR:HG22	1:A:53:THR:O	0.43	2.13	5	1
1:A:134:HIS:CD2	1:A:134:HIS:N	0.43	2.86	4	1
1:A:32:ILE:HG21	1:A:57:PHE:CE1	0.43	2.49	20	1
1:A:104:ARG:N	1:A:104:ARG:NE	0.43	2.66	14	1
1:A:132:LYS:HD3	1:A:134:HIS:CE1	0.43	2.48	13	1
1:A:48:HIS:CD2	1:A:48:HIS:C	0.43	2.89	3	1
1:A:4:PHE:CZ	1:A:93:LEU:HD22	0.43	2.49	20	1
1:A:71:GLU:CG	1:A:72:GLU:N	0.43	2.81	25	1
1:A:86:VAL:CG1	1:A:87:SER:N	0.43	2.82	11	1
1:A:53:THR:C	1:A:54:LEU:HD23	0.43	2.33	18	1
1:A:117:LEU:CD2	1:A:117:LEU:N	0.43	2.82	9	1
1:A:8:TRP:NE1	1:A:42:ILE:HD12	0.43	2.29	24	1
1:A:58:ARG:CZ	1:A:58:ARG:HB3	0.43	2.44	3	1
1:A:128:GLN:HB3	1:A:130:PHE:CE2	0.43	2.49	20	1
1:A:8:TRP:CH2	1:A:42:ILE:CD1	0.42	3.02	6	1
1:A:11:LEU:HD13	1:A:131:LYS:HB2	0.42	1.90	23	1
1:A:23:LEU:HB2	1:A:25:VAL:HG23	0.42	1.90	21	1
1:A:8:TRP:CZ3	1:A:115:LEU:HB2	0.42	2.49	13	1
1:A:117:LEU:HD23	1:A:119:MET:SD	0.42	2.54	17	1
1:A:51:ILE:O	1:A:51:ILE:HG22	0.42	2.14	5	1
1:A:20:LEU:HD21	2:A:135:RTL:H183	0.42	1.90	12	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:29:LEU:O	1:A:33:ALA:HB2	0.42	2.14	4	2
1:A:74:LEU:O	1:A:79:ASP:N	0.42	2.52	8	4
1:A:48:HIS:CD2	1:A:65:GLN:HG2	0.42	2.49	9	1
1:A:4:PHE:CE2	1:A:108:GLN:NE2	0.42	2.87	5	1
1:A:7:TYR:C	1:A:132:LYS:CG	0.42	2.87	24	1
1:A:115:LEU:HG	1:A:130:PHE:CE2	0.42	2.49	22	1
1:A:10:MET:N	1:A:130:PHE:CD2	0.42	2.88	18	1
1:A:74:LEU:HD22	1:A:74:LEU:N	0.42	2.29	18	1
1:A:20:LEU:CD2	2:A:135:RTL:H182	0.42	2.44	9	1
1:A:61:ILE:CG2	1:A:62:MET:N	0.42	2.82	16	1
1:A:52:ARG:HD3	1:A:61:ILE:HG23	0.42	1.91	24	1
1:A:70:PHE:N	1:A:70:PHE:CD1	0.42	2.87	18	3
1:A:57:PHE:CD1	1:A:57:PHE:N	0.42	2.85	3	1
1:A:7:TYR:HA	1:A:8:TRP:CE3	0.42	2.49	23	1
1:A:8:TRP:CE3	1:A:42:ILE:HD13	0.42	2.49	18	1
1:A:107:THR:CG2	1:A:108:GLN:N	0.42	2.83	8	1
1:A:102:GLU:C	1:A:104:ARG:N	0.42	2.71	25	1
1:A:7:TYR:CD1	1:A:7:TYR:N	0.42	2.82	9	1
1:A:132:LYS:C	1:A:132:LYS:HD2	0.42	2.34	24	1
1:A:8:TRP:CE3	1:A:115:LEU:HB2	0.42	2.50	3	1
1:A:24:ASP:N	1:A:24:ASP:OD1	0.42	2.51	5	1
1:A:19:TYR:CZ	1:A:119:MET:HE1	0.42	2.50	6	1
1:A:77:ILE:N	1:A:77:ILE:CD1	0.42	2.83	15	1
1:A:104:ARG:N	1:A:104:ARG:HD2	0.42	2.30	5	2
1:A:30:ARG:O	1:A:34:ASN:ND2	0.42	2.53	14	1
1:A:5:ASN:OD1	1:A:6:GLY:N	0.42	2.53	23	2
1:A:11:LEU:O	1:A:13:ASN:N	0.42	2.53	22	1
1:A:116:HIS:CD2	1:A:116:HIS:C	0.42	2.93	21	1
1:A:7:TYR:C	1:A:132:LYS:HG2	0.41	2.36	24	1
1:A:106:TRP:CE2	1:A:119:MET:HG2	0.41	2.49	6	1
1:A:75:THR:HG23	1:A:79:ASP:OD1	0.41	2.14	20	1
1:A:93:LEU:HD23	1:A:108:GLN:HB2	0.41	1.92	8	1
1:A:125:THR:HG23	1:A:126:CYS:N	0.41	2.29	8	1
1:A:102:GLU:O	1:A:104:ARG:NH1	0.41	2.53	25	1
1:A:119:MET:HE1	1:A:128:GLN:HB2	0.41	1.91	1	1
1:A:12:SER:OG	1:A:13:ASN:N	0.41	2.54	13	1
1:A:70:PHE:CD1	1:A:70:PHE:C	0.41	2.93	4	1
1:A:62:MET:CE	1:A:72:GLU:HG2	0.41	2.45	3	1
1:A:97:GLN:NE2	1:A:106:TRP:CZ2	0.41	2.88	16	1
1:A:110:ILE:HA	1:A:115:LEU:HD22	0.41	1.91	22	1
1:A:108:GLN:CG	1:A:117:LEU:CD1	0.41	2.98	23	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:13:ASN:N	1:A:13:ASN:OD1	0.41	2.53	11	1
1:A:7:TYR:HB3	1:A:132:LYS:CE	0.41	2.45	24	1
1:A:115:LEU:O	1:A:115:LEU:HD23	0.41	2.15	13	1
1:A:96:VAL:CG1	1:A:97:GLN:N	0.41	2.83	13	1
1:A:93:LEU:O	1:A:93:LEU:HD23	0.41	2.15	5	1
1:A:64:PHE:CE1	1:A:70:PHE:CE1	0.41	3.09	16	1
1:A:120:ARG:O	1:A:121:ALA:HB2	0.41	2.16	8	2
1:A:6:GLY:C	1:A:8:TRP:CH2	0.41	2.94	23	1
1:A:109:TRP:CD1	1:A:109:TRP:C	0.41	2.94	10	1
1:A:115:LEU:N	1:A:130:PHE:O	0.41	2.52	18	1
1:A:106:TRP:CD1	1:A:106:TRP:N	0.41	2.86	2	1
1:A:25:VAL:CG1	1:A:26:ASN:N	0.41	2.83	11	1
1:A:58:ARG:CZ	1:A:58:ARG:CB	0.41	2.97	3	1
1:A:63:ASP:N	1:A:63:ASP:OD1	0.41	2.53	14	1
1:A:16:PHE:CD2	1:A:16:PHE:C	0.41	2.93	2	1
1:A:26:ASN:OD1	1:A:26:ASN:N	0.41	2.54	7	1
1:A:30:ARG:CZ	1:A:30:ARG:HB2	0.41	2.46	1	1
1:A:84:THR:HG23	1:A:96:VAL:O	0.41	2.15	6	1
1:A:29:LEU:HD21	2:A:135:RTL:H42	0.41	1.93	10	1
1:A:102:GLU:O	1:A:122:GLU:N	0.41	2.53	11	1
1:A:11:LEU:HD23	1:A:131:LYS:CB	0.41	2.46	11	1
1:A:31:LYS:O	1:A:35:LEU:HD12	0.41	2.15	24	1
1:A:26:ASN:N	1:A:26:ASN:OD1	0.41	2.54	15	1
1:A:60:TYR:CE1	1:A:62:MET:CE	0.41	3.03	4	1
1:A:103:GLY:O	1:A:105:GLY:N	0.41	2.54	16	1
1:A:91:ASP:N	1:A:91:ASP:OD1	0.41	2.54	20	1
1:A:70:PHE:CE1	1:A:84:THR:HB	0.41	2.51	8	1
1:A:106:TRP:CD1	1:A:119:MET:HG2	0.41	2.51	10	1
1:A:74:LEU:CD1	1:A:77:ILE:HD13	0.41	2.45	14	1
1:A:60:TYR:O	1:A:61:ILE:CG1	0.41	2.69	19	1
1:A:59:ASN:ND2	1:A:59:ASN:N	0.41	2.67	7	1
1:A:134:HIS:N	1:A:134:HIS:CD2	0.41	2.88	24	1
1:A:78:ASP:N	1:A:78:ASP:OD1	0.41	2.53	15	1
1:A:59:ASN:HB3	1:A:61:ILE:CD1	0.41	2.46	4	1
1:A:8:TRP:CZ2	1:A:42:ILE:HB	0.41	2.51	21	1
1:A:83:MET:O	1:A:98:LYS:N	0.41	2.53	11	1
1:A:22:ALA:HB2	1:A:124:VAL:HG21	0.40	1.93	17	1
1:A:80:ARG:HD2	1:A:101:LYS:CE	0.40	2.46	8	1
1:A:92:LYS:CG	1:A:109:TRP:HB2	0.40	2.45	5	1
1:A:75:THR:HA	1:A:79:ASP:HA	0.40	1.92	15	1
1:A:4:PHE:O	1:A:6:GLY:N	0.40	2.55	1	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:25:VAL:HG11	1:A:29:LEU:HD22	0.40	1.92	19	2
1:A:13:ASN:OD1	1:A:13:ASN:N	0.40	2.54	16	1
1:A:69:GLU:OE2	1:A:84:THR:N	0.40	2.54	20	1
1:A:99:GLY:O	1:A:101:LYS:N	0.40	2.55	10	1
1:A:71:GLU:HG3	1:A:72:GLU:N	0.40	2.30	25	1
1:A:72:GLU:N	1:A:82:CYS:O	0.40	2.54	23	1
1:A:3:ASP:OD1	1:A:3:ASP:N	0.40	2.54	23	1
1:A:92:LYS:HD3	1:A:107:THR:HG22	0.40	1.92	19	1
1:A:7:TYR:N	1:A:7:TYR:CD1	0.40	2.86	10	1
1:A:114:GLU:OE2	1:A:129:VAL:HG13	0.40	2.16	9	1
1:A:6:GLY:C	1:A:7:TYR:CD1	0.40	2.95	9	1
1:A:19:TYR:O	1:A:19:TYR:CD1	0.40	2.75	9	1
1:A:36:LEU:HD11	1:A:57:PHE:CG	0.40	2.51	14	1

6.3 Torsion angles

6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	131/134 (98%)	106±5 (81±4%)	20±4 (15±3%)	5±2 (4±1%)	7	34
All	All	3275/3350 (98%)	2651 (81%)	495 (15%)	129 (4%)	7	34

All 52 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	79	ASP	14
1	A	104	ARG	10
1	A	100	GLU	7
1	A	112	GLY	5
1	A	121	ALA	5
1	A	3	ASP	5
1	A	114	GLU	4
1	A	46	GLY	4
1	A	91	ASP	4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	10	MET	3
1	A	110	ILE	3
1	A	58	ARG	3
1	A	99	GLY	3
1	A	61	ILE	3
1	A	81	LYS	3
1	A	101	LYS	3
1	A	25	VAL	3
1	A	103	GLY	3
1	A	56	THR	3
1	A	102	GLU	2
1	A	59	ASN	2
1	A	105	GLY	2
1	A	37	LYS	2
1	A	89	ASP	2
1	A	5	ASN	2
1	A	77	ILE	2
1	A	90	GLY	2
1	A	75	THR	1
1	A	38	PRO	1
1	A	69	GLU	1
1	A	57	PHE	1
1	A	66	VAL	1
1	A	11	LEU	1
1	A	73	ASP	1
1	A	62	MET	1
1	A	132	LYS	1
1	A	64	PHE	1
1	A	50	ILE	1
1	A	48	HIS	1
1	A	116	HIS	1
1	A	65	GLN	1
1	A	24	ASP	1
1	A	109	TRP	1
1	A	14	GLU	1
1	A	12	SER	1
1	A	98	LYS	1
1	A	113	ASP	1
1	A	133	VAL	1
1	A	92	LYS	1
1	A	60	TYR	1
1	A	78	ASP	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	55	SER	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	118/120 (98%)	89±4 (75±4%)	29±4 (25±4%)	3	26
All	All	2950/3000 (98%)	2218 (75%)	732 (25%)	3	26

All 112 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	115	LEU	20
1	A	85	THR	17
1	A	80	ARG	17
1	A	104	ARG	16
1	A	29	LEU	15
1	A	64	PHE	15
1	A	11	LEU	14
1	A	122	GLU	14
1	A	55	SER	13
1	A	39	ASP	12
1	A	31	LYS	12
1	A	101	LYS	12
1	A	68	LYS	12
1	A	89	ASP	12
1	A	108	GLN	11
1	A	88	TRP	11
1	A	10	MET	11
1	A	106	TRP	11
1	A	78	ASP	10
1	A	3	ASP	10
1	A	126	CYS	10
1	A	81	LYS	10
1	A	21	ARG	10
1	A	36	LEU	10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	107	THR	9
1	A	56	THR	9
1	A	113	ASP	9
1	A	91	ASP	9
1	A	127	LYS	9
1	A	94	GLN	9
1	A	58	ARG	8
1	A	57	PHE	8
1	A	34	ASN	8
1	A	92	LYS	8
1	A	82	CYS	8
1	A	132	LYS	8
1	A	93	LEU	8
1	A	75	THR	7
1	A	44	GLN	7
1	A	13	ASN	7
1	A	47	ASP	7
1	A	60	TYR	7
1	A	52	ARG	7
1	A	7	TYR	7
1	A	35	LEU	7
1	A	30	ARG	7
1	A	37	LYS	7
1	A	95	CYS	7
1	A	134	HIS	6
1	A	116	HIS	6
1	A	117	LEU	6
1	A	25	VAL	6
1	A	54	LEU	6
1	A	18	GLU	6
1	A	49	MET	6
1	A	48	HIS	6
1	A	73	ASP	6
1	A	119	MET	6
1	A	14	GLU	6
1	A	9	LYS	5
1	A	59	ASN	5
1	A	32	ILE	5
1	A	69	GLU	5
1	A	128	GLN	5
1	A	24	ASP	5
1	A	12	SER	5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	87	SER	5
1	A	114	GLU	5
1	A	62	MET	5
1	A	41	GLU	5
1	A	97	GLN	5
1	A	19	TYR	5
1	A	84	THR	5
1	A	65	GLN	4
1	A	77	ILE	4
1	A	83	MET	4
1	A	100	GLU	4
1	A	98	LYS	4
1	A	17	GLU	4
1	A	8	TRP	4
1	A	63	ASP	4
1	A	96	VAL	4
1	A	15	ASN	4
1	A	74	LEU	4
1	A	111	GLU	3
1	A	72	GLU	3
1	A	79	ASP	3
1	A	40	LYS	3
1	A	50	ILE	3
1	A	130	PHE	3
1	A	125	THR	3
1	A	26	ASN	3
1	A	102	GLU	3
1	A	51	ILE	3
1	A	129	VAL	3
1	A	66	VAL	2
1	A	131	LYS	2
1	A	5	ASN	2
1	A	109	TRP	2
1	A	71	GLU	2
1	A	53	THR	2
1	A	27	VAL	2
1	A	45	ASP	2
1	A	133	VAL	2
1	A	70	PHE	2
1	A	16	PHE	1
1	A	61	ILE	1
1	A	38	PRO	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	118	GLU	1
1	A	110	ILE	1
1	A	120	ARG	1
1	A	42	ILE	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds for which Mogul statistics could be retrieved, the number of bonds that are observed in the model and the number of bonds that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length is the number of standard deviations the observed value is removed from the expected value. A bond length with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond lengths.

Mol	Type	Chain	Res	Link	Bond lengths		
					Counts	RMSZ	#Z>2
2	RTL	A	135	-	21,21,21	1.70±0.04	1±0 (4±0%)

In the following table, the Counts columns list the number of angles for which Mogul statistics could be retrieved, the number of angles that are observed in the model and the number of angles that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond angle is the number of standard deviations the observed value is removed from the expected value. A bond angle with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the average root-mean-square of all Z scores of the bond angles.

Mol	Type	Chain	Res	Link	Counts	Bond angles	
						RMSZ	#Z>2
2	RTL	A	135	-	26,28,28	2.46±0.11	2±1 (8±2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RTL	A	135	-	-	0±0,14,31,31	0±0,1,1,1

All unique bond outliers are listed below.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	A	135	RTL	C1-C6	6.61	1.44	1.53	2	25

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
2	A	135	RTL	C4-C5-C6	6.58	115.50	122.73	10	11
2	A	135	RTL	C11-C10-C9	6.40	117.91	127.22	16	24
2	A	135	RTL	C17-C1-C16	5.85	89.53	108.36	15	19

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6.7 Other polymers ⓘ

There are no such molecules in this entry.

6.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 86% for the well-defined parts and 86% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 5578

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1642
Number of shifts mapped to atoms	1642
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	14

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	134	-0.18 ± 0.08	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	124	0.03 ± 0.08	None needed (< 0.5 ppm)
$^{13}\text{C}'$	134	0.14 ± 0.18	None needed (< 0.5 ppm)
^{15}N	132	-4.62 ± 0.39	Should be applied

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 86%, i.e. 1461 atoms were assigned a chemical shift out of a possible 1698. 20 out of 20 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	658/658 (100%)	263/263 (100%)	264/264 (100%)	131/131 (100%)
Sidechain	749/890 (84%)	468/519 (90%)	269/326 (83%)	12/45 (27%)

Continued on next page...

Continued from previous page...

	Total	¹H	¹³C	¹⁵N
Aromatic	54/150 (36%)	50/78 (64%)	0/62 (0%)	4/10 (40%)
Overall	1461/1698 (86%)	781/860 (91%)	533/652 (82%)	147/186 (79%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 86%, i.e. 1484 atoms were assigned a chemical shift out of a possible 1721. 21 out of 21 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	666/666 (100%)	266/266 (100%)	268/268 (100%)	132/132 (100%)
Sidechain	764/905 (84%)	477/528 (90%)	275/332 (83%)	12/45 (27%)
Aromatic	54/150 (36%)	50/78 (64%)	0/62 (0%)	4/10 (40%)
Overall	1484/1721 (86%)	793/872 (91%)	543/662 (82%)	148/187 (79%)

7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.


Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	108	GLN	HE22	3.59	9.27 – 4.77	-7.6
1	A	108	GLN	HE21	3.78	9.53 – 4.93	-7.5
1	A	116	HIS	HB3	0.52	5.00 – 1.10	-6.5
1	A	116	HIS	HB2	0.78	4.91 – 1.31	-6.5
1	A	95	CYS	HB3	-0.03	5.25 – 0.55	-6.2
1	A	95	CYS	HB2	0.24	5.20 – 0.70	-6.0
1	A	40	LYS	HG3	-0.23	2.76 – -0.04	-5.7
1	A	40	LYS	HD3	0.30	2.75 – 0.45	-5.7
1	A	13	ASN	HD22	4.38	9.59 – 4.69	-5.6
1	A	5	ASN	ND2	125.60	124.24 – 101.34	5.6
1	A	132	LYS	HG3	-0.19	2.76 – -0.04	-5.5
1	A	108	GLN	NE2	102.00	120.91 – 102.81	-5.4
1	A	84	THR	HB	2.44	5.82 – 2.52	-5.2
1	A	72	GLU	N	138.60	138.24 – 103.14	5.1

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble

composition.

Random coil index (RCI) for chain A:



7.2 Chemical shift list 2

File name: BMRB entry 5578

Chemical shift list name: *assigned_chem_shift_list_2*

7.2.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	25
Number of shifts mapped to atoms	0
Number of unparsed shifts	0
Number of shifts with mapping errors	25
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

The following assigned chemical shifts were not mapped to the molecules present in the coordinate file.

- Chain not found in structure. All 25 occurrences are reported below.

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	1	RTL	H8	6.39	0.02	1
UNMAPPED	1	RTL	3H16	1.13	0.02	1
UNMAPPED	1	RTL	1H20	0.91	0.02	1
UNMAPPED	1	RTL	H14	5.25	0.02	1
UNMAPPED	1	RTL	2H17	1.13	0.02	1
UNMAPPED	1	RTL	2H20	0.91	0.02	1

Continued on next page...

Continued from previous page...

Chain	Res	Type	Atom	Shift Data		
				Value	Uncertainty	Ambiguity
UNMAPPED	1	RTL	1H2	4.07	0.02	1
UNMAPPED	1	RTL	H11	6.68	0.02	1
UNMAPPED	1	RTL	H12	6.4	0.02	1
UNMAPPED	1	RTL	1H17	1.13	0.02	1
UNMAPPED	1	RTL	3H20	0.91	0.02	1
UNMAPPED	1	RTL	1H18	1.71	0.02	1
UNMAPPED	1	RTL	2H2	4.07	0.02	1
UNMAPPED	1	RTL	3H17	1.13	0.02	1
UNMAPPED	1	RTL	2H16	1.13	0.02	1
UNMAPPED	1	RTL	2H19	2.06	0.02	1
UNMAPPED	1	RTL	1H19	2.06	0.02	1
UNMAPPED	1	RTL	3H18	1.71	0.02	1
UNMAPPED	1	RTL	H7	6.62	0.02	1
UNMAPPED	1	RTL	2H15	2.17	0.02	1
UNMAPPED	1	RTL	2H18	1.71	0.02	1
UNMAPPED	1	RTL	H10	6.05	0.02	1
UNMAPPED	1	RTL	1H15	2.99	0.02	1
UNMAPPED	1	RTL	1H16	1.13	0.02	1
UNMAPPED	1	RTL	3H19	2.06	0.02	1

7.2.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

7.2.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 0%, i.e. 0 atoms were assigned a chemical shift out of a possible 1698. 0 out of 20 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	0/658 (0%)	0/263 (0%)	0/264 (0%)	0/131 (0%)
Sidechain	0/890 (0%)	0/519 (0%)	0/326 (0%)	0/45 (0%)
Aromatic	0/150 (0%)	0/78 (0%)	0/62 (0%)	0/10 (0%)
Overall	0/1698 (0%)	0/860 (0%)	0/652 (0%)	0/186 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 0%, i.e. 0 atoms were assigned a chemical shift out of a possible 1721. 0 out of 21 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	0/666 (0%)	0/266 (0%)	0/268 (0%)	0/132 (0%)
Sidechain	0/905 (0%)	0/528 (0%)	0/332 (0%)	0/45 (0%)
Aromatic	0/150 (0%)	0/78 (0%)	0/62 (0%)	0/10 (0%)
Overall	0/1721 (0%)	0/872 (0%)	0/662 (0%)	0/187 (0%)

7.2.4 Statistically unusual chemical shifts ⓘ

There are no statistically unusual chemical shifts.

7.2.5 Random Coil Index (RCI) plots ⓘ

No *random coil index* (RCI) plot could be generated from the current chemical shift list (assigned_chem_shift_list_2). RCI is only applicable to proteins.