



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:53 PM GMT

PDB ID : 4N0B
Title : Crystal structure of Bacillus subtilis GabR, an autorepressor and transcriptional activator of GabT
Authors : Edayathumangalam, R.; Wu, R.; Garcia, R.; Wang, Y.; Wang, W.; Kreinbring, C.A.; Bach, A.; Liao, J.; Stone, T.; Terwilliger, T.; Hoang, Q.Q.; Belitsky, B.R.; Petsko, G.A.; Ringe, D.; Liu, D.
Deposited on : 2013-10-01
Resolution : 2.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2103 (2.70-2.70)
Clashscore	102246	2422 (2.70-2.70)
Ramachandran outliers	100387	2382 (2.70-2.70)
Sidechain outliers	100360	2382 (2.70-2.70)
RSRZ outliers	91569	2107 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	479	<div> <div>6%</div> <div>83%14%..</div> </div>
1	B	479	<div> <div>5%</div> <div>82%14%.</div> </div>
1	C	479	<div> <div>8%</div> <div>86%10%..</div> </div>
1	D	479	<div> <div>9%</div> <div>84%13%. </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACE	B	501	-	-	-	X
3	ZN	A	502	-	-	-	X
3	ZN	B	502	-	-	-	X

2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 15231 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HTH-type transcriptional regulatory protein GabR.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	469	Total	C	N	O	P	S	0	0	0
			3817	2427	656	716	1	17			
1	B	465	Total	C	N	O	P	S	0	0	0
			3785	2404	651	712	1	17			
1	C	463	Total	C	N	O	P	S	0	0	0
			3770	2396	646	710	1	17			
1	D	466	Total	C	N	O	P	S	0	0	0
			3793	2408	652	715	1	17			

- Molecule 2 is ACETYL GROUP (three-letter code: ACE) (formula: C₂H₄O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			3	2	1		
2	B	1	Total	C	O	0	0
			3	2	1		

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total 1	Zn 1	0	0
3	A	1	Total 1	Zn 1	0	0
3	D	1	Total 1	Zn 1	0	0
3	C	1	Total 1	Zn 1	0	0

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	1	Total 1	Ca 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	17	Total 17	O 17	0	0
5	B	21	Total 21	O 21	0	0
5	C	10	Total 10	O 10	0	0
5	D	7	Total 7	O 7	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: HTH-type transcriptional regulatory protein GabR




- Molecule 1: HTH-type transcriptional regulatory protein GabR




- Molecule 1: HTH-type transcriptional regulatory protein GabR





- Molecule 1: HTH-type transcriptional regulatory protein GabR



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	97.25Å 101.33Å 211.22Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.63 – 2.71 29.63 – 2.70	Depositor EDS
% Data completeness (in resolution range)	87.4 (29.63-2.71) 87.5 (29.63-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.38 (at 2.72Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.3_1472)	Depositor
R, R_{free}	0.216 , 0.258 0.221 , 0.263	Depositor DCC
R_{free} test set	2538 reflections (4.94%)	DCC
Wilson B-factor (Å ²)	61.0	Xtriage
Anisotropy	0.311	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 44.8	EDS
Estimated twinning fraction	0.023 for k,h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	1 of 57578 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	15231	wwPDB-VP
Average B, all atoms (Å ²)	77.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, LLP, CA, ACE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.21	0/3869	0.37	0/5216
1	B	0.21	0/3836	0.37	0/5172
1	C	0.21	0/3820	0.37	0/5151
1	D	0.21	0/3844	0.37	0/5183
All	All	0.21	0/15369	0.37	0/20722

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3817	0	3826	40	0
1	B	3785	0	3780	41	0
1	C	3770	0	3772	36	0
1	D	3793	0	3784	44	0
2	A	3	0	3	0	0
2	B	3	0	3	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	1	0	0	0	0
4	D	1	0	0	0	0
5	A	17	0	0	1	0
5	B	21	0	0	0	0
5	C	10	0	0	0	0
5	D	7	0	0	1	0
All	All	15231	0	15168	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:119:THR:N	1:D:142:LEU:HD21	1.79	0.98
1:C:119:THR:H	1:D:142:LEU:HD21	1.34	0.92
1:C:166:ARG:NH2	1:C:291:SER:OG	2.19	0.69
1:B:117:SER:HB2	1:B:316:PRO:HD3	1.75	0.68
1:C:117:SER:O	1:D:142:LEU:CD2	2.43	0.67
1:D:190:GLU:OE1	1:D:336:ARG:NH2	2.28	0.67
1:A:404:GLU:OE2	1:A:442:ARG:NH1	2.29	0.66
1:C:442:ARG:H	1:C:443:PRO:HD2	1.60	0.66
1:C:413:ASP:O	1:C:415:LEU:N	2.29	0.65
1:C:141:THR:O	1:C:143:GLY:N	2.28	0.65
1:C:123:PRO:HB2	1:C:126:SER:HB3	1.80	0.63
1:A:278:GLU:HB2	1:A:306:TYR:HA	1.81	0.62
1:B:118:ASP:OD1	1:B:121:HIS:ND1	2.34	0.59
1:A:190:GLU:OE1	1:A:336:ARG:NH2	2.35	0.59
1:B:464:LEU:O	1:B:466:LYS:N	2.36	0.59
1:B:312:LLP:OP2	1:B:319:ARG:NH2	2.36	0.59
1:C:440:THR:N	1:C:441:GLY:HA3	2.18	0.58
1:A:103:HIS:NE2	1:B:153:GLU:OE2	2.36	0.58
1:A:38:LYS:HE2	1:A:76:GLY:HA3	1.85	0.57
1:C:192:LEU:HD13	1:C:241:VAL:HG21	1.87	0.56
1:D:96:PRO:HA	1:D:99:LEU:HB2	1.87	0.56
1:C:101:GLU:OE2	1:D:155:ARG:NH2	2.34	0.56
1:C:177:ILE:O	1:C:341:GLN:NE2	2.36	0.56
1:D:231:ILE:HD13	1:D:264:LEU:HD12	1.88	0.56
1:D:177:ILE:O	1:D:341:GLN:NE2	2.32	0.55
1:A:101:GLU:HG3	1:B:173:GLU:HG3	1.88	0.54
1:B:459:GLU:O	1:B:463:ARG:N	2.40	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:154:VAL:HG21	1:D:348:GLN:HB3	1.90	0.53
1:D:375:ARG:NH1	5:D:606:HOH:O	2.40	0.53
1:B:192:LEU:HD13	1:B:241:VAL:HG21	1.89	0.53
1:A:113:SER:HB3	1:A:451:ARG:HD3	1.90	0.53
1:C:118:ASP:HA	1:D:142:LEU:HD21	1.90	0.53
1:C:166:ARG:CZ	1:C:283:SER:HB3	2.38	0.53
1:A:474:ILE:HD12	1:A:475:PRO:HD2	1.91	0.52
1:C:18:GLN:HA	1:C:21:TYR:CE2	2.45	0.51
1:A:451:ARG:NH2	1:B:144:ASP:OD1	2.41	0.51
1:B:188:LEU:HD11	1:B:305:ILE:HG21	1.91	0.51
1:B:391:THR:HB	1:B:404:GLU:HB2	1.92	0.51
1:A:112:PHE:HB2	1:A:425:ILE:HG22	1.91	0.51
1:B:177:ILE:O	1:B:341:GLN:NE2	2.35	0.51
1:B:41:SER:HB3	1:B:44:GLU:HG3	1.93	0.51
1:A:10:SER:HB2	1:A:13:ALA:HB2	1.92	0.51
1:A:104:ILE:HG23	1:A:105:ASP:H	1.74	0.51
1:B:18:GLN:HA	1:B:21:TYR:CE2	2.46	0.51
1:D:10:SER:O	1:D:12:GLN:N	2.44	0.51
1:B:315:LEU:HD12	1:B:316:PRO:HD2	1.92	0.51
1:D:88:GLU:HG2	1:D:89:GLU:HG2	1.93	0.51
1:D:406:ASP:HA	1:D:442:ARG:HD2	1.93	0.51
1:D:393:LYS:HB2	1:D:402:VAL:HB	1.94	0.50
1:A:18:GLN:HA	1:A:21:TYR:CE2	2.46	0.50
1:D:18:GLN:HA	1:D:21:TYR:CE2	2.46	0.50
1:B:385:GLU:O	1:B:387:SER:N	2.34	0.50
1:D:141:THR:OG1	1:D:142:LEU:N	2.43	0.50
1:A:245:THR:HG22	1:A:279:ASP:HB3	1.92	0.50
1:D:188:LEU:HD11	1:D:305:ILE:HD13	1.94	0.49
1:D:116:SER:HB3	1:D:451:ARG:HB2	1.95	0.48
1:A:179:ALA:N	1:A:343:CYS:SG	2.86	0.48
1:C:118:ASP:CA	1:D:142:LEU:HD21	2.42	0.48
1:A:116:SER:OG	1:A:117:SER:N	2.47	0.48
1:A:427:GLY:HA2	1:A:445:LEU:HD23	1.96	0.48
1:C:414:ILE:HG21	1:C:468:VAL:HG13	1.96	0.48
1:A:115:MET:SD	1:A:207:ARG:NH1	2.85	0.48
1:D:221:THR:HG21	1:D:434:LYS:HG2	1.95	0.47
1:A:192:LEU:HD13	1:A:241:VAL:HG21	1.96	0.47
1:C:245:THR:HG22	1:C:279:ASP:HB3	1.97	0.47
1:B:231:ILE:HD13	1:B:264:LEU:HD12	1.96	0.47
1:D:99:LEU:HD22	1:D:100:LYS:HG3	1.97	0.47
1:B:202:GLU:HB2	1:B:221:THR:HB	1.94	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:462:GLN:HA	1:C:465:PHE:CE2	2.50	0.47
1:C:118:ASP:C	1:D:142:LEU:HD21	2.33	0.47
1:B:309:THR:HG21	1:B:312:LLP:H5'1	1.96	0.47
1:C:250:PHE:HA	1:C:251:PRO:HA	1.70	0.47
1:D:110:ILE:H	1:D:110:ILE:HD13	1.81	0.46
1:C:441:GLY:HA3	1:C:442:ARG:HA	1.67	0.46
1:B:315:LEU:HG	1:B:317:GLY:H	1.81	0.46
1:D:312:LLP:HG3	1:D:399:LEU:HD12	1.98	0.46
1:C:318:LEU:HG	1:C:320:ILE:HG13	1.98	0.46
1:A:266:ASN:O	1:A:270:GLU:HG3	2.16	0.46
1:A:402:VAL:HG13	1:A:428:MET:HE3	1.98	0.45
1:B:308:GLY:HA3	1:B:322:TYR:CZ	2.51	0.45
1:B:250:PHE:HA	1:B:251:PRO:HA	1.67	0.45
1:C:144:ASP:HB3	1:D:316:PRO:HG2	1.97	0.45
1:A:377:ARG:O	1:A:457:ILE:HD13	2.17	0.45
1:B:200:MET:HG2	1:B:243:VAL:HB	1.98	0.45
1:C:231:ILE:HD13	1:C:264:LEU:HD12	1.99	0.45
1:C:142:LEU:HD22	1:C:151:ILE:HG23	1.98	0.44
1:A:117:SER:HA	1:A:450:ALA:HB1	1.98	0.44
1:C:454:GLU:HA	1:C:457:ILE:HG13	2.00	0.44
1:A:177:ILE:O	1:A:341:GLN:NE2	2.38	0.44
1:A:376:GLU:HA	1:A:378:LEU:H	1.82	0.44
1:B:178:GLY:HA2	1:B:184:LEU:HD21	2.00	0.44
1:B:9:ARG:HA	1:B:16:ILE:HD11	1.99	0.44
1:D:222:ILE:HG23	1:D:233:GLU:HB2	1.99	0.44
1:D:184:LEU:HD13	1:D:323:MET:HB2	1.99	0.44
1:D:140:ARG:O	1:D:142:LEU:HG	2.17	0.43
1:B:441:GLY:HA3	1:B:442:ARG:HA	1.65	0.43
1:D:426:PHE:HB3	1:D:430:ARG:HD2	1.99	0.43
1:C:23:LYS:O	1:C:27:GLU:HG2	2.18	0.43
1:D:45:LEU:HD23	1:D:56:VAL:HG13	2.00	0.43
1:A:145:MET:HG3	1:B:316:PRO:O	2.18	0.43
1:B:110:ILE:HD12	1:B:463:ARG:HD2	2.00	0.43
1:B:224:LEU:HD12	1:B:229:MET:HA	2.00	0.43
1:C:118:ASP:OD1	1:C:118:ASP:N	2.51	0.43
1:A:376:GLU:HA	1:A:378:LEU:N	2.34	0.43
1:A:317:GLY:O	1:B:344:SER:HA	2.19	0.43
1:C:178:GLY:HA2	1:C:184:LEU:HD21	2.01	0.43
1:A:382:LEU:HD23	1:A:461:VAL:HG13	2.00	0.43
1:B:201:GLU:HB3	1:B:224:LEU:HD11	2.01	0.42
1:B:266:ASN:O	1:B:270:GLU:HG2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:173:GLU:N	1:B:173:GLU:OE1	2.44	0.42
1:A:440:THR:N	1:A:441:GLY:HA2	2.34	0.42
1:B:184:LEU:HD13	1:B:323:MET:HB2	2.00	0.42
1:A:250:PHE:HA	1:A:251:PRO:HA	1.69	0.42
1:A:188:LEU:HD11	1:A:305:ILE:HD13	2.02	0.42
1:D:117:SER:HB2	1:D:316:PRO:HD3	2.01	0.42
1:A:201:GLU:HB3	1:A:224:LEU:HD21	2.01	0.42
1:A:308:GLY:HA3	1:A:322:TYR:CZ	2.55	0.42
1:A:154:VAL:HG21	1:A:348:GLN:HB3	2.01	0.42
1:C:391:THR:HB	1:C:404:GLU:HB2	2.02	0.42
1:D:16:ILE:O	1:D:20:ILE:HG13	2.20	0.42
1:D:99:LEU:HB3	1:D:100:LYS:H	1.55	0.42
1:D:209:TYR:O	1:D:213:LYS:HG2	2.20	0.42
1:D:250:PHE:HA	1:D:251:PRO:HA	1.71	0.41
1:D:141:THR:O	1:D:142:LEU:HB2	2.21	0.41
1:B:123:PRO:HB2	1:B:126:SER:HB3	2.02	0.41
1:D:399:LEU:HB3	1:D:450:ALA:HB2	2.02	0.41
1:B:95:LEU:HA	1:B:96:PRO:HD3	1.90	0.41
1:C:293:PRO:HG2	1:D:25:LYS:HZ3	1.85	0.41
1:A:381:ALA:N	5:A:612:HOH:O	2.41	0.41
1:C:251:PRO:HG3	1:C:431:PHE:CD1	2.55	0.41
1:B:107:SER:HA	1:B:109:TRP:H	1.85	0.41
1:D:174:GLN:HA	1:D:330:LEU:HD13	2.03	0.41
1:B:220:LYS:HD3	1:B:237:GLN:HB3	2.03	0.41
1:B:100:LYS:O	1:B:102:ILE:N	2.51	0.41
1:B:116:SER:OG	1:B:117:SER:N	2.54	0.41
1:A:278:GLU:OE1	1:A:296:GLN:N	2.54	0.41
1:D:456:ASP:OD1	1:D:456:ASP:N	2.52	0.41
1:B:133:LYS:NZ	1:D:353:GLU:OE2	2.54	0.41
1:D:100:LYS:HA	1:D:101:GLU:HB3	2.03	0.40
1:A:376:GLU:HG3	1:A:380:THR:OG1	2.20	0.40
1:C:202:GLU:HA	1:C:203:PRO:HA	1.96	0.40
1:A:107:SER:HA	1:A:108:ASP:HA	1.71	0.40
1:C:251:PRO:HG3	1:C:431:PHE:CG	2.56	0.40
1:C:451:ARG:HG3	1:D:142:LEU:HD13	2.03	0.40
1:A:202:GLU:HA	1:A:203:PRO:HA	1.96	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	464/479 (97%)	435 (94%)	22 (5%)	7 (2%)	13	32
1	B	460/479 (96%)	435 (95%)	24 (5%)	1 (0%)	52	80
1	C	458/479 (96%)	428 (93%)	24 (5%)	6 (1%)	15	37
1	D	461/479 (96%)	429 (93%)	25 (5%)	7 (2%)	13	32
All	All	1843/1916 (96%)	1727 (94%)	95 (5%)	21 (1%)	17	42

All (21) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	142	LEU
1	C	414	ILE
1	A	378	LEU
1	C	413	ASP
1	D	11	GLU
1	D	99	LEU
1	D	386	PHE
1	B	465	PHE
1	C	442	ARG
1	A	101	GLU
1	C	88	GLU
1	D	391	THR
1	A	75	LYS
1	A	94	ALA
1	A	376	GLU
1	D	314	LEU
1	D	384	ALA
1	D	467	ALA
1	A	379	ILE
1	C	443	PRO
1	A	104	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	415/424 (98%)	413 (100%)	2 (0%)	92	98
1	B	411/424 (97%)	405 (98%)	6 (2%)	72	91
1	C	410/424 (97%)	405 (99%)	5 (1%)	78	93
1	D	412/424 (97%)	407 (99%)	5 (1%)	78	93
All	All	1648/1696 (97%)	1630 (99%)	18 (1%)	80	94

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	141	THR
1	A	205	TYR
1	B	54	ASN
1	B	88	GLU
1	B	188	LEU
1	B	224	LEU
1	B	318	LEU
1	B	389	GLU
1	C	39	VAL
1	C	141	THR
1	C	142	LEU
1	C	413	ASP
1	C	440	THR
1	D	99	LEU
1	D	110	ILE
1	D	118	ASP
1	D	174	GLN
1	D	284	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	132	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	149	GLN
1	C	149	GLN
1	C	303	ASN
1	D	132	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
1	LLP	A	312	1	23,24,25	2.18	4 (17%)	28,32,34	1.18	4 (14%)
1	LLP	B	312	1	23,24,25	2.21	4 (17%)	28,32,34	1.13	3 (10%)
1	LLP	C	312	1	23,24,25	2.23	4 (17%)	28,32,34	1.09	3 (10%)
1	LLP	D	312	1	23,24,25	2.20	4 (17%)	28,32,34	1.12	4 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	LLP	A	312	1	-	0/15/17/19	0/1/1/1
1	LLP	B	312	1	-	0/15/17/19	0/1/1/1
1	LLP	C	312	1	-	1/15/17/19	0/1/1/1
1	LLP	D	312	1	-	1/15/17/19	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	312	LLP	O3-C3	2.00	1.41	1.37
1	A	312	LLP	O3-C3	2.02	1.41	1.37
1	B	312	LLP	O3-C3	2.05	1.41	1.37
1	D	312	LLP	O3-C3	2.06	1.41	1.37
1	A	312	LLP	C2'-C2	4.41	1.59	1.50
1	C	312	LLP	C2'-C2	4.42	1.59	1.50
1	D	312	LLP	C2'-C2	4.46	1.59	1.50
1	B	312	LLP	C2'-C2	4.48	1.59	1.50
1	A	312	LLP	C4-C4'	5.58	1.56	1.46
1	B	312	LLP	C4-C4'	5.63	1.56	1.46
1	D	312	LLP	C4-C4'	5.66	1.56	1.46
1	C	312	LLP	C4-C4'	5.80	1.56	1.46
1	A	312	LLP	C4'-NZ	5.82	1.44	1.27
1	D	312	LLP	C4'-NZ	5.86	1.45	1.27
1	B	312	LLP	C4'-NZ	5.87	1.45	1.27
1	C	312	LLP	C4'-NZ	5.94	1.45	1.27

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	312	LLP	CE-NZ-C4'	-3.29	109.48	118.97
1	D	312	LLP	CE-NZ-C4'	-3.16	109.86	118.97
1	B	312	LLP	CE-NZ-C4'	-3.10	110.02	118.97
1	C	312	LLP	CE-NZ-C4'	-2.75	111.04	118.97
1	A	312	LLP	C4-C4'-NZ	-2.62	110.50	125.06
1	B	312	LLP	C4-C4'-NZ	-2.57	110.73	125.06
1	C	312	LLP	C3-C4-C5	-2.50	116.23	118.11
1	D	312	LLP	C4-C4'-NZ	-2.48	111.26	125.06
1	C	312	LLP	C4-C4'-NZ	-2.24	112.58	125.06
1	A	312	LLP	O-C-CA	-2.14	119.91	125.49
1	A	312	LLP	C3-C4-C5	-2.06	116.56	118.11
1	B	312	LLP	C3-C4-C5	-2.05	116.57	118.11
1	D	312	LLP	C3-C4-C5	-2.03	116.58	118.11
1	D	312	LLP	O-C-CA	-2.03	120.21	125.49

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	C	312	LLP	C4-C4'-NZ-CE
1	D	312	LLP	C4-C4'-NZ-CE

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	B	312	LLP	2	0
1	D	312	LLP	1	0

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 7 ligands modelled in this entry, 5 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	ACE	A	501	-	2,2,2	0.56	0	0,1,1	0.00	-
2	ACE	B	501	-	2,2,2	0.56	0	0,1,1	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ACE	A	501	-	-	0/0/0/0	0/0/0/0
2	ACE	B	501	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	468/479 (97%)	0.22	27 (5%)	26 25	38, 63, 127, 164	0
1	B	464/479 (96%)	0.11	24 (5%)	31 30	38, 62, 122, 234	0
1	C	462/479 (96%)	0.41	36 (7%)	16 14	42, 78, 147, 223	0
1	D	465/479 (97%)	0.44	42 (9%)	12 9	41, 75, 151, 312	0
All	All	1859/1916 (97%)	0.29	129 (6%)	20 18	38, 68, 138, 312	0

All (129) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	92	PRO	11.6
1	D	90	HIS	10.4
1	C	92	PRO	7.4
1	D	100	LYS	6.9
1	C	89	GLU	6.7
1	A	104	ILE	5.8
1	C	91	PRO	5.7
1	D	470	GLY	5.6
1	D	89	GLU	5.5
1	C	469	TYR	5.5
1	D	91	PRO	5.5
1	A	9	ARG	5.2
1	D	88	GLU	5.2
1	A	440	THR	5.1
1	B	89	GLU	5.0
1	D	471	HIS	5.0
1	C	139	TYR	5.0
1	B	90	HIS	4.9
1	C	466	LYS	4.8
1	C	99	LEU	4.7
1	B	92	PRO	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	91	PRO	4.5
1	B	441	GLY	4.5
1	D	87	ALA	4.4
1	D	139	TYR	4.4
1	A	90	HIS	4.3
1	C	408	ARG	4.1
1	D	93	PHE	4.0
1	C	100	LYS	4.0
1	A	118	ASP	3.9
1	B	103	HIS	3.9
1	A	89	GLU	3.8
1	D	108	ASP	3.7
1	D	143	GLY	3.7
1	A	100	LYS	3.7
1	D	435	GLU	3.7
1	B	102	ILE	3.6
1	B	73	GLU	3.5
1	B	12	GLN	3.5
1	A	442	ARG	3.5
1	D	142	LEU	3.4
1	B	436	ASN	3.4
1	C	409	ARG	3.3
1	C	88	GLU	3.3
1	D	99	LEU	3.3
1	C	87	ALA	3.3
1	C	90	HIS	3.2
1	D	436	ASN	3.2
1	C	142	LEU	3.2
1	C	103	HIS	3.1
1	D	145	MET	2.9
1	A	139	TYR	2.9
1	C	410	THR	2.9
1	A	75	LYS	2.9
1	B	99	LEU	2.9
1	C	387	SER	2.8
1	C	412	GLN	2.8
1	C	34	LEU	2.8
1	A	379	ILE	2.8
1	B	104	ILE	2.8
1	C	105	ASP	2.8
1	D	76	GLY	2.8
1	B	106	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	86	SER	2.7
1	D	469	TYR	2.7
1	C	74	ARG	2.6
1	D	3	ILE	2.6
1	A	140	ARG	2.6
1	C	104	ILE	2.6
1	A	178	GLY	2.6
1	A	434	LYS	2.6
1	B	88	GLU	2.5
1	D	106	GLN	2.5
1	B	317	GLY	2.5
1	B	140	ARG	2.5
1	C	405	PHE	2.5
1	D	335	GLN	2.4
1	A	99	LEU	2.4
1	C	144	ASP	2.4
1	D	421	LEU	2.4
1	D	98	ASP	2.4
1	D	408	ARG	2.4
1	D	319	ARG	2.4
1	D	12	GLN	2.3
1	D	78	PHE	2.3
1	C	442	ARG	2.3
1	D	178	GLY	2.3
1	C	145	MET	2.3
1	A	32	ASN	2.3
1	D	7	LEU	2.3
1	A	335	GLN	2.3
1	C	417	HIS	2.3
1	D	385	GLU	2.3
1	B	139	TYR	2.3
1	B	457	ILE	2.3
1	A	84	MET	2.3
1	A	96	PRO	2.3
1	B	195	GLU	2.3
1	D	468	VAL	2.3
1	B	179	ALA	2.2
1	C	4	THR	2.2
1	A	317	GLY	2.2
1	A	142	LEU	2.2
1	C	108	ASP	2.2
1	C	319	ARG	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	321	SER	2.2
1	B	87	ALA	2.2
1	A	141	THR	2.2
1	B	93	PHE	2.2
1	C	316	PRO	2.2
1	A	87	ALA	2.2
1	D	75	LYS	2.2
1	D	73	GLU	2.2
1	C	415	LEU	2.1
1	C	317	GLY	2.1
1	A	278	GLU	2.1
1	D	441	GLY	2.1
1	D	377	ARG	2.1
1	D	21	TYR	2.1
1	D	318	LEU	2.1
1	C	140	ARG	2.1
1	A	218	GLN	2.0
1	C	435	GLU	2.0
1	C	116	SER	2.0
1	D	238	GLN	2.0
1	B	318	LEU	2.0
1	D	95	LEU	2.0
1	A	144	ASP	2.0
1	A	475	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	LLP	B	312	24/25	0.95	0.27	-	42,67,72,74	0
1	LLP	C	312	24/25	0.92	0.23	-	38,85,89,89	0
1	LLP	A	312	24/25	0.89	0.23	-	52,99,108,108	0
1	LLP	D	312	24/25	0.94	0.22	-	37,82,100,106	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	ZN	A	502	1/1	0.48	0.68	9.73	221,221,221,221	0
3	ZN	B	502	1/1	0.79	0.41	6.80	173,173,173,173	0
2	ACE	B	501	3/3	0.86	0.29	2.17	67,67,67,68	0
2	ACE	A	501	3/3	0.93	0.26	1.81	52,52,57,60	0
3	ZN	D	502	1/1	0.78	0.23	0.92	132,132,132,132	0
4	CA	D	501	1/1	0.46	0.11	-1.13	102,102,102,102	0
3	ZN	C	501	1/1	0.87	0.76	-	196,196,196,196	0

6.5 Other polymers [i](#)

There are no such residues in this entry.