



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:50 AM GMT

PDB ID : 3NA1
Title : Crystal structure of human CYP11A1 in complex with 20-hydroxycholesterol
Authors : Strushkevich, N.V.; MacKenzie, F.; Tempel, W.; Botchkarev, A.; Arrowsmith, C.H.; Edwards, A.M.; Bountra, C.; Weigelt, J.U.; Park, H.; Structural Genomics Consortium (SGC)
Deposited on : 2010-05-31
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1640 (2.28-2.24)
Clashscore	102246	1095 (2.26-2.26)
Ramachandran outliers	100387	1063 (2.26-2.26)
Sidechain outliers	100360	1063 (2.26-2.26)
RSRZ outliers	91569	1647 (2.28-2.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	487	<div> <div>3%</div> <div>89%</div> <div>7%</div> <div>••</div> </div>
1	B	487	<div> <div>2%</div> <div>84%</div> <div>11%</div> <div>••</div> </div>
2	C	123	<div> <div>17%</div> <div>20%</div> <div>79%</div> <div>•</div> </div>
2	D	123	<div> <div>17%</div> <div>16%</div> <div>80%</div> <div>•</div> </div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8795 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cholesterol side-chain cleavage enzyme, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	472	Total	C	N	O	S	0	0	0
			3886	2518	669	683	16			
1	B	471	Total	C	N	O	S	0	0	0
			3880	2515	668	681	16			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	483	HIS	-	EXPRESSION TAG	UNP P05108
A	484	HIS	-	EXPRESSION TAG	UNP P05108
A	485	HIS	-	EXPRESSION TAG	UNP P05108
A	486	HIS	-	EXPRESSION TAG	UNP P05108
A	487	HIS	-	EXPRESSION TAG	UNP P05108
A	488	HIS	-	EXPRESSION TAG	UNP P05108
B	483	HIS	-	EXPRESSION TAG	UNP P05108
B	484	HIS	-	EXPRESSION TAG	UNP P05108
B	485	HIS	-	EXPRESSION TAG	UNP P05108
B	486	HIS	-	EXPRESSION TAG	UNP P05108
B	487	HIS	-	EXPRESSION TAG	UNP P05108
B	488	HIS	-	EXPRESSION TAG	UNP P05108

- Molecule 2 is a protein called Adrenodoxin, mitochondrial.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	26	Total	C	N	O	S	0	0	0
			179	103	28	43	5			
2	D	24	Total	C	N	O	S	0	0	0
			167	97	26	39	5			

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
3	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 4 is (3ALPHA,8ALPHA)-CHOLEST-5-ENE-3,20-DIOL (three-letter code: HCD) (formula: C₂₇H₄₆O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			29	27	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			29	27	2		

- Molecule 5 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).






Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	Fe	S	0	0
			4	2	2		
5	D	1	Total	Fe	S	0	0
			4	2	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	261	Total	O	0	0
			261	261		
6	B	261	Total	O	0	0
			261	261		
6	C	5	Total	O	0	0
			5	5		
6	D	4	Total	O	0	0
			4	4		

- Molecule 1: Cholesterol side-chain cleavage enzyme, mitochondrial





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	82.81Å 115.15Å 85.73Å 90.00° 101.45° 90.00°	Depositor
Resolution (Å)	50.00 – 2.25 43.16 – 2.25	Depositor EDS
% Data completeness (in resolution range)	98.9 (50.00-2.25) 98.9 (43.16-2.25)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.69 (at 2.24Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.193 , 0.232 0.193 , 0.229	Depositor DCC
R_{free} test set	3714 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	24.1	Xtriage
Anisotropy	0.031	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 41.0	EDS
Estimated twinning fraction	0.170 for l,-k,h	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 73875 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8795	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, FES, HCD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.46	0/3996	0.56	1/5423 (0.0%)
1	B	0.45	0/3990	0.56	1/5414 (0.0%)
2	C	0.41	0/176	0.61	0/233
2	D	0.44	0/164	0.57	0/217
All	All	0.45	0/8326	0.56	2/11287 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	460	LEU	CA-CB-CG	-6.23	100.98	115.30
1	B	460	LEU	CA-CB-CG	-5.68	102.24	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3886	0	3852	27	0
1	B	3880	0	3848	46	0
2	C	179	0	153	5	0
2	D	167	0	147	6	0
3	A	43	0	30	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	43	0	30	2	0
4	A	29	0	46	0	0
4	B	29	0	46	0	0
5	C	4	0	0	0	0
5	D	4	0	0	0	0
6	A	261	0	0	1	0
6	B	261	0	0	1	0
6	C	5	0	0	0	0
6	D	4	0	0	0	0
All	All	8795	0	8152	78	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:310:GLN:HE21	1:A:314:ARG:HH22	1.15	0.90
1:B:310:GLN:HE21	1:B:314:ARG:HH22	1.17	0.87
1:B:87:TRP:NE1	1:B:201:MET:CE	2.37	0.87
1:B:116:ASN:HB3	2:D:49:THR:HG21	1.55	0.86
1:B:310:GLN:HE22	1:B:446:VAL:H	1.24	0.83
1:B:87:TRP:HE1	1:B:201:MET:HE1	1.45	0.82
1:A:310:GLN:HE22	1:A:446:VAL:H	1.25	0.81
1:B:201:MET:HE2	1:B:227:HIS:HE1	1.42	0.81
1:B:87:TRP:NE1	1:B:201:MET:HE1	1.96	0.81
1:B:418:TRP:HE1	2:D:80:LEU:HB3	1.44	0.80
1:B:87:TRP:NE1	1:B:201:MET:HE3	1.99	0.78
1:B:389:PHE:O	1:B:412:ARG:NH1	2.20	0.74
1:B:201:MET:HE2	1:B:227:HIS:CE1	2.23	0.73
1:B:201:MET:CE	1:B:227:HIS:HE1	2.03	0.71
1:B:87:TRP:HE1	1:B:201:MET:CE	2.01	0.70
1:A:418:TRP:HE1	2:C:80:LEU:HB3	1.56	0.70
1:B:380:ILE:HD11	1:B:414:LEU:HD13	1.78	0.65
1:A:14:SER:HB3	1:A:51:ARG:O	1.99	0.63
1:B:87:TRP:CD1	1:B:201:MET:HE3	2.36	0.60
1:A:344:GLU:CD	1:A:347:ARG:NH1	2.55	0.59
1:B:201:MET:O	1:B:201:MET:HE2	2.03	0.58
1:A:422:GLN:NE2	1:A:426:ARG:HH11	2.01	0.58
3:A:601:HEM:HMB2	3:A:601:HEM:HBB2	1.88	0.55
1:B:475:PHE:O	1:B:476:ASN:HB2	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:418:TRP:NE1	2:C:80:LEU:HB3	2.23	0.53
1:B:257:HIS:HB2	6:B:591:HOH:O	2.08	0.53
1:A:378:VAL:HG12	1:A:380:ILE:HD12	1.90	0.53
1:A:422:GLN:HE21	1:A:426:ARG:HD2	1.73	0.52
1:A:380:ILE:HD11	1:A:414:LEU:HD13	1.91	0.52
1:B:378:VAL:HG12	1:B:380:ILE:HD12	1.93	0.51
1:A:411:PHE:HA	2:C:80:LEU:CD2	2.42	0.50
1:B:256:HIS:CG	1:B:260:ARG:HD2	2.47	0.50
1:B:201:MET:CE	1:B:227:HIS:CE1	2.88	0.50
1:B:299:HIS:HE1	1:B:341:SER:OG	1.94	0.49
1:B:418:TRP:CD1	2:D:80:LEU:HD13	2.46	0.49
1:B:335:VAL:O	1:B:335:VAL:HG13	2.12	0.49
1:A:5:SER:HB2	1:A:6:PRO:HD2	1.95	0.49
1:B:418:TRP:NE1	2:D:80:LEU:HB3	2.21	0.48
1:A:100:VAL:HG22	1:A:108:TRP:CD1	2.48	0.48
1:A:335:VAL:O	1:A:335:VAL:HG13	2.14	0.48
1:B:310:GLN:NE2	1:B:314:ARG:HH22	2.00	0.47
1:B:156:SER:HA	1:B:470:PHE:O	2.14	0.47
1:B:390:PHE:HZ	1:B:412:ARG:HB3	1.79	0.47
1:B:194:PHE:CE2	1:B:198:ILE:HD11	2.49	0.47
1:B:418:TRP:HD1	2:D:80:LEU:HD13	1.79	0.47
1:B:217:ARG:O	1:B:221:THR:OG1	2.33	0.47
1:A:372:ALA:O	1:A:373:LYS:HB2	2.15	0.47
1:A:390:PHE:HZ	1:A:412:ARG:HB3	1.80	0.46
1:B:380:ILE:HD11	1:B:414:LEU:CD1	2.45	0.46
3:A:601:HEM:CMB	3:A:601:HEM:HBB2	2.46	0.46
1:B:463:MET:HB2	1:B:464:PRO:HD2	1.97	0.46
1:A:169:GLU:HG2	1:A:182:MET:HB2	1.98	0.46
1:B:390:PHE:CZ	1:B:412:ARG:HB3	2.51	0.45
1:A:390:PHE:CZ	1:A:412:ARG:HB3	2.52	0.45
1:B:272:MET:HE2	1:B:276:ASP:HB3	1.99	0.45
1:A:156:SER:HA	1:A:470:PHE:O	2.17	0.45
3:B:601:HEM:HMB2	3:B:601:HEM:HBB2	1.99	0.45
2:D:74:GLU:HG3	2:D:90:LEU:HD12	2.00	0.44
1:B:53:LYS:HA	1:B:58:GLU:HA	2.00	0.44
1:B:310:GLN:HE21	1:B:314:ARG:NH2	2.00	0.43
1:A:310:GLN:NE2	1:A:314:ARG:HH22	1.98	0.43
1:B:335:VAL:HG22	1:B:338:LEU:HB2	2.00	0.43
1:A:310:GLN:NE2	1:A:446:VAL:H	2.04	0.43
1:B:100:VAL:HG22	1:B:108:TRP:CD1	2.54	0.43
1:A:389:PHE:O	1:A:412:ARG:NH1	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:201:MET:HE1	1:B:205:SER:OG	2.20	0.42
1:A:109:LYS:NZ	2:C:45:ALA:O	2.43	0.42
1:A:411:PHE:HA	2:C:80:LEU:HD23	2.01	0.42
1:B:448:ILE:HD12	1:B:452:SER:HB3	2.02	0.41
1:B:324:ALA:HB1	1:B:330:THR:HB	2.01	0.41
1:B:188:ASN:HA	1:B:189:PRO:HD3	1.97	0.41
1:B:463:MET:HB2	1:B:464:PRO:CD	2.51	0.41
1:B:90:TYR:CZ	1:B:231:TRP:HB3	2.56	0.41
1:B:72:PHE:HB3	1:B:418:TRP:CE3	2.57	0.40
1:A:269:ASP:HB3	6:A:662:HOH:O	2.20	0.40
1:A:53:LYS:HA	1:A:58:GLU:HA	2.03	0.40
3:B:601:HEM:HBB2	3:B:601:HEM:CMB	2.51	0.40
1:A:310:GLN:HE21	1:A:314:ARG:NH2	1.99	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	470/487 (96%)	460 (98%)	9 (2%)	1 (0%)	52	61
1	B	469/487 (96%)	455 (97%)	11 (2%)	3 (1%)	30	30
2	C	20/123 (16%)	14 (70%)	6 (30%)	0	100	100
2	D	18/123 (15%)	13 (72%)	5 (28%)	0	100	100
All	All	977/1220 (80%)	942 (96%)	31 (3%)	4 (0%)	39	43

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	451	LEU
1	B	452	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	105	SER
1	B	254	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	420/434 (97%)	410 (98%)	10 (2%)	57	67
1	B	419/434 (96%)	403 (96%)	16 (4%)	40	49
2	C	20/108 (18%)	20 (100%)	0	100	100
2	D	19/108 (18%)	19 (100%)	0	100	100
All	All	878/1084 (81%)	852 (97%)	26 (3%)	48	59

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	SER
1	A	184	GLU
1	A	335	VAL
1	A	347	ARG
1	A	351	ILE
1	A	353	VAL
1	A	369	MET
1	A	380	ILE
1	A	403	SER
1	A	460	LEU
1	B	10	ASN
1	B	62	VAL
1	B	73	LYS
1	B	154	ASN
1	B	174	VAL
1	B	201	MET
1	B	237	LYS
1	B	239	ASP
1	B	278	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	335	VAL
1	B	338	LEU
1	B	353	VAL
1	B	367	ASP
1	B	380	ILE
1	B	452	SER
1	B	460	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	HIS
1	A	310	GLN
1	A	422	GLN
1	B	25	HIS
1	B	154	ASN
1	B	227	HIS
1	B	299	HIS
1	B	310	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link

column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	HEM	A	601	1,6	30,50,50	2.24	7 (23%)	24,82,82	2.48	10 (41%)
4	HCD	A	602	-	31,32,32	0.45	0	47,51,51	0.81	1 (2%)
3	HEM	B	601	1,6	30,50,50	2.24	7 (23%)	24,82,82	2.48	9 (37%)
4	HCD	B	602	-	31,32,32	0.48	0	47,51,51	0.83	1 (2%)
5	FES	C	150	2	0,4,4	0.00	-	0,4,4	0.00	-
5	FES	D	151	2	0,4,4	0.00	-	0,4,4	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HEM	A	601	1,6	-	0/10/54/54	0/0/8/8
4	HCD	A	602	-	-	0/13/71/71	0/4/4/4
3	HEM	B	601	1,6	-	0/10/54/54	0/0/8/8
4	HCD	B	602	-	-	0/13/71/71	0/4/4/4
5	FES	C	150	2	-	0/0/4/4	0/1/1/1
5	FES	D	151	2	-	0/0/4/4	0/1/1/1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	601	HEM	C3B-C4B	-7.56	1.45	1.51
3	A	601	HEM	C3B-C4B	-7.16	1.45	1.51
3	B	601	HEM	C3D-C4D	-5.18	1.44	1.51
3	A	601	HEM	C3D-C4D	-4.98	1.45	1.51
3	B	601	HEM	C2C-C1C	-4.02	1.44	1.52
3	A	601	HEM	C2C-C1C	-3.83	1.45	1.52
3	B	601	HEM	C2D-C1D	-2.17	1.44	1.51
3	A	601	HEM	C3B-CAB	2.12	1.55	1.51
3	B	601	HEM	FE-ND	2.21	2.09	1.97
3	B	601	HEM	C1C-NC	2.23	1.38	1.36
3	A	601	HEM	C1C-NC	2.24	1.38	1.36
3	A	601	HEM	FE-ND	2.42	2.10	1.97
3	B	601	HEM	FE-NC	3.05	2.07	1.95
3	A	601	HEM	FE-NC	3.95	2.11	1.95

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	601	HEM	CBA-CAA-C2A	-3.90	105.54	112.53
3	A	601	HEM	CBA-CAA-C2A	-3.49	106.27	112.53
3	A	601	HEM	C3C-CAC-CBC	-3.46	119.16	124.46
3	B	601	HEM	C3C-CAC-CBC	-3.43	119.20	124.46
3	A	601	HEM	CBD-CAD-C3D	-3.26	104.06	113.55
3	B	601	HEM	CBD-CAD-C3D	-2.93	105.02	113.55
3	A	601	HEM	C2C-C1C-CHC	2.16	126.97	123.68
3	A	601	HEM	C2D-C3D-C4D	2.32	105.42	101.50
3	B	601	HEM	C2D-C3D-C4D	2.35	105.49	101.50
4	A	602	HCD	C4-C5-C10	2.40	119.93	116.43
4	B	602	HCD	C4-C5-C10	2.47	120.02	116.43
3	A	601	HEM	CMD-C2D-C3D	2.63	125.96	114.35
3	B	601	HEM	CMD-C2D-C3D	2.99	127.60	114.35
3	B	601	HEM	CMC-C2C-C3C	3.78	125.97	116.53
3	A	601	HEM	CMC-C2C-C3C	3.87	126.20	116.53
3	A	601	HEM	CAD-C3D-C2D	4.36	125.74	113.22
3	B	601	HEM	CAD-C3D-C4D	4.37	127.88	112.47
3	B	601	HEM	CMB-C2B-C3B	4.60	128.02	116.53
3	A	601	HEM	CMB-C2B-C3B	4.63	128.09	116.53
3	A	601	HEM	CAD-C3D-C4D	4.64	128.83	112.47
3	B	601	HEM	CAD-C3D-C2D	4.67	126.63	113.22

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	601	HEM	2	0
3	B	601	HEM	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	472/487 (96%)	-0.08	13 (2%) 56 61	13, 22, 37, 47	0
1	B	471/487 (96%)	-0.06	12 (2%) 61 65	12, 22, 37, 47	0
2	C	26/123 (21%)	4.36	21 (80%) 0 0	78, 81, 98, 99	0
2	D	24/123 (19%)	4.43	21 (87%) 0 0	79, 92, 97, 98	0
All	All	993/1220 (81%)	0.15	67 (6%) 21 23	12, 22, 47, 99	0

All (67) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	92	CYS	9.6
2	D	92	CYS	9.3
1	B	451	LEU	9.0
2	D	90	LEU	8.6
2	C	78	LEU	8.1
2	D	53	SER	7.2
2	D	78	LEU	7.2
2	C	91	GLY	7.1
2	C	44	GLY	7.1
2	C	48	GLY	6.8
2	C	93	GLN	6.7
2	C	53	SER	6.4
2	C	47	GLU	6.2
1	B	450	HIS	6.1
2	D	93	GLN	5.9
2	C	90	LEU	5.7
2	D	91	GLY	5.3
1	A	476	ASN	5.3
1	B	254	SER	5.2
2	C	54	THR	5.2
2	D	47	GLU	5.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	54	THR	5.0
2	D	48	GLY	4.9
2	D	46	CYS	4.8
2	C	55	CYS	4.7
2	D	73	GLU	4.6
2	C	50	LEU	4.4
2	D	52	CYS	4.2
1	B	404	LYS	4.2
1	B	476	ASN	4.2
2	C	46	CYS	4.1
2	D	50	LEU	4.1
2	D	81	ALA	4.1
2	C	51	ALA	4.0
2	C	80	LEU	3.9
2	C	75	ASN	3.8
2	D	75	ASN	3.8
1	A	5	SER	3.7
1	A	404	LYS	3.7
2	C	49	THR	3.5
2	D	55	CYS	3.5
2	D	49	THR	3.5
1	A	254	SER	3.3
2	D	79	ASP	3.2
2	D	76	ASP	3.1
2	C	52	CYS	3.0
2	D	51	ALA	3.0
1	A	269	ASP	2.9
1	B	253	GLY	2.9
1	A	253	GLY	2.7
1	B	269	ASP	2.7
1	B	407	ASN	2.7
1	B	406	LYS	2.6
2	C	79	ASP	2.6
2	C	45	ALA	2.6
1	A	217	ARG	2.6
1	A	475	PHE	2.4
2	D	80	LEU	2.4
1	A	73	LYS	2.3
1	A	406	LYS	2.2
1	A	93	TYR	2.2
1	B	257	HIS	2.1
1	B	28	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	6	PRO	2.1
1	B	367	ASP	2.1
2	C	81	ALA	2.0
1	A	367	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	HCD	A	602	29/29	0.98	0.18	0.64	9,11,17,17	0
4	HCD	B	602	29/29	0.96	0.17	0.48	9,11,16,17	0
3	HEM	A	601	43/43	0.98	0.17	0.26	13,14,16,17	0
3	HEM	B	601	43/43	0.98	0.15	0.07	12,14,17,18	0
5	FES	D	151	4/4	0.87	0.18	-1.82	110,110,110,110	0
5	FES	C	150	4/4	0.76	0.21	-1.86	99,99,99,100	0

6.5 Other polymers [i](#)

There are no such residues in this entry.