



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:04 PM GMT

PDB ID : 1NBU  
Title : 7,8-Dihydroneopterin Aldolase Complexed with Product From Mycobacterium Tuberculosis  
Authors : Goulding, C.W.; Apostol, M.I.; Sawaya, M.R.; Phillips, M.; Parseghian, A.; Eisenberg, D.; TB Structural Genomics Consortium (TBSGC)  
Deposited on : 2002-12-03  
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2475 (1.60-1.60)
Clashscore	102246	2732 (1.60-1.60)
Ramachandran outliers	100387	2654 (1.60-1.60)
Sidechain outliers	100360	2653 (1.60-1.60)
RSRZ outliers	91569	2479 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	119	 4% 76% 22% ..
1	E	119	 4% 78% 18% ...
1	F	119	 4% 75% 18% 6% ..
1	G	119	 3% 80% 17% ..
1	H	119	 5% 80% 14% ..

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
2	B	119	 7% 71% 24% . . .
2	D	119	 6% 73% 23% . . .
3	C	119	 4% 76% 21% . . .

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7988 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Probable dihydroneopterin aldolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	118	Total 929	C 577	N 177	O 174	S 1	0	1	0
1	E	118	Total 934	C 579	N 180	O 174	S 1	0	2	0
1	F	118	Total 929	C 577	N 177	O 174	S 1	0	1	0
1	G	118	Total 924	C 575	N 174	O 174	S 1	0	0	0
1	H	118	Total 924	C 575	N 174	O 174	S 1	0	0	0

- Molecule 2 is a protein called Probable dihydroneopterin aldolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	118	Total 926	C 576	N 177	O 172	S 1	0	1	0
2	D	118	Total 921	C 574	N 174	O 172	S 1	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	20	ALA	ASP	ENGINEERED	UNP P0A580
D	20	ALA	ASP	ENGINEERED	UNP P0A580


- Molecule 3 is a protein called Probable dihydroneopterin aldolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	118	Total 919	C 570	N 177	O 171	S 1	0	1	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	19	ALA	TYR	ENGINEERED	UNP P0A580
C	20	ALA	ASP	ENGINEERED	UNP P0A580

- Molecule 4 is 2-AMINO-6-HYDROXYMETHYL-7,8-DIHYDRO-3H-PTERIDIN-4-ONE (three-letter code: PH2) (formula: C<sub>7</sub>H<sub>9</sub>N<sub>5</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
4	C	1	Total 14	C 7	N 5	O 2	0	0
4	D	1	Total 14	C 7	N 5	O 2	0	0
4	B	1	Total 14	C 7	N 5	O 2	0	0
4	A	1	Total 14	C 7	N 5	O 2	0	0
4	G	1	Total 14	C 7	N 5	O 2	0	0
4	H	1	Total 14	C 7	N 5	O 2	0	0
4	F	1	Total 14	C 7	N 5	O 2	0	0
4	E	1	Total 14	C 7	N 5	O 2	0	0

- Molecule 5 is water.

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>	<b>ZeroOcc</b>	<b>AltConf</b>
5	A	43	Total O 43 43	0	0
5	B	69	Total O 69 69	0	0
5	C	42	Total O 42 42	0	0
5	D	52	Total O 52 52	0	0
5	E	62	Total O 62 62	0	0
5	F	61	Total O 61 61	0	0
5	G	59	Total O 59 59	0	0
5	H	82	Total O 82 82	0	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Probable dihydroneopterin aldolase




- Molecule 1: Probable dihydroneopterin aldolase



- Molecule 1: Probable dihydroneopterin aldolase




- Molecule 1: Probable dihydroneopterin aldolase




- Molecule 1: Probable dihydroneopterin aldolase




- Molecule 2: Probable dihydroneopterin aldolase



- Molecule 2: Probable dihydroneopterin aldolase



- Molecule 3: Probable dihydroneopterin aldolase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	78.56Å 85.15Å 74.79Å 90.00° 112.69° 90.00°	Depositor
Resolution (Å)	10.00 – 1.60 53.61 – 1.60	Depositor EDS
% Data completeness (in resolution range)	93.8 (10.00-1.60) 96.4 (53.61-1.60)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.39 (at 1.60Å)	Xtrriage
Refinement program	SHELXL-97	Depositor
R, $R_{free}$	0.166 , 0.257 0.214 , 0.253	Depositor DCC
$R_{free}$ test set	5881 reflections (5.37%)	DCC
Wilson B-factor (Å <sup>2</sup> )	20.5	Xtrriage
Anisotropy	0.193	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 57.3	EDS
Estimated twinning fraction	No twinning to report.	Xtrriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Outliers	2 of 118163 reflections (0.002%)	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	7988	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.43% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PH2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.39	0/952	1.20	5/1296 (0.4%)
1	E	0.44	0/963	1.28	9/1310 (0.7%)
1	F	0.42	0/952	1.24	7/1296 (0.5%)
1	G	1.15	1/941 (0.1%)	1.45	13/1282 (1.0%)
1	H	0.41	0/941	1.23	6/1282 (0.5%)
2	B	0.41	0/949	1.29	12/1292 (0.9%)
2	D	0.41	0/938	1.32	15/1278 (1.2%)
3	C	0.40	0/941	1.28	7/1281 (0.5%)
All	All	0.56	1/7577 (0.0%)	1.29	74/10317 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1
1	H	0	1
2	B	0	1
2	D	0	1
All	All	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	G	60	ARG	CB-CG	32.59	2.40	1.52

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	15	ARG	NE-CZ-NH1	-14.82	112.89	120.30
1	G	15	ARG	NE-CZ-NH2	12.28	126.44	120.30
1	G	119	ARG	NE-CZ-NH1	10.99	125.80	120.30
1	F	19	TYR	C-N-CA	10.67	148.38	121.70
2	D	8	ARG	NE-CZ-NH1	10.35	125.47	120.30
2	B	15	ARG	NE-CZ-NH1	-10.28	115.16	120.30
2	B	54	TYR	CB-CG-CD1	10.21	127.13	121.00
1	G	70	ARG	NE-CZ-NH1	9.85	125.22	120.30
1	H	54	TYR	CB-CG-CD1	9.63	126.78	121.00
1	G	19	TYR	C-N-CA	9.63	145.77	121.70
2	D	28	ARG	CD-NE-CZ	8.77	135.88	123.60
3	C	117	ARG	NE-CZ-NH1	-8.74	115.93	120.30
3	C	15[A]	ARG	NE-CZ-NH1	8.31	124.45	120.30
3	C	15[B]	ARG	NE-CZ-NH1	8.31	124.45	120.30
2	D	20	ALA	N-CA-CB	7.84	121.07	110.10
1	E	117	ARG	NE-CZ-NH2	-7.80	116.40	120.30
1	G	119	ARG	NE-CZ-NH2	-7.77	116.42	120.30
2	D	56	ARG	NE-CZ-NH2	-7.64	116.48	120.30
1	F	60	ARG	NE-CZ-NH2	7.63	124.11	120.30
1	G	119	ARG	CD-NE-CZ	7.59	134.23	123.60
2	B	54	TYR	CG-CD1-CE1	7.55	127.34	121.30
2	D	28	ARG	NE-CZ-NH1	7.29	123.94	120.30
3	C	119	ARG	NE-CZ-NH2	-7.21	116.70	120.30
2	D	54	TYR	CG-CD1-CE1	7.12	127.00	121.30
1	E	70	ARG	NE-CZ-NH1	7.10	123.85	120.30
1	H	23	ARG	CD-NE-CZ	7.03	133.45	123.60
2	B	119	ARG	CD-NE-CZ	7.00	133.41	123.60
1	A	54	TYR	CB-CG-CD1	6.90	125.14	121.00
2	D	60	ARG	NE-CZ-NH1	-6.83	116.88	120.30
1	F	54	TYR	CB-CG-CD1	6.82	125.09	121.00
2	B	8	ARG	NE-CZ-NH2	-6.78	116.91	120.30
1	G	60	ARG	NE-CZ-NH1	-6.77	116.91	120.30
2	B	117	ARG	NE-CZ-NH2	-6.74	116.93	120.30
2	B	119	ARG	NE-CZ-NH1	6.70	123.65	120.30
2	B	15	ARG	NE-CZ-NH2	6.61	123.61	120.30
1	A	54	TYR	CG-CD1-CE1	6.59	126.58	121.30
1	F	20	ASP	N-CA-CB	6.59	122.46	110.60
2	D	119	ARG	NE-CZ-NH2	-6.49	117.06	120.30
1	H	19	TYR	C-N-CA	6.47	137.88	121.70
1	A	117	ARG	NE-CZ-NH2	-6.42	117.09	120.30
2	D	20	ALA	N-CA-C	-6.42	93.66	111.00
2	B	4	ARG	NE-CZ-NH1	6.38	123.49	120.30
1	G	8	ARG	NE-CZ-NH2	-6.38	117.11	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	54	TYR	CB-CG-CD1	6.38	124.83	121.00
2	D	119	ARG	NE-CZ-NH1	6.30	123.45	120.30
1	E	117	ARG	NE-CZ-NH1	6.28	123.44	120.30
1	F	54	TYR	CG-CD1-CE1	6.14	126.21	121.30
2	D	19	TYR	C-N-CA	6.08	136.89	121.70
1	H	4	ARG	NE-CZ-NH2	6.05	123.32	120.30
3	C	119	ARG	NE-CZ-NH1	5.84	123.22	120.30
3	C	4	ARG	NE-CZ-NH2	-5.81	117.39	120.30
1	H	119	ARG	NE-CZ-NH1	5.73	123.17	120.30
1	G	54	TYR	CB-CG-CD1	5.71	124.43	121.00
1	G	54	TYR	CG-CD1-CE1	5.68	125.85	121.30
2	B	117	ARG	NE-CZ-NH1	5.68	123.14	120.30
2	D	21	HIS	CA-CB-CG	5.58	123.09	113.60
2	B	86	ASP	CB-CG-OD1	5.52	123.27	118.30
3	C	48	LEU	CA-CB-CG	5.47	127.89	115.30
1	F	119	ARG	CD-NE-CZ	5.42	131.19	123.60
1	G	15	ARG	CD-NE-CZ	-5.32	116.15	123.60
1	E	82	ASP	CB-CG-OD1	5.31	123.08	118.30
2	B	15	ARG	CD-NE-CZ	-5.28	116.20	123.60
1	E	4	ARG	NE-CZ-NH1	5.23	122.92	120.30
1	E	20	ASP	N-CA-C	-5.18	97.00	111.00
1	E	54	TYR	CG-CD1-CE1	5.14	125.42	121.30
1	F	119	ARG	NE-CZ-NH1	5.13	122.86	120.30
1	A	56	ARG	NE-CZ-NH2	-5.11	117.75	120.30
1	G	20	ASP	N-CA-C	-5.10	97.23	111.00
1	E	75	THR	CA-CB-CG2	-5.09	105.27	112.40
2	D	54	TYR	CD1-CG-CD2	-5.08	112.32	117.90
1	A	8	ARG	NE-CZ-NH1	5.07	122.83	120.30
1	E	116	ARG	NE-CZ-NH1	-5.06	117.77	120.30
2	D	28	ARG	NE-CZ-NH2	-5.01	117.79	120.30
1	H	23	ARG	NE-CZ-NH1	5.01	122.81	120.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	2	ALA	Peptide
2	D	19	TYR	Peptide
1	E	19	TYR	Peptide
1	H	19	TYR	Peptide

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	929	0	914	22	0
1	E	934	0	919	17	1
1	F	929	0	913	28	0
1	G	924	0	909	14	1
1	H	924	0	909	23	0
2	B	926	0	915	27	1
2	D	921	0	910	21	1
3	C	919	0	911	25	0
4	A	14	0	9	2	0
4	B	14	0	8	3	0
4	C	14	0	9	2	0
4	D	14	0	9	2	0
4	E	14	0	8	2	0
4	F	14	0	9	1	0
4	G	14	0	9	1	0
4	H	14	0	9	1	0
5	A	43	0	0	0	0
5	B	69	0	0	0	0
5	C	42	0	0	2	0
5	D	52	0	0	1	0
5	E	62	0	0	1	0
5	F	61	0	0	1	0
5	G	59	0	0	1	0
5	H	82	0	0	1	0
All	All	7988	0	7370	156	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (156) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:60:ARG:CB	1:G:60:ARG:CG	2.40	1.00
1:E:16:HIS:HD2	1:E:70:ARG:H	1.23	0.85
1:G:16:HIS:HD2	1:G:70:ARG:H	1.23	0.85

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:18:VAL:HG23	2:D:19:TYR:HD1	1.42	0.84
3:C:16:HIS:HD2	3:C:70:ARG:H	1.26	0.83
2:B:16:HIS:HD2	2:B:70:ARG:H	1.25	0.83
2:D:18:VAL:HG22	4:D:220:PH2:H112	1.60	0.82
2:D:16:HIS:HD2	2:D:70:ARG:H	1.26	0.81
1:A:16:HIS:HD2	1:A:70:ARG:H	1.27	0.81
2:B:2:ALA:HB3	2:D:116:ARG:HD2	1.60	0.81
1:F:16:HIS:HD2	1:F:70:ARG:H	1.27	0.81
1:A:20:ASP:HA	1:A:23[B]:ARG:HH11	1.48	0.79
1:H:16:HIS:HD2	1:H:70:ARG:H	1.32	0.78
1:G:18:VAL:HB	4:G:520:PH2:H112	1.66	0.74
1:H:70:ARG:HD3	5:H:9332:HOH:O	1.89	0.73
1:A:104:ILE:HG12	1:A:106:GLN:OE1	1.90	0.72
2:B:2:ALA:HB3	2:D:116:ARG:CD	2.19	0.71
1:A:15:ARG:O	1:A:23[A]:ARG:HD2	1.92	0.70
2:D:23:ARG:HH22	2:D:71:LYS:HE2	1.55	0.70
2:D:18:VAL:HG23	2:D:19:TYR:CD1	2.27	0.70
3:C:104:ILE:HG23	3:C:106:GLN:H	1.59	0.68
1:A:116:ARG:HD2	2:D:2:ALA:HB3	1.74	0.68
1:F:46:ASP:OD1	1:H:75:THR:HG21	1.94	0.67
1:E:71:LYS:HE2	1:H:46:ASP:O	1.94	0.67
3:C:18:VAL:HG22	4:C:120:PH2:H112	1.77	0.66
1:H:18:VAL:HG12	1:H:19:TYR:CD1	2.30	0.66
2:B:91:HIS:O	2:B:119:ARG:HD2	1.96	0.66
1:E:75:THR:HG21	1:H:46:ASP:OD1	1.97	0.64
3:C:60:ARG:HH12	3:C:63:GLU:HB2	1.62	0.64
1:F:116:ARG:HD2	1:G:2:ALA:HB3	1.81	0.63
1:H:52:TYR:HE1	1:H:57:LEU:HG	1.64	0.63
1:H:72:LEU:HB2	1:H:75:THR:HG23	1.80	0.62
2:D:23:ARG:NH2	2:D:71:LYS:HE2	2.15	0.62
1:F:43:ALA:HA	1:H:75:THR:HG22	1.82	0.60
2:B:92:ALA:HB2	2:B:118:SER:HB2	1.82	0.60
1:F:23[B]:ARG:HG2	1:F:23[B]:ARG:HH11	1.67	0.59
1:A:18:VAL:HG22	4:A:420:PH2:H112	1.84	0.59
1:E:60:ARG:HG2	1:E:83:HIS:CE1	2.38	0.58
1:F:90:VAL:O	1:F:119:ARG:HD2	2.03	0.58
1:H:31:ILE:HG12	1:H:65:VAL:HG21	1.84	0.58
2:B:83:HIS:O	2:B:86:ASP:HB2	2.04	0.58
1:F:53:ASP:OD1	1:F:55:VAL:HG13	2.04	0.57
1:F:75:THR:HG21	1:G:46:ASP:OD1	2.04	0.57
1:A:2:ALA:N	3:C:116:ARG:HD3	2.20	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:2:ALA:CB	2:D:116:ARG:HD2	2.34	0.56
1:A:16:HIS:CD2	1:A:70:ARG:H	2.17	0.56
1:G:5:ILE:HD12	1:G:52:TYR:HB3	1.88	0.55
3:C:60:ARG:HA	3:C:60:ARG:HH11	1.70	0.55
5:F:9340:HOH:O	4:H:620:PH2:H111	2.07	0.55
1:H:41:GLU:OE2	1:H:41:GLU:HA	2.06	0.55
1:A:28:ARG:H	1:A:101:GLN:NE2	2.04	0.54
1:F:5:ILE:HD13	1:F:52:TYR:HB3	1.88	0.54
2:B:71:LYS:HD3	3:C:46:ASP:O	2.08	0.54
2:B:116:ARG:HD3	3:C:2:ALA:N	2.23	0.54
3:C:60:ARG:NH1	3:C:63:GLU:HB2	2.23	0.53
1:H:70:ARG:HG3	1:H:75:THR:OG1	2.08	0.53
3:C:60:ARG:HG2	3:C:83:HIS:CD2	2.43	0.53
2:B:16:HIS:CD2	2:B:70:ARG:H	2.16	0.53
4:B:320:PH2:H32	3:C:55:VAL:HG23	1.91	0.52
3:C:16:HIS:CD2	3:C:70:ARG:H	2.17	0.52
1:E:70:ARG:HG3	1:E:76:VAL:HG22	1.91	0.52
2:B:15:ARG:O	2:B:23[B]:ARG:HG2	2.10	0.52
1:F:2:ALA:HB3	1:H:116:ARG:HD3	1.92	0.52
1:A:105:PRO:HD2	1:A:106:GLN:OE1	2.10	0.52
2:D:104:ILE:HG12	5:D:9056:HOH:O	2.08	0.52
1:A:20:ASP:HA	1:A:23[B]:ARG:NH1	2.23	0.52
1:H:83:HIS:O	1:H:86:ASP:HB2	2.10	0.51
1:F:2:ALA:HB3	1:H:116:ARG:CD	2.40	0.51
1:H:19:TYR:O	1:H:22:GLU:HB2	2.10	0.51
3:C:14:GLY:HA2	3:C:15[B]:ARG:HH21	1.76	0.50
2:B:18:VAL:HG13	4:B:320:PH2:C11	2.40	0.50
1:A:18:VAL:HG22	4:A:420:PH2:C11	2.42	0.50
1:E:60:ARG:HG2	1:E:83:HIS:NE2	2.27	0.50
1:A:18:VAL:HG23	1:A:19:TYR:CD1	2.47	0.50
2:B:73:ILE:CD1	2:B:113:VAL:HG13	2.41	0.49
1:F:70:ARG:HG3	1:F:75:THR:OG1	2.12	0.49
1:F:16:HIS:CD2	1:F:69:PRO:HA	2.47	0.49
1:F:116:ARG:CD	1:G:2:ALA:HB3	2.43	0.49
1:F:41:GLU:OE2	1:F:41:GLU:HA	2.11	0.49
2:B:60:ARG:HG2	2:B:83:HIS:CE1	2.47	0.48
1:A:2:ALA:HB3	3:C:116:ARG:HD2	1.95	0.48
1:G:92:ALA:HB2	1:G:118:SER:HB2	1.95	0.48
3:C:14:GLY:C	3:C:15[B]:ARG:HE	2.17	0.48
3:C:5:ILE:CD1	3:C:52:TYR:HB3	2.44	0.48
2:D:105:PRO:HD2	2:D:106:GLN:OE1	2.14	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:18:VAL:HB	4:F:720:PH2:H112	1.96	0.47
2:B:18:VAL:HG13	4:B:320:PH2:H112	1.96	0.47
2:B:28:ARG:HE	2:B:28:ARG:HB2	1.54	0.47
1:A:55:VAL:HG23	4:C:120:PH2:H32	1.96	0.47
1:F:19:TYR:O	1:F:22:GLU:HB2	2.15	0.46
2:B:15:ARG:NH1	2:B:24:VAL:O	2.49	0.46
1:F:61:ALA:O	1:F:65:VAL:HG23	2.15	0.46
3:C:2:ALA:HB1	5:C:9210:HOH:O	2.16	0.46
3:C:15[B]:ARG:HG3	3:C:26:GLY:HA3	1.96	0.46
1:G:60:ARG:HD2	1:G:63:GLU:OE1	2.16	0.46
1:F:20:ASP:OD1	1:F:23[A]:ARG:NH1	2.49	0.46
2:B:16:HIS:HE1	2:B:65:VAL:O	1.99	0.45
2:B:17:GLY:O	2:B:23[B]:ARG:NH1	2.50	0.45
1:A:71:LYS:HB3	1:A:71:LYS:HE2	1.54	0.45
1:G:60:ARG:NH2	5:G:9150:HOH:O	2.50	0.45
1:E:18:VAL:HB	4:E:820:PH2:H112	1.99	0.45
2:B:37:ILE:HG21	2:B:37:ILE:HD13	1.77	0.45
1:A:20:ASP:OD1	1:A:23[B]:ARG:NH1	2.50	0.45
1:F:23[B]:ARG:NH1	1:F:23[B]:ARG:HG2	2.31	0.45
1:E:2:ALA:N	5:E:9392:HOH:O	2.50	0.45
1:F:71:LYS:HD3	1:G:46:ASP:O	2.16	0.45
1:A:60:ARG:HG2	1:A:83:HIS:CD2	2.52	0.45
1:G:70:ARG:HG3	1:G:75:THR:HB	2.00	0.44
1:F:16:HIS:CD2	1:F:70:ARG:H	2.19	0.44
2:D:98:HIS:HA	2:D:112:ALA:HB2	1.99	0.44
3:C:117:ARG:HH11	3:C:117:ARG:HD2	1.49	0.44
2:B:61:ALA:O	2:B:65:VAL:HG23	2.17	0.44
1:F:72:LEU:HB2	1:F:75:THR:HG23	2.00	0.44
1:E:16:HIS:CD2	1:E:70:ARG:H	2.15	0.44
1:A:104:ILE:HD11	2:D:58:ALA:HB3	2.00	0.44
3:C:68:PRO:HA	3:C:69:PRO:HD3	1.75	0.44
1:H:52:TYR:CE1	1:H:57:LEU:HG	2.47	0.43
2:D:68:PRO:HA	2:D:69:PRO:HD3	1.72	0.43
1:E:31:ILE:HG13	1:E:65:VAL:HG21	2.00	0.43
2:B:55:VAL:HG23	4:D:220:PH2:H32	1.99	0.43
2:B:2:ALA:HB3	2:D:116:ARG:HD3	2.00	0.43
1:F:56:ARG:HG2	1:F:56:ARG:NH1	2.33	0.43
1:H:18:VAL:HG12	1:H:19:TYR:CE1	2.53	0.43
2:B:85:MET:HE3	2:B:119:ARG:HH21	1.84	0.43
1:E:45:SER:OG	1:E:47:ASP:HB3	2.19	0.43
1:F:56:ARG:HH11	1:F:56:ARG:HG2	1.83	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:104:ILE:HG22	3:C:55:VAL:HG13	1.99	0.42
2:B:85:MET:CE	2:B:119:ARG:HH21	2.32	0.42
1:E:17:GLY:HA2	4:E:820:PH2:O4	2.18	0.42
2:D:60:ARG:HH11	2:D:60:ARG:HD2	1.58	0.42
1:G:16:HIS:HE1	1:G:65:VAL:O	2.03	0.42
1:H:23:ARG:O	1:H:23:ARG:HG3	2.19	0.42
1:E:16:HIS:HE1	1:E:65:VAL:O	2.01	0.42
1:H:16:HIS:HE1	1:H:65:VAL:O	2.03	0.42
1:G:44:ASN:HA	1:G:44:ASN:HD22	1.62	0.42
1:F:16:HIS:HE1	1:F:65:VAL:O	2.02	0.42
2:D:15:ARG:NH2	2:D:25:ALA:HA	2.34	0.41
3:C:16:HIS:HE1	3:C:65:VAL:O	2.04	0.41
3:C:104:ILE:O	3:C:104:ILE:HG22	2.20	0.41
1:A:27:GLN:HB2	1:A:101:GLN:HE21	1.84	0.41
2:D:44:ASN:HD22	2:D:44:ASN:HA	1.63	0.41
2:B:73:ILE:HD11	2:B:113:VAL:HG13	2.01	0.41
1:H:82:ASP:OD1	1:H:117:ARG:NH1	2.52	0.41
1:F:46:ASP:O	1:H:71:LYS:HD2	2.20	0.41
2:D:36:TRP:CZ3	2:D:94:GLU:HG3	2.56	0.41
1:E:70:ARG:HG3	1:E:76:VAL:CG2	2.50	0.41
3:C:89:ARG:HD2	5:C:9457:HOH:O	2.20	0.41
1:E:19:TYR:O	1:E:22:GLU:HB2	2.21	0.40
2:D:28:ARG:H	2:D:101:GLN:NE2	2.19	0.40
1:E:75:THR:HG22	1:E:75:THR:H	1.61	0.40
1:H:70:ARG:HD3	1:H:70:ARG:HH11	1.53	0.40
1:A:68:PRO:HA	1:A:69:PRO:HD3	1.74	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:19:TYR:OH	1:E:23[B]:ARG:NH1[2_656]	1.39	0.81
2:D:19:TYR:OH	1:G:23:ARG:NH2[2_555]	2.06	0.14

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	117/119 (98%)	115 (98%)	2 (2%)	0	100	100
1	E	118/119 (99%)	117 (99%)	1 (1%)	0	100	100
1	F	117/119 (98%)	116 (99%)	1 (1%)	0	100	100
1	G	116/119 (98%)	116 (100%)	0	0	100	100
1	H	116/119 (98%)	116 (100%)	0	0	100	100
2	B	117/119 (98%)	116 (99%)	1 (1%)	0	100	100
2	D	116/119 (98%)	114 (98%)	2 (2%)	0	100	100
3	C	117/119 (98%)	116 (99%)	1 (1%)	0	100	100
All	All	934/952 (98%)	926 (99%)	8 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	97/97 (100%)	91 (94%)	6 (6%)	23	5
1	E	98/97 (101%)	94 (96%)	4 (4%)	37	11
1	F	97/97 (100%)	90 (93%)	7 (7%)	18	3
1	G	96/97 (99%)	93 (97%)	3 (3%)	47	19
1	H	96/97 (99%)	92 (96%)	4 (4%)	36	11
2	B	96/96 (100%)	91 (95%)	5 (5%)	29	7
2	D	95/96 (99%)	93 (98%)	2 (2%)	61	33
3	C	95/95 (100%)	91 (96%)	4 (4%)	36	11
All	All	770/772 (100%)	735 (96%)	35 (4%)	34	10

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	15	ARG
1	A	23[A]	ARG
1	A	23[B]	ARG
1	A	48	LEU
1	A	57	LEU
1	A	119	ARG
2	B	18	VAL
2	B	31	ILE
2	B	57	LEU
2	B	59	SER
2	B	119	ARG
3	C	23	ARG
3	C	57	LEU
3	C	104	ILE
3	C	118	SER
2	D	57	LEU
2	D	104	ILE
1	E	57	LEU
1	E	70	ARG
1	E	75	THR
1	E	118	SER
1	F	41	GLU
1	F	60	ARG
1	F	70	ARG
1	F	71	LYS
1	F	75	THR
1	F	117	ARG
1	F	119	ARG
1	G	31	ILE
1	G	57	LEU
1	G	119	ARG
1	H	31	ILE
1	H	41	GLU
1	H	57	LEU
1	H	70	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	16	HIS
1	A	44	ASN
1	A	101	GLN
2	B	16	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	44	ASN
2	B	101	GLN
3	C	16	HIS
3	C	44	ASN
3	C	83	HIS
3	C	101	GLN
2	D	16	HIS
2	D	21	HIS
2	D	44	ASN
2	D	101	GLN
1	E	16	HIS
1	E	44	ASN
1	E	88	GLN
1	F	16	HIS
1	F	44	ASN
1	F	101	GLN
1	G	16	HIS
1	G	44	ASN
1	G	88	GLN
1	H	16	HIS
1	H	27	GLN
1	H	44	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	PH2	A	420	-	11,15,15	3.39	6 (54%)	9,21,21	4.93	7 (77%)
4	PH2	B	320	-	11,15,15	3.62	5 (45%)	9,21,21	4.17	7 (77%)
4	PH2	C	120	-	11,15,15	3.36	5 (45%)	9,21,21	4.52	7 (77%)
4	PH2	D	220	-	11,15,15	3.53	6 (54%)	9,21,21	4.58	6 (66%)
4	PH2	E	820	-	11,15,15	3.32	5 (45%)	9,21,21	4.30	7 (77%)
4	PH2	F	720	-	11,15,15	3.55	6 (54%)	9,21,21	3.89	6 (66%)
4	PH2	G	520	-	11,15,15	3.57	5 (45%)	9,21,21	4.86	6 (66%)
4	PH2	H	620	-	11,15,15	3.61	6 (54%)	9,21,21	5.08	5 (55%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PH2	A	420	-	-	0/0/11/11	0/2/2/2
4	PH2	B	320	-	-	0/0/11/11	0/2/2/2
4	PH2	C	120	-	-	0/0/11/11	0/2/2/2
4	PH2	D	220	-	-	0/0/11/11	0/2/2/2
4	PH2	E	820	-	-	0/0/11/11	0/2/2/2
4	PH2	F	720	-	-	0/0/11/11	0/2/2/2
4	PH2	G	520	-	-	0/0/11/11	0/2/2/2
4	PH2	H	620	-	-	0/0/11/11	0/2/2/2

All (44) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	320	PH2	C3-N4	-7.36	1.30	1.45
4	H	620	PH2	C3-N4	-7.24	1.31	1.45
4	G	520	PH2	C3-N4	-6.70	1.32	1.45
4	E	820	PH2	C3-N4	-6.54	1.32	1.45
4	D	220	PH2	C3-N4	-6.52	1.32	1.45
4	F	720	PH2	C3-N4	-6.50	1.32	1.45
4	A	420	PH2	C3-N4	-6.38	1.32	1.45
4	C	120	PH2	C3-N4	-6.31	1.32	1.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	H	620	PH2	C6-N5	-4.86	1.26	1.35
4	D	220	PH2	C6-N5	-4.83	1.26	1.35
4	G	520	PH2	C6-N5	-4.77	1.26	1.35
4	F	720	PH2	C6-N5	-4.49	1.27	1.35
4	B	320	PH2	C6-N5	-4.38	1.27	1.35
4	C	120	PH2	C6-N5	-4.28	1.27	1.35
4	E	820	PH2	C6-N5	-4.24	1.27	1.35
4	A	420	PH2	C6-N5	-4.20	1.27	1.35
4	D	220	PH2	C6-N6	-4.00	1.25	1.34
4	F	720	PH2	C6-N6	-3.89	1.26	1.34
4	H	620	PH2	C6-N6	-3.77	1.26	1.34
4	A	420	PH2	C6-N6	-3.66	1.26	1.34
4	B	320	PH2	C6-N6	-3.59	1.26	1.34
4	G	520	PH2	C6-N6	-3.55	1.26	1.34
4	E	820	PH2	C6-N6	-3.06	1.27	1.34
4	C	120	PH2	C6-N6	-3.04	1.27	1.34
4	F	720	PH2	C10-N5	-2.84	1.29	1.34
4	D	220	PH2	C10-N5	-2.31	1.30	1.34
4	H	620	PH2	C10-N5	-2.13	1.30	1.34
4	A	420	PH2	C10-N5	-2.11	1.30	1.34
4	C	120	PH2	C9-C10	2.53	1.48	1.41
4	H	620	PH2	C9-C10	2.54	1.48	1.41
4	B	320	PH2	C9-C10	2.59	1.48	1.41
4	G	520	PH2	C9-C10	2.62	1.49	1.41
4	E	820	PH2	C9-C10	2.67	1.49	1.41
4	F	720	PH2	C9-C10	2.70	1.49	1.41
4	D	220	PH2	C9-C10	2.73	1.49	1.41
4	A	420	PH2	C9-C10	2.83	1.49	1.41
4	E	820	PH2	C6-N7	5.77	1.45	1.35
4	H	620	PH2	C6-N7	5.85	1.45	1.35
4	A	420	PH2	C6-N7	6.02	1.46	1.35
4	D	220	PH2	C6-N7	6.11	1.46	1.35
4	F	720	PH2	C6-N7	6.22	1.46	1.35
4	B	320	PH2	C6-N7	6.40	1.46	1.35
4	C	120	PH2	C6-N7	6.46	1.46	1.35
4	G	520	PH2	C6-N7	6.55	1.47	1.35

All (51) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	620	PH2	N7-C6-N5	-8.08	112.29	125.53
4	G	520	PH2	N7-C6-N5	-7.29	113.58	125.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	420	PH2	N7-C6-N5	-6.91	114.20	125.53
4	C	120	PH2	N7-C6-N5	-6.57	114.77	125.53
4	E	820	PH2	N7-C6-N5	-6.26	115.28	125.53
4	D	220	PH2	N7-C6-N5	-6.25	115.29	125.53
4	B	320	PH2	N7-C6-N5	-5.86	115.92	125.53
4	F	720	PH2	N7-C6-N5	-5.85	115.94	125.53
4	A	420	PH2	C9-C8-N7	-4.32	117.68	123.59
4	F	720	PH2	C9-C8-N7	-4.13	117.94	123.59
4	G	520	PH2	C9-C8-N7	-4.05	118.05	123.59
4	C	120	PH2	C9-C8-N7	-3.85	118.33	123.59
4	B	320	PH2	C9-C8-N7	-3.51	118.79	123.59
4	D	220	PH2	C9-C8-N7	-3.31	119.06	123.59
4	H	620	PH2	C9-C8-N7	-2.89	119.64	123.59
4	E	820	PH2	C9-C8-N7	-2.26	120.50	123.59
4	B	320	PH2	O4-C11-C2	2.13	116.36	110.91
4	A	420	PH2	O4-C11-C2	2.18	116.50	110.91
4	C	120	PH2	C8-C9-C10	2.73	116.34	114.52
4	F	720	PH2	C8-C9-C10	2.73	116.35	114.52
4	A	420	PH2	C8-C9-C10	2.77	116.37	114.52
4	G	520	PH2	C8-C9-C10	2.90	116.46	114.52
4	C	120	PH2	O4-C11-C2	3.24	119.22	110.91
4	C	120	PH2	C8-N7-C6	3.66	121.01	115.94
4	E	820	PH2	C8-N7-C6	3.66	121.03	115.94
4	F	720	PH2	C8-N7-C6	3.72	121.10	115.94
4	E	820	PH2	O4-C11-C2	3.72	120.44	110.91
4	E	820	PH2	C8-C9-C10	3.85	117.09	114.52
4	B	320	PH2	C8-C9-C10	4.28	117.38	114.52
4	B	320	PH2	C8-N7-C6	4.31	121.92	115.94
4	D	220	PH2	C8-N7-C6	4.31	121.92	115.94
4	D	220	PH2	C8-C9-C10	4.92	117.80	114.52
4	B	320	PH2	C6-N5-C10	5.08	125.96	114.54
4	A	420	PH2	C8-N7-C6	5.12	123.05	115.94
4	G	520	PH2	C8-N7-C6	5.32	123.33	115.94
4	F	720	PH2	N6-C6-N5	5.43	126.20	117.20
4	C	120	PH2	C6-N5-C10	5.57	127.06	114.54
4	F	720	PH2	C6-N5-C10	5.65	127.25	114.54
4	A	420	PH2	C6-N5-C10	5.82	127.62	114.54
4	D	220	PH2	C6-N5-C10	5.91	127.82	114.54
4	E	820	PH2	C6-N5-C10	5.94	127.89	114.54
4	H	620	PH2	C6-N5-C10	6.00	128.04	114.54
4	G	520	PH2	C6-N5-C10	6.04	128.12	114.54
4	B	320	PH2	N6-C6-N5	6.44	127.86	117.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	820	PH2	N6-C6-N5	6.47	127.92	117.20
4	H	620	PH2	C8-N7-C6	6.52	124.99	115.94
4	D	220	PH2	N6-C6-N5	7.47	129.58	117.20
4	C	120	PH2	N6-C6-N5	7.82	130.15	117.20
4	G	520	PH2	N6-C6-N5	8.12	130.64	117.20
4	A	420	PH2	N6-C6-N5	8.66	131.55	117.20
4	H	620	PH2	N6-C6-N5	8.69	131.60	117.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	420	PH2	2	0
4	B	320	PH2	3	0
4	C	120	PH2	2	0
4	D	220	PH2	2	0
4	E	820	PH2	2	0
4	F	720	PH2	1	0
4	G	520	PH2	1	0
4	H	620	PH2	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	118/119 (99%)	0.54	5 (4%) 40 36	25, 34, 49, 74	0
1	E	118/119 (99%)	0.45	5 (4%) 40 36	24, 32, 47, 54	0
1	F	118/119 (99%)	0.51	5 (4%) 40 36	24, 32, 48, 56	0
1	G	118/119 (99%)	0.46	3 (2%) 61 58	24, 32, 48, 57	0
1	H	118/119 (99%)	0.46	6 (5%) 32 29	24, 31, 45, 54	0
2	B	118/119 (99%)	0.65	8 (6%) 20 19	26, 32, 53, 71	0
2	D	118/119 (99%)	0.58	7 (5%) 26 23	25, 32, 50, 69	1 (0%)
3	C	118/119 (99%)	0.57	5 (4%) 40 36	25, 33, 49, 61	0
All	All	944/952 (99%)	0.53	44 (4%) 35 32	24, 32, 49, 74	1 (0%)

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	19	TYR	9.8
2	D	19	TYR	9.1
2	B	19	TYR	9.1
1	E	19	TYR	6.7
2	B	2	ALA	6.0
2	D	2	ALA	6.0
1	G	19	TYR	5.9
2	B	119	ARG	5.5
1	F	19	TYR	4.8
3	C	24	VAL	4.3
1	A	2	ALA	4.0
1	A	19	TYR	4.0
1	A	104	ILE	3.9
3	C	20	ALA	3.8
2	D	24	VAL	3.7
3	C	2	ALA	3.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	D	23	ARG	3.6
1	H	43	ALA	3.6
2	B	24	VAL	3.3
2	D	104	ILE	3.3
3	C	19	ALA	3.2
1	E	43	ALA	3.2
1	G	2	ALA	3.2
1	H	23	ARG	3.0
2	D	21	HIS	3.0
2	B	20	ALA	2.9
1	H	2	ALA	2.9
3	C	104	ILE	2.9
1	F	2	ALA	2.8
1	A	23[A]	ARG	2.7
1	G	56	ARG	2.7
1	E	119	ARG	2.6
1	E	2	ALA	2.5
2	B	21	HIS	2.4
1	F	24	VAL	2.3
1	A	24	VAL	2.3
1	H	56	ARG	2.2
1	F	23[A]	ARG	2.2
1	H	118	SER	2.2
1	F	91	HIS	2.2
2	B	118	SER	2.1
1	E	42	ALA	2.1
2	D	20	ALA	2.1
2	B	23[A]	ARG	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	PH2	F	720	14/14	0.92	0.14	0.52	28,31,38,54	0
4	PH2	E	820	14/14	0.86	0.14	0.49	25,28,34,35	0
4	PH2	H	620	14/14	0.88	0.12	-0.09	25,31,34,41	0
4	PH2	G	520	14/14	0.88	0.11	-0.19	26,31,40,59	0
4	PH2	D	220	14/14	0.94	0.10	-0.39	28,32,37,49	0
4	PH2	A	420	14/14	0.92	0.11	-0.43	28,31,40,46	0
4	PH2	B	320	14/14	0.94	0.09	-0.80	28,32,37,42	0
4	PH2	C	120	14/14	0.93	0.10	-0.95	25,29,39,48	0

## 6.5 Other polymers

There are no such residues in this entry.