



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 06:58 PM GMT

PDB ID : 4ND8  
Title : Av Nitrogenase MoFe Protein High pH Form  
Authors : Yang, K.-Y.; Haynes, C.A.; Spatzal, T.; Rees, D.C.; Howard, J.B.  
Deposited on : 2013-10-25  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	492	<div> <div>2%</div> <div> <div></div> <div>86%</div> <div>11%</div> <div></div> </div> <div></div> </div>
1	C	492	<div> <div>%</div> <div> <div></div> <div>87%</div> <div>9%</div> <div></div> </div> <div></div> </div>
2	B	523	<div> <div></div> <div> <div></div> <div>89%</div> <div>11%</div> </div> </div>
2	D	523	<div> <div>%</div> <div> <div></div> <div>92%</div> <div>8%</div> </div> <div></div> </div>

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 17675 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitrogenase molybdenum-iron protein alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	477	Total	C	N	O	S	0	1	0
			3793	2412	647	708	26			
1	C	477	Total	C	N	O	S	0	1	0
			3793	2412	647	708	26			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	440	GLN	GLU	SEE REMARK 999	UNP P07328
C	440	GLN	GLU	SEE REMARK 999	UNP P07328

- Molecule 2 is a protein called Nitrogenase molybdenum-iron protein beta chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	522	Total	C	N	O	S	0	1	0
			4180	2669	706	777	28			
2	D	522	Total	C	N	O	S	0	1	0
			4180	2669	706	777	28			

- Molecule 3 is 3-HYDROXY-3-CARBOXY-ADIPIC ACID (three-letter code: HCA) (formula: C<sub>7</sub>H<sub>10</sub>O<sub>7</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			14	7	7		
3	C	1	Total	C	O	0	0
			14	7	7		

- Molecule 4 is IRON-SULFUR-MOLYBDENUM CLUSTER WITH INTERSTITIAL CARBON (three-letter code: ICS) (formula: CFe<sub>7</sub>MoS<sub>9</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Fe	Mo	S	0	0
			18	1	7	1	9		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	C	1	Total	C	Fe	Mo	S	
			18	1	7	1	9	

- Molecule 5 is FE(8)-S(7) CLUSTER, OXIDIZED (three-letter code: 1CL) (formula: Fe<sub>8</sub>S<sub>7</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	Fe	S		
			15	8	7	0	0
5	C	1	Total	Fe	S		
			15	8	7	0	0

- Molecule 6 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Fe		
			1	1	0	0
6	D	1	Total	Fe		
			1	1	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	339	Total	O		
			339	339	0	0
7	B	468	Total	O		
			468	468	0	0

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	337	Total 337	O 337	0	0
7	D	489	Total 489	O 489	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nitrogenase molybdenum-iron protein alpha chain



- Molecule 1: Nitrogenase molybdenum-iron protein alpha chain




- Molecule 2: Nitrogenase molybdenum-iron protein beta chain



- Molecule 2: Nitrogenase molybdenum-iron protein beta chain







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	76.53Å 127.92Å 107.08Å 90.00° 108.90° 90.00°	Depositor
Resolution (Å)	36.74 – 2.00 39.27 – 2.00	Depositor EDS
% Data completeness (in resolution range)	95.1 (36.74-2.00) 95.1 (39.27-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.79 (at 2.00Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.4_1496)	Depositor
R, $R_{free}$	0.156 , 0.204 0.160 , 0.206	Depositor DCC
$R_{free}$ test set	6320 reflections (5.33%)	DCC
Wilson B-factor (Å <sup>2</sup> )	24.2	Xtriage
Anisotropy	0.685	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 48.8	EDS
Estimated twinning fraction	0.027 for h,-k,-h-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	2 of 124921 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	17675	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.75% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ICS, HCA, FE, 1CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.52	0/3884	0.62	0/5237
1	C	0.53	0/3884	0.63	0/5237
2	B	0.55	0/4286	0.63	0/5794
2	D	0.54	0/4286	0.62	0/5794
All	All	0.54	0/16340	0.63	0/22062

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3793	0	3736	37	0
1	C	3793	0	3735	26	0
2	B	4180	0	4091	34	0
2	D	4180	0	4091	26	0
3	A	14	0	6	1	0
3	C	14	0	6	1	0
4	A	18	0	0	2	0
4	C	18	0	0	1	0
5	A	15	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	C	15	0	0	1	0
6	B	1	0	0	0	0
6	D	1	0	0	0	0
7	A	339	0	0	11	0
7	B	468	0	0	8	0
7	C	337	0	0	4	0
7	D	489	0	0	8	0
All	All	17675	0	15665	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:4:MET:O	7:C:917:HOH:O	1.91	0.88
1:A:350:ARG:NH1	7:A:879:HOH:O	2.08	0.85
1:A:243:GLU:OE1	7:A:867:HOH:O	2.00	0.79
1:A:10:GLU:O	7:A:882:HOH:O	2.01	0.78
2:B:167:ASN:OD1	7:B:1097:HOH:O	2.01	0.77
2:D:279:GLU:OE2	7:D:1119:HOH:O	2.04	0.75
2:B:109:GLU:OE2	7:B:1118:HOH:O	2.05	0.75
7:B:1118:HOH:O	2:D:353:ASP:OD2	2.05	0.75
2:B:322:LEU:HD21	1:C:474:LYS:HB3	1.73	0.70
1:A:22:GLU:OE2	1:A:25:ARG:NH2	2.20	0.70
1:C:473:LYS:NZ	7:C:878:HOH:O	2.24	0.69
2:B:83:GLU:OE2	7:B:1163:HOH:O	2.13	0.65
2:D:120:GLU:OE2	7:D:1105:HOH:O	2.13	0.65
2:D:504:ARG:NH1	7:D:1109:HOH:O	2.18	0.64
2:B:70:CYS:HB2	2:B:188:SER:HB2	1.81	0.63
1:A:474:LYS:HB3	2:D:322:LEU:HD21	1.81	0.62
2:D:70:CYS:HB2	2:D:188:SER:HB2	1.84	0.60
1:A:209:LYS:NZ	7:A:869:HOH:O	2.35	0.59
2:B:206:ARG:HD2	7:B:1117:HOH:O	2.03	0.58
2:D:151:THR:HG23	2:D:162:LEU:HD11	1.85	0.58
2:B:146:MET:HG3	2:B:180:PRO:HB2	1.86	0.57
2:B:299:GLU:HG2	7:B:1014:HOH:O	2.04	0.57
1:C:275:CYS:HA	1:C:358:LEU:HD22	1.86	0.56
1:C:76:LYS:O	1:C:108:ALA:HA	2.07	0.55
2:D:247:MET:HB3	2:D:249:VAL:HG23	1.89	0.55
2:B:394:LEU:HG	7:B:1038:HOH:O	2.07	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:354:MET:SD	2:B:491:MET:HG2	2.49	0.53
1:A:93:ARG:HD2	1:A:113:ASN:HB2	1.91	0.53
1:A:6:ARG:NH2	1:A:396:ASP:OD1	2.43	0.52
1:A:100:TYR:CE1	1:A:110:VAL:HB	2.45	0.51
1:C:203:ARG:HD2	1:C:204:ASP:OD1	2.10	0.51
2:B:457:HIS:HB2	2:D:512:MET:HE3	1.93	0.51
2:B:453:ARG:HG2	2:D:512:MET:HE2	1.93	0.50
1:C:100:TYR:CE1	1:C:110:VAL:HB	2.47	0.50
1:A:306:ILE:HG23	1:A:328:ILE:HD13	1.93	0.50
2:D:445:ASN:HB2	2:D:472:PRO:O	2.13	0.49
2:D:45:GLN:HG3	7:D:1106:HOH:O	2.11	0.49
2:B:247:MET:HG2	2:B:341:PRO:HD3	1.95	0.49
7:A:860:HOH:O	2:B:119:THR:HB	2.11	0.49
1:C:12:LEU:HD13	1:C:415:ARG:HG2	1.95	0.49
2:D:354:MET:SD	2:D:491:MET:HG2	2.53	0.49
2:B:504:ARG:NH1	7:B:1105:HOH:O	2.11	0.49
1:C:382:ALA:HB1	1:C:386:ASP:HB2	1.95	0.48
2:B:163:ASN:HB2	2:B:183:PHE:CZ	2.48	0.48
1:A:218:SER:HB2	7:A:827:HOH:O	2.13	0.47
2:B:72:PRO:HG2	2:B:99:PHE:CZ	2.49	0.47
1:A:356:GLY:HA3	4:A:502:ICS:S1B	2.55	0.47
2:B:231:GLU:CD	2:B:236:ASN:HD22	2.18	0.46
1:C:359:ARG:O	1:C:363:VAL:HG22	2.16	0.46
2:B:445:ASN:HB2	2:B:472:PRO:O	2.15	0.46
2:B:221:ASN:OD1	2:B:287:ALA:HA	2.16	0.46
2:D:512:MET:HB2	2:D:512:MET:HE2	1.89	0.46
2:D:389:GLU:OE1	7:D:1103:HOH:O	2.21	0.46
1:C:51:LYS:HE3	1:C:51:LYS:HB2	1.55	0.46
1:C:14:GLN:O	1:C:18:GLU:HG3	2.16	0.45
1:A:382:ALA:HB1	1:A:386:ASP:HB2	1.98	0.45
1:C:355:ILE:HB	1:C:360:PRO:HD3	1.98	0.45
1:A:216:PHE:N	7:A:854:HOH:O	2.48	0.45
1:C:442:HIS:HB3	3:C:501:HCA:O5	2.15	0.45
2:D:302:LYS:O	2:D:306:GLU:HG3	2.16	0.45
1:C:85:PRO:HB2	5:C:503:ICL:S2B	2.57	0.45
1:A:25:ARG:HD3	7:A:755:HOH:O	2.17	0.45
1:A:35:ASN:OD1	1:A:391:MET:HG2	2.17	0.45
2:B:179:PHE:HA	2:B:180:PRO:HD3	1.85	0.45
2:D:43:VAL:O	2:D:47:THR:HG23	2.16	0.45
1:A:207:LEU:HD12	1:A:207:LEU:HA	1.73	0.45
2:D:247:MET:HG2	2:D:341:PRO:HD3	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:239:ARG:HD2	1:A:252:GLN:OE1	2.16	0.44
1:C:6:ARG:NH2	1:C:35:ASN:O	2.49	0.44
2:B:151:THR:HG23	2:B:162:LEU:HD11	1.99	0.44
1:C:17:LEU:HB3	1:C:25:ARG:HG3	1.99	0.44
2:D:173:GLY:HA2	7:D:1088:HOH:O	2.16	0.44
1:C:22:GLU:HG3	1:C:26:LYS:HE3	1.99	0.44
1:A:426:LYS:HA	2:B:104:ASN:OD1	2.17	0.44
1:C:12:LEU:O	1:C:16:VAL:HG23	2.17	0.44
1:A:253:TRP:HA	1:A:254:SER:HA	1.67	0.43
2:D:139:LYS:HA	2:D:144:PRO:HD2	2.00	0.43
1:A:51:LYS:HB2	1:A:51:LYS:HE3	1.78	0.43
2:B:95:CYS:HB3	2:B:99:PHE:CZ	2.54	0.43
1:A:442:HIS:HB3	3:A:501:HCA:O5	2.18	0.43
2:B:247:MET:HB3	2:B:249:VAL:HG23	2.00	0.43
2:B:74:GLY:HA3	2:B:193:HIS:O	2.19	0.43
1:A:354:TYR:CZ	1:A:404:VAL:HG12	2.53	0.43
2:D:350:ARG:O	2:D:354:MET:HG3	2.19	0.43
2:D:482:SER:HB2	2:D:492:GLN:OE1	2.19	0.43
1:A:29:ASN:ND2	7:A:890:HOH:O	2.36	0.43
1:C:170:LYS:HD2	1:C:170:LYS:HA	1.88	0.43
2:D:179:PHE:HA	2:D:180:PRO:HD3	1.86	0.43
2:B:379:LEU:HD21	2:B:443:ILE:HG21	2.01	0.43
1:A:4:MET:HA	7:A:837:HOH:O	2.18	0.43
2:B:324:TRP:CE2	2:B:381:LYS:HG2	2.54	0.43
2:D:222:LYS:O	7:D:1092:HOH:O	2.22	0.42
1:A:414:LYS:HG2	1:A:434:MET:HE1	2.01	0.42
1:C:253:TRP:HA	1:C:254:SER:HA	1.69	0.42
1:A:214:THR:OG1	1:A:214:THR:O	2.36	0.42
1:A:51:LYS:HG3	7:A:875:HOH:O	2.19	0.42
2:B:139:LYS:HA	2:B:144:PRO:HD2	2.00	0.42
1:A:355:ILE:HB	1:A:360:PRO:HD3	2.01	0.42
1:C:234:ASP:HB3	1:C:451:HIS:ND1	2.34	0.42
2:B:194:VAL:HB	2:B:297:HIS:CG	2.54	0.42
1:A:439:ARG:HD3	1:A:466:THR:OG1	2.20	0.41
2:B:329:LEU:HA	2:B:329:LEU:HD23	1.86	0.41
1:A:379:TYR:CD2	1:A:382:ALA:HB2	2.56	0.41
1:C:5:SER:O	1:C:9:VAL:HG23	2.20	0.41
1:A:70:VAL:HG21	4:A:502:ICS:S2B	2.60	0.41
1:C:356:GLY:HA3	4:C:502:ICS:S1B	2.60	0.41
2:D:313:VAL:HA	2:D:314:PRO:HD3	1.95	0.41
1:C:6:ARG:NE	7:C:675:HOH:O	2.54	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:355:ILE:HG22	1:A:356:GLY:H	1.85	0.41
2:B:231:GLU:HB3	2:B:237:PHE:CZ	2.55	0.41
2:B:7:LYS:HA	2:B:7:LYS:HD2	1.94	0.41
1:A:17:LEU:HB3	1:A:25:ARG:HG3	2.03	0.41
2:B:88:TYR:O	2:B:149:VAL:HA	2.21	0.41
1:A:223:VAL:HG12	1:A:270:LEU:HB3	2.03	0.41
1:A:94:ALA:HB1	7:D:911:HOH:O	2.22	0.40
1:A:12:LEU:O	1:A:16:VAL:HG23	2.22	0.40
1:C:248:ARG:HD2	7:C:838:HOH:O	2.20	0.40
2:D:74:GLY:HA3	2:D:193:HIS:O	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	476/492 (97%)	455 (96%)	20 (4%)	1 (0%)	52	48
1	C	476/492 (97%)	452 (95%)	23 (5%)	1 (0%)	52	48
2	B	521/523 (100%)	511 (98%)	9 (2%)	1 (0%)	52	48
2	D	521/523 (100%)	507 (97%)	14 (3%)	0	100	100
All	All	1994/2030 (98%)	1925 (96%)	66 (3%)	3 (0%)	52	48

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	255	SER
1	C	355	ILE
1	A	355	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	408/415 (98%)	401 (98%)	7 (2%)	68	71
1	C	408/415 (98%)	401 (98%)	7 (2%)	68	71
2	B	455/455 (100%)	447 (98%)	8 (2%)	66	69
2	D	455/455 (100%)	447 (98%)	8 (2%)	66	69
All	All	1726/1740 (99%)	1696 (98%)	30 (2%)	68	71

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	ASN
1	A	146	LYS
1	A	209	LYS
1	A	362	HIS
1	A	401	TYR
1	A	445	ASP
1	A	467	LEU
2	B	88	TYR
2	B	154	MET
2	B	175	ILE
2	B	178	GLU
2	B	202	GLU
2	B	214	ASP
2	B	369	LEU
2	B	400	LYS
1	C	98	ASN
1	C	287	GLU
1	C	347	GLU
1	C	362	HIS
1	C	401	TYR
1	C	445	ASP
1	C	467	LEU
2	D	38	ASP
2	D	92	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	D	158	ILE
2	D	177	ASP
2	D	252	SER
2	D	258	GLU
2	D	400	LYS
2	D	512	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 8 ligands modelled in this entry, 2 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	HCA	A	501	-	4,13,13	0.80	0	3,18,18	0.54	0
4	ICS	A	502	1	6,30,30	1.32	0	0,78,78	0.00	-
5	1CL	A	503	1,2	0,22,22	0.00	-	0,44,44	0.00	-
3	HCA	C	501	-	4,13,13	0.95	0	3,18,18	1.57	1 (33%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	ICS	C	502	1	6,30,30	2.01	1 (16%)	0,78,78	0.00	-
5	1CL	C	503	1,2	0,22,22	0.00	-	0,44,44	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	HCA	A	501	-	-	0/7/17/17	0/0/0/0
4	ICS	A	502	1	-	0/0/204/204	0/0/13/13
5	1CL	A	503	1,2	-	0/0/88/88	0/6/8/8
3	HCA	C	501	-	-	0/7/17/17	0/0/0/0
4	ICS	C	502	1	-	0/0/204/204	0/0/13/13
5	1CL	C	503	1,2	-	0/0/88/88	0/6/8/8

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	502	ICS	S5A-FE7	-4.18	2.15	2.24

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	501	HCA	C3-C2-C1	-2.60	110.80	114.96

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	HCA	1	0
4	A	502	ICS	2	0
3	C	501	HCA	1	0
4	C	502	ICS	1	0
5	C	503	1CL	1	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	477/492 (96%)	-0.29	8 (1%) 73 73	19, 26, 48, 83	0
1	C	477/492 (96%)	-0.28	6 (1%) 79 80	20, 27, 46, 79	0
2	B	522/523 (99%)	-0.60	1 (0%) 95 95	17, 23, 36, 54	0
2	D	522/523 (99%)	-0.56	3 (0%) 90 90	16, 24, 37, 56	0
All	All	1998/2030 (98%)	-0.44	18 (0%) 85 86	16, 25, 42, 83	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	214	THR	6.9
1	A	212	GLU	5.1
1	A	215	THR	4.9
2	D	125	PHE	3.9
1	A	213	ASP	3.7
1	C	172	ALA	3.5
2	D	124	VAL	3.4
2	D	214	ASP	3.2
1	C	213	ASP	3.0
1	C	174	LEU	2.7
1	A	209	LYS	2.6
1	A	38	ALA	2.4
1	C	38	ALA	2.3
1	A	210	ARG	2.2
1	C	39	VAL	2.2
1	A	18	GLU	2.2
1	C	355	ILE	2.1
2	B	214	ASP	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
6	FE	B	601	1/1	0.97	0.10	1.22	53,53,53,53	0
3	HCA	C	501	14/14	0.96	0.14	-0.51	20,25,31,31	0
3	HCA	A	501	14/14	0.96	0.12	-0.97	19,26,30,33	0
5	1CL	C	503	15/15	0.96	0.06	-1.44	18,22,27,28	4
5	1CL	A	503	15/15	0.97	0.06	-1.51	16,20,24,29	2
6	FE	D	601	1/1	0.98	0.07	-1.87	53,53,53,53	0
4	ICS	A	502	18/18	0.99	0.05	-2.14	18,22,24,24	0
4	ICS	C	502	18/18	0.99	0.04	-2.24	19,23,25,25	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.