



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 10:56 AM GMT

PDB ID : 3NLP
Title : Structure of neuronal nitric oxide synthase D597N/M336V mutant heme domain in complex with 6-{{(3'S,4'S)-3'-[2''-(3'''-fluorophenethylamino)ethoxy]pyrrolidin-4'-yl}methyl}-4-methylpyridin-2-amine
Authors : Li, H.; Delker, S.L.; Poulos, T.L.
Deposited on : 2010-06-21
Resolution : 2.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	7858 (2.04-2.00)
Clashscore	102246	9060 (2.04-2.00)
Ramachandran outliers	100387	8952 (2.04-2.00)
Sidechain outliers	100360	8951 (2.04-2.00)
RSRZ outliers	91569	7873 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	422	<div> <div>19%</div> <div> <div></div> <div>84%</div> <div>12%</div> <div>••</div> </div> </div>
1	B	422	<div> <div>8%</div> <div> <div></div> <div>83%</div> <div>14%</div> <div>••</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	A	719	-	-	-	X
3	GOL	A	880	-	-	-	X
6	ACT	A	860	-	-	-	X

2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 7135 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nitric oxide synthase, brain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	407	Total	C	N	O	S	0	0	0
			3312	2121	567	604	20			
1	B	411	Total	C	N	O	S	0	0	0
			3344	2140	575	609	20			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	336	VAL	MET	ENGINEERED MUTATION	UNP P29476
A	597	ASN	ASP	ENGINEERED MUTATION	UNP P29476
B	336	VAL	MET	ENGINEERED MUTATION	UNP P29476
B	597	ASN	ASP	ENGINEERED MUTATION	UNP P29476

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	
2	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O		
			6	3	3	0	0
3	A	1	Total	C	O		
			6	3	3	0	0

- Molecule 4 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula: $C_9H_{15}N_5O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			17	9	5	3		
4	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 5 is 6-[[[(3S,4S)-4-(2-{[2-(3-FLUOROPHENYL)ETHYL]AMINO}ETHOXY)PYRROLIDIN-3-YL]METHYL]-4-METHYLPYRIDIN-2-AMINE (three-letter code: JSS) (formula: C₂₁H₂₉FN₄O).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	F	N	O	0	0
			27	21	1	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	F	N	O	0	0
			27	21	1	4	1		

- Molecule 6 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Zn	0	0
			1	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	123	Total	O	0	0
			123	123		
8	B	161	Total	O	0	0
			161	161		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nitric oxide synthase, brain



- Molecule 1: Nitric oxide synthase, brain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	51.76Å 111.00Å 164.63Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.60 – 2.02 37.85 – 2.02	Depositor EDS
% Data completeness (in resolution range)	98.6 (38.60-2.02) 98.6 (37.85-2.02)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.85 (at 2.03Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.187 , 0.228 0.209 , 0.246	Depositor DCC
R_{free} test set	3079 reflections (5.22%)	DCC
Wilson B-factor (Å ²)	40.6	Xtriage
Anisotropy	0.220	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 49.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 62080 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7135	wwPDB-VP
Average B, all atoms (Å ²)	56.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, H4B, JSS, ACT, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	0/3405	0.71	0/4621
1	B	0.81	1/3437 (0.0%)	0.77	0/4661
All	All	0.77	1/6842 (0.0%)	0.74	0/9282

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	582	CYS	CB-SG	6.27	1.93	1.82

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3312	0	3223	34	0
1	B	3344	0	3261	36	0
2	A	43	0	30	8	0
2	B	43	0	30	3	0
3	A	12	0	16	1	0
4	A	17	0	15	0	0
4	B	17	0	15	0	0
5	A	27	0	29	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	27	0	29	4	0
6	A	4	0	3	0	0
6	B	4	0	3	0	0
7	A	1	0	0	0	0
8	A	123	0	0	2	0
8	B	161	0	0	3	0
All	All	7135	0	6654	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:750:HEM:HBB2	2:A:750:HEM:HH2	1.54	0.89
1:A:351:LYS:HE2	1:A:392:SER:HB3	1.57	0.87
1:A:371:ARG:CG	1:A:371:ARG:HH21	2.03	0.72
1:B:659:ILE:O	1:B:663:GLU:HG3	1.91	0.70
1:B:678:TRP:HH2	5:B:800:JSS:H4A	1.60	0.66
1:B:322:LEU:HD13	1:B:699:ARG:HH21	1.62	0.65
2:A:750:HEM:CMC	2:A:750:HEM:HBC2	2.28	0.64
1:A:307:GLU:HG3	8:B:1077:HOH:O	1.98	0.64
1:A:371:ARG:HG2	1:A:371:ARG:NH2	2.13	0.63
2:A:750:HEM:O2A	8:A:1072:HOH:O	2.16	0.62
1:B:584:PHE:CD1	2:B:750:HEM:HAC	2.35	0.61
1:B:592:GLU:OE1	5:B:800:JSS:H5'A	2.01	0.61
1:B:391:THR:O	1:B:392:SER:HB2	2.02	0.58
1:A:555:LYS:HB3	1:A:555:LYS:NZ	2.18	0.58
1:A:371:ARG:HH21	1:A:371:ARG:HG2	1.67	0.57
1:A:299:ARG:HE	1:A:318:LEU:HD13	1.71	0.56
1:B:584:PHE:CD1	2:B:750:HEM:CAC	2.89	0.55
1:A:371:ARG:CG	1:A:371:ARG:NH2	2.65	0.55
1:B:478:GLN:HB2	1:B:481:ARG:HG3	1.88	0.55
1:B:525:GLN:HG3	1:B:529:ASN:O	2.07	0.54
2:A:750:HEM:HMC1	2:A:750:HEM:HBC2	1.90	0.53
1:A:478:GLN:HB2	1:A:481:ARG:HG3	1.90	0.53
1:A:380:ARG:HD3	1:A:400:GLU:OE1	2.08	0.52
1:B:403:TYR:CE1	1:B:407:HIS:CE1	2.98	0.52
1:B:504:ILE:O	1:B:508:GLN:HG2	2.12	0.50
1:A:628:GLN:HG2	1:B:631:VAL:HG11	1.95	0.49
1:A:554:PHE:HB3	8:A:1014:HOH:O	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:663:GLU:O	1:A:667:ARG:HG2	2.12	0.49
1:A:536:ILE:O	1:A:537:PRO:C	2.50	0.49
1:B:595:VAL:O	1:B:599:CYS:HB2	2.13	0.49
1:B:505:CYS:O	1:B:506:ILE:C	2.51	0.48
1:B:435:ALA:CB	1:B:532:GLU:HG3	2.43	0.48
1:B:299:ARG:CZ	1:B:299:ARG:HB3	2.44	0.48
1:A:403:TYR:CE1	1:A:407:HIS:CE1	3.02	0.48
2:A:750:HEM:HBB2	2:A:750:HEM:CHC	2.30	0.47
1:A:306:TRP:HB3	3:A:719:GOL:H32	1.96	0.47
1:B:475:TRP:HB2	1:B:523:LEU:HB3	1.97	0.46
1:A:409:TRP:CE3	1:A:421:TRP:HA	2.52	0.45
1:B:485:TYR:CE1	1:B:514:ARG:HA	2.50	0.45
1:B:322:LEU:HD13	1:B:699:ARG:NH2	2.28	0.45
1:B:605:ASN:ND2	8:B:1132:HOH:O	2.43	0.45
1:B:300:PHE:HB3	1:B:313:THR:CG2	2.46	0.45
2:A:750:HEM:HBA1	5:A:800:JSS:H7AA	1.99	0.45
1:B:337:LEU:HD21	5:B:800:JSS:H15	1.98	0.45
1:B:619:ARG:HE	1:B:619:ARG:HB2	1.45	0.45
1:B:389:GLU:HG3	1:B:390:SER:N	2.31	0.44
1:B:480:ILE:HA	8:B:1011:HOH:O	2.17	0.44
1:A:331:CYS:HB3	1:B:697:ASN:HB3	2.00	0.44
1:B:548:HIS:NE2	1:B:632:GLU:OE1	2.51	0.44
1:B:675:ASP:O	1:B:679:ILE:HG12	2.18	0.44
1:A:475:TRP:CZ2	1:A:531:PRO:HG3	2.53	0.43
1:A:535:GLN:HE21	1:A:538:PRO:HD3	1.84	0.43
1:A:299:ARG:O	1:A:317:HIS:CE1	2.71	0.43
1:B:501:PHE:CE2	1:B:505:CYS:SG	3.12	0.43
1:A:299:ARG:HG3	1:A:318:LEU:HD11	2.01	0.42
1:B:512:ALA:HA	1:B:513:PRO:HD2	1.88	0.42
5:A:800:JSS:H3A	5:A:800:JSS:H12	1.74	0.42
2:A:750:HEM:HMC1	2:A:750:HEM:CBC	2.49	0.42
2:A:750:HEM:CMC	2:A:750:HEM:CBC	2.97	0.42
1:A:393:THR:OG1	1:A:394:TYR:N	2.53	0.42
1:A:595:VAL:O	1:A:599:CYS:HB2	2.20	0.41
1:B:460:THR:O	1:B:583:PRO:HD2	2.19	0.41
1:A:523:LEU:HD22	1:A:531:PRO:HB2	2.02	0.41
1:A:537:PRO:HB2	1:A:540:LEU:HG	2.02	0.41
1:B:445:HIS:C	1:B:445:HIS:CD2	2.94	0.41
2:B:750:HEM:HBA1	5:B:800:JSS:H7AA	2.02	0.41
1:A:674:ALA:HB3	1:A:695:MET:HB3	2.02	0.41
1:A:430:ARG:O	1:A:463:PRO:HG3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:589:MET:HA	1:A:649:VAL:O	2.21	0.41
1:A:680:VAL:HA	1:A:681:PRO:HD3	1.89	0.41
1:B:312:LEU:HB3	1:B:666:TYR:CD2	2.56	0.40
1:A:555:LYS:HB3	1:A:555:LYS:HZ2	1.84	0.40
1:A:607:LEU:HD11	1:B:687:ILE:HG21	2.04	0.40
1:A:445:HIS:C	1:A:445:HIS:CD2	2.94	0.40
1:B:663:GLU:HB3	1:B:667:ARG:NH1	2.37	0.40
1:A:332:MET:CE	1:B:301:LEU:HD22	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	403/422 (96%)	391 (97%)	12 (3%)	0	100	100
1	B	407/422 (96%)	397 (98%)	10 (2%)	0	100	100
All	All	810/844 (96%)	788 (97%)	22 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	363/377 (96%)	353 (97%)	10 (3%)	51	49

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	366/377 (97%)	355 (97%)	11 (3%)	48	46
All	All	729/754 (97%)	708 (97%)	21 (3%)	50	48

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	320	SER
1	A	321	THR
1	A	337	LEU
1	A	371	ARG
1	A	507	GLN
1	A	523	LEU
1	A	547	ARG
1	A	555	LYS
1	A	620	LYS
1	A	645	LYS
1	B	337	LEU
1	B	349	ARG
1	B	353	GLN
1	B	423	LYS
1	B	476	ASN
1	B	480	ILE
1	B	481	ARG
1	B	507	GLN
1	B	516	ARG
1	B	540	LEU
1	B	547	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	454	ASN
1	A	507	GLN
1	A	529	ASN
1	A	535	GLN
1	A	605	ASN
1	A	642	GLN
1	A	697	ASN
1	B	385	ASN
1	B	454	ASN
1	B	605	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	642	GLN
1	B	697	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 11 ligands modelled in this entry, 1 is monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	GOL	A	719	-	5,5,5	0.43	0	5,5,5	0.89	0
2	HEM	A	750	1	30,50,50	2.19	9 (30%)	24,82,82	2.72	12 (50%)
4	H4B	A	760	-	13,18,18	1.24	2 (15%)	11,26,26	2.90	6 (54%)
5	JSS	A	800	-	26,29,29	0.72	0	27,38,38	1.45	4 (14%)
6	ACT	A	860	-	1,3,3	1.06	0	0,3,3	0.00	-
3	GOL	A	880	-	5,5,5	0.45	0	5,5,5	0.41	0
2	HEM	B	750	1	30,50,50	1.91	7 (23%)	24,82,82	2.66	10 (41%)
4	H4B	B	760	-	13,18,18	0.71	0	11,26,26	2.36	5 (45%)
5	JSS	B	800	-	26,29,29	0.92	2 (7%)	27,38,38	1.53	7 (25%)
6	ACT	B	860	-	1,3,3	1.22	0	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	719	-	-	0/4/4/4	0/0/0/0
2	HEM	A	750	1	-	0/10/54/54	0/0/8/8
4	H4B	A	760	-	-	0/8/17/17	0/2/2/2
5	JSS	A	800	-	-	0/13/23/23	0/3/3/3
6	ACT	A	860	-	-	0/0/0/0	0/0/0/0
3	GOL	A	880	-	-	0/4/4/4	0/0/0/0
2	HEM	B	750	1	-	0/10/54/54	0/0/8/8
4	H4B	B	760	-	-	0/8/17/17	0/2/2/2
5	JSS	B	800	-	-	0/13/23/23	0/3/3/3
6	ACT	B	860	-	-	0/0/0/0	0/0/0/0

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	750	HEM	C3D-C4D	-5.91	1.44	1.51
2	A	750	HEM	C3B-C4B	-5.61	1.46	1.51
2	B	750	HEM	C3D-C4D	-4.54	1.45	1.51
2	B	750	HEM	C2C-C1C	-4.20	1.44	1.52
2	B	750	HEM	C3B-C4B	-4.03	1.48	1.51
2	A	750	HEM	C2C-C1C	-3.79	1.45	1.52
2	A	750	HEM	C2B-C1B	-2.00	1.45	1.51
2	B	750	HEM	C3C-CAC	2.06	1.55	1.51
2	B	750	HEM	C3B-CAB	2.14	1.55	1.51
5	B	800	JSS	C2'-C3'	2.17	1.57	1.53
2	B	750	HEM	C1C-NC	2.19	1.38	1.36
5	B	800	JSS	C14-C13	2.22	1.41	1.37
2	A	750	HEM	CMA-C3A	2.27	1.56	1.51
4	A	760	H4B	C2-N2	2.30	1.38	1.34
2	A	750	HEM	C3B-CAB	2.32	1.55	1.51
2	A	750	HEM	C1C-NC	2.38	1.38	1.36
4	A	760	H4B	C4-N3	2.66	1.38	1.33
2	A	750	HEM	FE-ND	2.78	2.12	1.97
2	A	750	HEM	FE-NC	3.33	2.08	1.95
2	B	750	HEM	FE-NC	3.40	2.09	1.95

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	750	HEM	C3C-CAC-CBC	-5.38	116.20	124.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	750	HEM	C3C-CAC-CBC	-5.35	116.25	124.46
4	A	760	H4B	N3-C2-N1	-3.96	119.03	125.53
2	B	750	HEM	CAA-C2A-C1A	-3.85	122.83	127.01
2	A	750	HEM	C3B-CAB-CBB	-3.46	119.14	124.46
5	A	800	JSS	C14-C13-C12	-3.33	119.05	123.35
5	B	800	JSS	C14-C13-C12	-3.28	119.11	123.35
5	B	800	JSS	C3A-C2A-N1A	-2.90	119.68	122.96
4	B	760	H4B	N3-C2-N1	-2.86	120.84	125.53
5	A	800	JSS	C3A-C2A-N1A	-2.56	120.07	122.96
2	A	750	HEM	C3B-C4B-NB	-2.41	107.03	111.63
2	B	750	HEM	CBA-CAA-C2A	-2.30	108.41	112.53
5	A	800	JSS	C8A-C4A-C3A	-2.16	117.67	120.95
5	B	800	JSS	C3-C4-C11	-2.15	108.36	112.83
2	A	750	HEM	CBD-CAD-C3D	-2.00	107.73	113.55
2	B	750	HEM	C3B-C4B-CHC	2.02	126.00	123.16
5	B	800	JSS	F13-C13-C14	2.11	122.05	118.52
2	A	750	HEM	C2C-C1C-CHC	2.11	126.90	123.68
2	B	750	HEM	C2D-C3D-C4D	2.26	105.33	101.50
5	B	800	JSS	C3-N2-C2	2.30	121.48	113.35
4	B	760	H4B	C2-N1-C8A	2.38	119.88	114.54
5	B	800	JSS	C16-C11-C12	2.47	122.20	118.55
4	A	760	H4B	N2-C2-N3	2.53	121.39	117.20
2	A	750	HEM	C2D-C3D-C4D	2.69	106.06	101.50
2	A	750	HEM	CMD-C2D-C3D	2.80	126.73	114.35
4	B	760	H4B	C4A-C8A-N8	2.86	121.80	118.43
4	A	760	H4B	C4A-C8A-N8	2.93	121.88	118.43
2	B	750	HEM	CMD-C2D-C3D	2.93	127.30	114.35
4	A	760	H4B	C2-N1-C8A	3.12	121.56	114.54
5	B	800	JSS	C6A-N1A-C2A	3.15	120.47	118.23
2	A	750	HEM	C3B-C4B-CHC	3.50	128.09	123.16
5	A	800	JSS	C6A-N1A-C2A	3.75	120.89	118.23
4	B	760	H4B	C4-N3-C2	3.89	121.34	115.94
2	A	750	HEM	CAD-C3D-C4D	4.01	126.60	112.47
4	B	760	H4B	C4-C4A-C8A	4.20	118.36	114.56
2	B	750	HEM	CAD-C3D-C2D	4.34	125.70	113.22
2	A	750	HEM	CMC-C2C-C3C	4.48	127.71	116.53
2	B	750	HEM	CAD-C3D-C4D	4.68	128.97	112.47
2	B	750	HEM	CMB-C2B-C3B	4.71	128.30	116.53
2	A	750	HEM	CMB-C2B-C3B	4.72	128.32	116.53
4	A	760	H4B	C4-C4A-C8A	4.74	118.85	114.56
2	B	750	HEM	CMC-C2C-C3C	4.84	128.61	116.53
2	A	750	HEM	CAD-C3D-C2D	4.91	127.33	113.22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	760	H4B	C4-N3-C2	5.07	122.98	115.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	719	GOL	1	0
2	A	750	HEM	8	0
5	A	800	JSS	2	0
2	B	750	HEM	3	0
5	B	800	JSS	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	407/422 (96%)	1.01	82 (20%) 1 1	33, 60, 109, 140	0
1	B	411/422 (97%)	0.49	34 (8%) 14 15	29, 48, 77, 97	0
All	All	818/844 (96%)	0.75	116 (14%) 4 4	29, 54, 98, 140	0

All (116) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	300	PHE	8.1
1	A	300	PHE	6.9
1	A	355	PHE	6.4
1	A	352	ASP	6.1
1	A	488	PRO	6.0
1	B	348	VAL	6.0
1	A	715	VAL	5.8
1	A	486	LYS	5.6
1	A	716	TRP	5.5
1	B	350	THR	5.4
1	A	351	LYS	5.0
1	A	713	THR	5.0
1	B	619	ARG	4.9
1	B	310	VAL	4.8
1	A	551	PHE	4.6
1	A	350	THR	4.5
1	A	507	GLN	4.2
1	A	567	VAL	4.2
1	A	299	ARG	4.1
1	B	301	LEU	4.1
1	B	352	ASP	4.0
1	A	489	ASP	4.0
1	A	619	ARG	3.8
1	A	503	GLU	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	616	LEU	3.6
1	A	678	TRP	3.6
1	A	491	SER	3.6
1	A	677	VAL	3.6
1	A	392	SER	3.6
1	A	487	GLN	3.6
1	A	390	SER	3.6
1	A	712	ASN	3.5
1	A	354	LEU	3.5
1	A	680	VAL	3.4
1	A	508	GLN	3.4
1	A	506	ILE	3.4
1	A	479	LEU	3.4
1	A	388	ILE	3.4
1	A	511	LYS	3.4
1	A	714	HIS	3.4
1	A	415	CYS	3.3
1	A	490	GLY	3.3
1	A	321	THR	3.3
1	A	391	THR	3.3
1	A	389	GLU	3.2
1	B	620	LYS	3.1
1	A	676	TRP	3.1
1	B	680	VAL	3.1
1	A	385	ASN	3.1
1	A	322	LEU	3.0
1	A	591	THR	3.0
1	A	593	ILE	3.0
1	B	479	LEU	3.0
1	B	567	VAL	3.0
1	A	682	PRO	3.0
1	B	591	THR	3.0
1	A	550	LYS	3.0
1	A	711	TRP	3.0
1	A	416	VAL	3.0
1	B	691	PHE	3.0
1	A	514	ARG	2.9
1	A	584	PHE	2.9
1	A	685	GLY	2.9
1	A	643	SER	2.9
1	A	382	GLU	2.9
1	A	679	ILE	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	681	PRO	2.8
1	B	718	GLY	2.8
1	B	677	VAL	2.8
1	B	302	LYS	2.7
1	A	588	TYR	2.7
1	B	667	ARG	2.7
1	A	311	VAL	2.7
1	B	299	ARG	2.7
1	A	467	ASP	2.6
1	A	565	PRO	2.6
1	A	566	ALA	2.5
1	B	566	ALA	2.5
1	A	386	LYS	2.5
1	B	351	LYS	2.5
1	B	389	GLU	2.5
1	A	470	HIS	2.5
1	A	328	GLU	2.5
1	A	493	LEU	2.5
1	A	561	TRP	2.4
1	A	554	PHE	2.4
1	A	393	THR	2.4
1	A	412	ALA	2.4
1	A	595	VAL	2.4
1	A	480	ILE	2.3
1	A	394	TYR	2.3
1	B	321	THR	2.3
1	A	509	GLY	2.3
1	A	642	GLN	2.3
1	B	595	VAL	2.3
1	A	686	SER	2.3
1	B	682	PRO	2.3
1	A	683	MET	2.2
1	A	485	TYR	2.2
1	B	565	PRO	2.2
1	A	338	PRO	2.2
1	A	492	THR	2.1
1	B	561	TRP	2.1
1	A	353	GLN	2.1
1	A	552	ASP	2.1
1	B	615	ASP	2.1
1	A	704	PHE	2.1
1	A	478	GLN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	568	SER	2.1
1	B	713	THR	2.1
1	B	617	ASP	2.1
1	B	392	SER	2.1
1	B	588	TYR	2.1
1	B	681	PRO	2.0
1	A	318	LEU	2.0
1	B	568	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	GOL	A	719	6/6	0.70	0.85	12.82	43,45,46,47	6
3	GOL	A	880	6/6	0.91	0.93	10.97	76,77,81,85	6
6	ACT	A	860	4/4	0.90	0.21	2.58	80,82,83,84	0
5	JSS	A	800	27/27	0.88	0.31	1.59	38,53,83,85	0
6	ACT	B	860	4/4	0.96	0.13	1.11	61,62,63,64	0
5	JSS	B	800	27/27	0.92	0.22	0.93	38,50,83,86	0
2	HEM	A	750	43/43	0.97	0.24	0.69	35,39,54,57	0
2	HEM	B	750	43/43	0.97	0.19	0.65	33,39,51,59	0
4	H4B	B	760	17/17	0.97	0.20	0.48	33,40,44,47	0
4	H4B	A	760	17/17	0.94	0.20	0.37	36,39,45,46	0
7	ZN	A	900	1/1	0.99	0.09	-1.08	44,44,44,44	0

6.5 Other polymers [i](#)

There are no such residues in this entry.