



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:03 AM GMT

PDB ID : 3NTD
Title : Structure of the Shewanella loihica PV-4 NADH-dependent persulfide reductase C531S Mutant
Authors : Sazinsky, M.H.; Warner, M.D.; Lukose, V.; Lee, K.H.; Crane, E.J.
Deposited on : 2010-07-03
Resolution : 1.99 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	565	<div> <div>5%</div> <div>77%</div> <div>19%</div> <div>.</div> </div>
1	B	565	<div> <div>4%</div> <div>75%</div> <div>20%</div> <div>..</div> </div>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 9400 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called FAD-dependent pyridine nucleotide-disulphide oxidoreductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	565	Total	C	N	O	S	0	0	0
			4295	2694	762	820	19			
1	B	565	Total	C	N	O	S	0	0	0
			4294	2694	763	819	18			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	531	SER	CYS	ENGINEERED MUTATION	UNP A3QAV3
B	531	SER	CYS	ENGINEERED MUTATION	UNP A3QAV3

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P S	0	0
			48	21	7	16	3 1		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	N	O	P	S	
			48	21	7	16	3	1	
								0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Cl		
			1	1	0	0
3	A	1	Total	Cl		
			1	1	0	0

- Molecule 4 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P		
			53	27	9	15	2	0	0
4	B	1	Total	C	N	O	P		
			53	27	9	15	2	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	300	Total	O		
			300	300	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	307	Total	O	0	0
			307	307		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: FAD-dependent pyridine nucleotide-disulphide oxidoreductase



- Molecule 1: FAD-dependent pyridine nucleotide-disulphide oxidoreductase



R542	R543	L544	Y545	I1546	I1547	R548	Y549	Y558	Y561	S565
------	------	------	------	-------	-------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 3	Depositor
Cell constants a, b, c, α , β , γ	133.74 Å 133.74 Å 79.71 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	115.85 – 1.99 38.37 – 1.99	Depositor EDS
% Data completeness (in resolution range)	99.3 (115.85-1.99) 99.9 (38.37-1.99)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.22 (at 2.00 Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.158 , 0.185 0.239 , 0.277	Depositor DCC
R_{free} test set	5561 reflections (5.36%)	DCC
Wilson B-factor (Å ²)	33.0	Xtriage
Anisotropy	0.122	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 38.2	EDS
Estimated twinning fraction	0.026 for H, K, L 0.323 for K, H, -L 0.651 for -H, -K, L 0.000 for -h,-k,-l 0.000 for h,-h-k,-l 0.000 for -k,-h,-l	Xtriage
Reported twinning fraction	0.026 for H, K, L 0.323 for K, H, -L 0.651 for -H, -K, L	Depositor
L-test for twinning ²	$\langle L \rangle = 0.56$, $\langle L^2 \rangle = 0.42$	Xtriage
Outliers	0 of 109330 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	9400	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, FAD, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.31	14/4365 (0.3%)	1.11	14/5910 (0.2%)
1	B	1.36	16/4364 (0.4%)	1.15	17/5908 (0.3%)
All	All	1.34	30/8729 (0.3%)	1.13	31/11818 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	292	GLN	CB-CG	-7.61	1.32	1.52
1	B	453	ALA	CA-CB	7.31	1.67	1.52
1	B	558	TYR	CD1-CE1	7.24	1.50	1.39
1	B	437	GLU	CG-CD	6.88	1.62	1.51
1	B	252	GLU	CG-CD	6.43	1.61	1.51
1	B	255	GLU	CB-CG	6.22	1.64	1.52
1	A	268	GLU	CB-CG	6.19	1.64	1.52
1	B	349	ALA	CA-CB	6.06	1.65	1.52
1	B	331	ALA	CA-CB	5.90	1.64	1.52
1	A	321	ALA	CA-CB	5.70	1.64	1.52
1	B	152	GLU	CB-CG	5.68	1.62	1.52
1	B	386	ALA	CA-CB	5.68	1.64	1.52
1	B	429	ALA	CA-CB	5.68	1.64	1.52
1	A	60	VAL	CB-CG1	5.67	1.64	1.52
1	A	342	TYR	CD2-CE2	5.59	1.47	1.39
1	A	425	VAL	CB-CG1	5.54	1.64	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	472	ALA	CA-CB	5.53	1.64	1.52
1	B	21	ARG	CB-CG	5.51	1.67	1.52
1	B	354	PHE	CD2-CE2	5.47	1.50	1.39
1	A	389	TYR	CD2-CE2	5.31	1.47	1.39
1	A	413	ALA	CA-CB	5.29	1.63	1.52
1	A	47	TYR	CE1-CZ	-5.27	1.31	1.38
1	A	349	ALA	CA-CB	5.27	1.63	1.52
1	B	542	ARG	CB-CG	5.19	1.66	1.52
1	B	46	PRO	CG-CD	5.18	1.67	1.50
1	A	37	TYR	CD1-CE1	5.17	1.47	1.39
1	B	106	TYR	CD2-CE2	5.10	1.47	1.39
1	A	181	GLU	CG-CD	-5.08	1.44	1.51
1	A	353	VAL	CB-CG1	5.03	1.63	1.52
1	B	332	ALA	CA-CB	5.02	1.63	1.52

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	34	ARG	NE-CZ-NH1	11.82	126.21	120.30
1	A	34	ARG	NE-CZ-NH1	8.98	124.79	120.30
1	B	422	ARG	NE-CZ-NH1	8.20	124.40	120.30
1	B	511	VAL	CG1-CB-CG2	7.06	122.19	110.90
1	B	191	ASP	CB-CG-OD1	-6.99	112.01	118.30
1	A	34	ARG	NE-CZ-NH2	-6.91	116.85	120.30
1	B	209	LEU	CB-CG-CD2	6.68	122.35	111.00
1	B	511	VAL	CB-CA-C	-6.55	98.96	111.40
1	A	86	ARG	NE-CZ-NH2	-6.37	117.12	120.30
1	B	533	VAL	CG1-CB-CG2	6.30	120.98	110.90
1	A	483	LEU	CB-CG-CD1	5.96	121.12	111.00
1	B	19	ARG	NE-CZ-NH2	-5.91	117.34	120.30
1	B	533	VAL	CA-CB-CG2	5.88	119.72	110.90
1	A	240	ILE	CG1-CB-CG2	-5.83	98.58	111.40
1	A	259	LEU	CB-CG-CD2	5.79	120.84	111.00
1	A	86	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	B	377	LYS	CD-CE-NZ	-5.68	98.63	111.70
1	B	34	ARG	NE-CZ-NH2	-5.61	117.50	120.30
1	B	31	MET	O-C-N	-5.47	113.94	122.70
1	A	517	ARG	NE-CZ-NH2	-5.39	117.60	120.30
1	A	490	LEU	CB-CG-CD2	5.38	120.14	111.00
1	B	533	VAL	CA-CB-CG1	5.32	118.88	110.90
1	B	229	ASP	CB-CG-OD1	-5.29	113.54	118.30
1	A	552	ARG	NE-CZ-NH1	5.22	122.91	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	442	LEU	CB-CG-CD2	5.21	119.85	111.00
1	A	143	LEU	CA-CB-CG	5.20	127.26	115.30
1	A	488	LEU	CA-CB-CG	5.07	126.95	115.30
1	A	341	ARG	NE-CZ-NH2	-5.06	117.77	120.30
1	B	273	ARG	NE-CZ-NH2	-5.04	117.78	120.30
1	B	191	ASP	CB-CG-OD2	5.03	122.83	118.30
1	A	475	ILE	CB-CA-C	-5.02	101.56	111.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	474	PRO	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4295	0	4296	115	1
1	B	4294	0	4300	110	1
2	A	48	0	31	2	0
2	B	48	0	32	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	53	0	31	3	0
4	B	53	0	31	2	0
5	A	300	0	0	25	0
5	B	307	0	0	32	0
All	All	9400	0	8721	222	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (222) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:229:ASP:HB3	5:B:745:HOH:O	1.41	1.18
1:B:500:ASN:HB3	5:B:803:HOH:O	1.46	1.16
1:A:266:ARG:HH11	1:A:266:ARG:HG3	1.11	1.11
1:A:474:PRO:CB	1:A:555:ILE:HD11	1.83	1.08
1:A:227:ALA:H	1:A:238:GLN:NE2	1.55	1.02
1:A:227:ALA:N	1:A:238:GLN:NE2	2.09	1.00
1:A:382:THR:HG23	1:A:456:VAL:HG22	1.44	1.00
1:A:266:ARG:HG3	1:A:266:ARG:NH1	1.68	0.99
1:A:437:GLU:HG2	5:A:618:HOH:O	1.62	0.98
1:B:55:GLN:HG2	5:B:878:HOH:O	1.65	0.96
1:B:223:GLN:HE21	1:B:225:HIS:H	1.09	0.94
1:B:346:GLN:HE21	1:B:430:GLN:HE21	1.09	0.93
1:A:85:ASP:HB3	5:A:733:HOH:O	1.67	0.92
1:A:1:MET:HB3	5:A:820:HOH:O	1.68	0.91
1:A:227:ALA:HB3	1:A:238:GLN:NE2	1.85	0.91
1:B:67:PHE:CD1	1:B:73:VAL:HG11	2.06	0.90
1:A:227:ALA:H	1:A:238:GLN:HE21	1.21	0.89
1:A:474:PRO:HB2	1:A:555:ILE:HD11	1.54	0.87
1:B:288:ASN:HD21	1:B:292:GLN:HE21	1.17	0.87
1:A:241:LYS:HE3	5:A:1106:HOH:O	1.73	0.86
1:A:418:GLY:HA2	5:A:1092:HOH:O	1.75	0.86
1:A:499:GLN:HB2	5:A:759:HOH:O	1.74	0.85
1:A:474:PRO:HB3	1:A:555:ILE:HD11	1.57	0.84
1:B:523:LYS:HE3	5:B:969:HOH:O	1.77	0.84
1:B:482:ASN:O	1:B:483:LEU:HB2	1.77	0.83
1:A:266:ARG:CG	1:A:266:ARG:HH11	1.90	0.82
1:A:241:LYS:HD3	5:A:1106:HOH:O	1.80	0.81
1:B:86:ARG:HD2	1:B:295:ASP:OD1	1.80	0.81
1:A:382:THR:HG21	1:A:456:VAL:HA	1.63	0.79
1:A:227:ALA:CB	1:A:238:GLN:HE21	1.96	0.79
5:A:814:HOH:O	1:B:441:HIS:HE1	1.66	0.78
1:B:223:GLN:NE2	1:B:225:HIS:H	1.80	0.78
1:B:243:HIS:HE1	1:B:255:GLU:HG3	1.49	0.78
1:B:127:ASN:OD1	1:B:130:THR:HG23	1.84	0.77
1:B:243:HIS:HE1	1:B:255:GLU:CG	1.98	0.77
5:A:814:HOH:O	1:B:441:HIS:CE1	2.36	0.77
1:A:227:ALA:N	1:A:238:GLN:HE22	1.82	0.77
1:A:227:ALA:CB	1:A:238:GLN:NE2	2.47	0.77
1:A:474:PRO:HB2	1:A:555:ILE:CD1	2.14	0.76
1:A:223:GLN:HE21	1:A:225:HIS:H	1.29	0.76
1:B:211:LEU:O	1:B:213:THR:HG22	1.86	0.74
1:B:496:GLY:O	1:B:499:GLN:HB2	1.88	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:436:VAL:HG21	1:A:468:ILE:CD1	2.19	0.73
1:B:519:HIS:CD2	5:B:757:HOH:O	2.41	0.72
1:A:476:HIS:CE1	1:A:555:ILE:HD13	2.25	0.71
1:A:241:LYS:CE	5:A:1106:HOH:O	2.35	0.69
1:B:67:PHE:HD1	1:B:73:VAL:HG11	1.55	0.69
1:B:67:PHE:CD1	1:B:73:VAL:CG1	2.77	0.68
1:A:227:ALA:CA	1:A:238:GLN:NE2	2.57	0.67
1:A:290:MET:HE3	1:A:339:GLU:HA	1.76	0.67
1:B:519:HIS:HE1	5:B:754:HOH:O	1.77	0.66
1:A:209:LEU:HD13	1:A:211:LEU:HD11	1.75	0.66
1:A:499:GLN:CB	5:A:759:HOH:O	2.38	0.66
1:B:94:ARG:CZ	5:B:674:HOH:O	2.44	0.65
1:A:288:ASN:HD21	1:A:292:GLN:HE21	1.43	0.65
1:B:67:PHE:HD1	1:B:73:VAL:CG1	2.09	0.65
1:A:243:HIS:HE1	1:A:255:GLU:OE2	1.79	0.65
1:A:290:MET:CE	1:A:339:GLU:HA	2.27	0.64
1:B:519:HIS:CE1	5:B:754:HOH:O	2.51	0.63
1:A:436:VAL:HG21	1:A:468:ILE:HD12	1.79	0.63
1:A:164:LEU:HD12	1:A:187:MET:HE2	1.78	0.63
1:A:116:ALA:HB3	1:A:266:ARG:HH12	1.64	0.62
1:B:243:HIS:HD2	5:B:753:HOH:O	1.82	0.62
1:A:168:GLU:HG2	5:A:922:HOH:O	1.99	0.62
1:B:55:GLN:HG3	5:B:967:HOH:O	2.00	0.61
1:A:425:VAL:HG13	1:B:428:VAL:HG21	1.82	0.61
1:A:227:ALA:N	1:A:238:GLN:HE21	1.87	0.61
1:A:290:MET:HE1	1:A:339:GLU:HG3	1.81	0.61
1:A:382:THR:CG2	1:A:456:VAL:HG22	2.26	0.61
1:A:211:LEU:HD12	1:A:211:LEU:N	2.16	0.60
1:A:187:MET:HE3	1:A:351:CYS:HB3	1.83	0.59
1:B:346:GLN:NE2	1:B:430:GLN:HE21	1.92	0.59
1:B:130:THR:HG21	1:B:259:LEU:HD23	1.85	0.59
1:B:94:ARG:HD2	5:B:839:HOH:O	2.03	0.59
1:B:436:VAL:HG21	1:B:468:ILE:HD12	1.84	0.59
1:B:130:THR:HB	1:B:259:LEU:HB3	1.85	0.58
1:A:266:ARG:CG	1:A:266:ARG:NH1	2.51	0.58
1:B:127:ASN:CG	1:B:130:THR:HG23	2.24	0.58
1:B:211:LEU:O	1:B:213:THR:CG2	2.52	0.58
1:B:223:GLN:HE21	1:B:225:HIS:N	1.90	0.57
1:A:90:LEU:HD12	1:A:105:SER:HA	1.87	0.56
1:B:436:VAL:CG2	1:B:468:ILE:HD12	2.36	0.56
1:B:273:ARG:HG2	1:B:279:ILE:CD1	2.34	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:355:ASP:HB2	5:A:965:HOH:O	2.04	0.56
1:B:534:GLY:HA2	5:B:767:HOH:O	2.06	0.56
1:A:474:PRO:CB	1:A:555:ILE:CD1	2.68	0.56
1:A:223:GLN:NE2	1:A:225:HIS:H	2.02	0.56
1:B:227:ALA:H	1:B:238:GLN:NE2	2.02	0.56
1:B:523:LYS:CE	5:B:969:HOH:O	2.43	0.56
1:A:209:LEU:HD22	1:A:211:LEU:CD1	2.36	0.56
1:B:498:LEU:HD23	1:B:498:LEU:H	1.71	0.56
1:A:437:GLU:CG	5:A:618:HOH:O	2.35	0.56
1:B:222:VAL:HG22	5:B:749:HOH:O	2.05	0.55
1:B:182:LEU:O	1:B:212:GLY:HA2	2.05	0.55
1:B:101:GLU:HG3	5:B:893:HOH:O	2.06	0.55
1:A:7:ILE:HD12	1:A:111:LEU:CD2	2.35	0.55
1:A:34:ARG:CD	4:A:900:FAD:O2B	2.56	0.54
1:A:424:ASP:O	1:A:428:VAL:HG23	2.08	0.54
1:B:94:ARG:CD	5:B:839:HOH:O	2.55	0.54
1:A:36:GLU:HG3	1:A:78:LYS:HE3	1.90	0.54
1:A:273:ARG:HG2	1:A:273:ARG:HH11	1.71	0.54
1:A:68:LYS:NZ	5:A:674:HOH:O	2.39	0.54
1:B:498:LEU:HD23	1:B:498:LEU:N	2.23	0.53
1:A:329:ARG:CG	1:A:329:ARG:HH11	2.22	0.53
1:B:518:MET:HE1	1:B:547:ASN:HB2	1.91	0.53
1:A:34:ARG:HD2	4:A:900:FAD:O2B	2.09	0.53
1:B:243:HIS:CE1	1:B:255:GLU:HG3	2.38	0.52
1:B:176:LYS:HG2	5:B:1025:HOH:O	2.10	0.52
1:B:425:VAL:CG1	1:B:457:ILE:HD13	2.39	0.52
1:A:11:ALA:HB2	2:A:901:COA:H32	1.92	0.51
1:A:436:VAL:CG2	1:A:468:ILE:CD1	2.86	0.51
1:A:436:VAL:HG21	1:A:468:ILE:HD11	1.91	0.51
1:A:436:VAL:CG2	1:A:468:ILE:HD12	2.40	0.51
1:B:273:ARG:HG2	1:B:279:ILE:HD13	1.93	0.51
1:A:402:ASP:OD1	1:A:404:VAL:HG23	2.10	0.51
1:A:97:LEU:HD23	1:A:98:ASP:CG	2.30	0.51
1:B:243:HIS:CE1	1:B:255:GLU:CG	2.88	0.51
1:A:378:VAL:HG12	1:A:399:LEU:HB3	1.94	0.50
1:A:518:MET:HE3	1:A:549:TYR:CE1	2.47	0.50
1:B:518:MET:HE3	1:B:544:LEU:HD23	1.93	0.50
1:B:418:GLY:HA2	5:B:721:HOH:O	2.10	0.50
1:B:418:GLY:N	5:B:721:HOH:O	2.34	0.50
1:B:541:TYR:O	1:B:545:VAL:HB	2.12	0.49
1:B:513:GLU:CG	5:B:1065:HOH:O	2.60	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:LYS:CD	5:A:1106:HOH:O	2.40	0.49
1:B:513:GLU:HG3	5:B:1065:HOH:O	2.13	0.49
1:B:43:CYS:SG	4:B:900:FAD:C4X	3.01	0.49
1:A:108:THR:HG23	1:A:297:ALA:O	2.12	0.48
1:A:168:GLU:CG	5:A:922:HOH:O	2.57	0.48
1:B:56:ARG:HD2	5:B:659:HOH:O	2.12	0.48
1:A:545:VAL:HG12	5:A:649:HOH:O	2.13	0.48
1:A:518:MET:HE3	1:A:544:LEU:HD23	1.95	0.48
1:B:131:HIS:HE1	1:B:145:THR:OG1	1.97	0.48
1:A:535:LEU:HD23	1:A:536:ARG:N	2.28	0.48
1:B:311:VAL:HG13	5:B:1060:HOH:O	2.13	0.48
1:A:454:LYS:HE3	5:B:652:HOH:O	2.13	0.48
1:B:493:ARG:HH12	1:B:500:ASN:HD21	1.60	0.48
1:A:288:ASN:HD21	1:A:292:GLN:HG2	1.79	0.48
1:A:7:ILE:HD12	1:A:111:LEU:HD23	1.95	0.48
1:A:209:LEU:HD22	1:A:211:LEU:HD12	1.96	0.48
1:A:288:ASN:ND2	1:A:292:GLN:HG2	2.29	0.47
1:B:483:LEU:HA	1:B:487:GLN:OE1	2.14	0.47
1:A:211:LEU:CD1	1:A:211:LEU:N	2.77	0.47
1:B:182:LEU:HG	1:B:214:ALA:HB2	1.94	0.47
1:B:518:MET:CE	1:B:547:ASN:HB2	2.44	0.47
1:B:518:MET:HE3	1:B:549:TYR:CE1	2.49	0.47
1:A:227:ALA:HB3	1:A:238:GLN:HE21	1.54	0.47
1:B:88:ALA:HB1	1:B:90:LEU:HD22	1.96	0.47
1:A:243:HIS:HD2	5:A:591:HOH:O	1.97	0.47
1:A:402:ASP:OD1	1:A:404:VAL:CG2	2.62	0.47
1:B:518:MET:HE2	1:B:547:ASN:CB	2.45	0.47
1:A:209:LEU:HD22	1:A:211:LEU:HD11	1.97	0.47
1:A:197:PHE:HB2	1:A:414:VAL:HG11	1.97	0.47
1:B:6:ILE:HG23	1:B:110:LEU:HD23	1.97	0.46
1:B:307:GLU:CD	1:B:327:GLN:HE22	2.18	0.46
1:B:529:ILE:HD11	1:B:544:LEU:HD12	1.97	0.46
1:B:418:GLY:CA	5:B:721:HOH:O	2.62	0.46
1:B:226:VAL:HA	1:B:238:GLN:HE22	1.80	0.46
1:A:114:GLY:HA2	1:A:303:ASP:HB2	1.98	0.46
1:B:519:HIS:HD2	5:B:757:HOH:O	1.92	0.46
1:A:209:LEU:CD1	1:A:211:LEU:HD11	2.44	0.46
1:B:34:ARG:HG2	1:B:35:GLY:N	2.30	0.46
1:B:39:SER:HB2	1:B:62:GLN:HB2	1.96	0.46
1:B:243:HIS:CD2	5:B:753:HOH:O	2.62	0.46
1:B:222:VAL:CG2	5:B:749:HOH:O	2.63	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:130:THR:HG22	1:B:244:LEU:HD11	1.98	0.45
1:A:37:TYR:CD2	1:A:136:ILE:HD12	2.52	0.45
1:A:240:ILE:HG21	1:A:240:ILE:HD13	1.63	0.45
1:A:182:LEU:O	1:A:212:GLY:HA2	2.16	0.45
1:B:127:ASN:ND2	1:B:130:THR:HG23	2.32	0.45
1:B:271:LEU:HB2	5:B:699:HOH:O	2.17	0.45
1:A:136:ILE:HB	1:A:137:PRO:HD3	1.99	0.45
1:A:333:ASP:OD2	1:A:340:GLU:OE1	2.35	0.45
1:B:507:VAL:HG23	5:B:758:HOH:O	2.17	0.45
1:A:386:ALA:HB1	1:A:388:TYR:CE2	2.52	0.44
1:B:454:LYS:HE3	1:B:454:LYS:HB2	1.73	0.44
1:A:243:HIS:HA	5:A:591:HOH:O	2.16	0.44
1:B:127:ASN:HD21	1:B:130:THR:CG2	2.31	0.44
1:B:331:ALA:O	1:B:335:MET:HG3	2.16	0.44
1:B:7:ILE:HG12	1:B:81:VAL:HG21	2.00	0.43
1:B:178:THR:HG21	1:B:254:LEU:HD11	2.00	0.43
1:A:112:SER:O	4:A:900:FAD:H52A	2.18	0.43
1:B:11:ALA:HB2	2:B:901:COA:H32	1.99	0.43
1:A:500:ASN:N	1:A:500:ASN:HD22	2.16	0.43
1:A:5:LEU:HD22	1:A:30:ILE:HB	2.00	0.43
1:B:309:ASP:OD2	1:B:363:LYS:HE3	2.19	0.43
1:B:43:CYS:SG	2:B:901:COA:S1P	3.16	0.43
1:A:416:LYS:N	5:A:821:HOH:O	2.50	0.43
1:B:217:GLU:HB2	1:B:247:THR:HB	2.00	0.43
1:A:515:ARG:N	5:A:779:HOH:O	2.44	0.43
1:A:475:ILE:HG13	1:A:475:ILE:H	1.54	0.43
1:B:130:THR:CG2	1:B:259:LEU:HD23	2.47	0.43
1:A:240:ILE:HG22	5:A:675:HOH:O	2.19	0.43
1:B:561:TYR:C	1:B:561:TYR:CD2	2.92	0.43
1:B:223:GLN:HE21	1:B:224:THR:N	2.15	0.43
1:A:97:LEU:HD23	1:A:98:ASP:CB	2.49	0.43
1:B:529:ILE:HD11	1:B:544:LEU:CD1	2.49	0.42
1:B:500:ASN:C	1:B:500:ASN:HD22	2.22	0.42
1:B:518:MET:CE	1:B:547:ASN:CB	2.96	0.42
1:A:175:ILE:O	1:A:177:THR:HG23	2.19	0.42
1:B:12:GLY:HA3	1:B:112:SER:OG	2.19	0.42
1:B:487:GLN:HG2	1:B:526:GLU:HG3	2.01	0.42
1:A:424:ASP:OD2	1:B:421:LYS:HD2	2.19	0.42
1:A:377:LYS:HE3	1:A:377:LYS:HB3	1.76	0.42
1:B:285:ILE:HD12	1:B:304:ALA:HB1	2.02	0.42
1:B:495:PRO:HD2	5:B:1022:HOH:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:GLN:HB2	5:A:1066:HOH:O	2.20	0.41
1:B:436:VAL:HG21	1:B:468:ILE:CD1	2.50	0.41
1:B:127:ASN:HB2	1:B:128:PRO:CD	2.50	0.41
1:A:34:ARG:HG2	1:A:35:GLY:N	2.35	0.41
1:A:11:ALA:O	1:A:15:SER:HB3	2.20	0.41
1:A:475:ILE:CD1	1:A:480:ILE:HD12	2.50	0.41
1:A:442:LEU:HD22	1:B:428:VAL:HG22	2.02	0.41
1:B:34:ARG:HD2	4:B:900:FAD:C4A	2.50	0.41
1:A:42:ASN:OD1	2:A:901:COA:H22	2.21	0.41
1:A:542:ARG:HH21	1:A:546:ASN:HD21	1.68	0.41
1:B:34:ARG:NH2	5:B:894:HOH:O	2.40	0.41
1:A:40:PHE:HA	1:A:59:LEU:O	2.21	0.41
1:A:378:VAL:HA	1:A:555:ILE:HG21	2.02	0.41
1:B:10:VAL:O	1:B:14:ALA:HB3	2.21	0.41
1:A:382:THR:HA	5:A:979:HOH:O	2.20	0.41
1:A:243:HIS:CE1	1:A:255:GLU:HB3	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:482:ASN:OD1	1:B:482:ASN:ND2[1_554]	2.12	0.08

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	563/565 (100%)	547 (97%)	14 (2%)	2 (0%)	39	33
1	B	563/565 (100%)	544 (97%)	15 (3%)	4 (1%)	26	19
All	All	1126/1130 (100%)	1091 (97%)	29 (3%)	6 (0%)	34	26

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	482	ASN
1	B	10	VAL
1	B	293	THR
1	A	10	VAL
1	B	483	LEU
1	A	456	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	449/450 (100%)	415 (92%)	34 (8%)	16	10
1	B	449/450 (100%)	412 (92%)	37 (8%)	14	9
All	All	898/900 (100%)	827 (92%)	71 (8%)	15	9

All (71) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	15	SER
1	A	24	SER
1	A	34	ARG
1	A	42	ASN
1	A	43	CYS
1	A	67	PHE
1	A	97	LEU
1	A	129	LEU
1	A	132	SER
1	A	143	LEU
1	A	209	LEU
1	A	221	GLN
1	A	224	THR
1	A	241	LYS
1	A	254	LEU
1	A	259	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	266	ARG
1	A	282	LEU
1	A	329	ARG
1	A	356	LEU
1	A	363	LYS
1	A	377	LYS
1	A	378	VAL
1	A	382	THR
1	A	422	ARG
1	A	454	LYS
1	A	475	ILE
1	A	483	LEU
1	A	485	GLU
1	A	486	ASP
1	A	490	LEU
1	A	500	ASN
1	A	523	LYS
1	B	34	ARG
1	B	42	ASN
1	B	52	GLU
1	B	67	PHE
1	B	90	LEU
1	B	98	ASP
1	B	103	GLN
1	B	128	PRO
1	B	130	THR
1	B	176	LYS
1	B	180	LEU
1	B	182	LEU
1	B	209	LEU
1	B	213	THR
1	B	216	SER
1	B	221	GLN
1	B	229	ASP
1	B	241	LYS
1	B	267	PRO
1	B	271	LEU
1	B	281	GLU
1	B	292	GLN
1	B	356	LEU
1	B	390	PRO
1	B	407	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	422	ARG
1	B	437	GLU
1	B	445	SER
1	B	482	ASN
1	B	498	LEU
1	B	500	ASN
1	B	511	VAL
1	B	525	LYS
1	B	529	ILE
1	B	533	VAL
1	B	545	VAL
1	B	565	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	171	HIS
1	A	223	GLN
1	A	238	GLN
1	A	243	HIS
1	A	292	GLN
1	A	440	GLN
1	A	441	HIS
1	A	500	ASN
1	A	543	GLN
1	A	546	ASN
1	A	547	ASN
1	B	62	GLN
1	B	131	HIS
1	B	205	GLN
1	B	223	GLN
1	B	238	GLN
1	B	243	HIS
1	B	292	GLN
1	B	370	GLN
1	B	430	GLN
1	B	440	GLN
1	B	441	HIS
1	B	482	ASN
1	B	494	ASN
1	B	500	ASN
1	B	519	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	FAD	A	900	-	48,58,58	1.48	7 (14%)	54,89,89	1.96	13 (24%)
2	COA	A	901	-	40,50,50	1.53	4 (10%)	50,75,75	2.30	13 (26%)
4	FAD	B	900	-	48,58,58	1.59	8 (16%)	54,89,89	2.40	14 (25%)
2	COA	B	901	-	40,50,50	1.54	5 (12%)	50,75,75	3.64	18 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FAD	A	900	-	-	0/30/50/50	0/6/6/6
2	COA	A	901	-	-	0/44/64/64	0/3/3/3
4	FAD	B	900	-	-	0/30/50/50	0/6/6/6
2	COA	B	901	-	-	0/44/64/64	0/3/3/3

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	901	COA	P1A-O2A	-3.04	1.42	1.54
4	B	900	FAD	O2'-C2'	-2.83	1.37	1.43
4	B	900	FAD	C5A-N7A	-2.24	1.31	1.39
2	B	901	COA	C6P-C5P	2.32	1.55	1.51
4	B	900	FAD	C4-N3	2.44	1.37	1.33
4	A	900	FAD	C5X-N5	2.62	1.39	1.35
4	B	900	FAD	C10-N1	2.68	1.40	1.35
4	B	900	FAD	C5X-N5	2.68	1.39	1.35
4	A	900	FAD	C4A-N3A	2.70	1.39	1.35
2	A	901	COA	O4B-C1B	3.04	1.45	1.41
4	B	900	FAD	C2A-N1A	3.10	1.39	1.33
2	B	901	COA	O4B-C1B	3.13	1.45	1.41
4	A	900	FAD	C10-N10	3.14	1.42	1.39
4	A	900	FAD	C2A-N3A	3.39	1.38	1.32
4	A	900	FAD	C2A-N1A	3.44	1.40	1.33
4	A	900	FAD	C4-N3	3.44	1.39	1.33
2	A	901	COA	C2A-N3A	3.44	1.38	1.32
2	B	901	COA	C2A-N3A	3.94	1.39	1.32
2	B	901	COA	O5P-C5P	3.96	1.31	1.23
4	A	900	FAD	C4X-N5	4.15	1.39	1.33
2	B	901	COA	O9P-C9P	4.17	1.31	1.23
4	B	900	FAD	C4X-N5	4.35	1.40	1.33
4	B	900	FAD	C2A-N3A	4.83	1.40	1.32
2	A	901	COA	O9P-C9P	6.29	1.35	1.23

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	901	COA	N3A-C2A-N1A	-16.31	116.40	128.89
2	B	901	COA	C3P-N4P-C5P	-10.72	101.71	122.79
2	A	901	COA	N3A-C2A-N1A	-10.21	121.07	128.89
4	A	900	FAD	N3A-C2A-N1A	-9.60	121.55	128.89
4	B	900	FAD	N3A-C2A-N1A	-8.07	122.72	128.89
2	B	901	COA	C7P-C6P-C5P	-7.83	99.41	112.31
2	B	901	COA	CEP-CBP-CDP	-5.73	97.78	109.28
2	B	901	COA	C6P-C5P-N4P	-4.54	108.57	116.46
4	A	900	FAD	C4B-O4B-C1B	-4.15	105.16	109.72
4	B	900	FAD	C4B-O4B-C1B	-3.97	105.36	109.72
2	B	901	COA	C2B-C1B-N9A	-3.90	108.33	114.29
4	B	900	FAD	C4X-C4-N3	-3.82	118.36	123.59
2	A	901	COA	CEP-CBP-CDP	-3.72	101.82	109.28
4	A	900	FAD	C4X-C4-N3	-3.65	118.60	123.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	COA	OAP-CAP-C9P	-3.64	102.04	110.38
2	B	901	COA	OAP-CAP-C9P	-3.49	102.38	110.38
4	B	900	FAD	C4A-C5A-N7A	-3.28	106.46	109.48
2	A	901	COA	C6P-C7P-N8P	-3.24	104.76	111.88
2	B	901	COA	C6P-C7P-N8P	-3.12	105.02	111.88
2	B	901	COA	C5B-C4B-C3B	-3.11	103.10	114.31
4	B	900	FAD	O4B-C1B-N9A	-2.88	102.06	108.10
2	A	901	COA	C2P-C3P-N4P	-2.81	106.83	112.37
4	B	900	FAD	O2'-C2'-C1'	-2.80	103.06	109.94
4	A	900	FAD	O4B-C1B-N9A	-2.73	102.37	108.10
2	A	901	COA	C2B-C1B-N9A	-2.72	110.13	114.29
2	A	901	COA	C1B-N9A-C4A	-2.67	122.91	126.94
4	A	900	FAD	O4'-C4'-C5'	-2.60	104.53	110.19
2	B	901	COA	C1B-N9A-C4A	-2.32	123.44	126.94
4	A	900	FAD	O3B-C3B-C2B	-2.27	104.44	111.83
4	B	900	FAD	O4'-C4'-C5'	-2.19	105.42	110.19
2	B	901	COA	O3A-P2A-O6A	-2.12	97.32	102.94
4	A	900	FAD	O2A-PA-O3P	2.08	114.51	105.09
2	A	901	COA	O6A-P2A-O4A	2.13	117.90	109.62
2	A	901	COA	O5P-C5P-C6P	2.18	125.74	121.98
2	A	901	COA	O5A-P2A-O3A	2.18	114.99	105.09
4	A	900	FAD	C4-N3-C2	2.18	117.13	115.25
2	B	901	COA	O2A-P1A-O3A	2.19	115.04	105.09
4	A	900	FAD	O2'-C2'-C3'	2.20	114.55	109.02
2	B	901	COA	CDP-CBP-CCP	2.27	111.44	108.50
4	A	900	FAD	C4-C4X-C10	2.27	121.39	119.94
4	B	900	FAD	O4'-C4'-C3'	2.27	114.72	109.02
4	B	900	FAD	O3B-C3B-C4B	2.36	118.12	111.05
4	B	900	FAD	O2A-PA-O3P	2.48	116.34	105.09
4	A	900	FAD	O3P-P-O5'	2.71	110.11	102.94
2	A	901	COA	CEP-CBP-CCP	2.83	112.17	108.50
4	A	900	FAD	C4X-C10-N10	2.84	122.19	120.52
4	B	900	FAD	O4B-C4B-C3B	2.86	110.92	105.15
2	B	901	COA	CAP-C9P-N8P	3.05	123.22	116.47
4	A	900	FAD	C5X-C9A-N10	3.12	119.99	117.62
2	A	901	COA	O2A-P1A-O3A	3.31	120.09	105.09
2	B	901	COA	C2P-C3P-N4P	3.32	118.93	112.37
2	B	901	COA	O5A-P2A-O3A	3.57	121.30	105.09
2	B	901	COA	CDP-CBP-CAP	3.98	116.62	109.34
4	B	900	FAD	C1'-N10-C9A	4.38	123.77	118.86
4	B	900	FAD	C5X-C9A-N10	4.40	120.96	117.62
2	A	901	COA	CDP-CBP-CAP	4.78	118.08	109.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	901	COA	CEP-CBP-CCP	5.01	115.00	108.50
4	B	900	FAD	C4-N3-C2	9.25	123.24	115.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	900	FAD	3	0
2	A	901	COA	2	0
4	B	900	FAD	2	0
2	B	901	COA	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	565/565 (100%)	0.46	30 (5%) 30 32	20, 33, 49, 74	0
1	B	565/565 (100%)	0.38	21 (3%) 45 47	23, 32, 49, 65	0
All	All	1130/1130 (100%)	0.42	51 (4%) 37 38	20, 32, 49, 74	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	565	SER	6.9
1	A	230	ALA	5.4
1	A	564	ALA	4.7
1	B	230	ALA	4.4
1	B	499	GLN	4.1
1	B	500	ASN	4.0
1	A	500	ASN	3.6
1	A	499	GLN	3.5
1	B	482	ASN	3.4
1	B	97	LEU	3.3
1	A	231	ALA	3.2
1	A	1	MET	3.1
1	A	563	PHE	3.1
1	A	482	ASN	3.0
1	B	231	ALA	2.9
1	B	320	LEU	2.9
1	A	228	SER	2.8
1	A	444	LEU	2.7
1	A	232	GLY	2.7
1	B	226	VAL	2.7
1	A	504	GLU	2.7
1	B	444	LEU	2.7
1	A	226	VAL	2.6
1	A	229	ASP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	488	LEU	2.6
1	A	200	GLN	2.5
1	A	320	LEU	2.4
1	A	211	LEU	2.4
1	B	428	VAL	2.4
1	A	240	ILE	2.4
1	B	126	ASP	2.4
1	B	253	LEU	2.4
1	B	452	SER	2.3
1	B	119	VAL	2.3
1	A	462	PHE	2.3
1	A	535	LEU	2.3
1	B	228	SER	2.3
1	B	348	THR	2.2
1	A	442	LEU	2.2
1	A	456	VAL	2.2
1	A	97	LEU	2.2
1	B	227	ALA	2.1
1	B	229	ASP	2.1
1	A	266	ARG	2.1
1	A	485	GLU	2.1
1	A	419	ILE	2.1
1	B	252	GLU	2.1
1	A	453	ALA	2.1
1	B	425	VAL	2.1
1	B	451	GLY	2.0
1	A	321	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	CL	B	566	1/1	0.99	0.18	0.84	28,28,28,28	0
2	COA	B	901	48/48	0.96	0.16	0.12	23,31,44,54	0
3	CL	A	566	1/1	0.99	0.15	-0.02	29,29,29,29	0
4	FAD	B	900	53/53	0.95	0.13	-0.05	23,28,32,34	0
2	COA	A	901	48/48	0.95	0.15	-0.28	22,33,45,53	0
4	FAD	A	900	53/53	0.95	0.11	-0.87	19,29,34,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.