



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 04:44 AM GMT

PDB ID : 2015
Title : Mycobacterium tuberculosis epsp synthase after partial products withdrawal
Authors : Kachalova, G.S.; Bartunik, H.D.; Mycobacterium Tuberculosis Structural Proteomics Project (XMTB)
Deposited on : 2006-11-28
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1953 (1.96-1.96)
Ramachandran outliers	100387	1936 (1.96-1.96)
Sidechain outliers	100360	1936 (1.96-1.96)
RSRZ outliers	91569	1835 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	450	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	501[B]	-	X	-	-
3	PO4	A	502	-	-	-	X
3	PO4	A	503	-	-	X	X

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 3326 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-PHOSPHOSHIKIMATE 1-CARBOXYVINYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	424	3138	1956	584	588	10	0	8	0

- Molecule 2 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	1

- Molecule 3 is PHOSPHATE ION (three-letter code: PO₄) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	172	Total	O	0	2
			173	173		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 3-PHOSPHOSHIKIMATE 1-CARBOXYVINYLTRANSFERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	40.87Å 72.92Å 128.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 1.95 19.87 – 1.95	Depositor EDS
% Data completeness (in resolution range)	97.1 (10.00-1.95) 96.3 (19.87-1.95)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.40 (at 1.94Å)	Xtriage
Refinement program	SHELXL-97	Depositor
R, R_{free}	0.194 , (Not available) 0.202 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	27.2	Xtriage
Anisotropy	0.338	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 115.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Outliers	0 of 28372 reflections	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3326	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.29% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.91	4/3207 (0.1%)	1.06	12/4379 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	221[B]	ARG	N-CA	31.19	2.08	1.46
1	A	221[A]	ARG	N-CA	31.19	2.08	1.46
1	A	221[B]	ARG	CA-C	14.04	1.89	1.52
1	A	221[A]	ARG	CA-C	14.04	1.89	1.52

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	221[B]	ARG	CB-CA-C	15.91	142.22	110.40
1	A	221[A]	ARG	CB-CA-C	15.91	142.22	110.40
1	A	221[B]	ARG	N-CA-C	-13.29	75.13	111.00
1	A	221[A]	ARG	N-CA-C	-13.29	75.13	111.00
1	A	221[B]	ARG	CA-C-O	-10.80	97.42	120.10
1	A	221[A]	ARG	CA-C-O	-10.80	97.42	120.10
1	A	424	GLY	CA-C-O	-8.14	105.94	120.60
1	A	307	ARG	NE-CZ-NH1	7.91	124.25	120.30
1	A	221[B]	ARG	CA-C-N	5.34	128.94	117.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	221[A]	ARG	CA-C-N	5.34	128.94	117.20
1	A	89	ARG	NE-CZ-NH2	-5.08	117.76	120.30
1	A	307	ARG	CD-NE-CZ	5.04	130.66	123.60

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	192	SER	Peptide
1	A	193	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3138	0	3192	172	0
2	A	5	0	0	0	0
3	A	10	0	0	3	0
4	A	173	0	0	15	0
All	All	3326	0	3192	172	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 27.

All (172) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:SER:HA	1:A:193:SER:OG	1.34	1.22
1:A:223:GLN:HG2	1:A:225[A]:ARG:HH12	1.03	1.11
1:A:396:ARG:HH11	1:A:396:ARG:CG	1.64	1.08
1:A:192:SER:HA	1:A:193:SER:CB	1.88	1.01
1:A:396:ARG:HG3	1:A:396:ARG:NH1	1.61	1.01
1:A:148:ARG:HH21	1:A:150:ARG:HH21	1.04	0.99
1:A:396:ARG:HH11	1:A:396:ARG:HG3	0.85	0.99
1:A:223:GLN:CG	1:A:225[A]:ARG:HH12	1.80	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:GLN:HG2	1:A:225[A]:ARG:NH1	1.86	0.91
1:A:223:GLN:NE2	1:A:225[A]:ARG:HH22	1.76	0.82
1:A:271:ASP:HB2	4:A:643:HOH:O	1.84	0.78
1:A:192:SER:HA	1:A:193:SER:HG	1.47	0.77
1:A:240:LEU:H	1:A:268:GLN:HE22	1.29	0.77
1:A:156:ALA:O	1:A:183:ASP:N	2.16	0.75
1:A:131:ASP:O	1:A:135:GLU:HG2	1.87	0.74
1:A:355:LEU:O	1:A:374:ARG:HG2	1.88	0.73
1:A:406:ALA:O	1:A:409:THR:HG23	1.89	0.73
1:A:121:ALA:O	1:A:124:ARG:HB2	1.89	0.73
1:A:199[A]:HIS:CE1	3:A:503:PO4:O1	2.43	0.71
1:A:303:ASP:HB3	4:A:615:HOH:O	1.89	0.71
1:A:225[B]:ARG:NH2	4:A:660:HOH:O	2.24	0.70
1:A:192:SER:CA	1:A:193:SER:CB	2.70	0.69
1:A:133:LEU:O	1:A:138:VAL:HG23	1.92	0.68
1:A:338:ARG:HB2	1:A:338:ARG:NH1	2.08	0.68
1:A:225[A]:ARG:NH2	4:A:660:HOH:O	2.27	0.67
1:A:311:GLU:HB2	1:A:385:ARG:NH1	2.10	0.67
1:A:81[B]:ARG:NH1	1:A:81[B]:ARG:HB2	2.10	0.67
1:A:120:GLN:O	1:A:341:GLU:HG2	1.95	0.66
1:A:39:GLN:HE22	1:A:229:VAL:H	1.44	0.65
1:A:223:GLN:HE21	1:A:225[A]:ARG:HH22	1.42	0.65
1:A:107:ALA:HB1	1:A:155:LEU:HD22	1.80	0.64
1:A:81[B]:ARG:HH21	1:A:82:ILE:HB	1.64	0.62
1:A:194:LEU:N	1:A:194:LEU:CD2	2.63	0.62
1:A:163:ASP:OD1	1:A:165:SER:HB2	2.00	0.61
1:A:196:SER:HB3	1:A:199[B]:HIS:CD2	2.34	0.61
1:A:132:ALA:HA	1:A:135:GLU:HG3	1.83	0.61
1:A:39:GLN:NE2	1:A:229:VAL:H	1.99	0.61
1:A:314:PRO:HA	1:A:348:LEU:HD11	1.83	0.60
1:A:274:LEU:O	1:A:278[A]:ARG:HG3	2.00	0.60
1:A:284:VAL:O	1:A:285:ILE:HG12	2.01	0.60
1:A:188:GLN:OE1	1:A:221[A]:ARG:HB2	2.01	0.60
1:A:194:LEU:N	1:A:194:LEU:HD23	2.17	0.59
1:A:81[B]:ARG:HH11	1:A:81[B]:ARG:HB2	1.68	0.58
1:A:46:ILE:HG22	1:A:49:ALA:HB2	1.85	0.58
1:A:240:LEU:H	1:A:268:GLN:NE2	2.01	0.58
1:A:38:ALA:HB1	1:A:81[B]:ARG:NH2	2.18	0.58
1:A:186:THR:OG1	1:A:223:GLN:HG3	2.04	0.58
1:A:81[B]:ARG:NH2	1:A:82:ILE:HB	2.19	0.57
1:A:194:LEU:H	1:A:194:LEU:CD2	2.17	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199[A]:HIS:ND1	3:A:503:PO4:O1	2.37	0.57
1:A:338:ARG:CB	1:A:338:ARG:CZ	2.83	0.56
1:A:39:GLN:NE2	1:A:41:ARG:HE	2.03	0.56
1:A:38:ALA:CB	1:A:82:ILE:HD12	2.35	0.56
1:A:23:LYS:HD3	1:A:411:THR:HG22	1.87	0.56
1:A:39:GLN:HE22	1:A:228:PRO:HA	1.71	0.55
1:A:340:HIS:O	1:A:341:GLU:C	2.43	0.55
1:A:191:GLY:O	1:A:193:SER:OG	2.24	0.55
1:A:148:ARG:HH21	1:A:150:ARG:NH2	1.89	0.55
1:A:155:LEU:O	1:A:182:THR:N	2.38	0.55
1:A:141:ASP:HB2	1:A:148:ARG:HB3	1.87	0.55
1:A:39:GLN:NE2	1:A:41:ARG:HH21	2.05	0.54
1:A:38:ALA:HB1	1:A:81[B]:ARG:HH22	1.72	0.54
1:A:39:GLN:HE21	1:A:41:ARG:HE	1.55	0.54
1:A:272:HIS:O	1:A:276:ILE:HG13	2.08	0.54
1:A:81[A]:ARG:HG3	1:A:82:ILE:N	2.20	0.54
1:A:120:GLN:HE21	1:A:120:GLN:H	1.55	0.53
1:A:136:LEU:HD11	1:A:160:VAL:HG21	1.90	0.53
1:A:136:LEU:HD21	1:A:160:VAL:HG13	1.90	0.53
1:A:301:GLY:N	1:A:327:SER:HB3	2.23	0.53
1:A:208:ARG:HD2	4:A:666:HOH:O	2.10	0.52
1:A:23:LYS:HE3	3:A:502:PO4:O4	2.10	0.52
1:A:385:ARG:NH2	4:A:579:HOH:O	2.42	0.52
1:A:139:ALA:HB3	1:A:150:ARG:HB2	1.92	0.52
1:A:35:LEU:HD11	1:A:177:SER:HA	1.92	0.51
1:A:107:ALA:CB	1:A:155:LEU:HD22	2.41	0.51
1:A:124:ARG:HH12	1:A:340:HIS:HB3	1.75	0.51
1:A:274:LEU:O	1:A:278[B]:ARG:HG3	2.10	0.51
1:A:417:ARG:NH2	1:A:418:LEU:HD21	2.25	0.51
1:A:221[A]:ARG:HH12	1:A:223:GLN:CD	2.14	0.51
1:A:240:LEU:HD22	1:A:262:TRP:CZ3	2.46	0.51
1:A:138:VAL:HG22	1:A:155:LEU:CD1	2.41	0.51
1:A:184:GLY:HA3	1:A:226:PRO:HD3	1.93	0.51
1:A:155:LEU:O	1:A:182:THR:OG1	2.24	0.50
1:A:127:ALA:HB3	1:A:128:PRO:HD3	1.93	0.50
1:A:124:ARG:HD3	1:A:341:GLU:CB	2.42	0.50
1:A:124:ARG:HD3	1:A:341:GLU:HB3	1.93	0.50
1:A:22:SER:HA	1:A:239:ASP:HB2	1.93	0.50
1:A:82:ILE:HG22	1:A:82:ILE:O	2.11	0.49
1:A:110:SER:O	1:A:151:GLY:O	2.30	0.49
1:A:340:HIS:O	1:A:342:THR:N	2.45	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:345:LEU:HD22	1:A:366:LEU:HD11	1.94	0.49
1:A:313:THR:HB	1:A:314:PRO:HD3	1.95	0.49
1:A:294:ARG:HH11	1:A:294:ARG:HB3	1.78	0.49
1:A:189:HIS:CE1	1:A:190:THR:O	2.66	0.48
1:A:395:LEU:O	1:A:396:ARG:HD2	2.12	0.48
1:A:194:LEU:H	1:A:194:LEU:HD22	1.78	0.48
1:A:415:PHE:HB3	1:A:416:PRO:HD3	1.96	0.48
1:A:322:LEU:HD11	1:A:393:ILE:HA	1.95	0.48
1:A:241:THR:HG21	1:A:385:ARG:CZ	2.44	0.48
1:A:360:ARG:NH2	4:A:663:HOH:O	2.47	0.48
1:A:138:VAL:HG22	1:A:155:LEU:HD11	1.96	0.47
1:A:278[B]:ARG:NH2	1:A:284:VAL:H	2.12	0.47
1:A:307:ARG:NH1	1:A:336:HIS:HD2	2.12	0.47
1:A:156:ALA:HA	1:A:182:THR:OG1	2.14	0.47
1:A:354:ARG:HD2	1:A:379:ARG:NH2	2.28	0.47
1:A:199[A]:HIS:HE1	4:A:662:HOH:O	1.96	0.47
1:A:99:LEU:HD11	1:A:126:ILE:HG12	1.96	0.47
1:A:396:ARG:HD2	1:A:396:ARG:HA	1.68	0.46
1:A:395:LEU:C	1:A:396:ARG:HD2	2.35	0.46
1:A:48:GLY:HA2	1:A:74:SER:HB2	1.97	0.46
1:A:292:GLU:OE2	1:A:294:ARG:HD3	2.15	0.46
1:A:136:LEU:HD11	1:A:160:VAL:CG2	2.46	0.46
1:A:241:THR:HG21	1:A:385:ARG:NH2	2.31	0.46
1:A:294:ARG:HH11	1:A:294:ARG:CB	2.29	0.46
1:A:112:PRO:HA	1:A:149:VAL:O	2.15	0.46
1:A:285:ILE:N	1:A:292:GLU:O	2.50	0.45
1:A:301:GLY:H	1:A:327:SER:HB3	1.79	0.45
1:A:330:ARG:HH11	1:A:330:ARG:HG3	1.82	0.45
1:A:2:LYS:HG2	1:A:3:THR:O	2.17	0.45
1:A:385:ARG:NH1	4:A:578:HOH:O	2.50	0.45
1:A:396:ARG:HH11	1:A:396:ARG:CB	2.28	0.45
1:A:38:ALA:HB2	1:A:82:ILE:HD12	1.99	0.45
1:A:337:LEU:O	1:A:339:GLY:N	2.50	0.45
1:A:258:ARG:HG3	1:A:258:ARG:HH11	1.82	0.45
1:A:136:LEU:CD2	1:A:160:VAL:HG13	2.47	0.44
1:A:336:HIS:H	1:A:336:HIS:CD2	2.35	0.44
1:A:51:ARG:NH1	4:A:531:HOH:O	2.50	0.44
1:A:264:ARG:HE	1:A:264:ARG:HB3	1.38	0.44
1:A:132:ALA:O	1:A:136:LEU:HD12	2.17	0.44
1:A:403:ASP:OD1	1:A:404:ASP:N	2.50	0.44
1:A:118:ASP:O	1:A:122:ARG:HG3	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:345:LEU:HD13	1:A:361:GLU:HG2	1.99	0.44
1:A:385:ARG:NH2	4:A:576:HOH:O	2.50	0.44
1:A:338:ARG:NH1	1:A:338:ARG:CB	2.81	0.44
1:A:396:ARG:NE	4:A:514:HOH:O	2.42	0.43
1:A:57:LEU:HD12	1:A:94:LEU:HD12	2.00	0.43
1:A:68:ARG:NE	1:A:70:ASP:OD2	2.50	0.43
1:A:364:ASP:OD1	1:A:364:ASP:N	2.50	0.43
1:A:81[A]:ARG:NE	1:A:83:GLU:OE2	2.50	0.43
1:A:354:ARG:HG2	4:A:648:HOH:O	2.18	0.43
1:A:247:LEU:HD21	1:A:259:ILE:HG12	2.01	0.43
1:A:183:ASP:N	1:A:183:ASP:OD1	2.50	0.43
1:A:46:ILE:CG2	1:A:49:ALA:HB2	2.47	0.43
1:A:49:ALA:HA	1:A:236:ILE:HG13	2.01	0.43
1:A:115:PHE:O	1:A:146:PRO:HA	2.18	0.43
1:A:102:VAL:O	1:A:105:LEU:HB2	2.18	0.42
1:A:189:HIS:NE2	1:A:193:SER:HA	2.34	0.42
1:A:414[A]:GLU:CD	1:A:417:ARG:HE	2.21	0.42
1:A:396:ARG:NH1	4:A:653:HOH:O	2.51	0.42
1:A:136:LEU:O	1:A:155:LEU:HD11	2.19	0.42
1:A:221[A]:ARG:NH1	1:A:223:GLN:OE1	2.49	0.41
1:A:396:ARG:NH1	1:A:396:ARG:CG	2.37	0.41
1:A:23:LYS:HD3	1:A:411:THR:CG2	2.49	0.41
1:A:51:ARG:O	1:A:413:PRO:HG2	2.19	0.41
1:A:124:ARG:HD2	1:A:125:PRO:HD2	2.03	0.41
1:A:118:ASP:OD1	1:A:120:GLN:NE2	2.53	0.41
1:A:338:ARG:CZ	1:A:338:ARG:HB3	2.50	0.41
1:A:385:ARG:NH1	4:A:579:HOH:O	2.53	0.41
1:A:330:ARG:NH1	1:A:330:ARG:HG3	2.36	0.41
1:A:104:PRO:O	1:A:107:ALA:HB3	2.20	0.41
1:A:340:HIS:C	1:A:342:THR:N	2.73	0.41
1:A:338:ARG:HB2	1:A:338:ARG:CZ	2.50	0.41
1:A:23:LYS:CD	1:A:411:THR:HG22	2.51	0.41
1:A:135:GLU:HB2	1:A:160:VAL:CG1	2.50	0.41
1:A:39:GLN:HE21	1:A:41:ARG:NE	2.17	0.41
1:A:126:ILE:HD11	1:A:129:LEU:HD23	2.03	0.41
1:A:179:ALA:O	1:A:226:PRO:HA	2.20	0.40
1:A:62:LEU:HA	1:A:62:LEU:HD23	1.91	0.40
1:A:105:LEU:HA	1:A:105:LEU:HD23	1.93	0.40
1:A:232:ARG:HG3	1:A:232:ARG:NH1	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	428/450 (95%)	409 (96%)	14 (3%)	5 (1%)	16 5

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	338	ARG
1	A	126	ILE
1	A	343	ASP
1	A	153	GLY
1	A	339	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	326/335 (97%)	286 (88%)	40 (12%)	6 1

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1[A]	MET
1	A	1[B]	MET
1	A	14	ARG
1	A	19	VAL
1	A	41	ARG
1	A	53	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	81[A]	ARG
1	A	81[B]	ARG
1	A	94	LEU
1	A	110	SER
1	A	111	VAL
1	A	120	GLN
1	A	124	ARG
1	A	135	GLU
1	A	138	VAL
1	A	152	ASN
1	A	160	VAL
1	A	163	ASP
1	A	165	SER
1	A	182	THR
1	A	183	ASP
1	A	190	THR
1	A	194	LEU
1	A	213	ASP
1	A	218	THR
1	A	221[B]	ARG
1	A	221[A]	ARG
1	A	264	ARG
1	A	265	VAL
1	A	271	ASP
1	A	285	ILE
1	A	290	SER
1	A	294	ARG
1	A	307	ARG
1	A	338	ARG
1	A	342	THR
1	A	345	LEU
1	A	385	ARG
1	A	396	ARG
1	A	412	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	ASN
1	A	39	GLN
1	A	120	GLN
1	A	268	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	336	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	SO4	A	501[B]	-	4,4,4	2.31	4 (100%)	6,6,6	0.09	0
3	PO4	A	502	-	4,4,4	0.59	0	6,6,6	0.28	0
3	PO4	A	503	-	4,4,4	1.83	2 (50%)	6,6,6	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	501[B]	-	-	0/0/0/0	0/0/0/0
3	PO4	A	502	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PO4	A	503	-	-	0/0/0/0	0/0/0/0

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501[B]	SO4	O4-S	2.12	1.55	1.47
2	A	501[B]	SO4	O3-S	2.23	1.55	1.47
2	A	501[B]	SO4	O1-S	2.40	1.55	1.47
3	A	503	PO4	P-O3	2.42	1.62	1.53
2	A	501[B]	SO4	O2-S	2.46	1.55	1.47
3	A	503	PO4	P-O2	2.57	1.62	1.53

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	502	PO4	1	0
3	A	503	PO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	424/450 (94%)	0.67	46 (10%) 8 12	20, 34, 53, 83	33 (7%)

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	225[A]	ARG	6.6
1	A	193	SER	5.5
1	A	424	GLY	5.3
1	A	194	LEU	5.1
1	A	72	VAL	4.7
1	A	190	THR	4.3
1	A	340	HIS	4.1
1	A	339	GLY	4.0
1	A	264	ARG	3.7
1	A	109	GLY	3.6
1	A	192	SER	3.6
1	A	161	ALA	3.4
1	A	183	ASP	3.4
1	A	149	VAL	3.4
1	A	265	VAL	3.3
1	A	120	GLN	3.2
1	A	182	THR	3.1
1	A	164	ALA	3.1
1	A	285	ILE	3.0
1	A	153	GLY	2.9
1	A	338	ARG	2.9
1	A	381	TYR	2.8
1	A	11	THR	2.8
1	A	191	GLY	2.8
1	A	207	LEU	2.7
1	A	287	ALA	2.7
1	A	157	GLY	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	19	VAL	2.6
1	A	105	LEU	2.6
1	A	110	SER	2.6
1	A	81[A]	ARG	2.5
1	A	150	ARG	2.5
1	A	138	VAL	2.5
1	A	184	GLY	2.4
1	A	135	GLU	2.4
1	A	342	THR	2.4
1	A	1[A]	MET	2.3
1	A	162	ILE	2.3
1	A	154	SER	2.3
1	A	324	SER	2.2
1	A	156	ALA	2.1
1	A	86	PRO	2.1
1	A	118	ASP	2.1
1	A	341	GLU	2.1
1	A	325	PRO	2.0
1	A	152	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	PO4	A	502	5/5	0.94	0.45	10.82	17,19,29,51	5
3	PO4	A	503	5/5	0.97	0.41	5.05	24,25,37,39	5
2	SO4	A	501[B]	5/5	0.97	0.18	-	28,32,41,46	5

6.5 Other polymers

There are no such residues in this entry.