



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:06 AM GMT

PDB ID : 3O37  
Title : Crystal structure of TRIM24 PHD-Bromo complexed with H3(1-10)K4 peptide  
Authors : Wang, Z.; Patel, D.J.  
Deposited on : 2010-07-23  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	184	<div><div>20%</div><div><div></div><div>73%</div><div>21%</div><div>• 5%</div></div></div>
1	B	184	<div><div>17%</div><div><div></div><div>77%</div><div>18%</div><div>• •</div></div></div>
1	C	184	<div><div>16%</div><div><div></div><div>73%</div><div>22%</div><div>• •</div></div></div>
1	D	184	<div><div>19%</div><div><div></div><div>68%</div><div>24%</div><div>• 5%</div></div></div>
2	E	10	<div><div>40%</div><div><div></div><div>70%</div><div>30%</div></div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	10	<div><div></div><div>50%</div><div></div><div>80%</div><div></div><div>20%</div></div>
2	G	10	<div><div></div><div>70%</div><div></div><div>30%</div><div></div><div>60%</div><div></div><div>10%</div></div>
2	H	10	<div><div></div><div>70%</div><div></div><div>50%</div><div></div><div>40%</div><div></div><div>10%</div></div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6308 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transcription intermediary factor 1-alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	175	Total	C	N	O	S	0	0	0
			1428	916	227	270	15			
1	B	180	Total	C	N	O	S	0	0	0
			1462	935	233	279	15			
1	C	176	Total	C	N	O	S	0	0	0
			1435	921	228	271	15			
1	D	174	Total	C	N	O	S	0	0	0
			1419	911	226	267	15			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	823	SER	-	EXPRESSION TAG	UNP O15164
B	823	SER	-	EXPRESSION TAG	UNP O15164
C	823	SER	-	EXPRESSION TAG	UNP O15164
D	823	SER	-	EXPRESSION TAG	UNP O15164

- Molecule 2 is a protein called Histone H3.1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	E	10	Total	C	N	O	0	0	0
			80	46	19	15			
2	F	10	Total	C	N	O	0	0	0
			80	46	19	15			
2	G	10	Total	C	N	O	0	0	0
			80	46	19	15			
2	H	10	Total	C	N	O	0	0	0
			80	46	19	15			

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total 2	Zn 2	0	0
3	A	2	Total 2	Zn 2	0	0
3	D	2	Total 2	Zn 2	0	0
3	C	2	Total 2	Zn 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	59	Total 59	O 59	0	0
4	B	57	Total 57	O 57	0	0
4	C	54	Total 54	O 54	0	0
4	D	66	Total 66	O 66	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Transcription intermediary factor 1-alpha




#### • Molecule 1: Transcription intermediary factor 1-alpha




#### • Molecule 1: Transcription intermediary factor 1-alpha





#### • Molecule 1: Transcription intermediary factor 1-alpha








● Molecule 2: Histone H3.1




● Molecule 2: Histone H3.1



● Molecule 2: Histone H3.1



● Molecule 2: Histone H3.1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	35.67Å 63.85Å 79.30Å 89.92° 89.99° 89.80°	Depositor
Resolution (Å)	35.67 – 2.00 35.67 – 1.87	Depositor EDS
% Data completeness (in resolution range)	98.6 (35.67-2.00) 97.2 (35.67-1.87)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.97 (at 1.88Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.227 , 0.254 0.227 , 0.255	Depositor DCC
$R_{free}$ test set	2339 reflections (5.01%)	DCC
Wilson B-factor (Å <sup>2</sup> )	31.4	Xtriage
Anisotropy	0.168	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 29.7	EDS
Estimated twinning fraction	0.429 for h,-k,-l 0.437 for -h,k,-l 0.430 for -h,-k,l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 55801 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6308	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.27% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.35	0/1463	0.59	0/1977
1	B	0.37	0/1498	0.60	0/2026
1	C	0.35	0/1471	0.59	0/1988
1	D	0.34	0/1454	0.58	0/1965
2	E	0.36	0/79	0.68	0/101
2	F	0.36	0/79	0.61	0/101
2	G	0.37	0/79	0.69	0/101
2	H	0.34	0/79	0.61	0/101
All	All	0.35	0/6202	0.59	0/8360

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1428	0	1388	28	0
1	B	1462	0	1415	32	0
1	C	1435	0	1396	37	0
1	D	1419	0	1382	45	0
2	E	80	0	91	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	F	80	0	91	4	0
2	G	80	0	91	9	0
2	H	80	0	91	9	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	59	0	0	1	0
4	B	57	0	0	2	0
4	C	54	0	0	1	0
4	D	66	0	0	1	0
All	All	6308	0	5945	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:861:PRO:HG2	2:G:1:ALA:HB2	1.44	0.96
1:A:861:PRO:HG2	2:E:1:ALA:HB2	1.48	0.94
1:B:861:PRO:HG2	2:F:1:ALA:HB2	1.53	0.89
1:C:838:LEU:HB3	1:C:847:VAL:HG22	1.54	0.88
1:C:861:PRO:HG2	2:G:1:ALA:CB	2.06	0.85
1:C:853:HIS:HE1	1:C:868:THR:H	1.24	0.84
1:D:827:ASP:HB3	2:H:6:THR:HG21	1.66	0.78
1:B:853:HIS:HE1	1:B:868:THR:H	1.29	0.77
1:A:853:HIS:HE1	1:A:868:THR:H	1.30	0.77
1:C:827:ASP:O	2:G:6:THR:HG21	1.86	0.76
1:B:918:HIS:HD2	1:B:920:MET:H	1.32	0.76
1:C:825:ASN:HD21	2:G:2:ARG:HH21	1.31	0.76
1:D:838:LEU:HD23	1:D:847:VAL:HG21	1.69	0.75
1:C:957:SER:HB3	4:C:130:HOH:O	1.87	0.74
1:D:853:HIS:HE1	1:D:868:THR:H	1.33	0.74
1:D:834:ASN:ND2	1:D:835:GLY:H	1.87	0.72
1:B:842:GLU:OE2	1:B:864:GLU:HG3	1.91	0.71
1:D:918:HIS:HD2	1:D:920:MET:H	1.39	0.70
1:C:838:LEU:HB3	1:C:847:VAL:CG2	2.21	0.70
1:C:825:ASN:ND2	2:G:2:ARG:HH21	1.90	0.69
1:B:879:GLU:OE2	1:B:884:ALA:HA	1.94	0.68
1:B:879:GLU:OE2	1:B:884:ALA:CA	2.43	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:861:PRO:HG2	2:E:1:ALA:CB	2.23	0.65
1:B:918:HIS:CD2	1:B:920:MET:H	2.12	0.65
1:B:853:HIS:CE1	1:B:868:THR:H	2.12	0.65
1:D:834:ASN:HD22	1:D:835:GLY:H	1.44	0.65
1:D:861:PRO:HB2	2:H:1:ALA:HB2	1.79	0.65
1:B:892:LYS:HE2	4:B:153:HOH:O	1.96	0.64
1:D:911:LEU:HG	1:D:1004:LEU:HD23	1.80	0.64
1:C:837:GLU:HG3	2:G:5:GLN:HE22	1.62	0.63
2:G:9:LYS:O	2:G:10:SER:HB2	1.99	0.63
1:D:834:ASN:HD21	2:H:9:LYS:H	1.46	0.62
1:B:861:PRO:O	2:F:1:ALA:HB2	2.01	0.61
1:D:825:ASN:N	1:D:825:ASN:HD22	1.98	0.61
1:A:875:LYS:HE2	1:B:999:GLU:CD	2.20	0.60
1:C:918:HIS:CD2	1:C:920:MET:H	2.19	0.60
1:B:940:LYS:HG2	1:C:863:GLY:HA2	1.84	0.60
1:D:825:ASN:ND2	1:D:825:ASN:N	2.47	0.60
1:B:861:PRO:HG2	2:F:1:ALA:CB	2.30	0.60
1:A:861:PRO:O	2:E:1:ALA:HB2	2.01	0.59
1:A:840:CYS:SG	2:E:4:LYS:HB2	2.43	0.59
1:C:918:HIS:HD2	1:C:920:MET:H	1.48	0.59
1:C:853:HIS:CE1	1:C:868:THR:H	2.13	0.58
1:B:844:CYS:HB3	1:B:870:CYS:SG	2.44	0.58
1:D:836:GLY:O	1:D:838:LEU:HD13	2.04	0.58
1:D:918:HIS:CD2	1:D:920:MET:H	2.20	0.58
1:C:930:LEU:O	1:D:920:MET:HE1	2.04	0.57
1:D:892:LYS:HE3	4:D:146:HOH:O	2.03	0.57
1:A:918:HIS:HD2	1:A:920:MET:H	1.50	0.57
1:C:962:PRO:HA	1:C:965:PHE:CE2	2.40	0.56
1:B:869:PHE:CZ	1:B:913:LEU:HG	2.41	0.55
1:C:844:CYS:HB3	1:C:870:CYS:SG	2.46	0.55
1:B:962:PRO:HA	1:B:965:PHE:CE2	2.41	0.55
1:D:834:ASN:HD22	1:D:835:GLY:N	2.05	0.54
1:A:918:HIS:CD2	1:A:920:MET:H	2.25	0.54
1:C:911:LEU:HG	1:C:1004:LEU:HD12	1.89	0.54
1:A:962:PRO:HA	1:A:965:PHE:CE2	2.43	0.54
1:A:859:ASN:HB2	1:D:974:GLN:NE2	2.22	0.54
1:B:934:ASP:HA	1:B:937:LYS:HD2	1.89	0.54
1:D:834:ASN:ND2	2:H:9:LYS:H	2.06	0.54
1:D:869:PHE:CZ	1:D:913:LEU:HG	2.42	0.53
1:C:850:LEU:HD21	1:C:860:PHE:CE2	2.44	0.53
1:B:911:LEU:HG	1:B:1004:LEU:HD12	1.91	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:962:PRO:HA	1:D:965:PHE:CE2	2.44	0.52
1:D:844:CYS:HB3	1:D:870:CYS:SG	2.51	0.52
4:A:147:HOH:O	1:D:974:GLN:HG2	2.10	0.51
1:B:919:GLU:HG3	1:B:920:MET:HE2	1.93	0.51
1:B:919:GLU:HG3	1:B:920:MET:CE	2.41	0.51
1:C:931:THR:HA	1:D:920:MET:HE3	1.93	0.51
1:D:825:ASN:N	1:D:845:PRO:O	2.44	0.50
1:C:911:LEU:HG	1:C:1004:LEU:CD1	2.42	0.50
1:A:851:SER:HA	1:A:856:THR:HG23	1.93	0.50
1:C:937:LYS:HE3	1:D:832:CYS:HB2	1.92	0.50
1:D:881:ASP:OD1	1:D:882:CYS:N	2.45	0.50
1:A:853:HIS:CE1	1:A:868:THR:H	2.21	0.50
1:D:853:HIS:CE1	1:D:868:THR:H	2.23	0.50
1:D:929:PRO:O	1:D:932:VAL:HG23	2.11	0.50
2:H:5:GLN:HA	2:H:5:GLN:OE1	2.11	0.50
1:D:838:LEU:HD23	1:D:847:VAL:CG2	2.40	0.49
1:C:937:LYS:CE	1:D:832:CYS:HB2	2.42	0.49
1:D:827:ASP:CB	2:H:6:THR:HG21	2.41	0.49
1:B:882:CYS:HB2	1:B:953:GLN:NE2	2.28	0.49
1:C:861:PRO:O	2:G:1:ALA:HB2	2.13	0.48
1:C:825:ASN:HD21	2:G:2:ARG:NH2	2.06	0.48
1:C:956:TYR:O	1:C:957:SER:C	2.52	0.48
1:A:862:SER:OG	1:D:974:GLN:HG3	2.14	0.48
1:A:859:ASN:HB2	1:D:974:GLN:HE22	1.79	0.47
1:A:992:LYS:HB3	1:A:992:LYS:HE2	1.69	0.47
1:B:861:PRO:CG	2:F:1:ALA:HB2	2.36	0.47
1:D:954:GLU:HA	1:D:954:GLU:OE2	2.15	0.46
1:A:902:PRO:HD2	1:B:1003:ASN:HA	1.97	0.46
1:A:911:LEU:HG	1:A:1004:LEU:HD12	1.97	0.46
1:D:861:PRO:O	2:H:1:ALA:HB2	2.15	0.46
1:C:869:PHE:CZ	1:C:913:LEU:HG	2.50	0.46
1:A:869:PHE:CZ	1:A:913:LEU:HG	2.50	0.46
1:A:859:ASN:CB	1:D:974:GLN:NE2	2.79	0.46
1:C:919:GLU:HG3	1:C:920:MET:N	2.31	0.46
1:B:841:CYS:SG	1:B:842:GLU:N	2.89	0.45
1:C:838:LEU:CB	1:C:847:VAL:CG2	2.94	0.45
1:C:928:VAL:HG21	1:C:935:TYR:CZ	2.52	0.45
1:D:905:LYS:O	1:D:909:GLU:HG3	2.17	0.45
1:B:957:SER:HB2	4:B:145:HOH:O	2.16	0.45
1:D:850:LEU:HD11	1:D:860:PHE:CE1	2.53	0.44
1:B:843:LYS:HD3	1:B:843:LYS:HA	1.74	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:842:GLU:HG2	1:A:865:TRP:O	2.17	0.44
1:C:843:LYS:HG2	1:C:866:ILE:HD12	1.99	0.44
1:D:840:CYS:SG	2:H:4:LYS:HG3	2.57	0.44
1:D:921:SER:O	1:D:925:GLN:HG3	2.17	0.44
1:D:930:LEU:C	1:D:932:VAL:H	2.20	0.44
1:B:892:LYS:HD3	1:B:893:LYS:N	2.33	0.43
1:B:844:CYS:SG	1:B:846:LYS:CG	3.06	0.43
1:B:934:ASP:O	1:B:938:ILE:HG13	2.18	0.43
1:A:935:TYR:CZ	1:A:939:ILE:HG13	2.53	0.43
1:B:879:GLU:OE2	1:B:884:ALA:N	2.52	0.43
1:D:935:TYR:CZ	1:D:939:ILE:HG13	2.53	0.43
1:D:956:TYR:O	1:D:957:SER:C	2.57	0.42
1:A:844:CYS:HB3	1:A:870:CYS:SG	2.59	0.42
1:C:950:LYS:HB2	1:C:950:LYS:NZ	2.35	0.42
1:C:919:GLU:HG3	1:C:920:MET:HE2	2.00	0.42
1:A:833:GLN:NE2	1:A:833:GLN:HA	2.34	0.42
1:D:1005:TYR:N	1:D:1006:PRO:HD3	2.35	0.42
1:C:826:GLU:HG3	1:C:845:PRO:O	2.19	0.42
1:C:865:TRP:CH2	1:C:867:CYS:HA	2.55	0.42
1:A:826:GLU:HB2	1:A:845:PRO:O	2.20	0.42
1:C:825:ASN:OD1	1:C:840:CYS:HB3	2.20	0.41
1:A:861:PRO:CG	2:E:1:ALA:HB2	2.35	0.41
1:D:825:ASN:O	2:H:4:LYS:NZ	2.53	0.41
1:B:911:LEU:HG	1:B:1004:LEU:CD1	2.50	0.41
1:A:956:TYR:O	1:A:957:SER:C	2.58	0.41
1:C:937:LYS:NZ	1:C:937:LYS:HB3	2.36	0.41
1:A:911:LEU:HG	1:A:1004:LEU:CD1	2.51	0.41
1:A:871:ARG:HD2	1:A:876:PRO:HB3	2.03	0.40
1:B:884:ALA:HA	1:B:885:PRO:HD2	1.89	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	171/184 (93%)	167 (98%)	4 (2%)	0	100	100
1	B	176/184 (96%)	172 (98%)	4 (2%)	0	100	100
1	C	172/184 (94%)	167 (97%)	5 (3%)	0	100	100
1	D	170/184 (92%)	165 (97%)	5 (3%)	0	100	100
2	E	8/10 (80%)	8 (100%)	0	0	100	100
2	F	8/10 (80%)	8 (100%)	0	0	100	100
2	G	8/10 (80%)	8 (100%)	0	0	100	100
2	H	8/10 (80%)	7 (88%)	1 (12%)	0	100	100
All	All	721/776 (93%)	702 (97%)	19 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	164/172 (95%)	155 (94%)	9 (6%)	27	21
1	B	168/172 (98%)	159 (95%)	9 (5%)	27	21
1	C	165/172 (96%)	159 (96%)	6 (4%)	42	39
1	D	163/172 (95%)	152 (93%)	11 (7%)	20	14
2	E	8/8 (100%)	7 (88%)	1 (12%)	6	3
2	F	8/8 (100%)	7 (88%)	1 (12%)	6	3
2	G	8/8 (100%)	6 (75%)	2 (25%)	1	0
2	H	8/8 (100%)	7 (88%)	1 (12%)	6	3
All	All	692/720 (96%)	652 (94%)	40 (6%)	25	19

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	842	GLU
1	A	843	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	857	LEU
1	A	890	GLU
1	A	891	LYS
1	A	950	LYS
1	A	954	GLU
1	A	955	ASP
1	A	983	ASP
1	B	844	CYS
1	B	847	VAL
1	B	879	GLU
1	B	889	SER
1	B	892	LYS
1	B	934	ASP
1	B	954	GLU
1	B	955	ASP
1	B	983	ASP
1	C	844	CYS
1	C	891	LYS
1	C	934	ASP
1	C	954	GLU
1	C	955	ASP
1	C	983	ASP
1	D	825	ASN
1	D	834	ASN
1	D	839	LEU
1	D	897	LEU
1	D	899	LYS
1	D	932	VAL
1	D	934	ASP
1	D	954	GLU
1	D	955	ASP
1	D	983	ASP
1	D	1004	LEU
2	E	6	THR
2	F	10	SER
2	G	6	THR
2	G	8	ARG
2	H	6	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	833	GLN
1	A	853	HIS
1	A	918	HIS
1	A	974	GLN
1	B	825	ASN
1	B	853	HIS
1	B	918	HIS
1	B	974	GLN
1	C	825	ASN
1	C	853	HIS
1	C	918	HIS
1	C	974	GLN
1	C	1003	ASN
1	D	834	ASN
1	D	853	HIS
1	D	918	HIS
1	D	1003	ASN
2	G	5	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 8 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.



No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.



















## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	175/184 (95%)	1.45	36 (20%)  	20, 36, 74, 115	0
1	B	180/184 (97%)	1.37	32 (17%)  	21, 36, 85, 106	0
1	C	176/184 (95%)	1.30	29 (16%)  	21, 36, 71, 106	0
1	D	174/184 (94%)	1.36	35 (20%)  	21, 36, 72, 103	0
2	E	10/10 (100%)	2.38	4 (40%)  	66, 74, 78, 92	0
2	F	10/10 (100%)	3.65	5 (50%)  	62, 69, 78, 90	0
2	G	10/10 (100%)	3.32	7 (70%)  	69, 72, 85, 95	0
2	H	10/10 (100%)	2.98	7 (70%)  	65, 70, 78, 93	0
All	All	745/776 (96%)	1.46	155 (20%)  	20, 37, 77, 115	0

All (155) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	956	TYR	17.8
1	B	956	TYR	17.6
2	F	1	ALA	15.4
1	D	956	TYR	14.8
1	A	955	ASP	13.9
1	B	955	ASP	13.1
1	A	882	CYS	9.8
1	C	956	TYR	9.6
1	D	882	CYS	8.7
1	C	955	ASP	8.5
2	G	10	SER	7.9
1	B	885	PRO	7.1
1	B	888	ASN	6.4
2	E	10	SER	6.3
1	C	824	PRO	6.1
1	C	933	PRO	6.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	983	ASP	5.9
1	C	891	LYS	5.8
1	A	835	GLY	5.8
2	H	10	SER	5.8
1	B	828	TRP	5.5
1	C	882	CYS	5.4
1	D	955	ASP	5.3
2	F	3	THR	5.2
1	D	933	PRO	5.1
2	H	1	ALA	5.0
1	A	866	ILE	5.0
2	G	1	ALA	4.9
2	H	3	THR	4.8
1	B	837	GLU	4.8
1	D	828	TRP	4.6
2	F	10	SER	4.6
2	E	3	THR	4.6
1	B	889	SER	4.3
1	A	862	SER	4.3
1	C	828	TRP	4.3
2	E	1	ALA	4.2
1	D	1006	PRO	4.2
1	A	860	PHE	4.2
1	C	983	ASP	4.1
2	G	9	LYS	4.1
2	H	7	ALA	4.0
1	C	881	ASP	4.0
1	A	839	LEU	4.0
1	D	838	LEU	4.0
2	F	2	ARG	4.0
1	D	932	VAL	4.0
1	C	866	ILE	4.0
1	D	840	CYS	3.9
1	A	847	VAL	3.9
1	A	935	TYR	3.8
1	A	932	VAL	3.8
1	D	847	VAL	3.7
1	B	839	LEU	3.7
2	G	3	THR	3.7
1	D	839	LEU	3.7
1	C	836	GLY	3.5
1	C	930	LEU	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	836	GLY	3.5
1	D	891	LYS	3.4
1	B	825	ASN	3.4
1	B	932	VAL	3.4
1	A	1006	PRO	3.4
1	D	825	ASN	3.3
2	G	7	ALA	3.3
1	C	953	GLN	3.3
1	C	846	LYS	3.2
1	A	983	ASP	3.2
1	D	865	TRP	3.2
1	B	826	GLU	3.2
1	D	827	ASP	3.2
1	C	860	PHE	3.2
1	C	865	TRP	3.2
1	D	841	CYS	3.1
1	A	865	TRP	3.1
1	A	939	ILE	3.1
1	D	844	CYS	3.1
1	D	842	GLU	3.0
1	A	845	PRO	3.0
2	F	6	THR	3.0
1	C	829	CYS	3.0
1	A	826	GLU	3.0
2	H	8	ARG	3.0
1	B	884	ALA	3.0
1	B	890	GLU	2.9
1	B	883	ASP	2.9
1	B	865	TRP	2.9
1	A	880	TYR	2.9
1	C	932	VAL	2.8
1	D	881	ASP	2.8
1	D	859	ASN	2.8
1	D	958	MET	2.7
1	D	830	ALA	2.7
1	A	924	PHE	2.7
1	A	914	PHE	2.7
1	A	891	LYS	2.7
1	D	952	LEU	2.7
1	A	879	GLU	2.7
1	B	858	THR	2.6
2	G	6	THR	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	844	CYS	2.6
1	B	866	ILE	2.6
1	D	863	GLY	2.6
1	D	860	PHE	2.6
1	C	957	SER	2.6
1	A	825	ASN	2.5
1	A	958	MET	2.5
1	D	837	GLU	2.5
1	D	954	GLU	2.5
1	D	861	PRO	2.5
1	B	958	MET	2.5
2	H	2	ARG	2.5
1	B	847	VAL	2.5
1	B	882	CYS	2.5
1	C	847	VAL	2.5
1	B	850	LEU	2.5
1	B	1006	PRO	2.5
1	C	989	ALA	2.4
1	A	838	LEU	2.4
1	A	980	ASN	2.4
1	B	840	CYS	2.4
1	D	930	LEU	2.4
1	A	938	ILE	2.3
1	C	859	ASN	2.3
1	B	935	TYR	2.3
1	C	958	MET	2.3
1	C	997	PHE	2.3
1	B	953	GLN	2.3
1	A	890	GLU	2.3
1	A	841	CYS	2.3
1	A	941	ASN	2.3
1	C	938	ILE	2.3
1	B	999	GLU	2.3
1	D	862	SER	2.2
1	D	870	CYS	2.2
1	A	919	GLU	2.2
1	B	829	CYS	2.2
1	D	843	LYS	2.2
1	B	838	LEU	2.2
1	A	840	CYS	2.1
1	A	978	GLU	2.1
1	D	957	SER	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	978	GLU	2.1
1	B	1004	LEU	2.1
1	A	828	TRP	2.1
1	A	953	GLN	2.1
2	H	6	THR	2.1
1	A	946	SER	2.1
2	G	5	GLN	2.1
1	C	830	ALA	2.1
1	B	954	GLU	2.0
1	B	979	PHE	2.0
1	C	857	LEU	2.0
2	E	2	ARG	2.0
1	C	939	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	ZN	C	2	1/1	0.97	0.16	-0.57	51,51,51,51	0
3	ZN	B	2	1/1	0.96	0.12	-0.88	49,49,49,49	0
3	ZN	D	2	1/1	0.90	0.15	-1.11	46,46,46,46	0
3	ZN	C	1	1/1	0.96	0.14	-1.23	45,45,45,45	0
3	ZN	B	1	1/1	0.93	0.13	-1.95	45,45,45,45	0
3	ZN	A	1	1/1	0.89	0.09	-2.55	46,46,46,46	0
3	ZN	D	1	1/1	0.88	0.11	-2.62	45,45,45,45	0
3	ZN	A	2	1/1	0.90	0.05	-2.76	46,46,46,46	0

## 6.5 Other polymers

There are no such residues in this entry.