



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:12 PM GMT

PDB ID : 4O4R
Title : Murine Norovirus RdRp in complex with PPNDs
Authors : Croci, R.; Tarantino, D.; Milani, M.; Pezzullo, M.; Bolognesi, M.; Mastrangelo, E.
Deposited on : 2013-12-19
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	515	<div> <div>83%</div> <div>9% • 8%</div> </div>
1	B	515	<div> <div>3%</div> <div>82%</div> <div>10% • 7%</div> </div>
1	C	515	<div> <div>5%</div> <div>79%</div> <div>13% • 8%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	20V	A	601	-	-	-	X
3	SO4	A	606	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 12407 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-dependent-RNA-polymerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	476	Total	C	N	O	S	0	0	0
			3784	2394	668	698	24			
1	B	480	Total	C	N	O	S	0	2	0
			3822	2419	673	706	24			
1	C	474	Total	C	N	O	S	0	1	0
			3765	2383	663	695	24			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	508	LEU	-	EXPRESSION TAG	UNP S4V9Y7
A	509	GLU	-	EXPRESSION TAG	UNP S4V9Y7
A	510	HIS	-	EXPRESSION TAG	UNP S4V9Y7
A	511	HIS	-	EXPRESSION TAG	UNP S4V9Y7
A	512	HIS	-	EXPRESSION TAG	UNP S4V9Y7
A	513	HIS	-	EXPRESSION TAG	UNP S4V9Y7
A	514	HIS	-	EXPRESSION TAG	UNP S4V9Y7
A	515	HIS	-	EXPRESSION TAG	UNP S4V9Y7
B	508	LEU	-	EXPRESSION TAG	UNP S4V9Y7
B	509	GLU	-	EXPRESSION TAG	UNP S4V9Y7
B	510	HIS	-	EXPRESSION TAG	UNP S4V9Y7
B	511	HIS	-	EXPRESSION TAG	UNP S4V9Y7
B	512	HIS	-	EXPRESSION TAG	UNP S4V9Y7
B	513	HIS	-	EXPRESSION TAG	UNP S4V9Y7
B	514	HIS	-	EXPRESSION TAG	UNP S4V9Y7
B	515	HIS	-	EXPRESSION TAG	UNP S4V9Y7
C	508	LEU	-	EXPRESSION TAG	UNP S4V9Y7
C	509	GLU	-	EXPRESSION TAG	UNP S4V9Y7
C	510	HIS	-	EXPRESSION TAG	UNP S4V9Y7
C	511	HIS	-	EXPRESSION TAG	UNP S4V9Y7
C	512	HIS	-	EXPRESSION TAG	UNP S4V9Y7
C	513	HIS	-	EXPRESSION TAG	UNP S4V9Y7
C	514	HIS	-	EXPRESSION TAG	UNP S4V9Y7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	515	HIS	-	EXPRESSION TAG	UNP S4V9Y7

- Molecule 2 is 3-[(E)-{4-FORMYL-5-HYDROXY-6-METHYL-3-[(PHOSPHONOOXY)METHYL]PYRIDIN-2-YL}DIAZENYL]-7-NITRONAPHTHALENE-1,5-DISULFONIC ACID (three-letter code: 20V) (formula: C₁₈H₁₅N₄O₁₄P₂S₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		
2	A	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		
2	B	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		
2	B	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		
2	C	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		
2	C	1	Total	C	N	O	P	S	0	0
			39	18	4	14	1	2		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	272	Total	O	0	6
			275	275		
4	B	259	Total	O	0	1
			260	260		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	217	Total	O	0	1
			217	217		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: RNA-dependent-RNA-polymerase




• Molecule 1: RNA-dependent-RNA-polymerase



• Molecule 1: RNA-dependent-RNA-polymerase





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	119.71Å 197.43Å 109.57Å 90.00° 114.06° 90.00°	Depositor
Resolution (Å)	59.36 – 2.40 59.36 – 2.40	Depositor EDS
% Data completeness (in resolution range)	100.0 (59.36-2.40) 100.0 (59.36-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 2.40Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.192 , 0.249 0.195 , 0.248	Depositor DCC
R_{free} test set	4532 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	39.2	Xtriage
Anisotropy	0.265	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 61.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 90344 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12407	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.81% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, 2OV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.49	0/3877	0.70	2/5252 (0.0%)
1	B	0.49	0/3917	0.68	0/5303
1	C	0.48	0/3863	0.69	0/5233
All	All	0.49	0/11657	0.69	2/15788 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	382	ARG	NE-CZ-NH1	5.34	122.97	120.30
1	A	326	ARG	NE-CZ-NH1	5.06	122.83	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3784	0	3743	32	0
1	B	3822	0	3789	29	0
1	C	3765	0	3725	40	1
2	A	78	0	28	3	0
2	B	78	0	28	0	0
2	C	78	0	28	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	30	0	0	0	0
3	B	20	0	0	1	0
4	A	275	0	0	1	0
4	B	260	0	0	1	0
4	C	217	0	0	2	0
All	All	12407	0	11341	100	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (100) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:601:20V:NBJ	2:A:601:20V:OAJ	1.59	1.31
1:B:467:ALA:HB3	1:B:468:GLN:NE2	1.82	0.95
1:A:433:HIS:HA	1:A:434:ALA:HB3	1.58	0.85
1:C:238:HIS:HD2	1:C:348:SER:OG	1.62	0.82
1:A:29:PHE:O	1:A:423:HIS:HE1	1.61	0.81
1:C:148:ASN:HD21	1:C:197:ARG:HH11	1.30	0.80
1:B:148:ASN:HD21	1:B:197:ARG:HH11	1.35	0.74
2:C:601:20V:OAX	2:C:601:20V:CAO	2.35	0.73
1:B:467:ALA:HB3	1:B:468:GLN:HE21	1.54	0.72
1:B:9:TYR:OH	1:B:60:GLN:NE2	2.23	0.72
1:A:313:HIS:HD2	1:A:342:GLY:O	1.72	0.71
1:C:68:LYS:HD2	1:C:69:PRO:HD3	1.77	0.67
1:A:187:SER:HB2	1:A:301:GLY:O	1.97	0.65
1:B:29:PHE:O	1:B:423:HIS:HE1	1.80	0.63
1:A:433:HIS:HA	1:A:434:ALA:CB	2.28	0.62
1:C:7:GLY:HA3	4:C:843:HOH:O	2.01	0.60
1:A:148:ASN:HD21	1:A:197:ARG:HH11	1.49	0.60
1:B:238:HIS:HD2	1:B:348:SER:OG	1.84	0.59
1:B:466:ALA:O	1:B:470:GLY:N	2.35	0.59
1:B:227:PHE:HB2	4:B:717:HOH:O	2.02	0.58
1:A:302:CYS:CB	1:A:305:THR:HB	2.33	0.58
1:A:302:CYS:HB2	1:A:305:THR:HB	1.86	0.58
1:A:238:HIS:HD2	1:A:348:SER:OG	1.85	0.57
1:C:9:TYR:CE1	1:C:64:ARG:HD3	2.39	0.57
1:B:313:HIS:HD2	1:B:342:GLY:O	1.88	0.56
1:A:433:HIS:CA	1:A:434:ALA:HB3	2.31	0.55
1:A:334:GLN:HG2	1:B:399[B]:GLN:HG3	1.89	0.55
1:C:313:HIS:HD2	1:C:342:GLY:O	1.90	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:313:HIS:HE1	1:C:345:GLU:OE2	1.90	0.54
1:A:313:HIS:HE1	1:A:345:GLU:OE2	1.90	0.54
1:B:467:ALA:HB3	1:B:468:GLN:HE22	1.70	0.54
1:C:148:ASN:ND2	1:C:197:ARG:HH11	2.01	0.53
1:C:30:TRP:CD2	1:C:430:LEU:HD13	2.45	0.52
1:C:9:TYR:OH	1:C:64:ARG:HG3	2.10	0.52
1:B:240:ASP:OD1	1:B:241:ALA:O	2.28	0.52
1:A:302:CYS:HB3	1:A:305:THR:H	1.75	0.51
1:C:148:ASN:HD21	1:C:197:ARG:NH1	2.03	0.51
1:A:130:ASP:HB2	1:A:140:LEU:HD22	1.92	0.50
1:B:207:LYS:HG3	1:B:218:GLY:HA3	1.93	0.50
1:B:327:VAL:HG12	1:B:331:ILE:HB	1.94	0.50
1:A:487:PHE:HB3	1:B:212:PHE:CZ	2.47	0.50
1:A:140:LEU:HG	1:A:189:LEU:HD22	1.94	0.49
1:C:165:LEU:HB3	1:C:181:LYS:HG2	1.94	0.49
1:C:68:LYS:HD2	1:C:69:PRO:CD	2.42	0.49
1:B:232:HIS:HD2	1:B:348:SER:OG	1.95	0.49
1:C:217:VAL:HG21	1:C:306:THR:HG22	1.95	0.49
1:C:232:HIS:HE1	1:C:339:SER:OG	1.96	0.49
1:B:468:GLN:N	1:B:468:GLN:NE2	2.60	0.48
1:C:65:ASP:O	1:C:68:LYS:HG3	2.13	0.48
1:A:29:PHE:O	1:A:423:HIS:CE1	2.54	0.48
1:A:232:HIS:HE1	1:A:339:SER:OG	1.97	0.48
1:C:174:LYS:O	1:C:179:ILE:HA	2.13	0.48
1:B:313:HIS:HE1	1:B:345:GLU:OE2	1.97	0.48
1:C:323:GLU:OE2	1:C:364:ARG:NH2	2.44	0.47
1:A:227:PHE:HB2	4:A:846:HOH:O	2.14	0.47
1:C:18:GLY:HA3	1:C:288:GLY:O	2.15	0.47
1:B:449:MET:HE3	1:B:485:VAL:HG13	1.96	0.47
1:A:242:ASP:HB2	1:A:371:ARG:HG3	1.97	0.46
1:B:252:ARG:O	1:B:256[A]:LYS:HD3	2.16	0.46
1:C:393:ARG:HD3	2:C:601:20V:OAG	2.15	0.46
1:C:46:TYR:CE2	1:C:48:GLY:HA2	2.50	0.46
1:C:29:PHE:O	1:C:423:HIS:HE1	1.99	0.46
1:B:371:ARG:NH1	1:B:378:PRO:O	2.42	0.45
1:A:302:CYS:HB3	1:A:305:THR:HB	1.97	0.45
1:B:232:HIS:HE1	1:B:339:SER:OG	2.00	0.45
1:A:419:LYS:HD2	2:A:602:20V:OAE	2.16	0.45
1:C:338:PHE:CE1	1:C:347:VAL:HG13	2.51	0.45
1:A:115:LYS:HE2	1:A:131:TRP:CD2	2.52	0.44
1:C:449:MET:HE1	4:C:717:HOH:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:25:THR:HG22	1:C:424:GLN:HE22	1.82	0.44
1:A:212:PHE:CZ	1:B:487:PHE:HB3	2.52	0.44
1:C:148:ASN:ND2	1:C:197:ARG:HD2	2.33	0.44
1:C:20:ALA:HB2	1:C:286:ASP:OD1	2.17	0.43
1:B:43:GLU:HB2	1:B:175:ILE:CD1	2.48	0.43
1:B:18:GLY:HA3	1:B:288:GLY:O	2.19	0.43
1:C:287:VAL:HG22	1:C:290:TYR:O	2.18	0.43
1:B:408:ARG:N	3:B:606:SO4:O2	2.45	0.43
1:A:252:ARG:HG3	1:A:295:GLU:O	2.19	0.43
1:C:440:LEU:HG	1:C:462:VAL:HG13	2.01	0.42
1:B:408:ARG:HG3	1:B:454:TYR:CZ	2.54	0.42
1:C:39:PRO:HA	1:C:40:GLY:HA2	1.80	0.42
1:C:20:ALA:CB	1:C:286:ASP:OD1	2.67	0.42
1:C:455:TYR:CE1	1:C:481:VAL:HG11	2.55	0.42
1:A:303:PRO:C	1:A:305:THR:H	2.23	0.42
1:C:68:LYS:N	1:C:69:PRO:CD	2.82	0.42
1:B:408:ARG:HD3	1:B:450:HIS:CE1	2.55	0.42
1:C:148:ASN:HD21	1:C:197:ARG:HD2	1.85	0.42
1:A:237:TYR:O	1:A:348:SER:HA	2.20	0.41
1:B:313:HIS:CD2	1:B:342:GLY:O	2.70	0.41
1:C:273:ARG:O	1:C:273:ARG:HD3	2.20	0.41
1:A:440:LEU:HG	1:A:462:VAL:HG13	2.02	0.41
1:C:30:TRP:CD2	1:C:430:LEU:CD1	3.04	0.41
1:A:433:HIS:CA	1:A:434:ALA:CB	2.97	0.41
1:A:244:THR:HG22	1:A:245:ARG:HG3	2.03	0.41
1:A:391:LEU:HD23	2:A:601:20V:CAQ	2.52	0.40
1:C:338:PHE:HE1	1:C:347:VAL:HG13	1.87	0.40
1:A:436:ARG:N	1:A:437:PRO:HD3	2.36	0.40
1:C:9:TYR:OH	1:C:64:ARG:NH1	2.50	0.40
1:C:115:LYS:HE2	1:C:131:TRP:CE2	2.56	0.40
1:C:238:HIS:CD2	1:C:348:SER:OG	2.54	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:234:ASN:OD1	1:C:234:ASN:OD1[2_656]	1.87	0.33

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	470/515 (91%)	453 (96%)	17 (4%)	0	100	100
1	B	474/515 (92%)	460 (97%)	13 (3%)	1 (0%)	52	69
1	C	469/515 (91%)	439 (94%)	28 (6%)	2 (0%)	39	56
All	All	1413/1545 (92%)	1352 (96%)	58 (4%)	3 (0%)	52	69

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	45	ALA
1	C	35	GLU
1	B	300	SER

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/441 (92%)	394 (97%)	12 (3%)	48	70
1	B	411/441 (93%)	393 (96%)	18 (4%)	35	53
1	C	405/441 (92%)	387 (96%)	18 (4%)	35	53
All	All	1222/1323 (92%)	1174 (96%)	48 (4%)	39	59

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	33	SER
1	A	113	LEU
1	A	140	LEU
1	A	220	SER
1	A	242	ASP
1	A	300	SER
1	A	328	ASP
1	A	391	LEU
1	A	423	HIS
1	A	440	LEU
1	A	443	LEU
1	A	444	LEU
1	B	4	ARG
1	B	6	SER
1	B	37	LEU
1	B	111	GLU
1	B	113	LEU
1	B	187	SER
1	B	227	PHE
1	B	271	LEU
1	B	300	SER
1	B	380	GLU
1	B	388	ILE
1	B	391	LEU
1	B	408	ARG
1	B	436	ARG
1	B	440	LEU
1	B	441	MET
1	B	444	LEU
1	B	479	ARG
1	C	36	LYS
1	C	49	SER
1	C	52	GLU
1	C	55	ASP
1	C	68	LYS
1	C	169	LEU
1	C	294	VAL
1	C	311	LEU
1	C	341	TYR
1	C	388	ILE
1	C	423	HIS
1	C	430	LEU
1	C	435	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	441	MET
1	C	461	ARG
1	C	464	LYS
1	C	468	GLN
1	C	480	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	A	124	HIS
1	A	146	HIS
1	A	148	ASN
1	A	232	HIS
1	A	238	HIS
1	A	250	GLN
1	A	313	HIS
1	A	423	HIS
1	B	60	GLN
1	B	66	GLN
1	B	148	ASN
1	B	232	HIS
1	B	238	HIS
1	B	313	HIS
1	B	334	GLN
1	B	423	HIS
1	B	468	GLN
1	C	66	GLN
1	C	148	ASN
1	C	232	HIS
1	C	238	HIS
1	C	250	GLN
1	C	313	HIS
1	C	334	GLN
1	C	423	HIS
1	C	468	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

16 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	2OV	A	601	-	39,41,41	2.77	11 (28%)	48,64,64	2.08	13 (27%)
2	2OV	A	602	-	39,41,41	2.57	12 (30%)	48,64,64	1.73	10 (20%)
3	SO4	A	603	-	4,4,4	0.43	0	6,6,6	0.27	0
3	SO4	A	604	-	4,4,4	0.39	0	6,6,6	0.18	0
3	SO4	A	605	-	4,4,4	0.36	0	6,6,6	0.15	0
3	SO4	A	606	-	4,4,4	0.46	0	6,6,6	0.19	0
3	SO4	A	607	-	4,4,4	0.45	0	6,6,6	0.17	0
3	SO4	A	608	-	4,4,4	0.77	0	6,6,6	0.56	0
2	2OV	B	601	-	39,41,41	2.66	12 (30%)	48,64,64	1.98	12 (25%)
2	2OV	B	602	-	39,41,41	2.51	12 (30%)	48,64,64	1.93	7 (14%)
3	SO4	B	603	-	4,4,4	0.39	0	6,6,6	0.48	0
3	SO4	B	604	-	4,4,4	0.54	0	6,6,6	0.32	0
3	SO4	B	605	-	4,4,4	0.60	0	6,6,6	0.33	0
3	SO4	B	606	-	4,4,4	0.45	0	6,6,6	0.16	0
2	2OV	C	601	-	39,41,41	2.77	13 (33%)	48,64,64	1.99	11 (22%)
2	2OV	C	602	-	39,41,41	2.16	12 (30%)	48,64,64	1.66	5 (10%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	20V	A	601	-	-	0/28/29/29	0/3/3/3
2	20V	A	602	-	-	0/28/29/29	0/3/3/3
3	SO4	A	603	-	-	0/0/0/0	0/0/0/0
3	SO4	A	604	-	-	0/0/0/0	0/0/0/0
3	SO4	A	605	-	-	0/0/0/0	0/0/0/0
3	SO4	A	606	-	-	0/0/0/0	0/0/0/0
3	SO4	A	607	-	-	0/0/0/0	0/0/0/0
3	SO4	A	608	-	-	0/0/0/0	0/0/0/0
2	20V	B	601	-	-	0/28/29/29	0/3/3/3
2	20V	B	602	-	-	0/28/29/29	0/3/3/3
3	SO4	B	603	-	-	0/0/0/0	0/0/0/0
3	SO4	B	604	-	-	0/0/0/0	0/0/0/0
3	SO4	B	605	-	-	0/0/0/0	0/0/0/0
3	SO4	B	606	-	-	0/0/0/0	0/0/0/0
2	20V	C	601	-	-	0/28/29/29	0/3/3/3
2	20V	C	602	-	-	0/28/29/29	0/3/3/3

All (72) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	20V	CAT-CBE	-6.04	1.39	1.51
2	A	601	20V	CBD-NAV	-5.88	1.33	1.41
2	A	602	20V	CAT-CBE	-5.60	1.40	1.51
2	C	601	20V	CAA-CAY	-5.57	1.39	1.50
2	A	601	20V	CAT-CBE	-5.54	1.40	1.51
2	A	601	20V	CAA-CAY	-5.33	1.39	1.50
2	A	602	20V	CBD-NAV	-5.31	1.34	1.41
2	B	602	20V	CAT-CBE	-5.28	1.40	1.51
2	C	602	20V	CAA-CAY	-5.28	1.39	1.50
2	C	602	20V	CAT-CBE	-5.23	1.41	1.51
2	B	602	20V	CAA-CAY	-5.21	1.39	1.50
2	B	601	20V	CBD-NAV	-5.19	1.34	1.41
2	B	601	20V	CAA-CAY	-5.09	1.40	1.50
2	B	602	20V	CBD-NAV	-4.98	1.34	1.41
2	B	601	20V	CAT-CBE	-4.97	1.41	1.51
2	C	601	20V	CBD-NAV	-4.92	1.34	1.41
2	A	602	20V	CAA-CAY	-4.75	1.40	1.50
2	C	602	20V	CBD-NAV	-4.63	1.35	1.41
2	A	601	20V	CBC-CAO	-3.16	1.39	1.46
2	C	601	20V	CBC-CAO	-2.88	1.39	1.46
2	A	602	20V	CAZ-NAU	-2.79	1.32	1.44
2	B	601	20V	CBC-CAO	-2.66	1.40	1.46
2	A	601	20V	CAZ-NAU	-2.57	1.33	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	20V	CAZ-NAU	-2.57	1.33	1.44
2	C	602	20V	CAZ-NAU	-2.53	1.33	1.44
2	B	601	20V	CBF-CBI	-2.41	1.39	1.43
2	A	602	20V	CBC-CAO	-2.39	1.41	1.46
2	B	602	20V	CAZ-NAU	-2.29	1.34	1.44
2	C	601	20V	CBG-SBM	-2.25	1.75	1.78
2	C	601	20V	CAZ-NAU	-2.23	1.35	1.44
2	C	602	20V	CBC-CAO	-2.14	1.41	1.46
2	C	601	20V	CBA-CAY	-2.14	1.39	1.40
2	C	602	20V	CBA-CAY	-2.13	1.39	1.40
2	B	602	20V	CBC-CAO	-2.13	1.41	1.46
2	C	601	20V	CBF-CBI	-2.10	1.40	1.43
2	A	601	20V	OAD-SBL	2.00	1.53	1.43
2	A	602	20V	OAD-SBL	2.01	1.53	1.43
2	A	602	20V	OAM-SBL	2.01	1.53	1.43
2	A	601	20V	PBK-OAK	2.03	1.62	1.54
2	A	601	20V	OAF-SBM	2.09	1.53	1.43
2	B	602	20V	OAM-SBL	2.14	1.54	1.43
2	C	602	20V	OAD-SBL	2.17	1.54	1.43
2	A	602	20V	OAF-SBM	2.18	1.54	1.43
2	B	601	20V	OAG-SBM	2.19	1.54	1.43
2	B	601	20V	OAM-SBL	2.22	1.54	1.43
2	C	601	20V	OAM-SBL	2.23	1.54	1.43
2	B	602	20V	OAF-SBM	2.28	1.54	1.43
2	B	602	20V	PBK-OAK	2.30	1.63	1.54
2	A	601	20V	CAR-CAZ	2.38	1.39	1.37
2	C	602	20V	OAM-SBL	2.43	1.55	1.43
2	B	601	20V	PBK-OAK	2.47	1.63	1.54
2	B	602	20V	CAR-CAZ	2.55	1.39	1.37
2	C	601	20V	PBK-OAK	2.67	1.64	1.54
2	A	602	20V	CAR-CAZ	2.69	1.39	1.37
2	C	602	20V	CAR-CAZ	2.70	1.39	1.37
2	A	602	20V	PBK-OAK	2.71	1.64	1.54
2	C	602	20V	PBK-OAK	3.12	1.65	1.54
2	B	601	20V	CAR-CAZ	3.24	1.40	1.37
2	B	601	20V	PBK-OAL	3.28	1.62	1.51
2	A	601	20V	PBK-OAL	3.41	1.62	1.51
2	C	601	20V	CAR-CAZ	3.45	1.40	1.37
2	C	602	20V	OAI-NBJ	3.72	1.30	1.22
2	B	602	20V	PBK-OAL	3.77	1.63	1.51
2	A	602	20V	PBK-OAL	3.81	1.63	1.51
2	C	602	20V	PBK-OAL	3.96	1.64	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	20V	PBK-OAL	4.51	1.66	1.51
2	B	602	20V	CBF-SBL	4.66	1.86	1.78
2	B	602	20V	OAI-NBJ	7.95	1.38	1.22
2	A	602	20V	OAI-NBJ	9.73	1.42	1.22
2	B	601	20V	OAI-NBJ	10.31	1.43	1.22
2	C	601	20V	OAI-NBJ	10.36	1.43	1.22
2	A	601	20V	OAI-NBJ	10.86	1.44	1.22

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	602	20V	CBA-CBC-CBE	-4.34	116.19	120.02
2	C	602	20V	CBA-CBC-CBE	-4.13	116.38	120.02
2	B	601	20V	CAS-CBI-CBF	-3.70	118.96	123.23
2	C	601	20V	CAS-CBI-CBF	-3.27	119.46	123.23
2	A	602	20V	CBA-CBC-CBE	-3.25	117.15	120.02
2	A	601	20V	CAS-CBI-CBF	-3.24	119.50	123.23
2	B	602	20V	CAS-CBI-CBF	-2.88	119.91	123.23
2	C	601	20V	OAB-CAO-CBC	-2.46	120.14	125.11
2	B	602	20V	OAK-PBK-OAL	-2.40	102.85	110.58
2	A	602	20V	CAS-CBI-CBF	-2.33	120.55	123.23
2	A	601	20V	OAB-CAO-CBC	-2.26	120.54	125.11
2	A	601	20V	OAK-PBK-OAL	-2.25	103.33	110.58
2	C	601	20V	CBA-CBC-CBE	-2.20	118.08	120.02
2	B	601	20V	OAK-PBK-OAL	-2.20	103.51	110.58
2	A	602	20V	CBA-CAY-NAW	-2.15	118.03	120.71
2	C	601	20V	OAK-PBK-OAL	-2.11	103.77	110.58
2	B	601	20V	CBA-CBC-CBE	-2.04	118.22	120.02
2	A	601	20V	CAA-CAY-NAW	2.03	119.55	116.34
2	C	601	20V	CBF-CBI-CBH	2.11	119.93	117.78
2	B	602	20V	CBB-CAS-CBI	2.11	120.86	119.33
2	A	601	20V	CBF-CBI-CBH	2.21	120.03	117.78
2	A	602	20V	CBB-CAS-CBI	2.26	120.97	119.33
2	A	602	20V	OAC-PBK-OAX	2.32	113.24	106.56
2	B	601	20V	CAA-CAY-NAW	2.53	120.34	116.34
2	B	601	20V	OAM-SBL-CBF	2.57	109.11	106.20
2	C	601	20V	OAM-SBL-CBF	2.57	109.11	106.20
2	C	601	20V	CAA-CAY-NAW	2.59	120.44	116.34
2	B	601	20V	OAD-SBL-CBF	2.60	109.15	106.20
2	A	601	20V	CBB-CAS-CBI	2.61	121.22	119.33
2	B	602	20V	CBF-CBI-CBH	2.64	120.47	117.78
2	B	601	20V	CBB-CAS-CBI	2.70	121.28	119.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	20V	OAC-PBK-OAX	2.73	114.43	106.56
2	C	602	20V	CAA-CAY-NAW	2.78	120.74	116.34
2	B	601	20V	CBF-CBI-CBH	2.99	120.83	117.78
2	C	601	20V	CAQ-CBB-NBJ	3.01	121.44	118.80
2	A	602	20V	OAG-SBM-CBG	3.03	109.64	106.20
2	B	601	20V	OAF-SBM-CBG	3.09	109.70	106.20
2	A	602	20V	CAA-CAY-CBA	3.22	124.93	121.04
2	C	602	20V	OAG-SBM-CBG	3.40	110.06	106.20
2	A	601	20V	OAG-SBM-CBG	3.80	110.51	106.20
2	A	602	20V	OAD-SBL-CBF	3.93	110.65	106.20
2	A	601	20V	CAQ-CBB-NBJ	3.94	122.26	118.80
2	B	601	20V	OAG-SBM-CBG	4.07	110.82	106.20
2	A	601	20V	OAM-SBL-CBF	4.11	110.86	106.20
2	A	601	20V	OAD-SBL-CBF	4.17	110.93	106.20
2	A	601	20V	OAF-SBM-CBG	4.45	111.24	106.20
2	C	601	20V	OAG-SBM-CBG	4.50	111.30	106.20
2	A	602	20V	CAS-CBB-NBJ	4.53	122.77	118.80
2	B	601	20V	CAQ-CBB-NBJ	4.74	122.95	118.80
2	A	602	20V	CBD-NAV-NAU	4.81	119.66	113.27
2	C	602	20V	OAM-SBL-CBF	4.96	111.82	106.20
2	B	602	20V	CBD-NAV-NAU	5.32	120.33	113.27
2	C	602	20V	CBD-NAV-NAU	5.34	120.36	113.27
2	C	601	20V	OAF-SBM-CBG	5.68	112.64	106.20
2	A	601	20V	CBD-NAV-NAU	7.20	122.83	113.27
2	B	601	20V	CBD-NAV-NAU	7.39	123.09	113.27
2	C	601	20V	CBD-NAV-NAU	7.58	123.34	113.27
2	B	602	20V	OAM-SBL-CBF	8.32	115.64	106.20

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	20V	2	0
2	A	602	20V	1	0
3	B	606	SO4	1	0
2	C	601	20V	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	476/515 (92%)	-0.00	7 (1%) 76 75	20, 35, 77, 126	5 (1%)
1	B	480/515 (93%)	0.00	14 (2%) 55 54	21, 37, 86, 118	2 (0%)
1	C	474/515 (92%)	0.32	24 (5%) 32 32	20, 46, 84, 117	5 (1%)
All	All	1430/1545 (92%)	0.11	45 (3%) 52 52	20, 39, 83, 126	12 (0%)

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	432	GLY	6.2
1	B	467	ALA	5.8
1	C	475	VAL	5.3
1	A	433	HIS	4.2
1	C	463	SER	3.9
1	C	54	VAL	3.7
1	C	477	ARG	3.6
1	C	46	TYR	3.6
1	C	433	HIS	3.4
1	C	474	VAL	3.4
1	C	464	LYS	3.4
1	C	171	LYS	3.3
1	A	479	ARG	3.2
1	B	469	SER	3.2
1	A	477	ARG	3.2
1	A	441	MET	3.1
1	C	417	TRP	3.1
1	C	176	TYR	3.1
1	B	466	ALA	3.1
1	C	55	ASP	3.0
1	A	435	GLN	3.0
1	C	456	ARG	3.0
1	C	377	GLY	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	456	ARG	2.8
1	C	416	LEU	2.8
1	C	173	ASP	2.8
1	B	55	ASP	2.8
1	B	463	SER	2.8
1	B	460	SER	2.7
1	B	445	GLY	2.6
1	C	36	LYS	2.6
1	C	452	GLU	2.6
1	C	64	ARG	2.6
1	C	466	ALA	2.6
1	C	175	ILE	2.5
1	B	474	VAL	2.4
1	C	52	GLU	2.4
1	B	481	VAL	2.3
1	C	47	LEU	2.3
1	B	303	PRO	2.3
1	B	441	MET	2.2
1	A	463	SER	2.1
1	B	374	LYS	2.1
1	B	455	TYR	2.1
1	C	435	GLN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	SO4	A	606	5/5	0.78	0.27	7.38	87,110,130,138	0
2	20V	A	601	39/39	0.95	0.22	2.09	47,57,107,110	0
2	20V	A	602	39/39	0.91	0.20	1.54	48,72,99,114	0
2	20V	B	602	39/39	0.88	0.19	0.91	46,70,91,98	0
3	SO4	A	605	5/5	0.97	0.19	0.77	75,76,98,98	0
3	SO4	A	603	5/5	0.96	0.18	0.62	48,63,74,95	0
2	20V	B	601	39/39	0.96	0.18	0.53	39,54,103,107	0
2	20V	C	601	39/39	0.96	0.16	0.30	35,55,98,99	0
3	SO4	B	603	5/5	0.96	0.16	0.16	50,54,67,68	0
2	20V	C	602	39/39	0.89	0.18	-0.16	42,65,88,100	0
3	SO4	A	607	5/5	0.96	0.10	-	54,55,66,74	0
3	SO4	B	606	5/5	0.87	0.21	-	89,92,108,110	0
3	SO4	A	604	5/5	0.89	0.19	-	112,115,123,151	0
3	SO4	B	605	5/5	0.94	0.09	-	47,54,68,73	0
3	SO4	A	608	5/5	0.85	0.18	-	45,67,75,85	0
3	SO4	B	604	5/5	0.92	0.12	-	48,59,68,71	0

6.5 Other polymers [i](#)

There are no such residues in this entry.