



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:15 AM GMT

PDB ID : 3O9J
Title : Influenza NA in complex with compound 5
Authors : Russell, R.J.; Kerry, P.S.
Deposited on : 2010-08-04
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	6249 (2.00-2.00)
Clashscore	102246	7340 (2.00-2.00)
Ramachandran outliers	100387	7248 (2.00-2.00)
Sidechain outliers	100360	7247 (2.00-2.00)
RSRZ outliers	91569	6262 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	387	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	RP6	A	1	X	-	-	-

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Neuraminidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	387	Total	C	N	O	S	0	0	0
			3002	1880	525	573	24			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	296	ASN	GLY	CONFLICT	UNP Q07599

- Molecule 2 is 5-(ACETYLAMINO)-2,6-ANHYDRO-3,5-DIDEOXY-3-PROP-2-EN-1-YL-D-GLYCERO-D-GALACTO-NON-2-ENONIC ACID (three-letter code: RP6) (formula: $C_{14}H_{21}NO_8$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			23	14	1	8		

- Molecule 3 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Ca 1 1	0	0

- Molecule 4 is SUGAR (2-(ACETYLAMINO)-2-DEOXY-A-D-GLUCOPYRANOSE) (three-letter code: NDG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N O 15 8 1 6	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	320	Total O 320 320	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Neuraminidase



4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	90.58 Å 90.58 Å 109.50 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.64 – 2.00 28.64 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.3 (28.64-2.00) 97.3 (28.64-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 2.00 Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6 _289)	Depositor
R, R_{free}	0.215 , 0.282 0.227 , 0.286	Depositor DCC
R_{free} test set	1465 reflections (5.32%)	DCC
Wilson B-factor (Å ²)	23.0	Xtriage
Anisotropy	0.983	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 26.9	EDS
Estimated twinning fraction	0.289 for -h,k,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Outliers	0 of 29000 reflections	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	3361	wwPDB-VP
Average B, all atoms (Å ²)	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.34% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NDG, RP6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.35	17/3077 (0.6%)	1.21	15/4177 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	6

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	445	LYS	CB-CG	25.71	2.21	1.52
1	A	308	SER	C-N	17.17	1.66	1.34
1	A	310	PRO	N-CD	-14.54	1.27	1.47
1	A	421	LEU	C-N	10.88	1.59	1.34
1	A	334	GLN	CB-CG	10.58	1.81	1.52
1	A	346	MET	C-N	-9.81	1.15	1.33
1	A	170	TYR	C-N	9.56	1.56	1.34
1	A	445	LYS	C-N	-7.86	1.16	1.34
1	A	310	PRO	N-CA	7.76	1.60	1.47
1	A	350	GLN	C-N	-7.48	1.19	1.33
1	A	397	ARG	C-N	5.95	1.47	1.34
1	A	397	ARG	CA-C	5.87	1.68	1.52
1	A	311	ASP	C-N	-5.72	1.20	1.34
1	A	397	ARG	CB-CG	-5.42	1.38	1.52
1	A	180	TRP	CB-CG	5.26	1.59	1.50
1	A	379	PHE	CE1-CZ	5.24	1.47	1.37
1	A	421	LEU	CA-C	5.13	1.66	1.52

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	346	MET	C-N-CA	21.37	167.18	122.30
1	A	346	MET	O-C-N	-19.13	90.67	123.20
1	A	346	MET	CA-C-N	14.89	145.99	116.20
1	A	445	LYS	CA-CB-CG	-13.94	82.73	113.40
1	A	397	ARG	O-C-N	-8.20	109.58	122.70
1	A	421	LEU	O-C-N	-7.37	110.91	122.70
1	A	350	GLN	O-C-N	-7.08	111.16	123.20
1	A	310	PRO	N-CA-CB	-7.07	94.82	103.30
1	A	364	ASP	CB-CG-OD1	6.27	123.95	118.30
1	A	311	ASP	O-C-N	-5.99	113.12	122.70
1	A	311	ASP	CA-C-N	5.48	129.26	117.20
1	A	311	ASP	C-N-CA	5.43	135.28	121.70
1	A	308	SER	O-C-N	5.36	131.28	121.10
1	A	350	GLN	CA-C-N	5.34	126.88	116.20
1	A	458	GLY	N-CA-C	5.30	126.36	113.10

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	147	GLY	Peptide
1	A	337	PHE	Mainchain,Peptide
1	A	346	MET	Mainchain,Peptide
1	A	397	ARG	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3002	0	2860	156	0
2	A	23	0	16	4	0
3	A	1	0	0	0	0
4	A	15	0	15	1	0
5	A	320	0	0	35	1
All	All	3361	0	2891	157	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 26.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:334:GLN:CB	1:A:334:GLN:CG	1.81	1.56
1:A:298:THR:HB	5:A:40:HOH:O	1.23	1.34
1:A:443:GLU:OE1	1:A:474:LEU:HD12	1.29	1.30
1:A:329:ARG:C	1:A:350:GLN:HE22	1.39	1.26
1:A:445:LYS:CG	1:A:445:LYS:CB	2.22	1.18
1:A:329:ARG:CA	1:A:350:GLN:HE22	1.54	1.18
1:A:96:GLY:O	1:A:458:GLY:O	1.61	1.16
1:A:116:VAL:HB	5:A:591:HOH:O	1.54	1.06
1:A:365:VAL:HB	5:A:50:HOH:O	1.55	1.05
1:A:305:LEU:HB3	5:A:637:HOH:O	1.56	1.04
1:A:328:PRO:O	1:A:350:GLN:OE1	1.74	1.03
1:A:346:MET:HE3	5:A:500:HOH:O	1.64	0.97
1:A:329:ARG:CA	1:A:350:GLN:NE2	2.28	0.96
1:A:329:ARG:C	1:A:350:GLN:NE2	2.20	0.95
1:A:329:ARG:HA	1:A:350:GLN:NE2	1.81	0.94
1:A:443:GLU:OE1	1:A:474:LEU:CD1	2.19	0.91
1:A:408:TRP:CH2	1:A:442:GLU:HG2	2.05	0.91
1:A:337:PHE:CZ	1:A:346:MET:HB2	2.05	0.90
1:A:445:LYS:CG	1:A:445:LYS:HA	2.04	0.88
1:A:86:ASN:ND2	5:A:667:HOH:O	2.03	0.88
1:A:329:ARG:HA	1:A:350:GLN:HE22	1.36	0.88
1:A:83:THR:N	5:A:58:HOH:O	2.06	0.88
1:A:445:LYS:CG	1:A:445:LYS:CA	2.52	0.87
1:A:298:THR:HG21	5:A:596:HOH:O	1.75	0.85
1:A:249:ASN:HB2	5:A:540:HOH:O	1.77	0.84
1:A:249:ASN:O	1:A:250:ARG:O	1.96	0.84
1:A:147:GLY:C	1:A:149:VAL:H	1.81	0.84
1:A:118:ARG:NH2	2:A:1:RP6:HAA	1.93	0.82
1:A:276:HIS:HD2	1:A:296:ASN:H	1.28	0.79
1:A:268:THR:HG23	5:A:558:HOH:O	1.80	0.79
1:A:329:ARG:HA	1:A:350:GLN:CD	2.01	0.78
1:A:298:THR:O	1:A:347:GLY:O	2.01	0.78
1:A:391:THR:HG22	5:A:23:HOH:O	1.83	0.78
1:A:263:ARG:HD2	5:A:541:HOH:O	1.84	0.78
1:A:445:LYS:O	1:A:446:THR:HG23	1.83	0.77
1:A:337:PHE:CE1	1:A:346:MET:HB2	2.19	0.77
1:A:311:ASP:O	1:A:312:LEU:HB2	1.85	0.77

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:380:GLU:OE1	1:A:399:LYS:NZ	2.18	0.76
1:A:329:ARG:HA	1:A:350:GLN:OE1	1.85	0.76
1:A:397:ARG:NH1	1:A:462:GLU:OE1	2.19	0.76
1:A:365:VAL:CG1	1:A:388:TRP:HE3	1.99	0.75
1:A:328:PRO:C	1:A:350:GLN:OE1	2.24	0.75
1:A:201:SER:C	1:A:202:LYS:HG3	2.05	0.75
1:A:334:GLN:CA	1:A:334:GLN:CG	2.65	0.75
1:A:146:ASN:HD21	4:A:479:NDG:H8C3	1.53	0.73
1:A:477:ASP:O	1:A:478:ILE:HB	1.89	0.73
1:A:425:LYS:HE2	5:A:617:HOH:O	1.88	0.72
1:A:330:GLY:N	1:A:350:GLN:HE22	1.88	0.71
1:A:249:ASN:H	1:A:249:ASN:HD22	1.38	0.71
1:A:300:THR:HG21	1:A:350:GLN:CD	2.12	0.70
1:A:337:PHE:HE2	1:A:340:GLY:HA2	1.57	0.70
1:A:313:SER:HA	5:A:535:HOH:O	1.91	0.69
1:A:330:GLY:N	1:A:350:GLN:NE2	2.40	0.69
1:A:337:PHE:CE2	1:A:338:THR:O	2.46	0.69
1:A:251:GLN:HE22	1:A:274:GLY:H	1.41	0.68
1:A:337:PHE:CE2	1:A:340:GLY:HA2	2.28	0.68
1:A:128:GLU:HB2	5:A:692:HOH:O	1.92	0.68
1:A:373:ARG:NH1	5:A:650:HOH:O	2.28	0.67
1:A:408:TRP:CZ3	1:A:442:GLU:HG2	2.30	0.66
1:A:357:PHE:HZ	1:A:381:ILE:HD12	1.61	0.66
1:A:109:GLY:HA3	1:A:140:LEU:HD12	1.77	0.65
1:A:416:THR:HG23	5:A:52:HOH:O	1.97	0.64
1:A:214:THR:O	1:A:263:ARG:CZ	2.45	0.64
1:A:365:VAL:CG1	5:A:50:HOH:O	2.47	0.62
1:A:408:TRP:CH2	1:A:442:GLU:CG	2.81	0.61
1:A:419:VAL:HG22	1:A:425:LYS:O	2.00	0.61
1:A:319:LEU:HD21	1:A:365:VAL:HG11	1.82	0.61
1:A:147:GLY:C	1:A:149:VAL:N	2.51	0.61
1:A:214:THR:O	1:A:263:ARG:NH1	2.34	0.61
1:A:365:VAL:HG13	1:A:388:TRP:HB2	1.83	0.60
1:A:276:HIS:CD2	1:A:296:ASN:H	2.15	0.59
1:A:256:ILE:HD13	1:A:307:ILE:HG12	1.84	0.59
1:A:230:SER:HB3	1:A:355:LYS:HE2	1.84	0.59
1:A:116:VAL:HG12	1:A:138:SER:O	2.04	0.57
1:A:255:ARG:NH2	5:A:710:HOH:O	2.13	0.57
1:A:300:THR:HG22	1:A:350:GLN:OE1	2.04	0.57
1:A:365:VAL:HG12	1:A:388:TRP:HE3	1.69	0.57
1:A:118:ARG:NH2	2:A:1:RP6:CAA	2.65	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:365:VAL:HG22	1:A:387:GLY:HA3	1.87	0.57
1:A:97:PHE:H	1:A:400:GLN:HE22	1.53	0.57
1:A:249:ASN:HD22	1:A:249:ASN:N	2.03	0.57
1:A:118:ARG:CZ	2:A:1:RP6:HAA	2.35	0.56
1:A:415:PHE:CE2	1:A:431:CYS:HB2	2.41	0.56
1:A:129:CYS:O	1:A:163:VAL:HG22	2.06	0.55
1:A:251:GLN:NE2	1:A:274:GLY:H	2.05	0.55
1:A:116:VAL:HG13	5:A:63:HOH:O	2.07	0.54
1:A:329:ARG:CA	1:A:350:GLN:OE1	2.55	0.54
1:A:300:THR:CG2	1:A:350:GLN:OE1	2.56	0.54
1:A:445:LYS:O	1:A:446:THR:CG2	2.55	0.53
1:A:116:VAL:HG11	1:A:138:SER:OG	2.08	0.53
1:A:117:ILE:HD13	1:A:167:PRO:HG3	1.90	0.52
1:A:408:TRP:HH2	5:A:638:HOH:O	1.91	0.52
1:A:383:ARG:NH2	5:A:607:HOH:O	2.42	0.52
1:A:300:THR:CG2	1:A:350:GLN:CD	2.77	0.52
1:A:116:VAL:HG23	1:A:449:THR:O	2.10	0.52
1:A:357:PHE:CZ	1:A:381:ILE:HD12	2.42	0.52
1:A:116:VAL:CG1	1:A:138:SER:OG	2.57	0.51
1:A:201:SER:OG	1:A:202:LYS:HG3	2.10	0.51
1:A:411:TYR:HB2	1:A:435:GLU:OE1	2.10	0.51
1:A:478:ILE:HD12	5:A:55:HOH:O	2.10	0.51
1:A:107:ARG:HG2	1:A:472:ALA:HA	1.93	0.51
1:A:365:VAL:CB	5:A:50:HOH:O	2.33	0.50
1:A:116:VAL:CG1	5:A:63:HOH:O	2.60	0.50
1:A:322:GLY:O	1:A:393:LYS:HE2	2.11	0.50
1:A:228:GLN:HE21	1:A:242:VAL:H	1.59	0.50
1:A:418:PRO:HG3	5:A:683:HOH:O	2.13	0.49
1:A:249:ASN:H	1:A:249:ASN:ND2	2.09	0.48
1:A:337:PHE:CE1	1:A:346:MET:CB	2.95	0.48
1:A:298:THR:HG23	1:A:345:PRO:HB2	1.95	0.47
1:A:249:ASN:N	1:A:249:ASN:ND2	2.61	0.47
1:A:474:LEU:HB3	1:A:475:PRO:HA	1.96	0.47
1:A:268:THR:OG1	1:A:312:LEU:HB3	2.14	0.47
1:A:298:THR:HA	1:A:350:GLN:O	2.16	0.46
1:A:298:THR:HG22	5:A:61:HOH:O	2.15	0.46
1:A:425:LYS:CE	5:A:617:HOH:O	2.54	0.46
1:A:363:THR:HG22	1:A:386:ASN:HA	1.97	0.46
1:A:439:GLY:HA2	1:A:446:THR:OG1	2.16	0.46
1:A:350:GLN:NE2	5:A:671:HOH:O	2.49	0.45
1:A:337:PHE:CD2	1:A:338:THR:O	2.69	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:TRP:O	1:A:351:GLY:HA2	2.17	0.45
1:A:334:GLN:CB	1:A:334:GLN:CD	2.76	0.45
1:A:323:ILE:HG22	1:A:367:MET:SD	2.58	0.45
1:A:251:GLN:HE22	1:A:274:GLY:N	2.10	0.44
1:A:381:ILE:HG22	1:A:400:GLN:HB3	1.99	0.44
1:A:435:GLU:HG3	1:A:451:SER:HB2	1.99	0.44
1:A:116:VAL:O	5:A:63:HOH:O	2.21	0.44
1:A:306:VAL:O	1:A:314:TYR:HA	2.17	0.44
1:A:337:PHE:HZ	1:A:346:MET:HB2	1.73	0.44
1:A:105:GLY:O	1:A:114:ILE:HG21	2.17	0.44
1:A:385:LYS:O	1:A:386:ASN:HB2	2.17	0.44
1:A:120:PRO:HD2	1:A:435:GLU:HB2	1.99	0.44
1:A:127:ILE:HG12	5:A:544:HOH:O	2.18	0.44
1:A:116:VAL:O	1:A:116:VAL:HG13	2.17	0.43
1:A:249:ASN:O	1:A:250:ARG:C	2.57	0.43
1:A:250:ARG:HA	1:A:297:TRP:CE2	2.53	0.43
1:A:285:ASN:O	1:A:286:ASP:HB2	2.18	0.43
1:A:329:ARG:CA	1:A:350:GLN:CD	2.75	0.43
1:A:352:TYR:HD1	5:A:483:HOH:O	2.01	0.43
1:A:86:ASN:HA	5:A:708:HOH:O	2.18	0.42
1:A:337:PHE:HB2	5:A:629:HOH:O	2.18	0.42
1:A:383:ARG:O	1:A:396:ILE:N	2.51	0.42
1:A:361:GLN:HG3	1:A:366:TRP:CD1	2.55	0.42
1:A:363:THR:CG2	1:A:386:ASN:OD1	2.68	0.42
1:A:179:ALA:HB2	1:A:195:GLY:HA3	2.01	0.42
1:A:240:TYR:CE2	1:A:258:LYS:HD2	2.54	0.42
1:A:334:GLN:HA	1:A:334:GLN:CG	2.49	0.42
1:A:93:ASP:OD2	5:A:78:HOH:O	2.22	0.42
1:A:102:LYS:NZ	1:A:104:ASN:ND2	2.68	0.41
1:A:357:PHE:HZ	1:A:381:ILE:CD1	2.32	0.41
1:A:114:ILE:HD13	1:A:168:ASN:HB3	2.02	0.41
1:A:116:VAL:CG2	1:A:449:THR:O	2.68	0.41
1:A:367:MET:O	1:A:367:MET:HG3	2.21	0.41
2:A:1:RP6:OAH	2:A:1:RP6:CAJ	2.69	0.41
1:A:109:GLY:CA	1:A:114:ILE:HG13	2.51	0.41
1:A:385:LYS:HG3	1:A:396:ILE:HD11	2.03	0.40
1:A:84:TYR:HA	1:A:187:ASP:O	2.20	0.40
1:A:135:THR:O	1:A:156:ARG:HA	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:572:HOH:O	5:A:585:HOH:O[4_545]	2.15	0.05

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	385/387 (100%)	349 (91%)	31 (8%)	5 (1%)	15 7

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	250	ARG
1	A	148	THR
1	A	312	LEU
1	A	458	GLY
1	A	459	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	330/330 (100%)	307 (93%)	23 (7%)	19 12

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	100	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	146	ASN
1	A	163	VAL
1	A	196	VAL
1	A	202	LYS
1	A	212	VAL
1	A	216	VAL
1	A	249	ASN
1	A	250	ARG
1	A	298	THR
1	A	305	LEU
1	A	312	LEU
1	A	319	LEU
1	A	334	GLN
1	A	344	SER
1	A	365	VAL
1	A	390	GLN
1	A	405	ASN
1	A	406	LEU
1	A	419	VAL
1	A	442	GLU
1	A	454	ILE
1	A	466	TRP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	104	ASN
1	A	146	ASN
1	A	228	GLN
1	A	249	ASN
1	A	251	GLN
1	A	276	HIS
1	A	350	GLN
1	A	400	GLN
1	A	405	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	RP6	A	1	-	18,23,23	3.38	6 (33%)	16,32,32	3.79	11 (68%)
4	NDG	A	479	-	15,15,15	0.58	0	17,21,21	0.82	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	RP6	A	1	-	1/1/9/11	0/17/41/41	0/1/1/1
4	NDG	A	479	-	-	0/6/26/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	RP6	CAS-CAU	-9.87	1.33	1.53
2	A	1	RP6	OAG-CAS	-4.90	1.32	1.43
2	A	1	RP6	OAI-CAU	-4.52	1.32	1.43
2	A	1	RP6	CAL-CAJ	-3.74	1.33	1.49
2	A	1	RP6	CAU-CAW	-3.32	1.48	1.52
2	A	1	RP6	OAN-CAR	5.55	1.45	1.36

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	RP6	OAN-CAW-CAU	-9.24	88.48	105.72
2	A	1	RP6	OAH-CAT-CAQ	-5.52	100.08	110.24
2	A	1	RP6	OAE-CAK-CAS	-3.52	103.45	111.10
2	A	1	RP6	OAC-CAO-CAB	-2.73	117.05	122.06
4	A	479	NDG	O-C5-C6	2.05	111.54	106.36
2	A	1	RP6	CAW-CAV-NAM	2.52	115.46	111.07
2	A	1	RP6	OAG-CAS-CAK	2.57	115.20	109.22
2	A	1	RP6	CAU-CAW-CAV	2.70	118.41	114.32
2	A	1	RP6	OAG-CAS-CAU	3.38	117.52	109.02
2	A	1	RP6	OAI-CAU-CAS	3.65	117.95	108.75
2	A	1	RP6	CAS-CAU-CAW	3.72	120.48	113.01
2	A	1	RP6	OAI-CAU-CAW	4.97	120.92	109.43

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	1	RP6	CAU

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	RP6	4	0
4	A	479	NDG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	387/387 (100%)	-0.35	6 (1%) 74 75	14, 24, 36, 43	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	349	ASN	4.8
1	A	350	GLN	3.6
1	A	311	ASP	2.9
1	A	337	PHE	2.6
1	A	333	THR	2.5
1	A	147	GLY	2.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	RP6	A	1	23/23	0.92	0.15	1.45	18,24,35,36	0
3	CA	A	995	1/1	0.97	0.09	-0.43	33,33,33,33	0
4	NDG	A	479	15/15	0.58	0.31	-	93,94,95,95	0

6.5 Other polymers [i](#)

There are no such residues in this entry.