



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:22 PM GMT

PDB ID : 1OPL
Title : Structural basis for the auto-inhibition of c-Abl tyrosine kinase
Authors : Nagar, B.; Hantschel, O.; Young, M.A.; Scheffzek, K.; Veach, D.; Bornmann, W.; Clarkson, B.; Superti-Furga, G.; Kuriyan, J.
Deposited on : 2003-03-06
Resolution : 3.42 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1049 (3.52-3.32)
Clashscore	102246	1032 (3.50-3.34)
Ramachandran outliers	100387	1002 (3.50-3.34)
Sidechain outliers	100360	1003 (3.50-3.34)
RSRZ outliers	91569	1054 (3.52-3.32)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	537	
1	B	537	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MYR	A	538	-	-	-	X
3	P16	A	539	-	-	-	X
3	P16	B	538	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6655 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called proto-oncogene tyrosine-protein kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	451	Total	C	N	O	S	0	0	0
			3628	2314	611	685	18			
1	B	365	Total	C	N	O	S	0	0	0
			2954	1889	497	551	17			

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	29	ARG	LYS	ENGINEERED	UNP P00519
A	30	ASP	GLU	ENGINEERED	UNP P00519
A	382	ASN	ASP	ENGINEERED	UNP P00519
A	532	GLU	-	CLONING ARTIFACT	UNP P00519
A	533	ASN	-	CLONING ARTIFACT	UNP P00519
A	534	LEU	-	CLONING ARTIFACT	UNP P00519
A	535	TYR	-	CLONING ARTIFACT	UNP P00519
A	536	PHE	-	CLONING ARTIFACT	UNP P00519
A	537	GLN	-	CLONING ARTIFACT	UNP P00519
B	29	ARG	LYS	ENGINEERED	UNP P00519
B	30	ASP	GLU	ENGINEERED	UNP P00519
B	382	ASN	ASP	ENGINEERED	UNP P00519
B	532	GLU	-	CLONING ARTIFACT	UNP P00519
B	533	ASN	-	CLONING ARTIFACT	UNP P00519
B	534	LEU	-	CLONING ARTIFACT	UNP P00519
B	535	TYR	-	CLONING ARTIFACT	UNP P00519
B	536	PHE	-	CLONING ARTIFACT	UNP P00519
B	537	GLN	-	CLONING ARTIFACT	UNP P00519

- Molecule 2 is MYRISTIC ACID (three-letter code: MYR) (formula: C₁₄H₂₈O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	O		0	0
			15	14	1			

- Molecule 3 is 6-(2,6-DICHLOROPHENYL)-2-{[3-(HYDROXYMETHYL)PHENYL]AMINO}-8-METHYLPYRIDO[2,3-D]PYRIMIDIN-7(8H)-ONE (three-letter code: P16) (formula: $C_{21}H_{16}Cl_2N_4O_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0	0
			29	21	2	4	2		
3	B	1	Total	C	Cl	N	O	0	0
			29	21	2	4	2		


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: proto-oncogene tyrosine-protein kinase



- Molecule 1: proto-oncogene tyrosine-protein kinase





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	77.02Å 273.38Å 124.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.95 – 3.42 74.13 – 3.42	Depositor EDS
% Data completeness (in resolution range)	89.1 (29.95-3.42) 89.2 (74.13-3.42)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.70 (at 3.41Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.306 , 0.315 0.276 , 0.290	Depositor DCC
R_{free} test set	1106 reflections (6.83%)	DCC
Wilson B-factor (Å ²)	102.4	Xtriage
Anisotropy	0.353	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 90.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 16237 reflections (0.006%)	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	6655	wwPDB-VP
Average B, all atoms (Å ²)	123.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MYR, P16

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.48	1/3723 (0.0%)	0.71	3/5049 (0.1%)
1	B	0.53	0/3031	0.77	2/4105 (0.0%)
All	All	0.50	1/6754 (0.0%)	0.74	5/9154 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	460	PRO	N-CD	5.29	1.55	1.47

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	464	LEU	CB-CA-C	6.88	123.28	110.20
1	A	95	GLY	N-CA-C	-6.14	97.75	113.10
1	A	459	TYR	CB-CG-CD1	6.11	124.66	121.00
1	B	234	TYR	N-CA-CB	-5.47	100.76	110.60
1	A	459	TYR	CB-CG-CD2	-5.05	117.97	121.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3628	0	3525	46	0
1	B	2954	0	2875	86	0
2	A	15	0	27	3	0
3	A	29	0	16	1	0
3	B	29	0	16	3	0
All	All	6655	0	6459	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:529:LEU:HD11	2:A:538:MYR:H42	1.55	0.88
1:B:162:SER:HB2	1:B:258:ARG:HG3	1.59	0.82
1:B:360:LEU:HD21	1:B:516:PHE:HA	1.61	0.80
1:B:360:LEU:CD2	1:B:516:PHE:HA	2.10	0.80
1:B:399:ALA:HB1	3:B:538:P16:CL28	2.21	0.77
1:B:258:ARG:NH1	1:B:258:ARG:HB3	2.03	0.73
1:A:139:ASN:HD22	1:A:139:ASN:H	1.35	0.72
1:A:84:LEU:HD21	1:A:106:LYS:HD3	1.74	0.70
1:B:316:ASN:HA	1:B:397:LYS:HG2	1.73	0.69
1:B:422:ILE:HB	1:B:464:LEU:HD13	1.76	0.67
1:B:258:ARG:CZ	1:B:258:ARG:HB3	2.24	0.67
1:B:295:ASP:O	1:B:296:THR:HB	1.95	0.66
1:B:258:ARG:O	1:B:258:ARG:HG2	1.97	0.64
1:B:296:THR:HG23	1:B:297:MET:N	2.13	0.64
1:B:295:ASP:OD1	1:B:296:THR:N	2.30	0.64
1:A:203:LEU:N	1:A:203:LEU:HD12	2.13	0.64
1:B:162:SER:CB	1:B:258:ARG:HG3	2.28	0.63
1:B:509:HIS:O	1:B:512:PHE:N	2.32	0.63
1:B:203:LEU:HD12	1:B:203:LEU:N	2.13	0.63
1:B:318:VAL:CG2	1:B:389:LEU:HD12	2.29	0.63
1:B:318:VAL:HG21	1:B:389:LEU:HD12	1.80	0.62
1:B:185:ARG:HH11	1:B:190:VAL:CG2	2.11	0.61
1:B:175:SER:O	1:B:177:PRO:HD3	2.01	0.61
1:A:522:SER:O	1:A:526:GLU:HG2	2.01	0.61
1:B:360:LEU:HD21	1:B:516:PHE:CA	2.31	0.60
1:A:175:SER:O	1:A:177:PRO:HD3	2.01	0.60
1:B:258:ARG:O	1:B:258:ARG:CG	2.50	0.60
1:B:185:ARG:HD2	1:B:190:VAL:HG22	1.84	0.59
1:B:364:THR:HG23	1:B:512:PHE:HB3	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:316:ASN:O	1:B:397:LYS:HA	2.03	0.58
1:A:473:LYS:O	1:B:473:LYS:HE2	2.05	0.57
1:B:156:ALA:O	1:B:160:LEU:HB2	2.04	0.57
1:B:163:GLY:HA3	1:B:167:SER:CB	2.35	0.57
1:B:509:HIS:C	1:B:511:ALA:N	2.59	0.56
1:B:463:ASP:N	1:B:463:ASP:OD1	2.39	0.55
1:A:473:LYS:HE2	1:B:475:TYR:HB2	1.87	0.55
1:B:508:ILE:O	1:B:511:ALA:HB3	2.07	0.55
1:B:517:GLN:NE2	1:B:517:GLN:HA	2.22	0.55
1:B:360:LEU:HD21	1:B:515:MET:C	2.28	0.54
1:B:185:ARG:NH1	1:B:190:VAL:HG23	2.22	0.54
1:A:529:LEU:HD11	2:A:538:MYR:C4	2.33	0.54
1:B:151:VAL:HG13	1:B:155:ALA:HB3	1.91	0.53
1:B:517:GLN:HE21	1:B:517:GLN:HA	1.73	0.53
1:A:350:ASN:HD21	1:A:352:GLN:HG2	1.74	0.53
1:B:258:ARG:C	1:B:260:ASP:H	2.10	0.53
1:B:295:ASP:C	1:B:295:ASP:OD1	2.45	0.53
1:B:350:ASN:HD21	1:B:352:GLN:HG2	1.74	0.53
1:A:167:SER:HA	1:A:234:TYR:HB2	1.91	0.52
1:A:360:LEU:HA	2:A:538:MYR:H142	1.91	0.52
1:B:361:TYR:CD1	1:B:516:PHE:CZ	2.97	0.52
1:A:151:VAL:HG13	1:A:155:ALA:HB3	1.91	0.52
1:B:308:VAL:HG11	1:B:403:LEU:HB2	1.92	0.50
1:A:194:ARG:HB2	1:A:194:ARG:NH1	2.28	0.49
1:B:194:ARG:HB2	1:B:194:ARG:NH1	2.28	0.49
1:A:139:ASN:CG	1:A:139:ASN:O	2.51	0.49
1:B:258:ARG:CZ	1:B:258:ARG:CB	2.90	0.48
1:A:154:ASN:ND2	1:A:360:LEU:HD21	2.27	0.48
1:B:324:CYS:HB2	1:B:331:TYR:HB2	1.95	0.48
1:A:280:TRP:CE2	1:A:283:TYR:HE1	2.32	0.48
1:A:91:PHE:HB3	1:A:101:ILE:HG12	1.96	0.48
1:B:280:TRP:CE2	1:B:283:TYR:HE1	2.32	0.48
1:A:324:CYS:HB2	1:A:331:TYR:HB2	1.95	0.48
1:B:513:GLU:O	1:B:517:GLN:HG2	2.13	0.48
1:A:167:SER:HA	1:A:234:TYR:O	2.13	0.47
1:B:317:LEU:HD22	1:B:400:ASP:HB3	1.96	0.47
1:B:361:TYR:HD1	1:B:516:PHE:CZ	2.32	0.47
1:B:185:ARG:HH11	1:B:190:VAL:HG23	1.78	0.47
1:B:296:THR:O	1:B:297:MET:C	2.53	0.47
3:A:539:P16:N15	3:A:539:P16:H6	2.30	0.47
1:B:255:GLU:HG3	1:B:326:ARG:NH2	2.31	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:160:LEU:HD23	1:B:160:LEU:HA	1.64	0.46
1:B:326:ARG:C	1:B:327:GLU:HG3	2.35	0.46
1:B:237:PRO:HG2	1:B:258:ARG:CZ	2.45	0.46
1:A:258:ARG:HH11	1:A:258:ARG:HB3	1.81	0.46
1:A:381:ARG:NH1	1:A:412:TYR:HE2	2.14	0.46
3:B:538:P16:H6	3:B:538:P16:N15	2.31	0.46
1:B:301:GLU:OE1	1:B:301:GLU:HA	2.16	0.46
1:B:399:ALA:CB	3:B:538:P16:CL28	2.97	0.45
1:A:473:LYS:HE2	1:B:475:TYR:CA	2.46	0.45
1:A:255:GLU:HG3	1:A:326:ARG:NH2	2.31	0.45
1:A:283:TYR:HB2	1:A:285:LEU:HB2	1.99	0.45
1:A:463:ASP:C	1:A:465:SER:H	2.19	0.45
1:A:473:LYS:HB3	1:B:473:LYS:HD3	1.97	0.45
1:B:272:TYR:OH	1:B:341:ASN:ND2	2.40	0.45
1:B:360:LEU:HD21	1:B:516:PHE:N	2.31	0.45
1:B:364:THR:HG23	1:B:512:PHE:CB	2.47	0.45
1:B:361:TYR:HB2	1:B:516:PHE:CE1	2.52	0.44
1:B:283:TYR:HB2	1:B:285:LEU:HB2	1.99	0.44
1:A:280:TRP:HE1	1:A:282:LYS:HD3	1.82	0.44
1:A:258:ARG:NH1	1:A:258:ARG:CB	2.80	0.44
1:B:381:ARG:NH1	1:B:412:TYR:HE2	2.14	0.44
1:A:524:GLU:OE1	1:A:527:LYS:HE2	2.18	0.44
1:A:301:GLU:OE1	1:A:301:GLU:HA	2.18	0.44
1:B:185:ARG:HD2	1:B:190:VAL:CG2	2.47	0.44
1:B:317:LEU:HD23	1:B:398:VAL:O	2.18	0.43
1:A:327:GLU:OE1	1:A:327:GLU:N	2.51	0.43
1:A:268:GLY:O	1:A:271:GLN:HG2	2.18	0.43
1:B:268:GLY:O	1:B:271:GLN:HG2	2.18	0.43
1:B:463:ASP:O	1:B:465:SER:N	2.51	0.43
1:B:256:MET:SD	1:B:324:CYS:SG	3.17	0.43
1:A:148:HIS:NE2	1:A:236:ALA:O	2.52	0.43
1:B:203:LEU:CD1	1:B:203:LEU:N	2.81	0.43
1:A:375:LYS:HE2	1:A:376:LYS:HE2	2.01	0.43
1:B:375:LYS:HE2	1:B:376:LYS:HE2	2.01	0.43
1:A:203:LEU:N	1:A:203:LEU:CD1	2.81	0.42
1:A:459:TYR:HB3	1:A:462:ILE:HD12	2.01	0.42
1:B:204:TYR:HB3	1:B:210:ARG:HG2	2.01	0.42
1:B:291:THR:O	1:B:291:THR:HG23	2.18	0.42
1:B:283:TYR:N	1:B:283:TYR:CD1	2.87	0.42
1:B:317:LEU:HD23	1:B:398:VAL:HB	2.02	0.42
1:A:283:TYR:N	1:A:283:TYR:CD1	2.87	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:256:MET:SD	1:A:324:CYS:SG	3.18	0.41
1:B:163:GLY:HA3	1:B:167:SER:HB2	2.02	0.41
1:A:138:VAL:O	1:A:143:LYS:HD3	2.19	0.41
1:B:256:MET:HE1	1:B:261:ILE:HG12	2.01	0.41
1:A:204:TYR:HB3	1:A:210:ARG:HG2	2.01	0.41
1:A:425:THR:CG2	1:A:429:SER:HB2	2.51	0.41
1:B:283:TYR:C	1:B:285:LEU:N	2.73	0.41
1:B:425:THR:CG2	1:B:429:SER:HB2	2.51	0.41
1:B:299:VAL:HG23	1:B:299:VAL:H	1.55	0.41
1:B:161:SER:HA	1:B:185:ARG:NH1	2.35	0.41
1:A:281:LYS:O	1:A:283:TYR:N	2.54	0.41
1:B:281:LYS:O	1:B:283:TYR:N	2.54	0.41
1:A:326:ARG:C	1:A:327:GLU:HG3	2.39	0.41
1:B:509:HIS:O	1:B:511:ALA:N	2.55	0.40
1:A:464:LEU:HD23	1:A:464:LEU:HA	1.67	0.40
1:A:194:ARG:HB2	1:A:194:ARG:HH11	1.87	0.40
1:B:194:ARG:HB2	1:B:194:ARG:HH11	1.87	0.40
1:B:466:GLN:HA	1:B:466:GLN:OE1	2.22	0.40
1:B:161:SER:HA	1:B:185:ARG:CZ	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	449/537 (84%)	430 (96%)	17 (4%)	2 (0%)	39	79
1	B	361/537 (67%)	337 (93%)	21 (6%)	3 (1%)	24	68
All	All	810/1074 (75%)	767 (95%)	38 (5%)	5 (1%)	30	73

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	282	LYS
1	A	252	ASP
1	B	282	LYS
1	B	296	THR
1	B	298	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	393/463 (85%)	384 (98%)	9 (2%)	58	86
1	B	318/463 (69%)	310 (98%)	8 (2%)	55	84
All	All	711/926 (77%)	694 (98%)	17 (2%)	57	85

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	107	LEU
1	A	139	ASN
1	A	214	LEU
1	A	233	HIS
1	A	283	TYR
1	A	327	GLU
1	A	350	ASN
1	A	448	LEU
1	A	490	LEU
1	B	214	LEU
1	B	258	ARG
1	B	260	ASP
1	B	283	TYR
1	B	297	MET
1	B	327	GLU
1	B	350	ASN
1	B	448	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	139	ASN
1	A	233	HIS
1	A	240	ASN
1	A	350	ASN
1	A	393	ASN
1	B	350	ASN
1	B	509	HIS
1	B	517	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	MYR	A	538	-	14,14,15	0.58	0	12,13,15	0.32	0
3	P16	A	539	-	32,32,32	1.91	11 (34%)	36,46,46	1.09	3 (8%)
3	P16	B	538	-	32,32,32	1.90	10 (31%)	36,46,46	1.08	3 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical

component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MYR	A	538	-	-	0/11/12/13	0/0/0/0
3	P16	A	539	-	-	0/10/10/10	0/4/4/4
3	P16	B	538	-	-	0/10/10/10	0/4/4/4

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	539	P16	C24-C23	2.02	1.43	1.39
3	B	538	P16	C5-C6	2.05	1.43	1.38
3	A	539	P16	C5-C6	2.13	1.43	1.38
3	B	538	P16	C26-C27	2.21	1.43	1.39
3	A	539	P16	C26-C27	2.25	1.43	1.39
3	A	539	P16	C22-C27	2.40	1.42	1.40
3	B	538	P16	C22-C27	2.46	1.42	1.40
3	A	539	P16	C8-C7	2.60	1.43	1.39
3	A	539	P16	C4-C3	2.61	1.44	1.38
3	B	538	P16	C4-C3	2.64	1.44	1.38
3	B	538	P16	C8-C7	2.67	1.44	1.39
3	B	538	P16	C6-C7	2.83	1.43	1.39
3	A	539	P16	C6-C7	2.85	1.43	1.39
3	B	538	P16	C18-C17	3.26	1.51	1.44
3	A	539	P16	C18-C17	3.31	1.51	1.44
3	A	539	P16	C10-N11	3.32	1.38	1.34
3	B	538	P16	C10-N11	3.32	1.38	1.34
3	B	538	P16	C22-C23	3.68	1.44	1.40
3	A	539	P16	C22-C23	3.77	1.44	1.40
3	A	539	P16	C18-N19	4.12	1.44	1.38
3	B	538	P16	C18-N19	4.15	1.44	1.38

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	538	P16	N11-C10-N15	-2.05	124.35	126.62
3	A	539	P16	N11-C10-N15	-2.02	124.38	126.62
3	A	539	P16	C16-C17-C18	2.85	120.74	116.60
3	B	538	P16	C16-C17-C18	2.86	120.76	116.60
3	A	539	P16	C10-N15-C14	3.04	118.75	115.09
3	B	538	P16	C10-N15-C14	3.06	118.77	115.09

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	538	MYR	3	0
3	A	539	P16	1	0
3	B	538	P16	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	451/537 (83%)	0.80	22 (4%)	33 29	36, 73, 158, 221	0
1	B	365/537 (67%)	2.16	164 (44%)	0 0	161, 161, 198, 198	0
All	All	816/1074 (75%)	1.41	186 (22%)	1 1	36, 140, 198, 221	0

All (186) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	400	ASP	15.8
1	B	398	VAL	11.7
1	B	388	CYS	11.3
1	B	214	LEU	10.6
1	B	291	THR	9.4
1	B	212	ASN	8.9
1	B	399	ALA	8.6
1	B	277	GLU	8.3
1	B	205	VAL	8.1
1	B	490	LEU	7.3
1	B	342	LEU	7.1
1	B	218	VAL	7.0
1	B	217	LEU	6.6
1	B	151	VAL	6.6
1	B	203	LEU	6.1
1	B	163	GLY	6.1
1	B	267	LEU	6.1
1	B	389	LEU	6.0
1	B	394	HIS	5.5
1	A	295	ASP	5.4
1	B	204	TYR	5.4
1	B	345	TYR	5.3
1	B	261	ILE	5.3
1	B	351	ARG	5.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	164	ILE	5.2
1	B	459	TYR	5.2
1	B	280	TRP	5.1
1	B	180	ARG	5.1
1	B	318	VAL	5.0
1	B	408	THR	5.0
1	B	196	ASN	4.9
1	B	306	ALA	4.9
1	B	211	PHE	4.8
1	B	195	ILE	4.7
1	B	268	GLY	4.7
1	B	148	HIS	4.7
1	B	185	ARG	4.7
1	B	275	VAL	4.6
1	B	416	ALA	4.6
1	B	179	GLN	4.6
1	B	193	TYR	4.5
1	B	188	GLY	4.4
1	B	194	ARG	4.4
1	B	403	LEU	4.4
1	B	141	LEU	4.3
1	B	201	GLY	4.3
1	B	302	PHE	4.2
1	B	197	THR	4.2
1	B	456	MET	4.2
1	B	462	ILE	4.2
1	A	408	THR	4.2
1	B	285	LEU	4.1
1	B	357	VAL	4.1
1	B	184	LEU	4.0
1	B	343	LEU	4.0
1	A	297	MET	4.0
1	A	291	THR	4.0
1	B	150	PRO	3.9
1	B	330	PHE	3.9
1	B	221	HIS	3.9
1	B	202	LYS	3.9
1	B	168	PHE	3.9
1	B	229	ILE	3.9
1	B	175	SER	3.9
1	B	283	TYR	3.8
1	B	230	THR	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	383	LEU	3.8
1	B	381	ARG	3.8
1	B	227	GLY	3.7
1	B	309	MET	3.7
1	B	451	ILE	3.7
1	B	286	THR	3.7
1	B	454	TYR	3.7
1	A	278	GLY	3.6
1	B	317	LEU	3.6
1	B	323	VAL	3.6
1	B	444	PHE	3.6
1	B	390	VAL	3.6
1	A	296	THR	3.6
1	B	160	LEU	3.5
1	B	178	GLY	3.5
1	B	170	VAL	3.5
1	B	485	GLU	3.5
1	B	385	ALA	3.4
1	A	330	PHE	3.4
1	B	278	GLY	3.4
1	B	213	THR	3.4
1	B	325	THR	3.4
1	B	198	ALA	3.4
1	B	182	ILE	3.3
1	B	262	THR	3.3
1	B	169	LEU	3.3
1	B	146	TRP	3.3
1	B	448	LEU	3.3
1	B	331	TYR	3.2
1	B	418	ALA	3.2
1	B	407	MET	3.2
1	B	142	GLU	3.2
1	B	387	ASN	3.2
1	B	232	LEU	3.1
1	B	422	ILE	3.1
1	B	363	ALA	3.0
1	B	312	ILE	3.0
1	B	420	PHE	3.0
1	B	503	PRO	3.0
1	B	468	TYR	3.0
1	B	274	GLU	3.0
1	B	515	MET	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	176	SER	2.9
1	B	458	PRO	2.9
1	A	331	TYR	2.9
1	B	171	ARG	2.9
1	B	477	MET	2.9
1	B	419	LYS	2.9
1	B	423	LYS	2.9
1	B	452	ALA	2.9
1	B	228	LEU	2.9
1	B	510	GLN	2.9
1	B	332	ILE	2.8
1	B	384	ALA	2.8
1	B	162	SER	2.8
1	B	396	VAL	2.8
1	B	159	LEU	2.7
1	A	409	GLY	2.7
1	B	290	LYS	2.7
1	B	424	TRP	2.7
1	B	372	TYR	2.7
1	A	292	LEU	2.6
1	B	174	GLU	2.6
1	B	346	LEU	2.6
1	B	287	VAL	2.6
1	A	230	THR	2.6
1	B	321	LEU	2.6
1	B	349	CYS	2.6
1	B	200	ASP	2.6
1	B	476	ARG	2.6
1	B	506	ALA	2.6
1	B	256	MET	2.5
1	B	295	ASP	2.5
1	B	167	SER	2.5
1	A	256	MET	2.5
1	B	145	SER	2.5
1	B	322	GLY	2.4
1	A	333	ILE	2.4
1	B	263	MET	2.4
1	B	181	SER	2.4
1	B	209	SER	2.4
1	B	464	LEU	2.4
1	B	397	LYS	2.4
1	B	206	SER	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	405	ARG	2.4
1	B	517	GLN	2.4
1	B	356	ALA	2.3
1	B	199	SER	2.3
1	B	427	PRO	2.3
1	A	332	ILE	2.3
1	B	253	LYS	2.3
1	A	320	LEU	2.3
1	A	243	THR	2.3
1	B	379	ILE	2.3
1	A	254	TRP	2.3
1	B	226	ASP	2.2
1	B	225	ALA	2.2
1	B	336	PHE	2.2
1	B	337	MET	2.2
1	B	269	GLY	2.2
1	B	478	GLU	2.2
1	B	183	SER	2.2
1	B	393	ASN	2.2
1	B	339	TYR	2.2
1	B	409	GLY	2.2
1	B	401	PHE	2.1
1	A	319	GLN	2.1
1	B	449	TRP	2.1
1	B	305	GLU	2.1
1	A	298	GLU	2.1
1	B	497	TRP	2.1
1	A	277	GLU	2.1
1	B	480	PRO	2.1
1	A	203	LEU	2.1
1	B	505	PHE	2.1
1	A	279	VAL	2.0
1	B	359	LEU	2.0
1	B	186	TYR	2.0
1	B	276	TYR	2.0
1	B	147	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	MYR	A	538	15/16	0.65	1.06	12.29	81,83,87,87	0
3	P16	A	539	29/29	0.86	0.52	2.03	82,84,89,97	0
3	P16	B	538	29/29	0.55	1.08	1.45	152,152,152,152	0

6.5 Other polymers [i](#)

There are no such residues in this entry.