



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:24 PM GMT

PDB ID : 4ORH
Title : Crystal structure of RNF8 bound to the UBC13/MMS2 heterodimer
Authors : Campbell, S.J.; Edwards, R.A.; Glover, J.N.M.
Deposited on : 2014-02-11
Resolution : 4.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 4.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1117 (6.00-3.60)
Clashscore	102246	1017 (5.96-3.64)
Ramachandran outliers	100387	1156 (6.00-3.60)
Sidechain outliers	100360	1134 (6.00-3.60)
RSRZ outliers	91569	1120 (6.00-3.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	153	<div> <div>22%</div> <div>88%</div> <div>9%</div> </div>
1	E	153	<div> <div>43%</div> <div>86%</div> <div>10%</div> </div>
1	I	153	<div> <div>59%</div> <div>86%</div> <div>10%</div> </div>
2	B	160	<div> <div>14%</div> <div>73%</div> <div>18%</div> <div>8%</div> </div>
2	F	160	<div> <div>22%</div> <div>73%</div> <div>18%</div> <div>8%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	J	160	<div><div></div><div>36%</div><div></div><div>76%</div><div></div><div>15%</div><div></div><div>8%</div></div>
3	C	149	<div><div></div><div>19%</div><div></div><div>54%</div><div></div><div>8%</div><div></div><div>38%</div></div>
3	G	149	<div><div></div><div>19%</div><div></div><div>85%</div><div></div><div>7%</div><div></div><div>7%</div></div>
3	H	149	<div><div></div><div>21%</div><div></div><div>89%</div><div></div><div>7%</div><div></div><div>5%</div></div>
3	K	149	<div><div></div><div>46%</div><div></div><div>84%</div><div></div><div>9%</div><div></div><div>7%</div></div>
3	L	149	<div><div></div><div>31%</div><div></div><div>90%</div><div></div><div>5%</div><div></div><div>5%</div></div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11524 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ubiquitin-conjugating enzyme E2 variant 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	139	Total	C	N	O	S	0	3	0
			1121	702	196	215	8			
1	E	138	Total	C	N	O	S	0	3	0
			1117	700	195	214	8			
1	I	138	Total	C	N	O	S	0	3	0
			1117	700	195	214	8			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	GLY	-	EXPRESSION TAG	UNP Q15819
A	-6	PRO	-	EXPRESSION TAG	UNP Q15819
A	-5	LEU	-	EXPRESSION TAG	UNP Q15819
A	-4	GLY	-	EXPRESSION TAG	UNP Q15819
A	-3	SER	-	EXPRESSION TAG	UNP Q15819
A	-2	PRO	-	EXPRESSION TAG	UNP Q15819
A	-1	GLU	-	EXPRESSION TAG	UNP Q15819
A	0	PHE	-	EXPRESSION TAG	UNP Q15819
E	-7	GLY	-	EXPRESSION TAG	UNP Q15819
E	-6	PRO	-	EXPRESSION TAG	UNP Q15819
E	-5	LEU	-	EXPRESSION TAG	UNP Q15819
E	-4	GLY	-	EXPRESSION TAG	UNP Q15819
E	-3	SER	-	EXPRESSION TAG	UNP Q15819
E	-2	PRO	-	EXPRESSION TAG	UNP Q15819
E	-1	GLU	-	EXPRESSION TAG	UNP Q15819
E	0	PHE	-	EXPRESSION TAG	UNP Q15819
I	-7	GLY	-	EXPRESSION TAG	UNP Q15819
I	-6	PRO	-	EXPRESSION TAG	UNP Q15819
I	-5	LEU	-	EXPRESSION TAG	UNP Q15819
I	-4	GLY	-	EXPRESSION TAG	UNP Q15819
I	-3	SER	-	EXPRESSION TAG	UNP Q15819
I	-2	PRO	-	EXPRESSION TAG	UNP Q15819
I	-1	GLU	-	EXPRESSION TAG	UNP Q15819

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
I	0	PHE	-	EXPRESSION TAG	UNP Q15819

- Molecule 2 is a protein called Ubiquitin-conjugating enzyme E2 N.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	148	Total	C	N	O	S	0	2	0
			1192	767	205	215	5			
2	F	148	Total	C	N	O	S	0	2	0
			1192	767	205	215	5			
2	J	148	Total	C	N	O	S	0	2	0
			1192	767	205	215	5			

There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-7	GLY	-	EXPRESSION TAG	UNP P61088
B	-6	PRO	-	EXPRESSION TAG	UNP P61088
B	-5	LEU	-	EXPRESSION TAG	UNP P61088
B	-4	GLY	-	EXPRESSION TAG	UNP P61088
B	-3	SER	-	EXPRESSION TAG	UNP P61088
B	-2	PRO	-	EXPRESSION TAG	UNP P61088
B	-1	GLU	-	EXPRESSION TAG	UNP P61088
B	0	PHE	-	EXPRESSION TAG	UNP P61088
F	-7	GLY	-	EXPRESSION TAG	UNP P61088
F	-6	PRO	-	EXPRESSION TAG	UNP P61088
F	-5	LEU	-	EXPRESSION TAG	UNP P61088
F	-4	GLY	-	EXPRESSION TAG	UNP P61088
F	-3	SER	-	EXPRESSION TAG	UNP P61088
F	-2	PRO	-	EXPRESSION TAG	UNP P61088
F	-1	GLU	-	EXPRESSION TAG	UNP P61088
F	0	PHE	-	EXPRESSION TAG	UNP P61088
J	-7	GLY	-	EXPRESSION TAG	UNP P61088
J	-6	PRO	-	EXPRESSION TAG	UNP P61088
J	-5	LEU	-	EXPRESSION TAG	UNP P61088
J	-4	GLY	-	EXPRESSION TAG	UNP P61088
J	-3	SER	-	EXPRESSION TAG	UNP P61088
J	-2	PRO	-	EXPRESSION TAG	UNP P61088
J	-1	GLU	-	EXPRESSION TAG	UNP P61088
J	0	PHE	-	EXPRESSION TAG	UNP P61088

- Molecule 3 is a protein called E3 ubiquitin-protein ligase RNF8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	92	Total	C	N	O	S	0	0	0
			723	451	128	134	10			
3	G	139	Total	C	N	O	S	0	0	0
			958	592	175	181	10			
3	H	142	Total	C	N	O	S	0	0	0
			972	600	178	184	10			
3	K	139	Total	C	N	O	S	0	0	0
			958	592	175	181	10			
3	L	142	Total	C	N	O	S	0	0	0
			972	600	178	184	10			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	337	GLY	-	EXPRESSION TAG	UNP O76064
C	338	PRO	-	EXPRESSION TAG	UNP O76064
C	339	LEU	-	EXPRESSION TAG	UNP O76064
C	340	GLY	-	EXPRESSION TAG	UNP O76064
C	341	SER	-	EXPRESSION TAG	UNP O76064
C	342	PRO	-	EXPRESSION TAG	UNP O76064
C	343	GLU	-	EXPRESSION TAG	UNP O76064
C	344	PHE	-	EXPRESSION TAG	UNP O76064
G	337	GLY	-	EXPRESSION TAG	UNP O76064
G	338	PRO	-	EXPRESSION TAG	UNP O76064
G	339	LEU	-	EXPRESSION TAG	UNP O76064
G	340	GLY	-	EXPRESSION TAG	UNP O76064
G	341	SER	-	EXPRESSION TAG	UNP O76064
G	342	PRO	-	EXPRESSION TAG	UNP O76064
G	343	GLU	-	EXPRESSION TAG	UNP O76064
G	344	PHE	-	EXPRESSION TAG	UNP O76064
H	337	GLY	-	EXPRESSION TAG	UNP O76064
H	338	PRO	-	EXPRESSION TAG	UNP O76064
H	339	LEU	-	EXPRESSION TAG	UNP O76064
H	340	GLY	-	EXPRESSION TAG	UNP O76064
H	341	SER	-	EXPRESSION TAG	UNP O76064
H	342	PRO	-	EXPRESSION TAG	UNP O76064
H	343	GLU	-	EXPRESSION TAG	UNP O76064
H	344	PHE	-	EXPRESSION TAG	UNP O76064
K	337	GLY	-	EXPRESSION TAG	UNP O76064
K	338	PRO	-	EXPRESSION TAG	UNP O76064
K	339	LEU	-	EXPRESSION TAG	UNP O76064
K	340	GLY	-	EXPRESSION TAG	UNP O76064
K	341	SER	-	EXPRESSION TAG	UNP O76064
K	342	PRO	-	EXPRESSION TAG	UNP O76064

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	343	GLU	-	EXPRESSION TAG	UNP O76064
K	344	PHE	-	EXPRESSION TAG	UNP O76064
L	337	GLY	-	EXPRESSION TAG	UNP O76064
L	338	PRO	-	EXPRESSION TAG	UNP O76064
L	339	LEU	-	EXPRESSION TAG	UNP O76064
L	340	GLY	-	EXPRESSION TAG	UNP O76064
L	341	SER	-	EXPRESSION TAG	UNP O76064
L	342	PRO	-	EXPRESSION TAG	UNP O76064
L	343	GLU	-	EXPRESSION TAG	UNP O76064
L	344	PHE	-	EXPRESSION TAG	UNP O76064


- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	2	Total 2	Zn 2	0	0
4	G	2	Total 2	Zn 2	0	0
4	L	2	Total 2	Zn 2	0	0
4	C	2	Total 2	Zn 2	0	0
4	K	2	Total 2	Zn 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ubiquitin-conjugating enzyme E2 variant 2




- Molecule 1: Ubiquitin-conjugating enzyme E2 variant 2




- Molecule 1: Ubiquitin-conjugating enzyme E2 variant 2




- Molecule 2: Ubiquitin-conjugating enzyme E2 N








- Molecule 2: Ubiquitin-conjugating enzyme E2 N





- Molecule 2: Ubiquitin-conjugating enzyme E2 N






- Molecule 3: E3 ubiquitin-protein ligase RNF8



- Molecule 3: E3 ubiquitin-protein ligase RNF8



- Molecule 3: E3 ubiquitin-protein ligase RNF8



4 Data and refinement statistics

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, α , β , γ	205.26Å 205.26Å 235.37Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	123.54 – 4.80 123.54 – 4.80	Depositor EDS
% Data completeness (in resolution range)	97.8 (123.54-4.80) 98.2 (123.54-4.80)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.71 (at 4.88Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8.3_1479)	Depositor
R, R_{free}	0.276 , 0.282 0.325 , 0.327	Depositor DCC
R_{free} test set	1259 reflections (5.09%)	DCC
Wilson B-factor (Å ²)	178.1	Xtriage
Anisotropy	0.075	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 362.7	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.25$	Xtriage
Outliers	0 of 24741 reflections	Xtriage
F_o, F_c correlation	0.83	EDS
Total number of atoms	11524	wwPDB-VP
Average B, all atoms (Å ²)	258.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/1144	0.46	0/1547
1	E	0.28	0/1140	0.46	0/1542
1	I	0.28	0/1140	0.46	0/1542
2	B	0.32	0/1225	0.52	0/1666
2	F	0.35	1/1225 (0.1%)	0.52	0/1666
2	J	0.28	0/1225	0.49	0/1666
3	C	0.47	0/731	0.59	0/983
3	G	0.52	0/966	0.69	0/1312
3	H	0.45	0/980	0.65	0/1331
3	K	0.53	0/966	0.70	0/1312
3	L	0.44	0/980	0.65	0/1331
All	All	0.38	1/11722 (0.0%)	0.56	0/15898

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	138	GLU	CB-CG	-5.63	1.41	1.52

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1121	0	1117	4	0
1	E	1117	0	1114	7	0
1	I	1117	0	1114	5	0
2	B	1192	0	1212	29	0
2	F	1192	0	1212	30	0
2	J	1192	0	1212	22	0
3	C	723	0	703	14	0
3	G	958	0	809	14	0
3	H	972	0	814	6	0
3	K	958	0	809	13	0
3	L	972	0	814	5	0
4	C	2	0	0	0	0
4	G	2	0	0	0	0
4	H	2	0	0	0	0
4	K	2	0	0	0	0
4	L	2	0	0	0	0
All	All	11524	0	10930	111	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:64:MET:HE1	3:C:430:TRP:HA	1.28	1.14
2:F:64:MET:O	3:G:433:ARG:NH2	1.97	0.97
1:E:16:LEU:HD11	2:F:70:ARG:HD3	1.44	0.96
3:K:401:LEU:HD13	3:K:457:ILE:HG12	1.48	0.93
2:F:99:LEU:O	2:F:103:THR:OG1	1.91	0.89
3:K:430:TRP:CH2	3:K:434:LYS:HD2	2.11	0.85
3:L:397:LEU:HA	3:L:401:LEU:HD12	1.61	0.83
2:J:64:MET:O	3:K:433:ARG:NH2	2.12	0.82
2:F:135:GLN:NE2	2:J:103:THR:OG1	2.13	0.81
1:A:16:LEU:HD11	2:B:70:ARG:HD3	1.61	0.80
1:I:16:LEU:HD11	2:J:70:ARG:HD3	1.64	0.79
3:K:401:LEU:HD13	3:K:457:ILE:CG1	2.13	0.78
3:G:430:TRP:CZ2	3:G:434:LYS:HD2	2.24	0.73
2:B:64:MET:HE2	3:C:433:ARG:HD2	1.70	0.73
2:F:134:ALA:HB2	3:K:439:ILE:O	1.92	0.70
1:E:13:PHE:CZ	2:F:55:GLU:HG3	2.26	0.69
1:I:12:ASN:HB3	2:J:70:ARG:HH21	1.58	0.69
2:J:7:ARG:NH1	2:J:97:PRO:O	2.29	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:401:LEU:HD22	3:H:457:ILE:CG1	2.28	0.64
3:C:401:LEU:HD22	3:C:457:ILE:CG1	2.28	0.63
2:J:10:LYS:HE3	2:J:14:ARG:HH12	1.64	0.62
3:C:414:VAL:HG21	3:C:427:ILE:HG21	1.81	0.62
1:A:12:ASN:HB3	2:B:70:ARG:HH21	1.64	0.62
3:L:414:VAL:HG21	3:L:427:ILE:HG21	1.81	0.62
2:B:10:LYS:HE3	2:B:14:ARG:HH12	1.64	0.62
1:E:16:LEU:HD11	2:F:70:ARG:CD	2.25	0.62
2:F:6:ARG:HB2	3:G:471:ARG:HH22	1.65	0.61
2:F:10:LYS:HE3	2:F:14:ARG:HH12	1.64	0.61
2:B:94:LYS:HA	3:C:441:ARG:NH2	2.16	0.61
3:H:414:VAL:HG21	3:H:427:ILE:HG21	1.81	0.61
2:F:64:MET:HE1	3:G:429:GLU:C	2.21	0.60
3:C:401:LEU:HD22	3:C:457:ILE:HG12	1.84	0.60
3:H:401:LEU:HD22	3:H:457:ILE:HG12	1.84	0.60
2:J:99:LEU:O	2:J:103:THR:OG1	2.16	0.59
2:F:7:ARG:NH1	2:F:97:PRO:O	2.29	0.59
3:L:435:ILE:HG22	3:L:435:ILE:O	2.03	0.59
3:C:435:ILE:HG22	3:C:435:ILE:O	2.03	0.59
3:H:434:LYS:HE2	3:H:441:ARG:HH22	1.67	0.58
3:H:435:ILE:O	3:H:435:ILE:HG22	2.03	0.58
2:B:143:TRP:HA	2:B:146:LEU:HD12	1.86	0.57
2:B:97:PRO:HD3	3:C:430:TRP:CZ3	2.40	0.56
2:B:135:GLN:NE2	2:F:103:THR:OG1	2.38	0.56
2:B:7:ARG:NH1	2:B:97:PRO:O	2.29	0.55
2:B:70:ARG:NH2	2:B:72[A]:MET:SD	2.79	0.55
2:F:70:ARG:NH2	2:F:72[A]:MET:SD	2.79	0.55
2:J:70:ARG:NH2	2:J:72[A]:MET:SD	2.79	0.55
2:F:7:ARG:HD3	2:F:63:PRO:HG3	1.89	0.55
3:G:430:TRP:CH2	3:G:434:LYS:HD2	2.41	0.55
2:B:94:LYS:HA	3:C:441:ARG:HH21	1.70	0.54
2:J:7:ARG:HD3	2:J:63:PRO:HG3	1.89	0.54
2:B:6:ARG:HB2	3:C:471:ARG:HH21	1.72	0.54
2:B:7:ARG:HD3	2:B:63:PRO:HG3	1.89	0.54
1:E:13:PHE:HZ	2:F:55:GLU:HG3	1.72	0.53
3:G:408:GLU:OE2	3:G:471:ARG:NH2	2.42	0.52
2:F:76:TYR:HB3	2:F:140:ALA:HA	1.93	0.51
2:J:76:TYR:HB3	2:J:140:ALA:HA	1.93	0.51
2:F:6:ARG:CB	3:G:471:ARG:HH22	2.24	0.50
2:B:76:TYR:HB3	2:B:140:ALA:HA	1.93	0.50
1:E:85:LYS:HA	1:E:143:TYR:CE2	2.47	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:85:LYS:HA	1:A:143:TYR:CE2	2.47	0.50
2:J:97:PRO:HD3	3:K:430:TRP:CZ3	2.48	0.49
1:I:85:LYS:HA	1:I:143:TYR:CE2	2.47	0.49
3:K:430:TRP:CZ2	3:K:434:LYS:HD2	2.47	0.48
3:H:431:MET:HA	3:H:434:LYS:O	2.13	0.48
2:B:64:MET:CE	3:C:433:ARG:HD2	2.42	0.48
3:G:396:VAL:O	3:G:401:LEU:HG	2.13	0.48
3:G:397:LEU:HA	3:G:401:LEU:HD12	1.96	0.48
3:L:431:MET:HA	3:L:434:LYS:O	2.13	0.48
2:J:64:MET:HE1	3:K:430:TRP:HA	1.95	0.48
3:C:431:MET:HA	3:C:434:LYS:O	2.13	0.48
2:B:134:ALA:O	2:B:138:GLU:HG3	2.13	0.48
2:B:61:GLU:CD	3:C:433:ARG:HH22	2.16	0.48
2:J:92:LYS:HG3	2:J:93:ASP:H	1.80	0.46
2:F:92:LYS:HG3	2:F:93:ASP:H	1.80	0.46
3:K:425:TYR:CG	3:K:479:ARG:HG2	2.51	0.45
2:F:97:PRO:HD3	3:G:430:TRP:CH2	2.52	0.45
2:J:96:SER:O	2:J:99:LEU:HG	2.15	0.45
1:I:7:VAL:HG13	2:J:33:ARG:HD2	1.98	0.45
3:G:425:TYR:CG	3:G:479:ARG:HG2	2.51	0.45
2:B:92:LYS:HG3	2:B:93:ASP:H	1.80	0.45
2:J:64:MET:HG3	3:K:429:GLU:OE1	2.17	0.44
2:B:81:ASP:HA	2:B:123:ASN:OD1	2.18	0.44
2:B:6:ARG:NH2	2:B:10:LYS:HD3	2.33	0.44
2:J:81:ASP:HA	2:J:123:ASN:OD1	2.18	0.44
2:F:118:ASP:HA	2:F:130:LYS:HE3	2.00	0.44
2:B:64:MET:HE1	3:C:430:TRP:CA	2.20	0.44
1:E:7:VAL:HB	2:F:60:GLU:HG2	1.99	0.44
2:F:81:ASP:HA	2:F:123:ASN:OD1	2.18	0.44
2:B:64:MET:HB3	2:B:64:MET:HE2	1.75	0.44
1:I:39:GLU:HG2	2:J:82:LYS:HD3	1.99	0.44
2:B:118:ASP:HA	2:B:130:LYS:HE3	2.00	0.43
2:J:118:ASP:HA	2:J:130:LYS:HE3	2.00	0.43
2:F:132:ASN:CG	2:F:135:GLN:HB3	2.38	0.43
2:F:132:ASN:ND2	3:K:404:ILE:HD11	2.33	0.43
2:B:128:GLN:OE1	2:B:135:GLN:HG2	2.19	0.43
3:G:396:VAL:O	3:G:397:LEU:O	2.36	0.43
2:F:6:ARG:CG	3:G:471:ARG:HH22	2.32	0.43
2:F:67:PRO:HD3	2:F:95:TRP:CH2	2.54	0.43
2:J:67:PRO:HD3	2:J:95:TRP:CH2	2.54	0.43
2:B:67:PRO:HD3	2:B:95:TRP:CH2	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:418:CYS:O	3:G:419:ALA:HB3	2.19	0.42
2:J:54:LEU:HD11	2:J:71:PHE:CE1	2.55	0.42
3:K:418:CYS:O	3:K:419:ALA:HB3	2.19	0.42
1:E:12:ASN:HB3	2:F:70:ARG:HH21	1.84	0.42
2:F:54:LEU:HD11	2:F:71:PHE:CE1	2.55	0.42
3:K:400:GLU:HB3	3:L:456:CYS:SG	2.60	0.42
2:B:54:LEU:HD11	2:B:71:PHE:CE1	2.55	0.42
2:F:135:GLN:NE2	2:J:99:LEU:O	2.53	0.42
2:F:77:HIS:HA	2:F:78:PRO:HD3	1.93	0.41
1:A:13:PHE:CZ	2:B:55:GLU:HG3	2.55	0.41
2:B:128:GLN:OE1	2:B:135:GLN:CG	2.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	140/153 (92%)	140 (100%)	0	0	100	100
1	E	139/153 (91%)	139 (100%)	0	0	100	100
1	I	139/153 (91%)	139 (100%)	0	0	100	100
2	B	148/160 (92%)	139 (94%)	7 (5%)	2 (1%)	14	58
2	F	148/160 (92%)	139 (94%)	7 (5%)	2 (1%)	14	58
2	J	148/160 (92%)	139 (94%)	7 (5%)	2 (1%)	14	58
3	C	90/149 (60%)	85 (94%)	5 (6%)	0	100	100
3	G	137/149 (92%)	132 (96%)	4 (3%)	1 (1%)	26	71
3	H	140/149 (94%)	134 (96%)	6 (4%)	0	100	100
3	K	137/149 (92%)	132 (96%)	4 (3%)	1 (1%)	26	71
3	L	140/149 (94%)	135 (96%)	5 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	1506/1684 (89%)	1453 (96%)	45 (3%)	8 (0%)	34	77

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	123	ASN
2	B	124	ASP
2	F	123	ASN
2	F	124	ASP
3	G	397	LEU
2	J	123	ASN
2	J	124	ASP
3	K	397	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	127/135 (94%)	127 (100%)	0	100	100
1	E	127/135 (94%)	127 (100%)	0	100	100
1	I	127/135 (94%)	127 (100%)	0	100	100
2	B	128/135 (95%)	126 (98%)	2 (2%)	70	88
2	F	128/135 (95%)	125 (98%)	3 (2%)	58	83
2	J	128/135 (95%)	127 (99%)	1 (1%)	86	93
3	C	80/140 (57%)	79 (99%)	1 (1%)	76	90
3	G	80/140 (57%)	79 (99%)	1 (1%)	76	90
3	H	80/140 (57%)	78 (98%)	2 (2%)	55	82
3	K	80/140 (57%)	80 (100%)	0	100	100
3	L	80/140 (57%)	80 (100%)	0	100	100
All	All	1165/1510 (77%)	1155 (99%)	10 (1%)	84	93

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	93	ASP
2	B	135	GLN
3	C	404	ILE
2	F	93	ASP
2	F	103	THR
2	F	135	GLN
3	G	429	GLU
3	H	404	ILE
3	H	433	ARG
2	J	93	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 10 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	139/153 (90%)	1.29	33 (23%) 1 3	204, 231, 265, 282	0
1	E	138/153 (90%)	1.87	66 (47%) 0 2	191, 221, 271, 291	0
1	I	138/153 (90%)	3.69	91 (65%) 0 1	278, 394, 445, 455	0
2	B	148/160 (92%)	1.09	22 (14%) 3 5	178, 217, 286, 318	0
2	F	148/160 (92%)	1.29	35 (23%) 1 3	180, 209, 260, 299	0
2	J	148/160 (92%)	1.85	58 (39%) 0 2	212, 244, 290, 314	0
3	C	92/149 (61%)	1.39	28 (30%) 1 2	227, 244, 285, 304	0
3	G	139/149 (93%)	0.80	29 (20%) 1 3	199, 216, 278, 306	0
3	H	142/149 (95%)	0.76	31 (21%) 1 3	207, 228, 256, 288	0
3	K	139/149 (93%)	2.48	68 (48%) 0 2	256, 295, 359, 371	0
3	L	142/149 (95%)	1.47	46 (32%) 1 2	275, 314, 350, 357	0
All	All	1513/1684 (89%)	1.63	507 (33%) 0 2	178, 241, 389, 455	0

All (507) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	I	86	ILE	19.9
1	I	63	TYR	15.8
1	I	48	GLY	13.1
3	K	415	THR	12.9
3	K	421	SER	11.9
1	I	140	GLY	11.4
3	K	414	VAL	10.3
1	I	87	ASN	9.7
3	K	448	THR	9.3
1	I	115	ILE	9.3
1	I	49	MET	9.2
1	I	88	MET	9.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	89	ASN	8.9
1	I	141	GLN	8.8
3	K	347	HIS	8.6
1	I	50	ILE	8.2
1	I	32[A]	SER	8.1
3	K	422	PHE	8.0
2	J	7	ARG	7.8
3	L	447	LYS	7.6
1	A	55	ARG	7.6
1	I	85	LYS	7.6
1	I	52	GLY	7.6
1	I	47	THR	7.5
2	J	6	ARG	7.5
3	K	411	ILE	7.3
1	I	139	GLU	7.1
3	L	411	ILE	7.1
1	I	122	LEU	7.1
3	L	415	THR	7.1
1	I	33	TRP	7.0
1	I	84	THR	6.8
1	I	119	LEU	6.7
3	K	346	GLU	6.7
2	B	117	PRO	6.7
3	K	410	PHE	6.7
1	I	61	ARG	6.6
1	I	82	PHE	6.6
3	K	447	LYS	6.5
3	C	421	SER	6.5
1	I	65	LEU	6.4
1	I	142	THR	6.4
3	L	421	SER	6.4
3	L	410	PHE	6.3
3	L	444	ILE	6.3
3	K	409	TYR	6.2
1	I	91	ILE	6.2
2	J	97	PRO	6.2
1	I	144	ASN	6.2
3	K	479	ARG	6.1
3	H	410	PHE	6.1
1	I	51	ILE	6.1
3	G	422	PHE	6.0
1	E	26	VAL	6.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	62	ILE	5.8
2	J	76	TYR	5.8
3	K	413	ALA	5.7
3	K	449	TYR	5.7
3	L	417	ASN	5.6
3	C	409	TYR	5.6
1	I	136	GLN	5.5
3	H	411	ILE	5.5
3	L	405	ILE	5.5
1	A	86	ILE	5.5
3	L	413	ALA	5.5
3	L	416	LEU	5.5
3	L	446	SER	5.5
3	L	422	PHE	5.4
1	I	106	LEU	5.4
1	I	64[A]	SER	5.4
3	K	460	MET	5.4
1	E	86	ILE	5.3
3	K	461	VAL	5.3
3	L	452	VAL	5.3
3	L	412	GLU	5.3
1	I	43	LEU	5.2
1	I	46	TRP	5.2
3	K	462	ASN	5.2
1	I	137	PRO	5.1
3	K	438	PRO	5.1
3	L	419	ALA	5.1
1	E	66	LYS	5.1
3	K	350	LEU	5.1
1	E	28	ASP	5.0
1	A	126	MET	5.0
1	A	61	ARG	5.0
1	E	63	TYR	5.0
3	K	405	ILE	5.0
3	C	410	PHE	5.0
1	I	83	VAL	5.0
1	I	58	TYR	5.0
1	I	131	ASN	5.0
3	K	412	GLU	5.0
3	H	472	ARG	4.9
1	I	126	MET	4.9
3	K	457	ILE	4.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	L	409	TYR	4.9
3	L	451	LEU	4.9
3	K	416	LEU	4.9
1	A	54	PRO	4.9
1	I	118	VAL	4.9
2	J	55	GLU	4.8
3	K	459	LYS	4.8
1	E	58	TYR	4.8
1	I	66	LYS	4.8
3	G	447	LYS	4.8
3	G	413	ALA	4.8
1	A	58	TYR	4.8
3	H	409	TYR	4.7
1	A	30	THR	4.7
1	I	13	PHE	4.7
1	A	51	ILE	4.7
3	C	400	GLU	4.7
3	K	472	ARG	4.7
1	E	32[A]	SER	4.7
3	K	450	SER	4.6
1	A	50	ILE	4.6
1	E	31	VAL	4.6
1	I	80	VAL	4.6
1	E	126	MET	4.6
1	A	28	ASP	4.6
1	I	127	MET	4.5
2	J	121	LEU	4.5
1	A	31	VAL	4.5
3	L	376	LYS	4.5
2	J	8	ILE	4.5
3	C	422	PHE	4.5
2	J	98	ALA	4.4
2	J	67	PRO	4.4
1	I	34	GLY	4.4
1	I	26	VAL	4.4
1	I	8	LYS	4.4
2	J	51	THR	4.4
3	K	351	MET	4.4
1	I	74	PRO	4.4
2	B	6	ARG	4.3
3	L	448	THR	4.3
3	K	400	GLU	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	414	VAL	4.3
3	K	471	ARG	4.3
1	A	131	ASN	4.3
1	I	98	VAL	4.3
2	J	62	TYR	4.3
3	H	421	SER	4.3
3	H	413	ALA	4.3
3	C	405	ILE	4.3
3	K	408	GLU	4.3
1	E	49	MET	4.3
1	E	30	THR	4.2
3	K	439	ILE	4.2
1	A	52	GLY	4.2
3	H	422	PHE	4.2
1	E	46	TRP	4.2
1	I	116	LYS	4.2
3	C	401	LEU	4.2
1	I	35	LEU	4.2
3	L	414	VAL	4.2
1	E	82	PHE	4.2
2	J	145	ARG	4.2
3	G	414	VAL	4.2
2	B	76	TYR	4.1
3	K	453	LEU	4.1
1	E	67	VAL	4.1
2	F	121	LEU	4.1
3	K	401	LEU	4.1
2	J	58	LEU	4.1
3	K	404	ILE	4.1
1	I	78	PRO	4.1
1	A	63	TYR	4.1
1	E	33	TRP	4.0
1	E	87	ASN	4.0
1	I	73	TYR	4.0
1	I	31	VAL	4.0
2	J	56	LEU	4.0
1	E	18	GLU	4.0
3	K	452	VAL	4.0
2	F	131	THR	4.0
2	J	33	ARG	4.0
3	L	372	LEU	4.0
3	K	468	VAL	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	L	404	ILE	4.0
3	G	421	SER	4.0
1	E	89	ASN	4.0
3	G	438	PRO	4.0
1	E	15	LEU	4.0
3	L	453	LEU	4.0
2	J	129	TRP	4.0
1	I	9	VAL	4.0
3	C	411	ILE	3.9
3	K	407	SER	3.9
3	L	450	SER	3.9
3	H	438	PRO	3.9
2	J	64	MET	3.9
3	L	445	LYS	3.9
3	C	415	THR	3.8
1	I	81	ARG	3.8
1	I	135	PRO	3.8
1	I	90	GLY	3.8
1	I	138	PRO	3.8
3	K	451	LEU	3.8
1	E	50	ILE	3.7
3	K	464	LEU	3.7
1	E	7	VAL	3.7
3	H	400	GLU	3.7
3	L	400	GLU	3.7
2	J	99	LEU	3.7
1	E	27	GLY	3.7
3	K	455	ASN	3.7
2	J	69	VAL	3.7
1	I	125	LEU	3.7
2	J	117	PRO	3.6
3	L	472	ARG	3.6
3	G	450	SER	3.6
1	A	53	PRO	3.6
2	J	75	ILE	3.6
3	K	398	GLU	3.6
1	E	29	GLY	3.6
3	G	449	TYR	3.6
1	E	8	LYS	3.6
1	I	129	LYS	3.6
2	J	87	CYS	3.5
1	I	57	ASN	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	121	GLU	3.5
2	J	4	LEU	3.5
2	F	129	TRP	3.5
1	E	78	PRO	3.5
2	B	67	PRO	3.5
2	J	5	PRO	3.5
3	H	415	THR	3.5
3	K	463	ASN	3.5
2	J	107	SER	3.4
3	H	401	LEU	3.4
3	C	447	LYS	3.4
1	A	82	PHE	3.4
2	J	86	ILE	3.4
3	H	402	GLN	3.4
3	K	458	ASN	3.4
3	G	410	PHE	3.4
2	F	117	PRO	3.4
3	C	402	GLN	3.4
2	F	7	ARG	3.4
1	I	60	ASN	3.4
3	K	441	ARG	3.4
2	J	120	PRO	3.4
2	F	33	ARG	3.3
1	I	128[A]	SER	3.3
1	E	69	CYS	3.3
2	J	60	GLU	3.3
3	H	479	ARG	3.3
1	E	115	ILE	3.3
2	F	75	ILE	3.3
3	H	414	VAL	3.3
3	C	404	ILE	3.3
3	K	446	SER	3.3
2	J	35	PHE	3.3
1	I	53	PRO	3.3
3	G	411	ILE	3.3
3	H	404	ILE	3.3
1	A	60	ASN	3.3
3	G	404	ILE	3.2
2	J	63	PRO	3.2
3	L	460	MET	3.2
3	G	415	THR	3.2
2	J	11	GLU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	55	ARG	3.2
2	J	70	ARG	3.2
3	L	380	GLU	3.2
2	B	46	PRO	3.2
1	E	73	TYR	3.2
3	L	401	LEU	3.2
2	F	52	PHE	3.2
3	L	369	ASN	3.2
3	H	405	ILE	3.2
1	A	49	MET	3.2
1	E	65	LEU	3.2
1	E	88	MET	3.2
3	K	402	GLN	3.1
1	E	16	LEU	3.1
1	E	116	LYS	3.1
1	I	30	THR	3.1
3	G	407	SER	3.1
1	A	136	GLN	3.1
3	L	427	ILE	3.1
1	E	51	ILE	3.1
1	I	123	ARG	3.1
3	C	408	GLU	3.1
3	L	449	TYR	3.1
1	I	120	GLN	3.0
3	C	472	ARG	3.0
3	G	347	HIS	3.0
3	L	377	GLU	3.0
1	I	7	VAL	3.0
3	L	399	ASN	3.0
3	K	425	TYR	3.0
1	E	48	GLY	3.0
3	K	456	CYS	3.0
1	I	130	GLU	3.0
2	F	122	ALA	3.0
2	F	97	PRO	3.0
2	B	64	MET	3.0
2	J	47	PHE	3.0
3	L	456	CYS	3.0
3	K	420	HIS	3.0
3	K	475	LEU	2.9
1	A	29	GLY	2.9
3	G	412	GLU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	119	LEU	2.9
1	E	123	ARG	2.9
3	H	444	ILE	2.9
1	E	81	ARG	2.9
1	I	23	GLN	2.9
3	L	457	ILE	2.9
2	B	62	TYR	2.9
3	K	417	ASN	2.9
1	I	132	MET	2.9
3	K	419	ALA	2.9
3	K	430	TRP	2.9
2	B	97	PRO	2.9
3	K	386	LYS	2.9
2	J	146	LEU	2.9
3	H	412	GLU	2.9
2	B	12	THR	2.9
2	J	59	PRO	2.9
2	F	135	GLN	2.8
1	I	124	ARG	2.8
1	E	122	LEU	2.8
3	H	453	LEU	2.8
3	K	478	GLU	2.8
3	C	424	SER	2.8
3	G	405	ILE	2.8
3	K	444	ILE	2.8
1	E	57	ASN	2.8
1	I	103	ILE	2.8
3	G	448	THR	2.7
3	G	453	LEU	2.7
3	G	472	ARG	2.7
1	E	93	ASN	2.7
2	B	118	ASP	2.7
2	F	62	TYR	2.7
2	B	47	PHE	2.7
3	G	457	ILE	2.7
2	F	98	ALA	2.7
1	I	12	ASN	2.7
2	J	34	TYR	2.7
1	I	133	LYS	2.7
2	J	71	PHE	2.7
1	E	14	ARG	2.7
3	C	444	ILE	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	80	VAL	2.7
3	G	351	MET	2.7
3	C	461	VAL	2.7
2	F	130	LYS	2.7
3	K	354	LEU	2.7
3	C	464	LEU	2.7
3	L	395	ASP	2.6
3	C	430	TRP	2.6
1	A	89	ASN	2.6
2	J	32	ALA	2.6
1	A	88	MET	2.6
1	E	10	PRO	2.6
1	A	62	ILE	2.6
1	E	60	ASN	2.6
2	F	132	ASN	2.6
2	J	12	THR	2.6
2	J	105	LEU	2.6
1	E	13	PHE	2.6
3	L	479	ARG	2.6
1	I	100	ALA	2.6
1	A	139	GLU	2.6
3	K	427	ILE	2.6
3	L	459	LYS	2.6
2	B	58	LEU	2.6
2	F	67	PRO	2.6
1	E	130	GLU	2.6
2	J	57	PHE	2.5
1	E	12	ASN	2.5
2	B	56	LEU	2.5
2	B	131	THR	2.5
1	I	134	LEU	2.5
3	C	439	ILE	2.5
3	H	441	ARG	2.5
1	A	123	ARG	2.5
1	E	85	LYS	2.5
2	B	7	ARG	2.5
3	H	476	ILE	2.5
3	K	445	LYS	2.5
3	G	409	TYR	2.5
3	G	416	LEU	2.5
2	J	101	ILE	2.5
3	H	450	SER	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	113	TYR	2.5
2	F	83	LEU	2.5
3	K	390	LEU	2.5
3	C	468	VAL	2.5
2	J	123	ASN	2.5
3	K	357	SER	2.5
2	J	100	GLN	2.5
3	H	408	GLU	2.5
1	I	56	THR	2.5
1	A	130	GLU	2.4
2	F	91	LEU	2.4
2	J	39	ILE	2.4
2	F	99	LEU	2.4
2	F	120	PRO	2.4
1	E	19	LEU	2.4
3	L	454	ASP	2.4
1	I	36	GLU	2.4
2	F	134	ALA	2.4
3	K	454	ASP	2.4
2	F	8	ILE	2.4
1	E	131	ASN	2.4
3	L	375	THR	2.4
3	L	373	GLU	2.4
3	C	460	MET	2.4
1	E	98	VAL	2.4
2	F	71	PHE	2.4
2	B	75	ILE	2.4
3	L	420	HIS	2.4
1	E	114	SER	2.4
1	I	15	LEU	2.4
2	F	58	LEU	2.4
2	J	137	ILE	2.4
2	J	52	PHE	2.3
1	E	62	ILE	2.3
2	F	133	GLU	2.3
1	E	125	LEU	2.3
1	I	105	VAL	2.3
1	E	9	VAL	2.3
3	K	375	THR	2.3
1	E	43	LEU	2.3
2	F	74[A]	LYS	2.3
3	K	434	LYS	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	26	VAL	2.3
2	J	74[A]	LYS	2.3
3	H	447	LYS	2.3
2	F	86	ILE	2.3
1	I	97	MET	2.3
1	I	75	GLU	2.3
1	I	77	PRO	2.3
1	I	143	TYR	2.2
3	K	396	VAL	2.2
1	E	47	THR	2.2
1	I	67	VAL	2.2
3	H	427	ILE	2.2
1	E	118	VAL	2.2
1	E	35	LEU	2.2
1	A	115	ILE	2.2
1	E	91	ILE	2.2
1	E	61	ARG	2.2
2	J	125	VAL	2.2
3	C	438	PRO	2.2
3	C	448	THR	2.2
3	H	430	TRP	2.2
3	G	425	TYR	2.2
1	A	9	VAL	2.2
3	H	407	SER	2.2
2	F	90	ILE	2.2
1	A	127	MET	2.2
3	H	439	ILE	2.2
1	I	24	LYS	2.2
1	A	132	MET	2.2
2	B	132	ASN	2.2
2	J	122	ALA	2.2
1	E	41	MET	2.2
2	J	9	ILE	2.2
2	J	108	ILE	2.2
1	E	11	ARG	2.2
2	F	12	THR	2.2
2	J	136	ALA	2.2
2	F	46	PRO	2.1
2	J	68	LYS	2.1
2	J	104	VAL	2.1
1	E	90	GLY	2.1
2	F	145	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	J	10	LYS	2.1
1	A	91	ILE	2.1
3	L	455	ASN	2.1
3	K	399	ASN	2.1
3	G	350	LEU	2.1
3	G	475	LEU	2.1
3	H	475	LEU	2.1
1	E	84	THR	2.1
3	K	429	GLU	2.1
3	C	407	SER	2.1
2	B	135	GLN	2.1
2	J	96	SER	2.1
1	I	19	LEU	2.1
3	L	476	ILE	2.1
1	I	114	SER	2.1
3	G	452	VAL	2.1
3	G	479	ARG	2.1
3	H	456	CYS	2.1
1	A	66	LYS	2.1
2	F	115	PRO	2.0
3	C	471	ARG	2.0
3	H	416	LEU	2.0
2	J	103	THR	2.0
2	F	101	ILE	2.0
3	K	353	GLU	2.0
2	B	129	TRP	2.0
2	F	34	TYR	2.0
3	G	427	ILE	2.0
2	B	133	GLU	2.0
2	B	112	LEU	2.0
3	C	475	LEU	2.0
2	B	144	THR	2.0
2	F	78	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	ZN	C	501	1/1	0.89	0.23	-0.90	193,193,193,193	0
4	ZN	G	501	1/1	0.96	0.23	-1.10	187,187,187,187	0
4	ZN	L	502	1/1	0.95	0.09	-1.10	206,206,206,206	0
4	ZN	H	501	1/1	0.98	0.16	-1.16	195,195,195,195	0
4	ZN	H	502	1/1	0.96	0.17	-1.17	195,195,195,195	0
4	ZN	G	502	1/1	0.99	0.22	-1.20	187,187,187,187	0
4	ZN	K	501	1/1	0.93	0.15	-1.39	203,203,203,203	0
4	ZN	C	502	1/1	0.94	0.17	-1.47	193,193,193,193	0
4	ZN	K	502	1/1	0.90	0.13	-1.51	203,203,203,203	0
4	ZN	L	501	1/1	0.77	0.09	-1.81	206,206,206,206	0

6.5 Other polymers [i](#)

There are no such residues in this entry.