



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 07:25 PM GMT

PDB ID : 4OVZ
Title : X-Ray Structural and Biological Evaluation of a Series of Potent and Highly Selective Inhibitors of Human Coronavirus Papain-Like Proteases
Authors : Baez-Santos, Y.M.; Mesecar, A.
Deposited on : 2014-01-27
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	
2	B	316	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ZN	A	901	-	-	-	X
3	ZN	B	901	-	-	-	X
5	DMS	A	903	-	-	X	-
5	DMS	B	904	-	-	-	X
5	DMS	B	905	-	-	-	X
6	NA	B	903	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 8889 atoms, of which 4338 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Papain-like proteinase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	305	Total	C	H	N	O	S	0	0	0
			4738	1522	2332	400	467	17			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP P0C6U8

- Molecule 2 is a protein called Papain-like proteinase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	252	Total	C	H	N	O	S	0	0	0
			3938	1259	1949	333	382	15			


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	1	MET	-	initiating methionine	UNP P0C6U8

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Zn	0	0
			1	1		
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is N-[(4-fluorophenyl)methyl]-1-[(1R)-1-naphthalen-1-ylethyl]piperidine-4-carboxamide (three-letter code: P85) (formula: C₂₅H₂₇FN₂O).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	F	H	N	O	0	0
			56	25	1	27	2	1		
4	B	1	Total	C	F	N	O	0	0	
			29	25	1	2	1			

- Molecule 5 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
5	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
5	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		
5	B	1	Total	C	H	O	S	0	0
			10	2	6	1	1		

- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Na	0	0
			1	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	41	Total	O	2	0
			41	41		
7	B	34	Total	O	0	0
			34	34		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Papain-like proteinase



- Molecule 2: Papain-like proteinase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	119.77Å 73.51Å 98.27Å 90.00° 103.66° 90.00°	Depositor
Resolution (Å)	35.75 – 2.50 35.75 – 2.50	Depositor EDS
% Data completeness (in resolution range)	85.8 (35.75-2.50) 82.4 (35.75-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.09 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, R_{free}	0.182 , 0.243 0.194 , 0.244	Depositor DCC
R_{free} test set	1265 reflections (5.57%)	DCC
Wilson B-factor (Å ²)	29.3	Xtriage
Anisotropy	0.204	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.46 , 67.0	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Outliers	0 of 24915 reflections	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	8889	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NA, CSO, P85, DMS, OCS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.72	1/2443 (0.0%)	0.76	4/3313 (0.1%)
2	B	0.77	0/2022	0.80	1/2737 (0.0%)
All	All	0.74	1/4465 (0.0%)	0.78	5/6050 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	252	TYR	CD1-CE1	-5.64	1.30	1.39

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	184	ARG	NE-CZ-NH2	-6.93	116.83	120.30
1	A	45	ILE	CG1-CB-CG2	6.36	125.40	111.40
1	A	77	ASP	CB-CG-OD1	6.32	123.99	118.30
1	A	230	ASP	N-CA-C	5.88	126.89	111.00
1	A	77	ASP	CB-CG-OD2	-5.37	113.47	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	111	ASN	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2406	2332	2326	79	0
2	B	1989	1949	1944	26	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	29	27	27	3	0
4	B	29	0	27	4	0
5	A	4	6	6	4	0
5	B	16	24	24	0	0
6	B	1	0	0	0	0
7	A	41	0	0	2	0
7	B	34	0	0	2	0
All	All	4551	4338	4354	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:281:GLU:OE2	1:A:284:TYR:OH	1.74	1.05
2:B:265:TYR:CE1	4:B:902:P85:H142	2.07	0.90
1:A:225:CYS:HB2	1:A:230:ASP:HA	1.52	0.89
1:A:59:LEU:O	1:A:61:SER:N	2.19	0.76
1:A:190:CYS:HB2	1:A:193:CYS:CB	2.20	0.72
2:B:165:ASP:OD1	4:B:902:P85:H182	1.89	0.72
1:A:264:GLU:OE1	1:A:285:ARG:NH1	2.22	0.71
1:A:42:VAL:CG1	1:A:45:ILE:HG12	2.24	0.68
1:A:190:CYS:CB	1:A:193:CYS:HB2	2.25	0.67
2:B:84:TYR:OH	2:B:147:ASN:OD1	2.13	0.65
1:A:190:CYS:HB2	1:A:193:CYS:HB2	1.80	0.64
2:B:298:LYS:NZ	7:B:1033:HOH:O	2.31	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:226:VAL:O	1:A:226:VAL:HG12	2.00	0.62
1:A:187:ASN:HB3	1:A:234:TYR:CE2	2.35	0.61
1:A:43:THR:HG22	1:A:44:LYS:HE2	1.82	0.60
1:A:223:ILE:HG12	1:A:224:PRO:HD2	1.83	0.60
1:A:159:THR:HG23	2:B:204:GLU:OE1	2.03	0.58
1:A:268:ASN:HB2	7:A:1031:HOH:O	2.03	0.58
1:A:35:THR:HG22	1:A:36:TYR:N	2.19	0.58
1:A:37:LEU:HD12	1:A:38:ASP:N	2.19	0.58
1:A:190:CYS:HB2	1:A:193:CYS:HB3	1.86	0.57
1:A:159:THR:HG21	2:B:200:LEU:CD2	2.34	0.57
1:A:37:LEU:C	1:A:37:LEU:HD12	2.25	0.57
1:A:231:ALA:O	7:A:1023:HOH:O	2.17	0.57
1:A:60:PRO:HB3	1:A:66:ARG:CG	2.35	0.57
1:A:225:CYS:SG	1:A:226:VAL:N	2.78	0.56
1:A:12:VAL:HG13	1:A:65:LEU:HD22	1.87	0.56
1:A:159:THR:CG2	2:B:204:GLU:OE1	2.54	0.56
1:A:232:THR:CG2	1:A:233:GLN:N	2.70	0.55
2:B:190:CYS:SG	2:B:193:CYS:HB2	2.47	0.55
1:A:113:TYR:O	1:A:117:VAL:HG23	2.07	0.54
2:B:190:CYS:CB	2:B:193:CYS:HB2	2.37	0.54
1:A:18:HIS:O	1:A:20:GLN:HG2	2.07	0.53
1:A:43:THR:HG22	1:A:44:LYS:CE	2.38	0.53
1:A:229:ARG:HD3	1:A:230:ASP:N	2.23	0.53
1:A:60:PRO:HB3	1:A:66:ARG:CA	2.37	0.53
1:A:42:VAL:HG12	1:A:45:ILE:HG12	1.89	0.53
1:A:178:ASN:OD1	1:A:180:GLU:HG3	2.09	0.53
1:A:190:CYS:HB3	1:A:193:CYS:HB2	1.92	0.52
1:A:67:SER:O	1:A:71:GLU:HG2	2.09	0.51
1:A:60:PRO:HB3	1:A:66:ARG:HA	1.92	0.50
2:B:283:LEU:HB2	2:B:294:MET:O	2.12	0.50
2:B:230:ASP:O	2:B:231:ALA:HB2	2.12	0.49
1:A:43:THR:CG2	1:A:44:LYS:HE2	2.42	0.49
1:A:60:PRO:CB	1:A:66:ARG:HG2	2.43	0.49
1:A:39:GLY:O	1:A:41:ASP:N	2.46	0.49
1:A:264:GLU:OE1	1:A:297:TYR:OH	2.27	0.48
1:A:27:THR:O	1:A:30:GLN:HB2	2.13	0.48
4:A:902:P85:O20	5:A:903:DMS:H22	2.13	0.48
1:A:35:THR:CG2	1:A:36:TYR:N	2.76	0.48
1:A:26:MET:HB3	1:A:30:GLN:HB2	1.94	0.48
1:A:73:TYR:CE2	1:A:81:LEU:HD21	2.49	0.48
2:B:140:ALA:CB	2:B:145:ALA:HB2	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:902:P85:O20	5:A:903:DMS:C2	2.63	0.47
1:A:49:VAL:O	1:A:49:VAL:HG12	2.14	0.47
2:B:140:ALA:HB1	2:B:145:ALA:HB2	1.97	0.47
1:A:26:MET:HB3	1:A:30:GLN:CB	2.45	0.47
1:A:128:PHE:O	1:A:134:GLN:HG2	2.15	0.47
2:B:65:LEU:HD11	7:B:1018:HOH:O	2.13	0.46
1:A:131:PRO:HA	1:A:134:GLN:OE1	2.15	0.46
1:A:37:LEU:CD1	1:A:38:ASP:OD1	2.63	0.46
1:A:168:GLU:O	1:A:171:THR:HB	2.15	0.46
1:A:164:GLY:HA2	5:A:903:DMS:H21	1.98	0.46
1:A:17:LEU:N	1:A:17:LEU:CD1	2.79	0.46
1:A:40:ALA:O	1:A:42:VAL:CG2	2.63	0.46
1:A:152:ILE:HG12	1:A:173:LEU:HD21	1.96	0.46
1:A:42:VAL:HG12	1:A:45:ILE:CG1	2.46	0.46
1:A:128:PHE:O	1:A:134:GLN:CG	2.64	0.45
2:B:190:CYS:HB2	2:B:193:CYS:HB2	1.97	0.45
2:B:112:OCS:OD2	2:B:113:TYR:N	2.50	0.45
1:A:225:CYS:CB	1:A:229:ARG:O	2.65	0.45
1:A:116:SER:HB3	1:A:263:ASN:ND2	2.32	0.45
1:A:104:SER:OG	1:A:105:ILE:N	2.50	0.44
1:A:189:VAL:CG1	1:A:190:CYS:N	2.80	0.44
1:A:60:PRO:HB2	1:A:66:ARG:HG2	1.98	0.44
1:A:40:ALA:O	1:A:42:VAL:HG23	2.17	0.44
1:A:60:PRO:CB	1:A:66:ARG:CG	2.96	0.44
1:A:129:ASN:O	1:A:131:PRO:HD3	2.18	0.44
1:A:37:LEU:HB3	1:A:42:VAL:HG21	2.00	0.43
2:B:195:GLN:O	2:B:196:LYS:HB2	2.18	0.43
1:A:37:LEU:HB3	1:A:42:VAL:CG2	2.49	0.43
1:A:19:THR:C	1:A:20:GLN:HG2	2.38	0.43
1:A:253:LYS:HD2	1:A:296:GLU:OE2	2.20	0.42
1:A:73:TYR:CZ	1:A:81:LEU:HD21	2.55	0.42
1:A:158:LYS:HB3	1:A:158:LYS:HE3	1.92	0.42
2:B:229:ARG:HB3	2:B:230:ASP:H	1.73	0.42
1:A:251:GLU:CG	1:A:298:LYS:HE3	2.50	0.41
1:A:22:VAL:HG12	1:A:23:ASP:N	2.35	0.41
2:B:264:GLU:HG2	2:B:265:TYR:N	2.33	0.41
1:A:60:PRO:HB3	1:A:66:ARG:N	2.35	0.41
1:A:11:THR:O	1:A:11:THR:HG23	2.18	0.41
1:A:29:GLY:HA3	1:A:44:LYS:HE2	2.02	0.41
1:A:30:GLN:HA	1:A:30:GLN:OE1	2.20	0.41
2:B:137:TYR:HB2	2:B:148:PHE:CE1	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:27:THR:O	1:A:30:GLN:N	2.48	0.41
4:A:902:P85:H222	5:A:903:DMS:H22	2.02	0.41
2:B:73:TYR:CE2	2:B:81:LEU:HD11	2.55	0.41
2:B:265:TYR:CZ	4:B:902:P85:H142	2.50	0.41
2:B:195:GLN:HE21	2:B:195:GLN:HB3	1.75	0.41
1:A:80:PHE:C	1:A:80:PHE:CD1	2.94	0.41
2:B:274:TYR:OH	4:B:902:P85:H141	2.21	0.40
1:A:187:ASN:HB3	1:A:234:TYR:CD2	2.56	0.40
2:B:166:VAL:HG11	2:B:263:ASN:ND2	2.37	0.40
1:A:10:THR:HB	1:A:58:VAL:HG21	2.02	0.40
2:B:284:TYR:CZ	2:B:293:LYS:HE2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	301/316 (95%)	276 (92%)	18 (6%)	7 (2%)	8	12
2	B	249/316 (79%)	234 (94%)	13 (5%)	2 (1%)	24	41
All	All	550/632 (87%)	510 (93%)	31 (6%)	9 (2%)	12	21

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	40	ALA
2	B	196	LYS
1	A	25	SER
1	A	60	PRO
1	A	230	ASP
2	B	231	ALA
1	A	37	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	227	CYS
1	A	193	CYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	260/271 (96%)	245 (94%)	15 (6%)	25	45
2	B	213/272 (78%)	197 (92%)	16 (8%)	17	31
All	All	473/543 (87%)	442 (93%)	31 (7%)	21	38

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	ASN
1	A	21	LEU
1	A	37	LEU
1	A	45	ILE
1	A	48	HIS
1	A	159	THR
1	A	187	ASN
1	A	193	CYS
1	A	223	ILE
1	A	229	ARG
1	A	230	ASP
1	A	236	VAL
1	A	264	GLU
1	A	281	GLU
1	A	294	MET
2	B	65	LEU
2	B	78	GLU
2	B	81	LEU
2	B	85	MET
2	B	86	SER
2	B	141	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	147	ASN
2	B	192	HIS
2	B	195	GLN
2	B	209	MET
2	B	214	TYR
2	B	222	SER
2	B	223	ILE
2	B	230	ASP
2	B	264	GLU
2	B	314	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	OCS	A	112	1	7,8,9	2.74	2 (28%)	7,11,13	2.91	2 (28%)
1	CSO	A	271	1	3,6,7	0.67	0	1,6,8	1.90	0
2	OCS	B	112	2	7,8,9	1.13	0	7,11,13	3.10	2 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	OCS	A	112	1	-	0/4/7/9	0/0/0/0
1	CSO	A	271	1	-	0/1/5/7	0/0/0/0
2	OCS	B	112	2	-	0/4/7/9	0/0/0/0

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	112	OCS	CB-SG	-6.49	1.68	1.77
1	A	112	OCS	OD2-SG	-2.20	1.40	1.46

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	112	OCS	CB-CA-C	-6.22	94.41	111.46
2	B	112	OCS	O-C-CA	-2.31	119.47	125.49
1	A	112	OCS	OD1-SG-CB	4.25	110.52	106.94
2	B	112	OCS	OD3-SG-CB	7.38	113.17	106.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	112	OCS	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 3 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	P85	A	902	-	32,32,32	2.40	12 (37%)	43,44,44	2.01	13 (30%)
5	DMS	A	903	-	3,3,3	0.64	0	3,3,3	0.63	0
4	P85	B	902	-	32,32,32	2.50	11 (34%)	43,44,44	2.05	14 (32%)
5	DMS	B	904	-	3,3,3	0.70	0	3,3,3	1.02	0
5	DMS	B	905	-	3,3,3	0.74	0	3,3,3	0.68	0
5	DMS	B	906	-	3,3,3	0.73	0	3,3,3	0.60	0
5	DMS	B	907	-	3,3,3	0.62	0	3,3,3	1.55	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	P85	A	902	-	-	0/17/27/27	0/4/4/4
5	DMS	A	903	-	-	0/0/0/0	0/0/0/0
4	P85	B	902	-	-	0/17/27/27	0/4/4/4
5	DMS	B	904	-	-	0/0/0/0	0/0/0/0
5	DMS	B	905	-	-	0/0/0/0	0/0/0/0
5	DMS	B	906	-	-	0/0/0/0	0/0/0/0
5	DMS	B	907	-	-	0/0/0/0	0/0/0/0

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	902	P85	C6-C5	-3.03	1.37	1.42
4	B	902	P85	C6-C5	-2.39	1.38	1.42
4	A	902	P85	C17-C16	-2.19	1.47	1.53
4	B	902	P85	O20-C19	-2.00	1.19	1.23
4	A	902	P85	C4-C5	2.19	1.47	1.41
4	B	902	P85	C28-C23	2.47	1.44	1.38
4	B	902	P85	C27-C26	2.48	1.42	1.37
4	B	902	P85	C9-C10	2.65	1.42	1.36
4	A	902	P85	C9-C10	2.66	1.42	1.36
4	A	902	P85	C1-C6	2.80	1.48	1.43
4	A	902	P85	C27-C26	3.07	1.43	1.37
4	A	902	P85	C28-C23	3.41	1.46	1.38
4	B	902	P85	C19-N21	3.45	1.40	1.33
4	B	902	P85	C11-N13	3.59	1.57	1.48
4	A	902	P85	C19-N21	3.78	1.41	1.33
4	B	902	P85	C1-C6	4.05	1.50	1.43
4	A	902	P85	C11-N13	4.25	1.59	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	902	P85	C25-C26	4.34	1.45	1.37
4	A	902	P85	C25-C26	4.35	1.45	1.37
4	A	902	P85	C3-C2	4.69	1.48	1.38
4	B	902	P85	C3-C2	4.77	1.48	1.38
4	A	902	P85	C1-C11	5.67	1.59	1.52
4	B	902	P85	C1-C11	7.40	1.61	1.52

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	902	P85	C12-C11-C1	-3.98	106.02	114.34
4	B	902	P85	C27-C26-C25	-3.82	117.38	122.87
4	A	902	P85	C7-C6-C1	-2.90	120.20	123.44
4	A	902	P85	C27-C26-C25	-2.81	118.82	122.87
4	A	902	P85	O20-C19-C16	-2.50	118.88	122.12
4	B	902	P85	C2-C1-C11	-2.46	117.64	120.85
4	B	902	P85	C7-C6-C1	-2.46	120.69	123.44
4	B	902	P85	C4-C5-C10	-2.17	118.09	123.22
4	A	902	P85	C2-C1-C11	-2.08	118.15	120.85
4	A	902	P85	C23-C22-N21	-2.07	108.15	112.88
4	B	902	P85	F55-C26-C25	2.04	121.93	118.52
4	A	902	P85	C17-C18-N13	2.04	114.80	111.48
4	B	902	P85	C18-C17-C16	2.07	113.78	110.09
4	B	902	P85	C10-C5-C6	2.12	121.98	119.10
4	B	902	P85	C16-C19-N21	2.25	119.02	115.89
4	B	902	P85	C14-N13-C11	2.41	116.94	112.63
4	A	902	P85	C14-N13-C18	2.60	113.94	109.23
4	B	902	P85	C17-C18-N13	2.83	116.07	111.48
4	A	902	P85	C16-C19-N21	3.01	120.08	115.89
4	B	902	P85	C14-N13-C18	3.28	115.19	109.23
4	B	902	P85	C11-C1-C6	3.46	123.96	120.13
4	A	902	P85	C24-C25-C26	3.47	122.09	118.35
4	A	902	P85	C18-N13-C11	3.56	118.99	112.63
4	A	902	P85	C12-C11-N13	3.57	120.91	112.42
4	B	902	P85	C24-C25-C26	3.75	122.40	118.35
4	A	902	P85	C15-C14-N13	5.92	121.08	111.48
4	B	902	P85	C18-N13-C11	6.88	124.91	112.63

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	902	P85	3	0
5	A	903	DMS	4	0
4	B	902	P85	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	303/316 (95%)	0.82	53 (17%) 2 2	12, 32, 109, 132	0
2	B	251/316 (79%)	0.15	19 (7%) 17 18	12, 23, 73, 121	0
All	All	554/632 (87%)	0.51	72 (12%) 5 4	12, 28, 104, 132	0

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	51	HIS	9.0
2	B	227	CYS	8.9
2	B	228	GLY	8.8
1	A	227	CYS	8.3
2	B	193	CYS	8.2
1	A	24	MET	8.0
1	A	225	CYS	7.9
1	A	49	VAL	7.7
1	A	228	GLY	7.6
2	B	226	VAL	7.5
1	A	32	PHE	7.3
1	A	192	HIS	7.2
1	A	226	VAL	7.1
1	A	22	VAL	7.0
1	A	229	ARG	6.5
1	A	230	ASP	6.5
1	A	45	ILE	6.4
1	A	50	ASN	6.3
2	B	225	CYS	6.2
1	A	223	ILE	6.1
1	A	231	ALA	5.9
2	B	191	LYS	5.9
1	A	34	PRO	5.6
2	B	192	HIS	5.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	193	CYS	5.5
1	A	23	ASP	5.5
1	A	25	SER	5.5
2	B	190	CYS	5.3
1	A	194	GLY	5.3
1	A	26	MET	5.2
1	A	31	GLN	5.2
2	B	229	ARG	5.0
1	A	37	LEU	5.0
2	B	230	ASP	5.0
1	A	54	LYS	4.9
1	A	33	GLY	4.7
1	A	36	TYR	4.6
1	A	46	LYS	4.5
1	A	40	ALA	4.5
1	A	191	LYS	4.3
2	B	224	PRO	4.2
1	A	47	PRO	4.0
1	A	30	GLN	3.9
1	A	48	HIS	3.9
1	A	313	THR	3.8
1	A	53	GLY	3.8
2	B	194	GLY	3.8
2	B	66	ARG	3.7
1	A	56	PHE	3.7
1	A	44	LYS	3.5
1	A	21	LEU	3.4
1	A	224	PRO	3.4
1	A	312	THR	3.3
1	A	39	GLY	3.2
1	A	28	TYR	3.2
1	A	195	GLN	3.2
1	A	309	THR	2.9
2	B	316	LYS	2.9
1	A	190	CYS	2.6
2	B	138	TYR	2.5
1	A	188	VAL	2.5
1	A	27	THR	2.5
1	A	60	PRO	2.4
2	B	85	MET	2.4
1	A	63	ASP	2.3
2	B	231	ALA	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	195	GLN	2.1
1	A	52	GLU	2.0
2	B	189	VAL	2.0
1	A	43	THR	2.0
1	A	29	GLY	2.0
1	A	42	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	CSO	A	271	7/8	0.95	0.13	-	22,26,39,53	0
1	OCS	A	112	9/10	0.98	0.15	-	20,23,35,36	0
2	OCS	B	112	9/10	0.97	0.12	-	15,17,32,36	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	NA	B	903	1/1	0.98	0.28	3.82	31,31,31,31	0
5	DMS	B	904	4/4	0.95	0.19	3.49	35,42,42,66	0
3	ZN	B	901	1/1	0.77	0.70	2.68	200,200,200,200	0
5	DMS	B	905	4/4	0.93	0.17	2.63	24,29,47,64	0
4	P85	B	902	29/29	0.96	0.14	-0.03	10,20,32,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	DMS	A	903	4/4	0.93	0.15	-0.05	25,30,39,62	0
4	P85	A	902	29/29	0.97	0.13	-0.34	14,19,26,30	0
5	DMS	B	907	4/4	0.96	0.11	-0.39	15,29,35,57	0
3	ZN	A	901	1/1	0.51	0.45	-0.49	180,180,180,180	0
5	DMS	B	906	4/4	0.96	0.10	-2.11	32,38,40,62	0

6.5 Other polymers [i](#)

There are no such residues in this entry.