



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:01 AM GMT

PDB ID : 2P0I  
Title : Crystal structure of L-rhamnonate dehydratase from *Gibberella zeae*  
Authors : Patskovsky, Y.; Toro, R.; Sauder, J.M.; Dickey, M.; Logan, C.; Gheyi, T.; Wasserman, S.R.; Smith, D.; Gerlt, J.; Burley, S.K.; Almo, S.C.; New York SGX Research Center for Structural Genomics (NYSGXRC)  
Deposited on : 2007-02-28  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3939 (2.10-2.10)
Clashscore	102246	4460 (2.10-2.10)
Ramachandran outliers	100387	4413 (2.10-2.10)
Sidechain outliers	100360	4414 (2.10-2.10)
RSRZ outliers	91569	3948 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	456	<div> <div>5%</div> <div> <div></div> <div>77%</div> <div>9%</div> <div>•</div> <div>14%</div> </div> </div>
1	B	456	<div> <div>3%</div> <div> <div></div> <div>76%</div> <div>9%</div> <div>•</div> <div>14%</div> </div> </div>
1	C	456	<div> <div>8%</div> <div> <div></div> <div>77%</div> <div>8%</div> <div>•</div> <div>14%</div> </div> </div>
1	D	456	<div> <div>9%</div> <div> <div></div> <div>76%</div> <div>9%</div> <div>•</div> <div>14%</div> </div> </div>
1	E	456	<div> <div>6%</div> <div> <div></div> <div>77%</div> <div>9%</div> <div>•</div> <div>14%</div> </div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	456	
1	G	456	
1	H	456	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	1204	-	-	-	X
2	SO4	B	1205	-	-	-	X
2	SO4	D	1206	-	-	-	X
2	SO4	D	1207	-	-	-	X
2	SO4	E	1201	-	-	-	X
2	SO4	F	1210	-	-	-	X
3	GOL	A	1314	-	-	-	X
3	GOL	A	1316	-	-	-	X
3	GOL	F	1313	-	-	-	X
3	GOL	G	1309	-	-	-	X
3	GOL	G	1318	-	-	-	X
3	GOL	H	1302	-	-	-	X

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 26261 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-rhamnonate dehydratase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	393	Total	C	N	O	S	Se	0	5	0
			3137	2038	522	565	6	6			
1	B	392	Total	C	N	O	S	Se	0	6	0
			3135	2038	523	562	6	6			
1	C	393	Total	C	N	O	S	Se	0	3	0
			3121	2028	516	565	6	6			
1	D	392	Total	C	N	O	S	Se	0	5	0
			3123	2028	515	568	6	6			
1	E	393	Total	C	N	O	S	Se	0	6	0
			3142	2044	520	566	6	6			
1	F	393	Total	C	N	O	S	Se	0	4	0
			3126	2031	517	566	6	6			
1	G	393	Total	C	N	O	S	Se	0	6	0
			3137	2037	518	570	6	6			
1	H	393	Total	C	N	O	S	Se	0	6	0
			3135	2040	517	566	6	6			

There are 128 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	CLONING ARTIFACT	UNP Q4HYS5
A	1	LEU	-	CLONING ARTIFACT	UNP Q4HYS5
A	115	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
A	120	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
A	178	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
A	219	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
A	224	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
A	299	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
A	448	GLU	-	CLONING ARTIFACT	UNP Q4HYS5
A	449	GLY	-	CLONING ARTIFACT	UNP Q4HYS5
A	450	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
A	451	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
A	452	HIS	-	CLONING ARTIFACT	UNP Q4HYS5

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	453	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
A	454	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
A	455	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
B	0	SER	-	CLONING ARTIFACT	UNP Q4HYS5
B	1	LEU	-	CLONING ARTIFACT	UNP Q4HYS5
B	115	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
B	120	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
B	178	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
B	219	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
B	224	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
B	299	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
B	448	GLU	-	CLONING ARTIFACT	UNP Q4HYS5
B	449	GLY	-	CLONING ARTIFACT	UNP Q4HYS5
B	450	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
B	451	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
B	452	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
B	453	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
B	454	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
B	455	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
C	0	SER	-	CLONING ARTIFACT	UNP Q4HYS5
C	1	LEU	-	CLONING ARTIFACT	UNP Q4HYS5
C	115	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
C	120	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
C	178	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
C	219	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
C	224	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
C	299	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
C	448	GLU	-	CLONING ARTIFACT	UNP Q4HYS5
C	449	GLY	-	CLONING ARTIFACT	UNP Q4HYS5
C	450	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
C	451	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
C	452	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
C	453	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
C	454	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
C	455	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
D	0	SER	-	CLONING ARTIFACT	UNP Q4HYS5
D	1	LEU	-	CLONING ARTIFACT	UNP Q4HYS5
D	115	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
D	120	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
D	178	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
D	219	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
D	224	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	299	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
D	448	GLU	-	CLONING ARTIFACT	UNP Q4HYS5
D	449	GLY	-	CLONING ARTIFACT	UNP Q4HYS5
D	450	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
D	451	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
D	452	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
D	453	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
D	454	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
D	455	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
E	0	SER	-	CLONING ARTIFACT	UNP Q4HYS5
E	1	LEU	-	CLONING ARTIFACT	UNP Q4HYS5
E	115	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
E	120	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
E	178	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
E	219	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
E	224	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
E	299	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
E	448	GLU	-	CLONING ARTIFACT	UNP Q4HYS5
E	449	GLY	-	CLONING ARTIFACT	UNP Q4HYS5
E	450	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
E	451	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
E	452	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
E	453	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
E	454	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
E	455	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
F	0	SER	-	CLONING ARTIFACT	UNP Q4HYS5
F	1	LEU	-	CLONING ARTIFACT	UNP Q4HYS5
F	115	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
F	120	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
F	178	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
F	219	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
F	224	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
F	299	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
F	448	GLU	-	CLONING ARTIFACT	UNP Q4HYS5
F	449	GLY	-	CLONING ARTIFACT	UNP Q4HYS5
F	450	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
F	451	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
F	452	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
F	453	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
F	454	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
F	455	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
G	0	SER	-	CLONING ARTIFACT	UNP Q4HYS5

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	1	LEU	-	CLONING ARTIFACT	UNP Q4HYS5
G	115	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
G	120	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
G	178	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
G	219	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
G	224	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
G	299	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
G	448	GLU	-	CLONING ARTIFACT	UNP Q4HYS5
G	449	GLY	-	CLONING ARTIFACT	UNP Q4HYS5
G	450	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
G	451	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
G	452	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
G	453	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
G	454	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
G	455	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
H	0	SER	-	CLONING ARTIFACT	UNP Q4HYS5
H	1	LEU	-	CLONING ARTIFACT	UNP Q4HYS5
H	115	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
H	120	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
H	178	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
H	219	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
H	224	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
H	299	MSE	MET	MODIFIED RESIDUE	UNP Q4HYS5
H	448	GLU	-	CLONING ARTIFACT	UNP Q4HYS5
H	449	GLY	-	CLONING ARTIFACT	UNP Q4HYS5
H	450	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
H	451	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
H	452	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
H	453	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
H	454	HIS	-	CLONING ARTIFACT	UNP Q4HYS5
H	455	HIS	-	CLONING ARTIFACT	UNP Q4HYS5


- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	E	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	C	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	H	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	E	1	Total	C	O	0	0
			6	3	3		
3	H	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	E	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	G	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	G	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	H	1	Total	C	O	0	0
			6	3	3		
3	F	1	Total	C	O	0	0
			6	3	3		
3	F	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	G	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	F	1	Total	C	O	0	0
			6	3	3		
3	G	1	Total	C	O	0	0
			6	3	3		
3	F	1	Total	C	O	0	0
			6	3	3		
3	G	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	146	Total	O	0	0
			146	146		
4	B	151	Total	O	0	0
			151	151		
4	C	126	Total	O	0	0
			126	126		
4	D	128	Total	O	0	0
			128	128		
4	E	121	Total	O	0	0
			121	121		
4	F	107	Total	O	0	0
			107	107		
4	G	131	Total	O	0	0
			131	131		
4	H	115	Total	O	0	0
			115	115		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-rhamnonate dehydratase




- Molecule 1: L-rhamnonate dehydratase




- Molecule 1: L-rhamnonate dehydratase







• Molecule 1: L-rhamnonate dehydratase




• Molecule 1: L-rhamnonate dehydratase



• Molecule 1: L-rhamnonate dehydratase



• Molecule 1: L-rhamnonate dehydratase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	201.40 Å   201.13 Å   82.40 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	20.00 – 2.10 34.02 – 2.10	Depositor EDS
% Data completeness (in resolution range)	95.6 (20.00-2.10) 95.5 (34.02-2.10)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.52 (at 2.10 Å)	Xtriage
Refinement program	REFMAC 5.3.0028	Depositor
R, $R_{free}$	0.190 , 0.256 0.191 , 0.254	Depositor DCC
$R_{free}$ test set	5675 reflections (3.14%)	DCC
Wilson B-factor (Å <sup>2</sup> )	36.6	Xtriage
Anisotropy	0.115	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 67.3	EDS
Estimated twinning fraction	0.028 for k,h,-l	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Outliers	2 of 187025 reflections (0.001%)	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	26261	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.78% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.42	0/3233	0.57	0/4387
1	B	0.43	0/3240	0.56	0/4395
1	C	0.44	0/3211	0.56	0/4359
1	D	0.40	0/3219	0.55	0/4370
1	E	0.40	0/3238	0.56	0/4393
1	F	0.41	0/3219	0.56	0/4370
1	G	0.40	0/3233	0.56	0/4390
1	H	0.40	0/3234	0.56	0/4389
All	All	0.41	0/25827	0.56	0/35053

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1
1	D	0	1
1	E	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	34	HIS	Peptide
1	D	2	SER	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	E	34	HIS	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3137	0	3109	19	0
1	B	3135	0	3116	28	0
1	C	3121	0	3082	19	0
1	D	3123	0	3076	13	0
1	E	3142	0	3120	24	0
1	F	3126	0	3088	25	0
1	G	3137	0	3096	17	0
1	H	3135	0	3111	11	0
2	A	5	0	0	0	0
2	B	10	0	0	0	0
2	C	5	0	0	0	0
2	D	10	0	0	0	0
2	E	15	0	0	0	0
2	F	5	0	0	0	0
2	H	10	0	0	0	0
3	A	24	0	32	5	0
3	B	6	0	8	2	0
3	D	12	0	16	1	0
3	E	12	0	16	3	0
3	F	24	0	32	0	0
3	G	30	0	40	2	0
3	H	12	0	16	2	0
4	A	146	0	0	0	0
4	B	151	0	0	0	0
4	C	126	0	0	1	0
4	D	128	0	0	0	0
4	E	121	0	0	1	0
4	F	107	0	0	0	0
4	G	131	0	0	0	0
4	H	115	0	0	0	0
All	All	26261	0	24958	155	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:163:LEU:HD23	1:G:334[A]:GLN:OE1	1.76	0.85
1:E:163:LEU:CD1	1:E:335:ILE:HD13	2.07	0.85
1:A:115:MSE:HE2	1:A:132:ILE:HG12	1.58	0.84
1:B:163:LEU:HD11	1:B:335:ILE:HD13	1.61	0.80
1:H:152:TYR:H	1:H:332:HIS:HD2	1.33	0.76
1:B:163:LEU:CD1	1:B:335:ILE:HD13	2.17	0.74
1:B:115:MSE:HE2	1:B:132:ILE:HG12	1.69	0.74
1:F:163:LEU:CD1	1:F:335:ILE:CD1	2.66	0.74
1:F:163:LEU:CD1	1:F:335:ILE:HD13	2.20	0.71
1:F:152:TYR:H	1:F:332:HIS:HD2	1.39	0.71
1:A:163:LEU:HD12	1:A:335:ILE:HD13	1.75	0.68
1:C:163:LEU:HD12	1:C:335:ILE:HD13	1.74	0.67
1:G:152:TYR:H	1:G:332:HIS:HD2	1.42	0.67
1:E:115:MSE:HE2	1:E:132:ILE:HG12	1.77	0.67
1:E:163:LEU:HD11	1:E:335:ILE:HD13	1.76	0.67
1:F:163:LEU:HD12	1:F:335:ILE:HD12	1.76	0.66
1:C:163:LEU:HD23	1:C:334[A]:GLN:OE1	1.98	0.64
1:B:206[B]:ARG:HG2	1:B:241:LEU:HD21	1.79	0.63
1:E:163:LEU:CD1	1:E:335:ILE:CD1	2.77	0.63
1:G:115:MSE:HE2	1:G:132:ILE:HG12	1.79	0.63
1:B:152:TYR:H	1:B:332:HIS:HD2	1.48	0.62
1:H:334[B]:GLN:NE2	1:H:342:PHE:O	2.32	0.62
1:F:163:LEU:CD1	1:F:335:ILE:HD12	2.29	0.62
1:C:115:MSE:HE2	1:C:132:ILE:HG12	1.80	0.61
1:A:84:GLY:O	1:A:87:PRO:HG2	2.01	0.61
1:F:298:VAL:HA	1:F:301:LEU:HD23	1.82	0.61
1:A:152:TYR:H	1:A:332:HIS:HD2	1.48	0.60
1:D:298:VAL:HA	1:D:301:LEU:HD23	1.83	0.59
1:F:115:MSE:HE2	1:F:132:ILE:HG12	1.85	0.59
1:F:163:LEU:HD12	1:F:335:ILE:CD1	2.33	0.58
1:B:358:VAL:HG13	1:B:366:GLU:OE2	2.04	0.58
1:A:86:PRO:N	1:A:87:PRO:HD2	2.18	0.58
1:B:334[B]:GLN:NE2	1:B:342:PHE:O	2.37	0.57
1:F:143:LEU:HD13	3:H:1311:GOL:H2	1.86	0.57
1:D:50:GLN:H	1:D:50:GLN:HE21	1.52	0.57
1:E:163:LEU:HD12	1:E:335:ILE:HD13	1.85	0.57
1:E:163:LEU:HD12	1:E:335:ILE:CD1	2.34	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:115:MSE:HE2	1:D:132:ILE:HG12	1.87	0.56
1:B:50:GLN:HE21	1:B:50:GLN:H	1.53	0.56
1:C:298:VAL:HA	1:C:301:LEU:HD23	1.88	0.56
1:F:50:GLN:H	1:F:50:GLN:HE21	1.53	0.55
1:F:330:SER:HB2	1:F:343:GLN:HE22	1.70	0.55
1:D:13:ILE:HG22	1:D:101:ILE:HD11	1.89	0.55
1:A:96:PHE:CG	1:A:115:MSE:HE3	2.42	0.55
1:G:163:LEU:CD2	1:G:334[A]:GLN:OE1	2.52	0.55
1:E:96:PHE:CG	1:E:115:MSE:HE3	2.43	0.54
1:E:301:LEU:HD21	1:E:307:LEU:HB2	1.89	0.54
1:B:96:PHE:CG	1:B:115:MSE:HE3	2.43	0.54
1:A:143:LEU:HD13	3:A:1304:GOL:H12	1.89	0.54
1:B:358:VAL:HG22	1:B:359:PHE:CD2	2.43	0.53
3:A:1303:GOL:O3	1:C:147:ARG:NH1	2.41	0.53
1:F:163:LEU:HD11	1:F:335:ILE:CD1	2.37	0.53
1:F:334[B]:GLN:NE2	1:F:342:PHE:O	2.42	0.53
1:H:8:PRO:HB2	1:H:72:ALA:HB1	1.91	0.53
1:H:115:MSE:HE2	1:H:132:ILE:HG12	1.90	0.52
1:A:296:PRO:HB2	1:A:301:LEU:HD22	1.91	0.52
1:G:296:PRO:HB2	1:G:301:LEU:HD22	1.89	0.52
1:D:334:GLN:NE2	1:D:342:PHE:O	2.43	0.52
1:C:296:PRO:HB2	1:C:301:LEU:HD22	1.93	0.51
1:G:282:PHE:CZ	1:G:296:PRO:HB3	2.46	0.51
1:B:163:LEU:HD23	1:B:334[A]:GLN:CD	2.31	0.50
1:F:71:GLU:HG3	1:F:77:VAL:HG22	1.93	0.50
1:A:85:GLY:C	1:A:87:PRO:HD2	2.32	0.50
1:G:8:PRO:HB2	1:G:72:ALA:HB1	1.94	0.50
1:E:298:VAL:HA	1:E:301:LEU:HD23	1.93	0.49
1:E:147:ARG:NH1	3:E:1301:GOL:O3	2.46	0.49
1:C:160:LYS:HE3	1:C:334[A]:GLN:NE2	2.27	0.49
1:A:334[B]:GLN:NE2	1:A:342:PHE:O	2.46	0.48
1:E:163:LEU:HD11	1:E:335:ILE:CD1	2.40	0.48
1:B:308:LEU:HB3	3:B:1308:GOL:H32	1.94	0.48
1:A:147:ARG:NH1	3:A:1304:GOL:O1	2.47	0.48
1:C:152:TYR:H	1:C:332:HIS:HD2	1.60	0.48
1:E:152:TYR:H	1:E:332:HIS:HD2	1.62	0.48
1:E:163:LEU:HG	1:E:334[A]:GLN:OE1	2.12	0.48
1:E:125:LYS:HB2	1:F:125:LYS:HB2	1.95	0.48
1:A:277:TYR:HH	1:A:300:TRP:HE1	1.61	0.47
1:C:8:PRO:HB2	1:C:72:ALA:HB1	1.97	0.47
1:A:115:MSE:HE1	1:A:135:ILE:HD12	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:219:MSE:HE3	1:C:245:TRP:CH2	2.49	0.47
1:C:334[B]:GLN:NE2	1:C:342:PHE:O	2.46	0.47
1:D:165:PHE:CE1	1:D:343:GLN:HG2	2.50	0.47
1:B:204:PHE:CZ	1:B:208:HIS:HE1	2.33	0.46
1:F:163:LEU:HD11	1:F:335:ILE:HB	1.97	0.46
1:B:283:ARG:HA	1:B:313:LEU:HD21	1.97	0.46
1:G:96:PHE:CG	1:G:115:MSE:HE3	2.51	0.46
1:C:282:PHE:CZ	1:C:296:PRO:HB3	2.51	0.46
1:G:298:VAL:HA	1:G:301:LEU:HD23	1.97	0.46
1:G:49:GLU:HA	1:G:52:LYS:HD2	1.98	0.46
1:F:296:PRO:HB2	1:F:301:LEU:HD22	1.98	0.45
1:E:388:ILE:HD11	1:E:396:LEU:HD11	1.99	0.45
1:F:301:LEU:HD21	1:F:307:LEU:HB2	1.98	0.45
1:H:298:VAL:HA	1:H:301:LEU:HD23	1.97	0.45
1:H:167:CYS:HB2	1:H:180:PHE:CG	2.52	0.45
1:G:203:GLU:OE2	1:G:206:ARG:NH2	2.49	0.45
1:F:277:TYR:HH	1:F:300:TRP:HE1	1.64	0.45
1:A:262:LYS:NZ	1:A:292:ASP:OD2	2.48	0.45
1:G:230:TYR:HD1	3:G:1318:GOL:H2	1.82	0.45
1:G:334[B]:GLN:CD	1:G:340:THR:HB	2.37	0.44
1:E:8:PRO:HB2	1:E:72:ALA:HB1	1.99	0.44
1:D:311:ALA:HA	1:D:321:VAL:HG21	1.99	0.44
1:B:13:ILE:HG22	1:B:101:ILE:HD11	1.99	0.44
1:B:358:VAL:HG22	1:B:359:PHE:N	2.32	0.44
1:F:96:PHE:CG	1:F:115:MSE:HE3	2.52	0.44
1:H:13:ILE:HG22	1:H:101:ILE:HD11	1.99	0.44
1:F:34:HIS:HD2	1:F:36:LEU:H	1.65	0.44
1:D:283:ARG:HA	1:D:313:LEU:HD21	1.99	0.44
3:B:1308:GOL:H31	4:E:1343:HOH:O	2.17	0.44
1:D:147:ARG:NH1	3:D:1306:GOL:O1	2.48	0.44
1:F:8:PRO:HB2	1:F:72:ALA:HB1	2.00	0.44
1:D:328:PRO:HA	1:D:331:TYR:CD2	2.54	0.43
1:C:96:PHE:CG	1:C:115:MSE:HE3	2.54	0.43
3:A:1303:GOL:H2	1:C:143:LEU:HD13	2.00	0.43
1:C:204:PHE:CZ	1:C:208:HIS:HE1	2.36	0.43
1:G:194:GLY:HA3	3:G:1309:GOL:H31	2.00	0.43
1:B:34:HIS:HD2	1:B:36:LEU:H	1.65	0.43
1:F:67:LEU:HD12	1:F:81:THR:HB	2.00	0.43
1:B:153:ARG:O	3:E:1301:GOL:O2	2.33	0.43
1:E:334[B]:GLN:NE2	1:E:342:PHE:O	2.49	0.43
1:E:115:MSE:CE	1:E:132:ILE:HA	2.49	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:334[B]:GLN:NE2	1:G:342:PHE:O	2.52	0.43
1:F:163:LEU:HD11	1:F:335:ILE:HD13	1.98	0.43
1:B:358:VAL:CG2	1:B:359:PHE:N	2.79	0.42
3:A:1303:GOL:HO2	3:A:1303:GOL:HO1	1.58	0.42
1:B:262:LYS:HE2	1:B:270:PHE:HD2	1.84	0.42
1:C:34:HIS:N	1:C:37:ILE:HG12	2.33	0.42
1:G:244:ASN:OD1	1:G:269:LYS:NZ	2.52	0.42
1:C:160:LYS:CE	1:C:334[A]:GLN:NE2	2.82	0.42
1:E:337:GLN:HB2	1:E:340:THR:OG1	2.20	0.42
1:H:334[B]:GLN:CD	1:H:340:THR:HB	2.40	0.42
1:E:117:ARG:HA	1:E:120:MSE:HE3	2.02	0.42
1:A:8:PRO:HB2	1:A:72:ALA:HB1	2.02	0.42
1:E:334[B]:GLN:CD	1:E:340:THR:HB	2.39	0.42
1:B:8:PRO:HB2	1:B:72:ALA:HB1	2.01	0.42
1:E:13:ILE:HG22	1:E:101:ILE:HD11	2.02	0.41
1:C:313:LEU:HD22	4:C:1233:HOH:O	2.19	0.41
1:A:334[B]:GLN:CD	1:A:340:THR:HB	2.40	0.41
1:G:357:PRO:HG3	1:G:368:ILE:HD11	2.03	0.41
1:B:297:ASP:HB3	1:B:300:TRP:HB2	2.03	0.41
1:B:298:VAL:HA	1:B:301:LEU:HD23	2.02	0.41
1:B:143:LEU:HD13	3:E:1305:GOL:H2	2.02	0.41
1:H:153:ARG:O	3:H:1311:GOL:O2	2.38	0.41
1:D:7:PHE:HA	1:D:8:PRO:HD2	1.92	0.41
1:A:125:LYS:HG3	1:B:125:LYS:HG3	2.03	0.41
1:B:115:MSE:CE	1:B:132:ILE:HA	2.50	0.41
1:H:351:ASP:HB2	1:H:353:LYS:HD2	2.02	0.41
1:D:8:PRO:HB2	1:D:72:ALA:HB1	2.03	0.40
1:D:198:LEU:O	1:D:202:VAL:HG23	2.21	0.40
1:A:90:TRP:CE2	1:A:94:GLN:HG3	2.55	0.40
1:E:322:VAL:HG13	1:E:343:GLN:HA	2.03	0.40
1:C:7:PHE:HA	1:C:8:PRO:HD2	1.92	0.40
1:E:216:PHE:HA	1:E:217:PRO:HD3	1.96	0.40
1:B:364:ILE:H	1:B:364:ILE:HG13	1.67	0.40
1:A:282:PHE:CZ	1:A:296:PRO:HB3	2.57	0.40
1:B:142:LEU:O	1:B:146:VAL:HG23	2.21	0.40
1:F:113:GLU:HG3	1:H:338:PRO:HB3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	394/456 (86%)	379 (96%)	13 (3%)	2 (0%)	34	30
1	B	394/456 (86%)	386 (98%)	8 (2%)	0	100	100
1	C	392/456 (86%)	378 (96%)	13 (3%)	1 (0%)	46	45
1	D	393/456 (86%)	376 (96%)	15 (4%)	2 (0%)	34	30
1	E	395/456 (87%)	379 (96%)	14 (4%)	2 (0%)	34	30
1	F	393/456 (86%)	381 (97%)	11 (3%)	1 (0%)	46	45
1	G	395/456 (87%)	385 (98%)	10 (2%)	0	100	100
1	H	395/456 (87%)	382 (97%)	13 (3%)	0	100	100
All	All	3151/3648 (86%)	3046 (97%)	97 (3%)	8 (0%)	52	45

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	242	ASN
1	A	289[A]	ARG
1	A	289[B]	ARG
1	F	325	ALA
1	C	325	ALA
1	D	3	SER
1	D	325	ALA
1	E	223	TYR

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	336/378 (89%)	317 (94%)	19 (6%)	25	22
1	B	337/378 (89%)	325 (96%)	12 (4%)	42	43
1	C	334/378 (88%)	311 (93%)	23 (7%)	19	15
1	D	335/378 (89%)	314 (94%)	21 (6%)	22	18
1	E	337/378 (89%)	324 (96%)	13 (4%)	39	39
1	F	335/378 (89%)	318 (95%)	17 (5%)	29	26
1	G	337/378 (89%)	315 (94%)	22 (6%)	21	17
1	H	337/378 (89%)	322 (96%)	15 (4%)	34	32
All	All	2688/3024 (89%)	2546 (95%)	142 (5%)	29	25

All (142) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	LEU
1	A	2	SER
1	A	50	GLN
1	A	53	LYS
1	A	67	LEU
1	A	161	GLU
1	A	163	LEU
1	A	196	GLU
1	A	210	GLU
1	A	219	MSE
1	A	284	LYS
1	A	300	TRP
1	A	301	LEU
1	A	334[A]	GLN
1	A	334[B]	GLN
1	A	346	LEU
1	A	351	ASP
1	A	388	ILE
1	A	404	LYS
1	B	7	PHE
1	B	50	GLN
1	B	52	LYS
1	B	53	LYS
1	B	55	ARG
1	B	219	MSE
1	B	284	LYS
1	B	300	TRP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	301	LEU
1	B	334[A]	GLN
1	B	334[B]	GLN
1	B	364	ILE
1	C	1	LEU
1	C	3	SER
1	C	7	PHE
1	C	34	HIS
1	C	50	GLN
1	C	53	LYS
1	C	160	LYS
1	C	163	LEU
1	C	196	GLU
1	C	198	LEU
1	C	219	MSE
1	C	229	SER
1	C	284	LYS
1	C	286	VAL
1	C	300	TRP
1	C	301	LEU
1	C	334[A]	GLN
1	C	334[B]	GLN
1	C	343	GLN
1	C	351	ASP
1	C	388	ILE
1	C	396	LEU
1	C	404	LYS
1	D	50	GLN
1	D	53	LYS
1	D	55	ARG
1	D	154	LEU
1	D	160	LYS
1	D	163	LEU
1	D	207	LYS
1	D	219	MSE
1	D	269	LYS
1	D	284	LYS
1	D	286	VAL
1	D	300	TRP
1	D	301	LEU
1	D	335	ILE
1	D	343	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	351	ASP
1	D	364	ILE
1	D	388	ILE
1	D	393	ARG
1	D	400	ASP
1	D	404	LYS
1	E	3	SER
1	E	34	HIS
1	E	50	GLN
1	E	53	LYS
1	E	196	GLU
1	E	198	LEU
1	E	219	MSE
1	E	284	LYS
1	E	300	TRP
1	E	301	LEU
1	E	330	SER
1	E	351	ASP
1	E	387	THR
1	F	1	LEU
1	F	50	GLN
1	F	53	LYS
1	F	55	ARG
1	F	67	LEU
1	F	196	GLU
1	F	200	LYS
1	F	219	MSE
1	F	284	LYS
1	F	300	TRP
1	F	301	LEU
1	F	326	SER
1	F	335	ILE
1	F	351	ASP
1	F	393	ARG
1	F	396	LEU
1	F	404	LYS
1	G	2	SER
1	G	3	SER
1	G	13	ILE
1	G	50	GLN
1	G	52	LYS
1	G	53	LYS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	G	55	ARG
1	G	56	THR
1	G	67	LEU
1	G	163	LEU
1	G	196	GLU
1	G	206	ARG
1	G	219	MSE
1	G	240	ASP
1	G	269	LYS
1	G	300	TRP
1	G	301	LEU
1	G	313	LEU
1	G	334[A]	GLN
1	G	334[B]	GLN
1	G	364	ILE
1	G	404	LYS
1	H	7	PHE
1	H	34	HIS
1	H	50	GLN
1	H	53	LYS
1	H	55	ARG
1	H	219	MSE
1	H	300	TRP
1	H	301	LEU
1	H	334[A]	GLN
1	H	334[B]	GLN
1	H	346[A]	LEU
1	H	346[B]	LEU
1	H	351	ASP
1	H	388	ILE
1	H	404	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (49) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	HIS
1	A	50	GLN
1	A	208	HIS
1	A	244	ASN
1	A	332	HIS
1	A	337	GLN
1	A	343	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	34	HIS
1	B	50	GLN
1	B	208	HIS
1	B	244	ASN
1	B	332	HIS
1	B	337	GLN
1	B	343	GLN
1	C	50	GLN
1	C	148	ASN
1	C	208	HIS
1	C	244	ASN
1	C	343	GLN
1	D	34	HIS
1	D	50	GLN
1	D	208	HIS
1	D	244	ASN
1	D	337	GLN
1	D	343	GLN
1	E	34	HIS
1	E	50	GLN
1	E	208	HIS
1	E	343	GLN
1	F	34	HIS
1	F	50	GLN
1	F	208	HIS
1	F	244	ASN
1	F	332	HIS
1	F	337	GLN
1	F	343	GLN
1	G	34	HIS
1	G	50	GLN
1	G	195	HIS
1	G	208	HIS
1	G	332	HIS
1	G	337	GLN
1	G	343	GLN
1	H	50	GLN
1	H	208	HIS
1	H	244	ASN
1	H	332	HIS
1	H	337	GLN
1	H	343	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	SO4	A	1204	-	4,4,4	0.15	0	6,6,6	0.17	0
3	GOL	A	1303	-	5,5,5	0.43	0	5,5,5	0.24	0
3	GOL	A	1304	-	5,5,5	0.32	0	5,5,5	0.47	0
3	GOL	A	1314	-	5,5,5	0.34	0	5,5,5	0.26	0
3	GOL	A	1316	-	5,5,5	0.36	0	5,5,5	0.47	0
2	SO4	B	1205	-	4,4,4	0.16	0	6,6,6	0.12	0
2	SO4	B	1212	-	4,4,4	0.15	0	6,6,6	0.12	0
3	GOL	B	1308	-	5,5,5	0.33	0	5,5,5	0.38	0
2	SO4	C	1209	-	4,4,4	0.11	0	6,6,6	0.18	0
2	SO4	D	1206	-	4,4,4	0.14	0	6,6,6	0.08	0
2	SO4	D	1207	-	4,4,4	0.19	0	6,6,6	0.12	0
3	GOL	D	1306	-	5,5,5	0.29	0	5,5,5	0.36	0
3	GOL	D	1310	-	5,5,5	0.80	0	5,5,5	0.47	0
2	SO4	E	1201	-	4,4,4	0.21	0	6,6,6	0.11	0
2	SO4	E	1202	-	4,4,4	0.21	0	6,6,6	0.13	0
2	SO4	E	1208	-	4,4,4	0.97	0	6,6,6	0.37	0
3	GOL	E	1301	-	5,5,5	0.47	0	5,5,5	0.43	0
3	GOL	E	1305	-	5,5,5	0.40	0	5,5,5	0.46	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	F	1210	-	4,4,4	0.13	0	6,6,6	0.09	0
3	GOL	F	1312	-	5,5,5	0.38	0	5,5,5	0.25	0
3	GOL	F	1313	-	5,5,5	0.32	0	5,5,5	0.31	0
3	GOL	F	1317	-	5,5,5	0.30	0	5,5,5	0.39	0
3	GOL	F	1319	-	5,5,5	0.30	0	5,5,5	0.37	0
3	GOL	G	1307	-	5,5,5	0.33	0	5,5,5	0.44	0
3	GOL	G	1309	-	5,5,5	0.33	0	5,5,5	0.29	0
3	GOL	G	1315	-	5,5,5	0.39	0	5,5,5	0.25	0
3	GOL	G	1318	-	5,5,5	0.46	0	5,5,5	0.37	0
3	GOL	G	1320	-	5,5,5	0.33	0	5,5,5	0.57	0
2	SO4	H	1203	-	4,4,4	0.20	0	6,6,6	0.07	0
2	SO4	H	1211	-	4,4,4	0.21	0	6,6,6	0.11	0
3	GOL	H	1302	-	5,5,5	0.44	0	5,5,5	0.51	0
3	GOL	H	1311	-	5,5,5	0.37	0	5,5,5	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	1204	-	-	0/0/0/0	0/0/0/0
3	GOL	A	1303	-	-	0/4/4/4	0/0/0/0
3	GOL	A	1304	-	-	0/4/4/4	0/0/0/0
3	GOL	A	1314	-	-	0/4/4/4	0/0/0/0
3	GOL	A	1316	-	-	0/4/4/4	0/0/0/0
2	SO4	B	1205	-	-	0/0/0/0	0/0/0/0
2	SO4	B	1212	-	-	0/0/0/0	0/0/0/0
3	GOL	B	1308	-	-	0/4/4/4	0/0/0/0
2	SO4	C	1209	-	-	0/0/0/0	0/0/0/0
2	SO4	D	1206	-	-	0/0/0/0	0/0/0/0
2	SO4	D	1207	-	-	0/0/0/0	0/0/0/0
3	GOL	D	1306	-	-	0/4/4/4	0/0/0/0
3	GOL	D	1310	-	-	0/4/4/4	0/0/0/0
2	SO4	E	1201	-	-	0/0/0/0	0/0/0/0
2	SO4	E	1202	-	-	0/0/0/0	0/0/0/0
2	SO4	E	1208	-	-	0/0/0/0	0/0/0/0
3	GOL	E	1301	-	-	0/4/4/4	0/0/0/0
3	GOL	E	1305	-	-	0/4/4/4	0/0/0/0
2	SO4	F	1210	-	-	0/0/0/0	0/0/0/0
3	GOL	F	1312	-	-	0/4/4/4	0/0/0/0
3	GOL	F	1313	-	-	0/4/4/4	0/0/0/0
3	GOL	F	1317	-	-	0/4/4/4	0/0/0/0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	F	1319	-	-	0/4/4/4	0/0/0/0
3	GOL	G	1307	-	-	0/4/4/4	0/0/0/0
3	GOL	G	1309	-	-	0/4/4/4	0/0/0/0
3	GOL	G	1315	-	-	0/4/4/4	0/0/0/0
3	GOL	G	1318	-	-	0/4/4/4	0/0/0/0
3	GOL	G	1320	-	-	0/4/4/4	0/0/0/0
2	SO4	H	1203	-	-	0/0/0/0	0/0/0/0
2	SO4	H	1211	-	-	0/0/0/0	0/0/0/0
3	GOL	H	1302	-	-	0/4/4/4	0/0/0/0
3	GOL	H	1311	-	-	0/4/4/4	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

9 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1303	GOL	3	0
3	A	1304	GOL	2	0
3	B	1308	GOL	2	0
3	D	1306	GOL	1	0
3	E	1301	GOL	2	0
3	E	1305	GOL	1	0
3	G	1309	GOL	1	0
3	G	1318	GOL	1	0
3	H	1311	GOL	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	A	387/456 (84%)	0.02	21 (5%)	29	38	21, 35, 70, 116	0
1	B	386/456 (84%)	-0.04	14 (3%)	46	55	20, 37, 66, 109	0
1	C	387/456 (84%)	0.24	35 (9%)	12	16	21, 42, 77, 122	0
1	D	386/456 (84%)	0.28	39 (10%)	9	12	25, 45, 88, 113	0
1	E	387/456 (84%)	0.14	29 (7%)	17	23	23, 45, 80, 115	0
1	F	387/456 (84%)	0.13	23 (5%)	26	34	21, 44, 75, 113	0
1	G	387/456 (84%)	0.00	18 (4%)	35	44	20, 41, 72, 105	0
1	H	387/456 (84%)	0.10	20 (5%)	31	39	25, 43, 79, 119	0
All	All	3094/3648 (84%)	0.11	199 (6%)	23	30	20, 42, 77, 122	0

All (199) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	37	ILE	8.5
1	F	37	ILE	7.8
1	H	392	ALA	7.0
1	A	37	ILE	7.0
1	C	37	ILE	6.7
1	F	38	ASP	5.9
1	C	407	GLU	5.7
1	H	49	GLU	5.7
1	D	37	ILE	5.6
1	A	407	GLU	5.5
1	D	392	ALA	5.3
1	H	1	LEU	5.1
1	D	350	PRO	5.1
1	G	37	ILE	5.1
1	D	406	PRO	5.0
1	E	37	ILE	4.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	407	GLU	4.7
1	E	53	LYS	4.6
1	F	407	GLU	4.5
1	C	404	LYS	4.3
1	F	54	SER	4.3
1	C	56	THR	4.3
1	E	38	ASP	4.2
1	C	38	ASP	4.2
1	D	49	GLU	4.2
1	F	56	THR	4.2
1	H	38	ASP	4.2
1	D	50	GLN	4.1
1	C	405	VAL	4.1
1	F	60	ILE	4.0
1	E	34	HIS	4.0
1	D	53	LYS	4.0
1	D	51	TYR	3.9
1	D	355	VAL	3.8
1	A	38	ASP	3.8
1	H	407	GLU	3.7
1	A	350	PRO	3.7
1	E	51	TYR	3.6
1	E	177	ALA	3.6
1	B	38	ASP	3.6
1	G	60	ILE	3.5
1	E	49	GLU	3.5
1	E	350	PRO	3.5
1	G	49	GLU	3.5
1	D	405	VAL	3.5
1	H	50	GLN	3.5
1	D	394	ALA	3.4
1	H	51	TYR	3.4
1	G	53	LYS	3.4
1	G	392	ALA	3.4
1	D	391	ALA	3.4
1	C	54	SER	3.4
1	C	51	TYR	3.3
1	F	394	ALA	3.3
1	E	75	GLY	3.3
1	A	34	HIS	3.3
1	H	56	THR	3.3
1	F	51	TYR	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	G	407	GLU	3.2
1	D	54	SER	3.2
1	B	41	ILE	3.2
1	B	4	VAL	3.2
1	A	53	LYS	3.2
1	D	352	GLY	3.1
1	B	407	GLU	3.1
1	A	56	THR	3.1
1	D	361	ASP	3.1
1	E	351	ASP	3.1
1	C	392	ALA	3.0
1	E	394	ALA	3.0
1	H	54[A]	SER	3.0
1	D	38	ASP	3.0
1	F	101	ILE	3.0
1	C	391	ALA	3.0
1	H	37	ILE	3.0
1	F	61	ASN	3.0
1	F	49	GLU	3.0
1	D	397	ILE	3.0
1	B	49	GLU	3.0
1	D	34	HIS	3.0
1	C	50	GLN	2.9
1	B	161	GLU	2.9
1	G	51	TYR	2.9
1	F	406	PRO	2.9
1	H	53	LYS	2.8
1	C	300	TRP	2.8
1	C	406	PRO	2.8
1	A	49	GLU	2.8
1	D	300	TRP	2.8
1	D	395	LYS	2.7
1	B	34	HIS	2.7
1	A	50	GLN	2.7
1	H	177	ALA	2.7
1	B	355	VAL	2.7
1	C	353	LYS	2.7
1	D	351	ASP	2.7
1	D	403	PHE	2.7
1	D	11	LYS	2.7
1	B	3	SER	2.7
1	C	101	ILE	2.7

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	F	40	ASP	2.7
1	D	362	LEU	2.6
1	E	50	GLN	2.6
1	E	61	ASN	2.6
1	F	53	LYS	2.6
1	A	40	ASP	2.6
1	H	239	LEU	2.6
1	H	406	PRO	2.6
1	A	352	GLY	2.6
1	D	177	ALA	2.6
1	G	394	ALA	2.6
1	C	83	PHE	2.5
1	C	49	GLU	2.5
1	F	35	TRP	2.5
1	C	57	SER	2.5
1	D	348	ASN	2.5
1	C	58	TRP	2.5
1	D	40	ASP	2.5
1	D	101	ILE	2.5
1	C	34	HIS	2.5
1	C	215	ASP	2.5
1	D	347	ALA	2.5
1	H	391	ALA	2.5
1	E	54	SER	2.5
1	G	56	THR	2.5
1	D	57	SER	2.4
1	E	406	PRO	2.4
1	B	350	PRO	2.4
1	E	407	GLU	2.4
1	G	307	LEU	2.4
1	H	361	ASP	2.4
1	C	323	PRO	2.4
1	E	391	ALA	2.4
1	F	34	HIS	2.4
1	A	58	TRP	2.4
1	E	403	PHE	2.4
1	C	73	THR	2.4
1	C	11	LYS	2.4
1	A	39	SER	2.4
1	C	352	GLY	2.4
1	G	101	ILE	2.3
1	A	51	TYR	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	45	ALA	2.3
1	E	45	ALA	2.3
1	D	396	LEU	2.3
1	C	53	LYS	2.3
1	C	60	ILE	2.3
1	C	351	ASP	2.3
1	D	75	GLY	2.3
1	F	403	PHE	2.3
1	E	298	VAL	2.3
1	A	390	PRO	2.3
1	D	132	ILE	2.3
1	H	40	ASP	2.3
1	E	347	ALA	2.3
1	D	56	THR	2.2
1	G	38	ASP	2.2
1	C	35	TRP	2.2
1	E	35	TRP	2.2
1	G	35	TRP	2.2
1	D	52	LYS	2.2
1	H	11	LYS	2.2
1	E	40	ASP	2.2
1	D	41	ILE	2.2
1	E	352	GLY	2.2
1	G	34	HIS	2.2
1	B	394	ALA	2.2
1	A	36	LEU	2.2
1	E	179	GLY	2.2
1	H	6	ASP	2.2
1	F	41	ILE	2.2
1	G	50	GLN	2.2
1	A	54	SER	2.2
1	A	161	GLU	2.2
1	G	304	LEU	2.1
1	E	56	THR	2.1
1	B	35	TRP	2.1
1	E	173	THR	2.1
1	E	304	LEU	2.1
1	D	3	SER	2.1
1	F	135	ILE	2.1
1	C	36	LEU	2.1
1	F	50	GLN	2.1
1	C	394	ALA	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	371	LYS	2.1
1	H	34	HIS	2.1
1	E	83	PHE	2.1
1	C	350	PRO	2.0
1	B	304	LEU	2.0
1	F	304	LEU	2.0
1	G	54	SER	2.0
1	C	322	VAL	2.0
1	F	73	THR	2.0
1	G	323	PRO	2.0
1	A	57	SER	2.0
1	C	6	ASP	2.0
1	C	395	LYS	2.0
1	A	305	THR	2.0
1	F	134	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	SO4	D	1207	5/5	0.88	0.24	8.95	89,97,98,99	0
2	SO4	B	1205	5/5	0.67	0.27	8.29	50,77,85,103	0
3	GOL	F	1313	6/6	0.84	0.39	7.98	57,62,72,76	0
2	SO4	A	1204	5/5	0.88	0.23	6.34	66,85,93,99	0
3	GOL	G	1309	6/6	0.65	0.25	5.53	67,78,84,86	0
3	GOL	A	1316	6/6	0.80	0.28	4.59	46,58,63,71	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	SO4	F	1210	5/5	0.81	0.22	3.88	85,106,111,113	0
2	SO4	D	1206	5/5	0.93	0.22	3.88	84,101,106,108	0
3	GOL	A	1314	6/6	0.96	0.25	3.29	21,45,53,58	0
3	GOL	G	1318	6/6	0.65	0.24	2.79	55,60,65,69	0
2	SO4	E	1201	5/5	0.98	0.27	2.40	67,69,79,86	0
3	GOL	H	1302	6/6	0.94	0.17	2.14	43,46,51,58	0
3	GOL	F	1317	6/6	0.91	0.12	1.95	43,55,68,68	0
3	GOL	G	1315	6/6	0.92	0.14	1.92	60,61,63,75	0
3	GOL	B	1308	6/6	0.88	0.17	1.89	46,54,61,70	0
3	GOL	F	1319	6/6	0.86	0.19	1.77	48,58,65,66	0
3	GOL	F	1312	6/6	0.79	0.18	1.55	48,62,69,74	0
3	GOL	D	1306	6/6	0.94	0.15	1.31	41,48,53,53	0
2	SO4	C	1209	5/5	0.91	0.15	1.29	59,68,85,90	0
2	SO4	E	1202	5/5	0.95	0.15	1.26	55,65,86,93	0
2	SO4	H	1203	5/5	0.97	0.20	0.95	52,71,87,91	0
3	GOL	E	1305	6/6	0.96	0.14	0.65	32,41,44,51	0
3	GOL	A	1303	6/6	0.94	0.15	0.54	33,34,45,46	0
3	GOL	D	1310	6/6	0.89	0.14	0.41	53,70,78,85	0
3	GOL	E	1301	6/6	0.97	0.13	0.38	39,48,50,58	0
3	GOL	H	1311	6/6	0.92	0.13	0.27	44,51,57,60	0
2	SO4	B	1212	5/5	0.88	0.15	0.21	74,93,107,108	0
2	SO4	E	1208	5/5	0.88	0.13	-0.10	120,122,123,127	0
3	GOL	A	1304	6/6	0.97	0.11	-0.37	27,34,45,54	0
3	GOL	G	1307	6/6	0.97	0.10	-0.92	30,38,46,47	0
2	SO4	H	1211	5/5	0.91	0.16	-	103,105,110,111	0
3	GOL	G	1320	6/6	0.82	0.15	-	36,64,73,79	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.