



# Full wwPDB X-ray Structure Validation Report i

Feb 1, 2016 – 11:26 AM GMT

PDB ID : 3P0I  
Title : Leishmania major Tyrosyl-tRNA synthetase in complex with tyrosinol, cubic crystal form  
Authors : Merritt, E.A.; Larson, E.T.; Medical Structural Genomics of Pathogenic Protozoa (MSGPP)  
Deposited on : 2010-09-28  
Resolution : 3.13 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 3.13 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	91344	1095 (3.18-3.10)
Clashscore	102246	1202 (3.18-3.10)
Ramachandran outliers	100387	1162 (3.18-3.10)
Sidechain outliers	100360	1162 (3.18-3.10)
RSRZ outliers	91569	1097 (3.18-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	TYE	B	701	-	-	-	X

## 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 9311 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tyrosyl-tRNA synthetase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	673	Total	C	N	O	S	Se	0	0	0
			5143	3235	895	975	18	20			
1	B	536	Total	C	N	O	S	Se	0	1	0
			4144	2619	707	784	17	17			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MSE	-	EXPRESSION TAG	UNP Q4QFJ7
A	-6	ALA	-	EXPRESSION TAG	UNP Q4QFJ7
A	-5	HIS	-	EXPRESSION TAG	UNP Q4QFJ7
A	-4	HIS	-	EXPRESSION TAG	UNP Q4QFJ7
A	-3	HIS	-	EXPRESSION TAG	UNP Q4QFJ7
A	-2	HIS	-	EXPRESSION TAG	UNP Q4QFJ7
A	-1	HIS	-	EXPRESSION TAG	UNP Q4QFJ7
A	0	HIS	-	EXPRESSION TAG	UNP Q4QFJ7
B	-7	MSE	-	EXPRESSION TAG	UNP Q4QFJ7
B	-6	ALA	-	EXPRESSION TAG	UNP Q4QFJ7
B	-5	HIS	-	EXPRESSION TAG	UNP Q4QFJ7
B	-4	HIS	-	EXPRESSION TAG	UNP Q4QFJ7
B	-3	HIS	-	EXPRESSION TAG	UNP Q4QFJ7
B	-2	HIS	-	EXPRESSION TAG	UNP Q4QFJ7
B	-1	HIS	-	EXPRESSION TAG	UNP Q4QFJ7
B	0	HIS	-	EXPRESSION TAG	UNP Q4QFJ7

- Molecule 2 is 4-[(2S)-2-AMINO-3-HYDROXYPROPYL]PHENOL (three-letter code: TYE) (formula: C<sub>9</sub>H<sub>13</sub>NO<sub>2</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C N O 12 9 1 2	0	0
2	B	1	Total C N O 12 9 1 2	0	0


### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tyrosyl-tRNA synthetase



- Molecule 1: Tyrosyl-tRNA synthetase





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	241.40 Å    241.40 Å    241.40 Å 90.00°      90.00°      90.00°	Depositor
Resolution (Å)	85.35 – 3.13 85.35 – 3.13	Depositor EDS
% Data completeness (in resolution range)	99.8 (85.35-3.13) 99.8 (85.35-3.13)	Depositor EDS
$R_{merge}$	0.18	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.63 (at 3.13 Å)	Xtriage
Refinement program	REFMAC 5.5.0110	Depositor
$R$ , $R_{free}$	0.239 , 0.268 0.244 , 0.269	Depositor DCC
$R_{free}$ test set	2060 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	93.5	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 75.4	EDS
Estimated twinning fraction	0.036 for -l,-k,-h	Xtriage
L-test for twinning <sup>2</sup>	$<  L  > = 0.46$ , $< L^2 > = 0.29$	Xtriage
Outliers	0 of 41245 reflections	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	9311	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.84% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:  
TYE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	A	0.49	1/5211 (0.0%)	0.71	4/7031 (0.1%)
1	B	0.48	0/4206	0.69	3/5675 (0.1%)
All	All	0.49	1/9417 (0.0%)	0.70	7/12706 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	65	CYS	CB-SG	-5.23	1.73	1.81

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	354	ARG	NE-CZ-NH1	-22.30	109.15	120.30
1	B	354	ARG	NE-CZ-NH2	-18.15	111.23	120.30
1	A	354	ARG	NE-CZ-NH2	17.56	129.08	120.30
1	B	354	ARG	NE-CZ-NH1	13.51	127.05	120.30
1	A	354	ARG	CD-NE-CZ	10.68	138.56	123.60
1	B	354	ARG	CD-NE-CZ	9.95	137.53	123.60
1	A	354	ARG	CG-CD-NE	-6.45	98.25	111.80

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	354	ARG	Sidechain
1	B	354	ARG	Sidechain

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5143	0	5120	146	0
1	B	4144	0	4109	142	0
2	A	12	0	12	1	0
2	B	12	0	12	1	0
All	All	9311	0	9253	282	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (282) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:148:ILE:HD13	1:A:188:VAL:HG21	1.19	1.13
1:B:148:ILE:HD13	1:B:188:VAL:HG21	1.21	1.13
1:B:78:MSE:HE2	1:B:163[B]:TYR:CD2	1.90	1.05
1:B:78:MSE:HE2	1:B:163[B]:TYR:CE2	1.91	1.05
1:A:148:ILE:HG21	1:A:188:VAL:HG23	1.37	1.04
1:B:148:ILE:HG21	1:B:188:VAL:HG23	1.41	1.02
1:A:162:LEU:HD23	1:A:166:MSE:CE	1.95	0.97
1:B:105:MSE:CE	1:B:107:MSE:SE	2.62	0.97
1:B:45:MSE:HE1	1:B:99:VAL:HB	1.50	0.93
1:B:105:MSE:HE2	1:B:107:MSE:SE	2.18	0.93
1:A:660:LEU:HD22	1:A:668:MSE:HE2	1.51	0.93
1:B:148:ILE:HD13	1:B:188:VAL:CG2	1.99	0.92
1:A:148:ILE:HD13	1:A:188:VAL:CG2	2.01	0.91
1:A:105:MSE:CE	1:A:107:MSE:SE	2.69	0.90
1:B:45:MSE:HE1	1:B:99:VAL:CB	2.01	0.90

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:45:MSE:HE1	1:A:99:VAL:HB	1.58	0.85
1:A:105:MSE:HE2	1:A:107:MSE:CE	2.06	0.85
1:B:105:MSE:HE3	1:B:107:MSE:SE	2.26	0.84
1:A:105:MSE:HE3	1:A:107:MSE:SE	2.28	0.83
1:B:78:MSE:CE	1:B:163[B]:TYR:CD2	2.62	0.83
1:A:105:MSE:HE2	1:A:107:MSE:SE	2.29	0.82
1:B:162:LEU:HD23	1:B:166:MSE:CE	2.09	0.82
1:B:45:MSE:HE3	1:B:99:VAL:HG11	1.60	0.82
1:B:18:ILE:HG22	1:B:18:ILE:O	1.77	0.81
1:B:40:GLU:HB3	1:B:76:ALA:HB2	1.61	0.81
1:B:45:MSE:CE	1:B:99:VAL:HG11	2.12	0.80
1:A:162:LEU:HD23	1:A:166:MSE:HE1	1.64	0.79
1:B:148:ILE:CD1	1:B:188:VAL:HG21	2.10	0.79
1:B:78:MSE:CE	1:B:163[B]:TYR:HD2	1.96	0.77
1:A:18:ILE:O	1:A:18:ILE:HG22	1.82	0.77
1:B:378:MSE:SE	1:B:394:MSE:HE2	2.34	0.77
1:A:40:GLU:HB3	1:A:76:ALA:HB2	1.68	0.76
1:A:148:ILE:HG21	1:A:188:VAL:CG2	2.14	0.76
1:B:78:MSE:HB3	1:B:163[B]:TYR:CE2	2.22	0.75
1:A:105:MSE:HE2	1:A:107:MSE:HE1	1.67	0.75
1:A:45:MSE:HE1	1:A:99:VAL:CB	2.17	0.74
1:A:131:LEU:CD2	1:A:499:ILE:HG21	2.18	0.74
1:A:78:MSE:HE1	1:A:162:LEU:HB3	1.70	0.74
1:A:19:GLN:HA	1:A:19:GLN:NE2	2.01	0.73
1:B:162:LEU:HD23	1:B:166:MSE:HE1	1.68	0.73
1:B:417:TRP:O	1:B:420:VAL:HG22	1.88	0.73
1:A:378:MSE:SE	1:A:394:MSE:HE2	2.38	0.72
1:B:105:MSE:HE2	1:B:107:MSE:CE	2.18	0.72
1:B:78:MSE:HE2	1:B:163[B]:TYR:HE2	1.53	0.72
1:B:18:ILE:O	1:B:18:ILE:CG2	2.37	0.72
1:B:77:LEU:HD22	1:B:86:LEU:HD13	1.71	0.71
1:A:417:TRP:O	1:A:420:VAL:HG22	1.90	0.71
1:B:19:GLN:NE2	1:B:19:GLN:HA	2.04	0.71
1:B:80:ASP:CG	1:B:477:ARG:HH21	1.94	0.70
1:B:131:LEU:CD2	1:B:499:ILE:HG21	2.21	0.70
1:A:148:ILE:CD1	1:A:188:VAL:HG21	2.11	0.70
1:B:159:ALA:HB3	1:B:476:ALA:O	1.93	0.69
1:A:660:LEU:HD22	1:A:668:MSE:CE	2.22	0.69
1:B:223:MSE:HE2	1:B:224:SER:O	1.93	0.68
1:A:283:VAL:HG22	1:A:284:TYR:N	2.08	0.68
1:A:45:MSE:HE3	1:A:99:VAL:HG11	1.75	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:19:GLN:HA	1:A:19:GLN:HE21	1.58	0.67
1:B:148:ILE:HG21	1:B:188:VAL:CG2	2.21	0.66
1:B:283:VAL:HG22	1:B:284:TYR:N	2.11	0.66
1:A:440:CYS:SG	1:A:454:ILE:HD13	2.36	0.65
1:A:579:ILE:HD11	1:A:649:LEU:HD12	1.78	0.65
1:A:18:ILE:CG2	1:A:18:ILE:O	2.44	0.65
1:A:223:MSE:HE2	1:A:224:SER:O	1.96	0.65
1:A:388:LEU:HD11	1:A:446:TYR:CE1	2.32	0.65
1:B:19:GLN:HE21	1:B:19:GLN:HA	1.62	0.64
1:B:163[A]:TYR:OH	2:B:701:TYE:N	2.30	0.64
1:A:70:TRP:CZ3	1:A:174:LEU:HD21	2.33	0.64
1:B:78:MSE:HE3	1:B:473:ILE:HG12	1.80	0.64
1:B:78:MSE:HE2	1:B:163[B]:TYR:HD2	1.49	0.63
1:B:158:ALA:HB1	1:B:477:ARG:O	1.99	0.63
1:B:149:MSE:HE3	1:B:160:GLN:NE2	2.14	0.63
1:A:162:LEU:HD11	1:A:499:ILE:HG12	1.80	0.63
1:B:45:MSE:HE1	1:B:99:VAL:CG1	2.28	0.63
1:A:359:THR:N	1:A:360:LEU:HA	2.13	0.63
1:B:70:TRP:CZ3	1:B:174:LEU:HD21	2.34	0.63
1:A:542:THR:HG21	1:A:544:GLU:OE2	1.99	0.63
1:B:160:GLN:HB2	1:B:163[B]:TYR:CE1	2.35	0.62
1:B:105:MSE:HE2	1:B:107:MSE:HE1	1.80	0.62
1:A:163:TYR:OH	2:A:701:TYE:N	2.32	0.62
1:B:46:HIS:CE1	1:B:48:ALA:HB3	2.36	0.61
1:B:159:ALA:HB3	1:B:476:ALA:CA	2.30	0.61
1:B:159:ALA:HB3	1:B:476:ALA:C	2.21	0.61
1:A:348:GLU:HA	1:A:351:LYS:HG3	1.83	0.61
1:A:45:MSE:CE	1:A:99:VAL:HG11	2.31	0.60
1:B:348:GLU:HA	1:B:351:LYS:HG3	1.83	0.60
1:B:159:ALA:HB3	1:B:476:ALA:HB1	1.84	0.59
1:B:44:ARG:HE	1:B:354:ARG:HE	1.51	0.59
1:A:417:TRP:HB3	1:A:503:MSE:HE1	1.84	0.58
1:B:40:GLU:HB3	1:B:76:ALA:CB	2.31	0.58
1:B:351:LYS:HG2	1:B:354:ARG:NH1	2.19	0.57
1:B:45:MSE:CE	1:B:99:VAL:CG1	2.81	0.57
1:A:261:THR:HG21	1:A:265:ALA:O	2.04	0.57
1:A:41:PRO:HB3	1:A:92:VAL:HG12	1.86	0.57
1:A:78:MSE:SE	1:A:166:MSE:SE	3.22	0.57
1:A:223:MSE:HE2	1:A:224:SER:C	2.25	0.57
1:B:7:TYR:HA	1:B:27:ILE:HD12	1.87	0.57
1:B:440:CYS:SG	1:B:454:ILE:HD13	2.45	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:221:ALA:HB1	1:A:266:PRO:HB2	1.87	0.57
1:A:77:LEU:HD22	1:A:86:LEU:HD13	1.87	0.57
1:A:565:VAL:HG13	1:A:567:TYR:CZ	2.40	0.57
1:A:587:ASN:ND2	1:A:632:GLY:O	2.33	0.56
1:B:138:THR:HG23	1:B:141:ARG:H	1.70	0.56
1:B:542:THR:HG21	1:B:544:GLU:OE2	2.05	0.56
1:B:417:TRP:HB3	1:B:503:MSE:HE1	1.87	0.56
1:A:40:GLU:HB3	1:A:76:ALA:CB	2.34	0.55
1:B:282:VAL:CG1	1:B:329:LEU:CD1	2.84	0.55
1:B:158:ALA:O	1:B:159:ALA:C	2.44	0.55
1:A:571:ASN:HD22	1:A:571:ASN:C	2.09	0.55
1:A:162:LEU:HD23	1:A:166:MSE:HE3	1.87	0.55
1:B:221:ALA:HB1	1:B:266:PRO:HB2	1.88	0.55
1:B:78:MSE:HE1	1:B:162:LEU:HB3	1.89	0.55
1:B:159:ALA:CB	1:B:476:ALA:HB1	2.37	0.54
1:A:135:ARG:HD3	1:A:420:VAL:O	2.07	0.54
1:B:148:ILE:HB	1:B:185:GLN:OE1	2.08	0.54
1:B:282:VAL:HG13	1:B:329:LEU:CD1	2.37	0.54
1:B:163[A]:TYR:HB3	1:B:164:PRO:HD3	1.89	0.54
1:A:138:THR:HG23	1:A:141:ARG:H	1.72	0.54
1:A:111:LEU:HD23	1:B:109:LYS:HG2	1.91	0.53
1:A:46:HIS:CE1	1:A:48:ALA:HB3	2.43	0.53
1:B:160:GLN:HG3	1:B:163[B]:TYR:CD1	2.44	0.53
1:B:223:MSE:HE2	1:B:224:SER:C	2.28	0.53
1:B:223:MSE:HE2	1:B:225:LYS:HA	1.91	0.53
1:A:109:LYS:HG2	1:B:111:LEU:HD23	1.91	0.53
1:A:19:GLN:NE2	1:A:19:GLN:CA	2.72	0.53
1:A:417:TRP:O	1:A:420:VAL:CG2	2.55	0.52
1:B:351:LYS:HA	1:B:354:ARG:HG3	1.89	0.52
1:A:351:LYS:HG2	1:A:354:ARG:NH1	2.24	0.52
1:A:117:GLU:HG2	1:B:0:HIS:CD2	2.44	0.52
1:A:631:CYS:SG	1:A:636:LEU:HD23	2.50	0.52
1:A:380:MSE:HE2	1:A:439:ASN:HB3	1.90	0.52
1:A:158:ALA:O	1:A:159:ALA:C	2.48	0.52
1:A:599:HIS:NE2	1:A:603:GLN:OE1	2.43	0.52
1:A:282:VAL:HG13	1:A:329:LEU:CD1	2.40	0.52
1:B:420:VAL:HG12	1:B:432:ILE:HD12	1.92	0.51
1:A:442:LEU:HD13	1:A:568:LEU:O	2.10	0.51
1:A:123:ALA:HB1	1:A:465:CYS:SG	2.51	0.51
1:B:149:MSE:HE3	1:B:160:GLN:HE21	1.75	0.51
1:A:282:VAL:CG1	1:A:329:LEU:CD1	2.89	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:398:THR:HG23	1:A:410:VAL:HG11	1.93	0.51
1:A:7:TYR:HA	1:A:27:ILE:HD12	1.92	0.51
1:B:40:GLU:CB	1:B:76:ALA:HB2	2.37	0.51
1:A:646:LEU:C	1:A:646:LEU:HD23	2.31	0.51
1:B:160:GLN:CB	1:B:163[B]:TYR:CE1	2.94	0.50
1:B:105:MSE:HE1	1:B:112:PHE:HZ	1.76	0.50
1:A:149:MSE:HE3	1:A:160:GLN:NE2	2.26	0.50
1:A:351:LYS:HA	1:A:354:ARG:HG3	1.92	0.50
1:A:387:PRO:HB2	1:A:390:VAL:HG23	1.93	0.50
1:B:351:LYS:HG2	1:B:354:ARG:HH12	1.76	0.50
1:B:78:MSE:HB3	1:B:163[B]:TYR:CZ	2.46	0.50
1:A:131:LEU:HD21	1:A:499:ILE:HG21	1.93	0.50
1:A:398:THR:HG21	1:A:452:VAL:CG2	2.42	0.50
1:B:78:MSE:HE1	1:B:166:MSE:CE	2.42	0.50
1:A:105:MSE:HE1	1:A:112:PHE:HZ	1.77	0.50
1:B:78:MSE:SE	1:B:163[B]:TYR:CD2	3.15	0.50
1:A:195:TYR:CE2	1:A:199:ILE:HG21	2.47	0.50
1:B:387:PRO:HB2	1:B:390:VAL:HG23	1.94	0.49
1:A:283:VAL:CG2	1:A:284:TYR:N	2.75	0.49
1:B:70:TRP:CE3	1:B:174:LEU:HD21	2.48	0.49
1:B:41:PRO:HB3	1:B:92:VAL:HG12	1.94	0.49
1:A:464:ASN:ND2	1:A:510:MSE:HE2	2.27	0.49
1:A:128:ARG:NH2	1:A:417:TRP:CD1	2.80	0.49
1:B:215:GLY:HA3	1:B:220:GLN:HG3	1.94	0.49
1:B:39:PHE:CZ	1:B:71:VAL:HG22	2.48	0.49
1:B:283:VAL:CG2	1:B:284:TYR:N	2.76	0.49
1:B:260:ILE:CG2	1:B:260:ILE:O	2.60	0.48
1:A:128:ARG:NH2	1:A:417:TRP:NE1	2.61	0.48
1:B:398:THR:HG21	1:B:452:VAL:CG2	2.42	0.48
1:B:214:ALA:HA	1:B:221:ALA:O	2.13	0.48
1:B:261:THR:HG21	1:B:265:ALA:O	2.13	0.48
1:B:160:GLN:HG3	1:B:163[B]:TYR:CE1	2.49	0.48
1:A:40:GLU:CB	1:A:76:ALA:HB2	2.42	0.48
1:B:159:ALA:HB3	1:B:476:ALA:CB	2.43	0.48
1:A:420:VAL:HG12	1:A:432:ILE:HD12	1.96	0.48
1:A:171:ILE:HD12	1:A:192:ALA:HB2	1.95	0.48
1:A:659:LEU:HB3	1:A:664:LEU:HD12	1.95	0.47
1:B:393:GLY:O	1:B:397:VAL:HG23	2.15	0.47
1:A:279:PHE:O	1:A:283:VAL:HG13	2.14	0.47
1:A:149:MSE:HE1	1:A:160:GLN:HG2	1.96	0.47
1:A:575:ILE:HD12	1:A:650:LEU:HD23	1.97	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:117:GLU:HG3	1:B:0:HIS:NE2	2.30	0.47
1:A:123:ALA:CB	1:A:465:CYS:SG	3.03	0.47
1:B:417:TRP:O	1:B:420:VAL:CG2	2.61	0.47
1:B:398:THR:HG23	1:B:410:VAL:HG11	1.97	0.46
1:B:223:MSE:O	1:B:223:MSE:SE	2.83	0.46
1:A:393:GLY:O	1:A:397:VAL:HG23	2.15	0.46
1:A:215:GLY:HA3	1:A:220:GLN:HG3	1.96	0.46
1:B:380:MSE:HE2	1:B:439:ASN:HB3	1.97	0.46
1:B:18:ILE:HB	1:B:207:ILE:HB	1.96	0.46
1:A:592:PRO:O	1:A:596:VAL:HG23	2.16	0.46
1:A:39:PHE:CZ	1:A:71:VAL:HG22	2.51	0.46
1:B:181:LEU:N	1:B:181:LEU:HD12	2.31	0.46
1:A:214:ALA:HA	1:A:221:ALA:O	2.16	0.46
1:A:195:TYR:CZ	1:A:199:ILE:CG2	2.99	0.46
1:A:575:ILE:CD1	1:A:650:LEU:HD23	2.46	0.46
1:B:171:ILE:HD12	1:B:192:ALA:HB2	1.97	0.46
1:A:260:ILE:O	1:A:260:ILE:CG2	2.63	0.46
1:A:660:LEU:HD13	1:A:668:MSE:HE3	1.98	0.45
1:A:70:TRP:CE3	1:A:174:LEU:HD21	2.50	0.45
1:B:105:MSE:HE1	1:B:112:PHE:CZ	2.52	0.45
1:A:45:MSE:HE1	1:A:99:VAL:CG1	2.46	0.45
1:A:605:GLY:O	1:A:606:ALA:HB2	2.16	0.45
1:B:113:LEU:HD12	1:B:174:LEU:HD22	1.99	0.45
1:B:13:VAL:HG13	1:B:56:ASN:CG	2.37	0.45
1:B:45:MSE:HE1	1:B:99:VAL:CG2	2.45	0.45
1:B:279:PHE:O	1:B:283:VAL:HG13	2.16	0.45
1:A:72:ALA:HB1	1:A:75:PHE:HB2	1.99	0.45
1:A:630:ASP:HA	1:A:634:GLY:HA3	1.99	0.44
1:B:282:VAL:HG13	1:B:329:LEU:HD13	1.99	0.44
1:A:282:VAL:HG13	1:A:329:LEU:HD13	1.98	0.44
1:A:142:ILE:HD13	1:A:495:ALA:HB2	1.99	0.44
1:A:195:TYR:CZ	1:A:199:ILE:HG21	2.53	0.44
1:A:223:MSE:HE2	1:A:225:LYS:HA	1.99	0.44
1:B:350:VAL:O	1:B:354:ARG:HG2	2.17	0.44
1:A:181:LEU:HD12	1:A:181:LEU:N	2.32	0.44
1:B:434:ALA:O	1:B:438:VAL:HG23	2.18	0.44
1:A:149:MSE:HE3	1:A:160:GLN:HE21	1.83	0.44
1:B:533:THR:HG21	1:B:537:ILE:CD1	2.48	0.44
1:B:220:GLN:HE21	1:B:220:GLN:HB3	1.68	0.43
1:B:183:LEU:HD13	1:B:209:SER:HB2	1.99	0.43
1:A:365:THR:HG23	1:A:477:ARG:NH1	2.32	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:563:ASP:O	1:A:565:VAL:HG12	2.18	0.43
1:A:131:LEU:HD22	1:A:499:ILE:HG21	2.00	0.43
1:B:135:ARG:HD3	1:B:420:VAL:O	2.18	0.43
1:A:487:LEU:HD13	1:A:528:PHE:HB2	2.01	0.43
1:B:422:SER:HB2	1:B:424:GLU:HG2	1.99	0.43
1:A:418:SER:OG	1:A:457:GLU:OE1	2.36	0.43
1:B:148:ILE:HD12	1:B:167:GLN:OE1	2.18	0.43
1:B:131:LEU:HD22	1:B:499:ILE:HG21	1.98	0.43
1:B:149:MSE:HE2	1:B:149:MSE:HB2	1.92	0.43
1:B:466:ASP:O	1:B:470:VAL:HG23	2.19	0.43
1:B:351:LYS:HA	1:B:354:ARG:CG	2.48	0.42
1:A:163:TYR:HB3	1:A:164:PRO:HD3	2.00	0.42
1:A:571:ASN:OD1	1:A:573:MSE:HE2	2.20	0.42
1:B:131:LEU:HD21	1:B:499:ILE:HG21	2.00	0.42
1:B:468:PHE:O	1:B:472:VAL:HG23	2.18	0.42
1:A:18:ILE:HB	1:A:207:ILE:HB	2.00	0.42
1:A:422:SER:HB2	1:A:424:GLU:HG2	2.00	0.42
1:A:162:LEU:CD1	1:A:499:ILE:HG12	2.50	0.42
1:B:86:LEU:O	1:B:87:GLU:C	2.58	0.42
1:B:134:GLY:O	1:B:495:ALA:HB3	2.19	0.42
1:A:485:GLU:OE2	1:A:492:VAL:HG22	2.19	0.42
1:A:667:ASN:O	1:A:670:VAL:HG12	2.20	0.42
1:A:158:ALA:C	1:A:160:GLN:N	2.72	0.42
1:A:148:ILE:HB	1:A:185:GLN:OE1	2.19	0.41
1:B:394:MSE:HE3	1:B:519:THR:CG2	2.50	0.41
1:B:19:GLN:NE2	1:B:19:GLN:CA	2.74	0.41
1:A:119:ILE:HG23	1:A:126:TYR:CD2	2.55	0.41
1:B:418:SER:OG	1:B:457:GLU:OE1	2.36	0.41
1:B:149:MSE:HE1	1:B:160:GLN:HG2	2.02	0.41
1:A:571:ASN:C	1:A:571:ASN:ND2	2.72	0.41
1:A:45:MSE:CE	1:A:99:VAL:CG1	2.97	0.41
1:A:533:THR:HG21	1:A:537:ILE:CD1	2.51	0.41
1:B:158:ALA:C	1:B:160:GLN:N	2.74	0.41
1:A:105:MSE:HE1	1:A:112:PHE:CZ	2.56	0.41
1:B:223:MSE:HE3	1:B:233:PHE:HZ	1.86	0.41
1:B:409:THR:HG22	1:B:410:VAL:N	2.35	0.41
1:B:195:TYR:CZ	1:B:199:ILE:CG2	3.03	0.41
1:B:282:VAL:CG1	1:B:329:LEU:HD11	2.50	0.41
1:A:380:MSE:CE	1:A:439:ASN:HB3	2.50	0.41
1:A:158:ALA:O	1:A:160:GLN:N	2.53	0.41
1:B:261:THR:HG23	1:B:264:GLY:CA	2.51	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:468:PHE:O	1:A:472:VAL:HG23	2.20	0.41
1:A:505:VAL:HG21	1:A:528:PHE:CD1	2.56	0.41
1:A:117:GLU:CG	1:B:0:HIS:NE2	2.84	0.40
1:A:487:LEU:CD1	1:A:528:PHE:HB2	2.51	0.40
1:A:669:THR:CG2	1:A:670:VAL:N	2.83	0.40
1:A:153:GLU:O	1:A:153:GLU:HG2	2.21	0.40
1:B:153:GLU:O	1:B:153:GLU:HG2	2.21	0.40
1:B:119:ILE:HG23	1:B:126:TYR:CD2	2.56	0.40
1:B:158:ALA:O	1:B:160:GLN:N	2.54	0.40
1:A:173:PHE:CZ	1:B:31:PRO:HG3	2.57	0.40
1:A:466:ASP:O	1:A:470:VAL:HG23	2.21	0.40
1:A:473:ILE:O	1:A:476:ALA:HB3	2.21	0.40
1:A:579:ILE:HG22	1:A:642:LYS:HE2	2.03	0.40
1:A:7:TYR:HA	1:A:27:ILE:CD1	2.50	0.40
1:A:448:LEU:HD12	1:A:449:PRO:HD2	2.03	0.40
1:B:487:LEU:HD13	1:B:528:PHE:HB2	2.03	0.40
1:B:279:PHE:HA	1:B:283:VAL:HG13	2.04	0.40
1:A:113:LEU:HD12	1:A:174:LEU:HD22	2.03	0.40
1:A:609:ILE:HD11	1:A:619:VAL:HG12	2.04	0.40
1:A:30:LYS:HA	1:A:31:PRO:HD3	1.99	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	669/690 (97%)	609 (91%)	52 (8%)	8 (1%)	16 53
1	B	533/690 (77%)	500 (94%)	28 (5%)	5 (1%)	21 62
All	All	1202/1380 (87%)	1109 (92%)	80 (7%)	13 (1%)	17 56

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	368	PRO
1	A	564	ASP
1	B	368	PRO
1	A	159	ALA
1	A	606	ALA
1	B	159	ALA
1	A	425	ILE
1	B	425	ILE
1	A	153	GLU
1	A	355	LYS
1	B	153	GLU
1	A	31	PRO
1	B	31	PRO

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	542/546 (99%)	500 (92%)	42 (8%)	16 50
1	B	442/546 (81%)	406 (92%)	36 (8%)	15 47
All	All	984/1092 (90%)	906 (92%)	78 (8%)	15 48

All (78) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	12	SER
1	A	18	ILE
1	A	36	TYR
1	A	53	LYS
1	A	66	GLU
1	A	73	ASP
1	A	80	ASP
1	A	86	LEU
1	A	90	ARG
1	A	94	ARG
1	A	149	MSE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	155	THR
1	A	162	LEU
1	A	163	TYR
1	A	180	GLN
1	A	181	LEU
1	A	220	GLN
1	A	223	MSE
1	A	258	SER
1	A	260	ILE
1	A	262	ASP
1	A	267	VAL
1	A	269	THR
1	A	272	ARG
1	A	276	LEU
1	A	283	VAL
1	A	300	THR
1	A	324	ASP
1	A	365	THR
1	A	377	CYS
1	A	394	MSE
1	A	407	GLU
1	A	418	SER
1	A	510	MSE
1	A	512	SER
1	A	534	LYS
1	A	552	ARG
1	A	568	LEU
1	A	571	ASN
1	A	669	THR
1	A	670	VAL
1	A	680	LYS
1	B	-1	HIS
1	B	12	SER
1	B	18	ILE
1	B	36	TYR
1	B	53	LYS
1	B	66	GLU
1	B	73	ASP
1	B	80	ASP
1	B	86	LEU
1	B	90	ARG
1	B	94	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	149	MSE
1	B	155	THR
1	B	162	LEU
1	B	180	GLN
1	B	181	LEU
1	B	220	GLN
1	B	223	MSE
1	B	260	ILE
1	B	262	ASP
1	B	267	VAL
1	B	269	THR
1	B	272	ARG
1	B	276	LEU
1	B	283	VAL
1	B	300	THR
1	B	324	ASP
1	B	346	LEU
1	B	354	ARG
1	B	377	CYS
1	B	394	MSE
1	B	407	GLU
1	B	418	SER
1	B	450	SER
1	B	512	SER
1	B	534	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	19	GLN
1	A	46	HIS
1	A	464	ASN
1	A	673	ASN
1	B	19	GLN
1	B	46	HIS

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [\(i\)](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	TYE	A	701	-	12,12,12	0.53	0	12,15,15	1.19	1 (8%)
2	TYE	B	701	-	12,12,12	0.73	0	12,15,15	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	TYE	A	701	-	-	0/6/6/6	0/1/1/1
2	TYE	B	701	-	-	0/6/6/6	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	A	701	TYE	CG-CB-CA	-3.29	107.41	113.31

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	701	TYE	1	0
2	B	701	TYE	1	0

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	653/690 (94%)	0.26	5 (0%) 87 76	60, 60, 60, 60	0
1	B	519/690 (75%)	0.55	35 (6%) 21 7	60, 60, 60, 60	0
All	All	1172/1380 (84%)	0.39	40 (3%) 49 25	60, 60, 60, 60	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	356	ASP	6.1
1	A	359	THR	5.6
1	B	489	GLY	5.0
1	B	384	LEU	4.7
1	A	360	LEU	4.0
1	B	147	THR	3.9
1	B	436	LEU	3.8
1	B	488	TYR	3.4
1	B	383	LEU	3.4
1	B	382	ALA	3.2
1	B	150	GLY	3.1
1	B	442	LEU	3.1
1	B	152	THR	3.0
1	B	391	ALA	2.8
1	B	202	LYS	2.8
1	B	439	ASN	2.8
1	B	492	VAL	2.7
1	B	487	LEU	2.7
1	B	526	ASN	2.6
1	B	151	LYS	2.5
1	B	158	ALA	2.5
1	B	482	SER	2.4
1	B	543	LEU	2.4
1	B	159	ALA	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	293	ILE	2.3
1	A	71	VAL	2.3
1	B	398	THR	2.2
1	B	446	TYR	2.2
1	B	75	PHE	2.2
1	B	508	ALA	2.2
1	B	540	VAL	2.2
1	B	425	ILE	2.1
1	A	355	LYS	2.1
1	B	44	ARG	2.1
1	B	490	GLY	2.1
1	B	544	GLU	2.0
1	B	208	LEU	2.0
1	B	163[A]	TYR	2.0
1	B	502	LEU	2.0
1	B	317	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	TYE	B	701	12/12	0.94	0.49	2.01	60,60,60,60	0
2	TYE	A	701	12/12	0.92	0.40	1.70	60,60,60,60	0

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.