



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:32 AM GMT

PDB ID : 3P86  
Title : Crystal structure of CTR1 kinase domain mutant D676N in complex with staurosporine  
Authors : Mayerhofer, H.; Panneerselvam, S.; Mueller-Dieckmann, J  
Deposited on : 2010-10-13  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	<div> <div>5%</div> <div>66%</div> <div>15%</div> <div>19%</div> </div>
1	B	309	<div> <div>6%</div> <div>59%</div> <div>17%</div> <div>•</div> <div>23%</div> </div>

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4034 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase CTR1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			2017	1289	362	354	12			
1	B	239	Total	C	N	O	S	0	0	0
			1921	1231	344	335	11			

There are 56 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	513	MET	-	EXPRESSION TAG	UNP Q05609
A	514	LYS	-	EXPRESSION TAG	UNP Q05609
A	515	HIS	-	EXPRESSION TAG	UNP Q05609
A	516	HIS	-	EXPRESSION TAG	UNP Q05609
A	517	HIS	-	EXPRESSION TAG	UNP Q05609
A	518	HIS	-	EXPRESSION TAG	UNP Q05609
A	519	HIS	-	EXPRESSION TAG	UNP Q05609
A	520	HIS	-	EXPRESSION TAG	UNP Q05609
A	521	PRO	-	EXPRESSION TAG	UNP Q05609
A	522	MET	-	EXPRESSION TAG	UNP Q05609
A	523	SER	-	EXPRESSION TAG	UNP Q05609
A	524	ASP	-	EXPRESSION TAG	UNP Q05609
A	525	TYR	-	EXPRESSION TAG	UNP Q05609
A	526	ASP	-	EXPRESSION TAG	UNP Q05609
A	527	ILE	-	EXPRESSION TAG	UNP Q05609
A	528	PRO	-	EXPRESSION TAG	UNP Q05609
A	529	THR	-	EXPRESSION TAG	UNP Q05609
A	530	THR	-	EXPRESSION TAG	UNP Q05609
A	531	GLU	-	EXPRESSION TAG	UNP Q05609
A	532	ASN	-	EXPRESSION TAG	UNP Q05609
A	533	LEU	-	EXPRESSION TAG	UNP Q05609
A	534	TYR	-	EXPRESSION TAG	UNP Q05609
A	535	PHE	-	EXPRESSION TAG	UNP Q05609
A	536	GLN	-	EXPRESSION TAG	UNP Q05609
A	537	GLY	-	EXPRESSION TAG	UNP Q05609

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	538	ALA	-	EXPRESSION TAG	UNP Q05609
A	539	MET	-	EXPRESSION TAG	UNP Q05609
A	676	ASN	ASP	ENGINEERED MUTATION	UNP Q05609
B	513	MET	-	EXPRESSION TAG	UNP Q05609
B	514	LYS	-	EXPRESSION TAG	UNP Q05609
B	515	HIS	-	EXPRESSION TAG	UNP Q05609
B	516	HIS	-	EXPRESSION TAG	UNP Q05609
B	517	HIS	-	EXPRESSION TAG	UNP Q05609
B	518	HIS	-	EXPRESSION TAG	UNP Q05609
B	519	HIS	-	EXPRESSION TAG	UNP Q05609
B	520	HIS	-	EXPRESSION TAG	UNP Q05609
B	521	PRO	-	EXPRESSION TAG	UNP Q05609
B	522	MET	-	EXPRESSION TAG	UNP Q05609
B	523	SER	-	EXPRESSION TAG	UNP Q05609
B	524	ASP	-	EXPRESSION TAG	UNP Q05609
B	525	TYR	-	EXPRESSION TAG	UNP Q05609
B	526	ASP	-	EXPRESSION TAG	UNP Q05609
B	527	ILE	-	EXPRESSION TAG	UNP Q05609
B	528	PRO	-	EXPRESSION TAG	UNP Q05609
B	529	THR	-	EXPRESSION TAG	UNP Q05609
B	530	THR	-	EXPRESSION TAG	UNP Q05609
B	531	GLU	-	EXPRESSION TAG	UNP Q05609
B	532	ASN	-	EXPRESSION TAG	UNP Q05609
B	533	LEU	-	EXPRESSION TAG	UNP Q05609
B	534	TYR	-	EXPRESSION TAG	UNP Q05609
B	535	PHE	-	EXPRESSION TAG	UNP Q05609
B	536	GLN	-	EXPRESSION TAG	UNP Q05609
B	537	GLY	-	EXPRESSION TAG	UNP Q05609
B	538	ALA	-	EXPRESSION TAG	UNP Q05609
B	539	MET	-	EXPRESSION TAG	UNP Q05609
B	676	ASN	ASP	ENGINEERED MUTATION	UNP Q05609

- Molecule 2 is STAUROSPORINE (three-letter code: STU) (formula:  $C_{28}H_{26}N_4O_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			35	28	4	3		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	32	Total	O	0	0
			32	32		
3	B	29	Total	O	0	0
			29	29		



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	122.33Å 122.33Å 95.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.64 – 2.50 41.64 – 2.50	Depositor EDS
% Data completeness (in resolution range)	96.0 (41.64-2.50) 99.7 (41.64-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.04 (at 2.48Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.1_357)	Depositor
R, $R_{free}$	0.195 , 0.232 0.200 , 0.234	Depositor DCC
$R_{free}$ test set	1302 reflections (5.37%)	DCC
Wilson B-factor (Å <sup>2</sup> )	49.8	Xtriage
Anisotropy	0.227	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 42.8	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 25609 reflections	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4034	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: STU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.52	0/2067	0.48	0/2803
1	B	0.43	1/1968 (0.1%)	0.48	0/2669
All	All	0.48	1/4035 (0.0%)	0.48	0/5472

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	693	CYS	CB-SG	-5.38	1.73	1.81

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2017	0	2035	38	0
1	B	1921	0	1950	65	0
2	A	35	0	26	3	0
3	A	32	0	0	0	0
3	B	29	0	0	0	0
All	All	4034	0	4011	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including



hydrogen atoms). The all-atom clashscore for this structure is 12.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:609:VAL:HG21	1:B:693:CYS:SG	1.86	1.15
1:B:621:LEU:HD12	1:B:621:LEU:N	1.78	0.97
1:B:560:GLY:HA3	1:B:563:GLY:O	1.65	0.96
1:B:609:VAL:CG2	1:B:693:CYS:SG	2.55	0.95
1:B:621:LEU:CD1	1:B:621:LEU:N	2.30	0.92
1:A:662:MET:HE3	1:A:677:LEU:HD13	1.54	0.89
1:A:695:PHE:O	1:A:695:PHE:CD1	2.26	0.88
2:A:0:STU:H16	2:A:0:STU:H261	1.58	0.85
1:A:662:MET:CE	1:A:677:LEU:HD13	2.12	0.80
1:B:562:PHE:CB	1:B:580:LEU:HD22	2.12	0.80
1:B:675:ARG:HE	1:B:728:SER:HB3	1.49	0.78
1:B:621:LEU:CD1	1:B:621:LEU:H	1.97	0.76
1:B:621:LEU:HD13	1:B:621:LEU:H	1.55	0.70
1:A:582:GLU:OE1	1:A:589:ARG:HD2	1.92	0.69
1:B:620:ASN:N	1:B:620:ASN:ND2	2.41	0.68
1:B:562:PHE:HB2	1:B:580:LEU:HD22	1.74	0.68
1:B:563:GLY:HA3	1:B:579:ILE:O	1.93	0.67
1:A:714:THR:HB	1:A:716:GLU:OE2	1.94	0.67
1:A:544:MET:CE	1:B:602:ARG:HB3	2.24	0.66
1:B:605:HIS:HE1	1:B:607:ASN:HD22	1.42	0.66
1:B:620:ASN:H	1:B:620:ASN:ND2	1.94	0.66
1:B:675:ARG:HE	1:B:728:SER:CB	2.09	0.66
1:B:674:HIS:O	1:B:675:ARG:HB2	1.96	0.65
1:A:611:PHE:O	1:B:604:ARG:HD3	1.98	0.64
1:B:578:LYS:HE2	1:B:623:ILE:HB	1.80	0.63
1:B:718:MET:CE	1:B:722:VAL:HG12	2.28	0.63
1:A:674:HIS:O	1:A:733:ASP:HB3	2.00	0.62
2:A:0:STU:H261	2:A:0:STU:C16	2.30	0.61
1:B:562:PHE:HB2	1:B:580:LEU:CD2	2.31	0.61
1:A:695:PHE:CG	1:A:695:PHE:O	2.54	0.60
1:A:729:ASN:ND2	1:A:731:LYS:H	1.99	0.60
1:A:601:LYS:O	1:B:604:ARG:NH1	2.34	0.60
1:B:618:PRO:HA	1:B:621:LEU:HD11	1.83	0.59
1:B:620:ASN:H	1:B:620:ASN:HD22	1.51	0.59
1:B:605:HIS:HB3	1:B:608:ILE:HG12	1.85	0.59
1:A:554:LYS:HB3	1:A:555:GLU:OE1	2.02	0.59
1:B:718:MET:HE3	1:B:722:VAL:HG12	1.86	0.58
1:B:669:ASN:HA	1:B:670:PRO:C	2.23	0.58

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:596:GLU:O	1:B:600:MET:HG3	2.03	0.58
1:B:562:PHE:C	1:B:580:LEU:HD22	2.23	0.58
1:A:555:GLU:N	1:A:555:GLU:OE1	2.30	0.57
1:A:668:ARG:N	1:A:668:ARG:HD2	2.19	0.57
1:A:589:ARG:NH2	1:A:621:LEU:HD12	2.20	0.56
1:A:544:MET:HE1	1:B:602:ARG:HB3	1.88	0.56
1:B:563:GLY:HA3	1:B:580:LEU:HD23	1.88	0.55
1:B:544:MET:SD	1:B:601:LYS:HD3	2.47	0.55
1:A:656:TYR:HB2	1:A:809:ILE:HD11	1.88	0.54
1:A:798:PHE:O	1:A:802:MET:HG3	2.06	0.54
1:A:544:MET:HE2	1:B:602:ARG:HB3	1.89	0.54
1:A:772:ILE:HD11	1:A:788:TRP:CZ3	2.43	0.54
1:B:562:PHE:C	1:B:580:LEU:CD2	2.78	0.52
1:B:665:LEU:O	1:B:668:ARG:HB2	2.11	0.51
1:A:639:LYS:HD3	1:A:645:GLN:HE22	1.75	0.51
1:A:726:GLU:HB3	1:A:727:PRO:CD	2.41	0.51
1:A:628:LEU:HD22	1:A:683:LEU:CB	2.41	0.50
1:B:544:MET:HG3	1:B:544:MET:O	2.11	0.50
1:B:755:ASN:HB2	1:B:756:PRO:HD2	1.93	0.50
1:B:729:ASN:OD1	1:B:730:GLU:N	2.44	0.49
1:A:628:LEU:HD22	1:A:683:LEU:HB3	1.94	0.49
1:B:634:TYR:CE1	1:B:638:HIS:CE1	3.01	0.48
1:B:810:LYS:HE2	1:B:810:LYS:HA	1.95	0.48
1:A:605:HIS:CG	1:A:606:PRO:HD2	2.49	0.48
1:A:726:GLU:HB3	1:A:727:PRO:HD2	1.96	0.48
1:B:562:PHE:HB3	1:B:580:LEU:HD22	1.93	0.47
1:A:544:MET:CE	1:B:602:ARG:HG2	2.44	0.47
1:A:715:PRO:HB2	1:A:723:LEU:HD21	1.96	0.47
1:A:554:LYS:HG2	1:A:568:ALA:HA	1.97	0.47
1:B:674:HIS:CE1	1:B:694:ASP:O	2.68	0.46
1:B:563:GLY:N	1:B:580:LEU:HD23	2.31	0.46
1:B:605:HIS:CG	1:B:606:PRO:HD2	2.49	0.46
1:A:679:SER:OG	1:A:680:PRO:HD3	2.16	0.46
1:B:554:LYS:HB2	1:B:567:ARG:O	2.15	0.46
1:B:651:ARG:HD2	1:B:744:LEU:O	2.15	0.46
1:B:718:MET:HE2	1:B:718:MET:HB3	1.82	0.45
1:A:793:TRP:CH2	1:A:794:LYS:HE3	2.51	0.45
1:B:563:GLY:N	1:B:580:LEU:CD2	2.79	0.45
1:A:802:MET:HE2	1:A:802:MET:HB2	1.84	0.45
1:A:806:ARG:O	1:A:810:LYS:HG3	2.18	0.44
1:B:563:GLY:CA	1:B:580:LEU:HD23	2.45	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:565:VAL:HG22	1:B:578:LYS:HG2	1.99	0.44
1:B:649:ARG:HG3	1:B:809:ILE:HG23	1.99	0.44
1:B:668:ARG:HD2	1:B:668:ARG:HA	1.25	0.43
1:B:656:TYR:OH	1:B:806:ARG:HD3	2.18	0.43
1:B:679:SER:N	1:B:680:PRO:CD	2.81	0.43
1:B:634:TYR:CD1	1:B:638:HIS:CE1	3.07	0.43
1:B:618:PRO:HA	1:B:621:LEU:CD1	2.47	0.43
1:B:605:HIS:CE1	1:B:607:ASN:HD22	2.28	0.43
1:A:559:ALA:HA	1:A:564:THR:HA	2.01	0.42
1:B:552:ASN:CG	1:B:554:LYS:HZ3	2.23	0.42
2:A:0:STU:C16	2:A:0:STU:C26	2.96	0.42
1:B:684:VAL:HG22	1:B:690:VAL:HG22	2.02	0.42
1:B:755:ASN:OD1	1:B:758:GLN:HG3	2.19	0.41
1:B:649:ARG:CG	1:B:809:ILE:HG23	2.51	0.41
1:B:806:ARG:HB3	1:B:807:PRO:HD3	2.02	0.41
1:A:679:SER:N	1:A:680:PRO:CD	2.84	0.41
1:A:687:LYS:HB3	1:B:687:LYS:HD3	2.03	0.41
1:A:770:LEU:HB2	1:A:788:TRP:CH2	2.56	0.41
1:B:650:ARG:NH1	1:B:688:TYR:CD2	2.89	0.40
1:A:803:ASP:OD1	1:A:806:ARG:NH2	2.55	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	246/309 (80%)	242 (98%)	4 (2%)	0	100	100
1	B	233/309 (75%)	223 (96%)	10 (4%)	0	100	100
All	All	479/618 (78%)	465 (97%)	14 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	220/271 (81%)	220 (100%)	0	100	100
1	B	210/271 (78%)	206 (98%)	4 (2%)	65	87
All	All	430/542 (79%)	426 (99%)	4 (1%)	84	95

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	620	ASN
1	B	668	ARG
1	B	694	ASP
1	B	728	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	645	GLN
1	A	729	ASN
1	A	790	ASN
1	B	607	ASN
1	B	620	ASN
1	B	638	HIS
1	B	669	ASN
1	B	674	HIS
1	B	749	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no carbohydrates in this entry.

## 5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	STU	A	0	-	27,42,42	0.91	0	23,68,68	1.40	4 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	STU	A	0	-	-	0/4/42/42	0/0/8/8

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	0	STU	C27-O6-C22	-3.70	107.31	114.39
2	A	0	STU	O5-C8-C7	-2.26	124.84	128.62
2	A	0	STU	C3-C4-C5	-2.20	116.99	120.79
2	A	0	STU	C14-C13-C12	-2.17	117.05	120.79

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	0	STU	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	250/309 (80%)	0.22	15 (6%) 25 28	29, 48, 89, 134	0
1	B	239/309 (77%)	0.39	17 (7%) 19 21	28, 49, 93, 142	0
All	All	489/618 (79%)	0.31	32 (6%) 22 25	28, 48, 92, 142	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	562	PHE	10.8
1	B	595	ARG	6.2
1	B	563	GLY	5.0
1	B	561	SER	5.0
1	A	695	PHE	4.7
1	B	593	PHE	4.6
1	A	774	ARG	3.9
1	B	560	GLY	3.8
1	B	619	PRO	3.6
1	B	559	ALA	3.1
1	B	564	THR	3.0
1	B	548	TRP	3.0
1	A	644	GLU	2.9
1	A	585	PHE	2.8
1	A	583	GLN	2.8
1	A	810	LYS	2.7
1	A	562	PHE	2.5
1	A	640	SER	2.5
1	B	580	LEU	2.5
1	A	694	ASP	2.4
1	B	552	ASN	2.4
1	A	582	GLU	2.4
1	A	561	SER	2.3
1	B	553	ILE	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	545	ASP	2.3
1	A	589	ARG	2.3
1	A	808	LEU	2.3
1	B	597	VAL	2.3
1	B	594	LEU	2.2
1	B	599	ILE	2.1
1	A	584	ASP	2.1
1	A	628	LEU	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	STU	A	0	35/35	0.90	0.17	-0.12	58,72,80,82	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.