



# Full wwPDB X-ray Structure Validation Report i

Jan 31, 2016 – 09:32 PM GMT

PDB ID : 1PH1  
Title : CRYSTAL STRUCTURE OF THE OXYTRICHA NOVA TELOMERE END-BINDING PROTEIN COMPLEXED WITH NONCOGNATE SSDNA GGGGTTTTGGGGT  
Authors : Theobald, D.L.; Schultz, S.C.  
Deposited on : 2003-05-29  
Resolution : 2.51 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20026688
Percentile statistics	:	20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.51 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition [\(i\)](#)

There are 4 unique types of molecules in this entry. The entry contains 6546 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(\*GP\*GP\*GP\*GP\*TP\*TP\*TP\*TP\*GP\*GP\*GP\*G P\*T)-3'.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	G	13	Total C 273 130	N 50	O 81	P 12	0	0	0
1	D	13	Total C 273 130	N 50	O 81	P 12	0	0	0
1	H	13	Total C 273 130	N 50	O 81	P 12	0	0	0

- Molecule 2 is a protein called Telomere-binding protein alpha subunit.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	A	456	Total C 3684 2343	N 632	O 707	S 2	0	0	0

- Molecule 3 is a protein called Telomere-binding protein beta subunit.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	B	217	Total C 1740 1117	N 295	O 327	S 1	0	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	220	Total O 220 220		0	0
4	B	47	Total O 47 47		0	0
4	D	28	Total O 28 28		0	0
4	G	4	Total O 4 4		0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	H	4	Total    O 4      4	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'-D(\*GP\*GP\*GP\*GP\*TP\*TP\*TP\*TP\*GP\*GP\*GP\*GP\*T)-3'




- Molecule 1: 5'-D(\*GP\*GP\*GP\*GP\*TP\*TP\*TP\*TP\*TP\*GP\*GP\*GP\*GP\*T)-3'




- Molecule 1: 5'-D(\*GP\*GP\*GP\*GP\*TP\*TP\*TP\*TP\*TP\*GP\*GP\*GP\*GP\*T)-3'




- Molecule 2: Telomere-binding protein alpha subunit



- Molecule 3: Telomere-binding protein beta subunit





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	93.61Å 93.61Å 423.00Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.94 – 2.51 29.94 – 2.51	Depositor EDS
% Data completeness (in resolution range)	96.6 (29.94-2.51) 96.7 (29.94-2.51)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.62 (at 2.51Å)	Xtriage
Refinement program	CNS 1.1	Depositor
$R$ , $R_{free}$	0.232 , 0.261 0.232 , 0.260	Depositor DCC
$R_{free}$ test set	3758 reflections (9.97%)	DCC
Wilson B-factor (Å <sup>2</sup> )	30.7	Xtriage
Anisotropy	0.181	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 38.1	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$<  L  > = 0.48$ , $< L^2 > = 0.31$	Xtriage
Outliers	5 of 37742 reflections (0.013%)	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	6546	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	D	0.53	0/306	0.77	0/474
1	G	0.44	0/306	0.81	0/474
1	H	0.37	0/306	0.68	0/474
2	A	0.41	0/3755	0.71	4/5075 (0.1%)
3	B	0.37	0/1779	0.58	0/2402
All	All	0.40	0/6452	0.68	4/8899 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
2	A	405	GLY	N-CA-C	-8.00	93.10	113.10
2	A	86	LYS	N-CA-C	-6.91	92.35	111.00
2	A	404	SER	N-CA-C	6.88	129.59	111.00
2	A	76	LEU	CA-CB-CG	6.13	129.41	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	273	0	150	24	0
1	G	273	0	150	23	0
1	H	273	0	150	5	0
2	A	3684	0	3680	54	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1740	0	1726	43	0
4	A	220	0	0	5	0
4	B	47	0	0	6	0
4	D	28	0	0	9	0
4	G	4	0	0	0	0
4	H	4	0	0	0	0
All	All	6546	0	5856	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:190:VAL:HG22	4:B:226:HOH:O	1.29	1.22
3:B:190:VAL:HA	4:B:226:HOH:O	1.29	1.21
2:A:430:ARG:HB2	4:A:527:HOH:O	1.01	1.19
3:B:190:VAL:CG2	4:B:226:HOH:O	1.78	1.18
1:D:9:DG:H2"	1:D:10:DG:H5"	1.44	1.00
3:B:80:ILE:HD12	3:B:218:ILE:HD11	1.46	0.97
3:B:190:VAL:CB	4:B:226:HOH:O	1.91	0.92
1:D:8:DT:H73	2:A:72:TYR:OH	1.71	0.91
2:A:430:ARG:CB	4:A:527:HOH:O	1.73	0.89
1:G:11:DG:H2"	1:G:12:DG:H5'	1.56	0.87
3:B:10:GLN:HE21	3:B:12:SER:H	1.20	0.86
1:D:9:DG:H2"	1:D:10:DG:C5'	2.06	0.86
1:G:5:DT:H2"	1:G:6:DT:H5"	1.60	0.83
1:G:4:DG:H1'	1:G:5:DT:H5"	1.63	0.80
1:G:5:DT:H2"	1:G:6:DT:C5'	2.14	0.78
3:B:28:PHE:O	3:B:31:VAL:HG12	1.83	0.78
3:B:132:THR:HG22	3:B:133:ARG:O	1.84	0.77
1:D:8:DT:C7	4:D:59:HOH:O	2.34	0.76
1:G:4:DG:H2"	1:G:5:DT:H5'	1.67	0.75
3:B:40:LYS:HD3	3:B:128:ARG:NH2	2.03	0.73
2:A:487:LEU:HD21	3:B:175:VAL:HG21	1.70	0.73
2:A:403:ALA:HB2	4:A:670:HOH:O	1.88	0.72
1:G:5:DT:C2'	1:G:6:DT:H5"	2.20	0.70
3:B:129:LEU:O	3:B:130:ASN:HB2	1.93	0.69
3:B:125:LEU:HD12	3:B:125:LEU:H	1.56	0.68
1:G:4:DG:H2"	1:G:5:DT:C5'	2.23	0.68
1:D:8:DT:H71	4:D:175:HOH:O	1.94	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:8:DT:H73	4:D:59:HOH:O	1.93	0.68
3:B:223:LYS:O	3:B:224:GLY:OXT	2.13	0.67
3:B:48:PRO:O	3:B:215:ILE:HG21	1.96	0.66
1:G:11:DG:H1'	1:G:12:DG:H5"	1.78	0.64
1:H:1:DG:H1'	1:H:2:DG:H5'	1.79	0.64
2:A:324:LEU:HD23	4:A:621:HOH:O	1.98	0.63
3:B:190:VAL:CA	4:B:226:HOH:O	1.79	0.62
1:D:1:DG:H4'	1:D:2:DG:OP1	2.00	0.61
2:A:124:ARG:HH11	2:A:124:ARG:HG3	1.69	0.57
1:G:5:DT:O4	1:H:13:DT:O2	2.22	0.57
3:B:17:LEU:HD11	3:B:35:LEU:HB3	1.87	0.57
3:B:129:LEU:O	3:B:130:ASN:CB	2.54	0.56
2:A:404:SER:OG	2:A:406:LYS:HD2	2.04	0.56
1:D:11:DG:H4'	4:D:281:HOH:O	2.05	0.56
3:B:57:PHE:CD2	3:B:136:VAL:HG23	2.41	0.56
2:A:124:ARG:NH1	2:A:124:ARG:HG3	2.21	0.55
3:B:195:SER:HB3	4:B:260:HOH:O	2.06	0.55
3:B:215:ILE:O	3:B:218:ILE:HG22	2.08	0.54
1:G:5:DT:C4	1:H:13:DT:O2	2.60	0.54
3:B:125:LEU:N	3:B:125:LEU:HD12	2.22	0.54
1:G:4:DG:C1'	1:G:5:DT:H5"	2.37	0.53
3:B:40:LYS:HD3	3:B:128:ARG:HH21	1.73	0.53
1:D:2:DG:H3'	1:D:3:DG:H5"	1.89	0.53
2:A:226:VAL:HG13	2:A:273:ILE:HB	1.89	0.53
2:A:61:ALA:HB2	2:A:76:LEU:HB3	1.90	0.53
1:D:2:DG:H3'	1:D:3:DG:C5'	2.38	0.53
1:D:7:DT:O2	1:D:9:DG:N2	2.42	0.53
2:A:85:LEU:C	2:A:86:LYS:O	2.44	0.53
1:G:11:DG:C2'	1:G:12:DG:H5'	2.36	0.52
1:G:5:DT:H1'	1:G:6:DT:H5"	1.90	0.52
3:B:44:LYS:HE3	3:B:45:GLU:OE2	2.11	0.51
2:A:423:GLN:HG3	4:A:691:HOH:O	2.09	0.51
2:A:432:LEU:HB2	2:A:487:LEU:HD23	1.93	0.50
2:A:391:ASP:CG	2:A:394:THR:HG22	2.32	0.50
2:A:106:ARG:CZ	2:A:108:GLU:OE2	2.60	0.50
3:B:125:LEU:O	3:B:127:GLU:N	2.45	0.49
2:A:391:ASP:HB3	2:A:394:THR:HG22	1.94	0.49
3:B:80:ILE:CD1	3:B:218:ILE:HD11	2.31	0.49
1:G:5:DT:C1'	1:G:6:DT:H5"	2.43	0.48
1:D:11:DG:N3	1:D:11:DG:H2'	2.28	0.48
1:G:11:DG:H1'	1:G:12:DG:C5'	2.44	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:13:DT:O3'	2:A:65:TYR:HA	2.12	0.48
3:B:132:THR:CG2	3:B:133:ARG:N	2.76	0.48
2:A:404:SER:HB3	2:A:406:LYS:H	1.78	0.48
2:A:458:ARG:O	2:A:462:GLU:HG3	2.14	0.48
1:G:4:DG:C2'	1:G:5:DT:C5'	2.91	0.48
4:D:193:HOH:O	2:A:67:THR:HG22	2.14	0.47
1:D:1:DG:H8	2:A:103:TYR:HH	1.62	0.47
2:A:330:LEU:HD22	3:B:146:THR:HG22	1.96	0.47
1:D:1:DG:O4'	2:A:71:ARG:NH2	2.48	0.47
3:B:55:GLY:O	3:B:132:THR:HG23	2.15	0.47
3:B:87:VAL:CG1	3:B:124:ASN:HB2	2.45	0.47
2:A:390:TYR:O	2:A:407:GLY:HA3	2.14	0.47
2:A:281:THR:HB	3:B:10:GLN:HE22	1.80	0.47
1:H:11:DG:H2"	1:H:12:DG:O5'	2.15	0.47
3:B:212:THR:HG22	3:B:213:LEU:N	2.30	0.46
2:A:272:ARG:HG3	2:A:272:ARG:HH11	1.80	0.46
2:A:66:LYS:HE2	2:A:68:ASN:O	2.15	0.46
1:D:8:DT:O4	4:D:59:HOH:O	2.20	0.46
2:A:494:ILE:HG13	2:A:495:TYR:CD1	2.51	0.46
3:B:81:VAL:O	3:B:81:VAL:HG12	2.16	0.45
2:A:429:TYR:CD1	2:A:429:TYR:N	2.85	0.45
3:B:212:THR:CG2	3:B:213:LEU:N	2.79	0.45
2:A:155:SER:H	2:A:158:GLN:NE2	2.14	0.45
1:D:13:DT:N3	4:D:244:HOH:O	2.36	0.45
1:D:10:DG:H1'	4:D:118:HOH:O	2.17	0.45
2:A:48:SER:C	2:A:50:GLN:H	2.20	0.45
2:A:86:LYS:N	2:A:96:ASP:HB2	2.32	0.44
1:G:4:DG:C2'	1:G:5:DT:H5"	2.47	0.44
2:A:87:GLN:O	2:A:93:ASP:HB2	2.17	0.44
3:B:126:GLN:O	3:B:127:GLU:C	2.56	0.44
1:D:8:DT:C7	2:A:72:TYR:OH	2.56	0.43
2:A:106:ARG:NH1	2:A:108:GLU:OE2	2.51	0.43
3:B:126:GLN:HE21	3:B:128:ARG:HD3	1.84	0.43
2:A:76:LEU:HD23	2:A:76:LEU:N	2.34	0.43
3:B:71:PHE:HE1	3:B:123:PRO:HG3	1.84	0.43
1:G:5:DT:H2"	1:G:6:DT:H5'	1.96	0.43
1:G:3:DG:N3	1:G:3:DG:H2'	2.33	0.43
2:A:285:LYS:HB3	2:A:331:ASN:HD21	1.83	0.43
2:A:414:GLN:OE1	3:B:170:VAL:HG23	2.18	0.43
2:A:373:PHE:CE1	2:A:417:VAL:HG11	2.54	0.42
3:B:47:TYR:CD1	3:B:48:PRO:HA	2.54	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:128:ARG:HD2	3:B:128:ARG:HA	1.88	0.42
3:B:98:ARG:HG3	3:B:115:ARG:HD2	2.02	0.42
2:A:186:ILE:O	2:A:190:GLN:HG2	2.20	0.42
1:G:12:DG:H1'	1:G:13:DT:H5'	2.02	0.42
2:A:155:SER:H	2:A:158:GLN:HE21	1.68	0.42
2:A:350:LEU:HD21	2:A:417:VAL:HG23	2.02	0.41
2:A:54:PHE:CD1	2:A:54:PHE:C	2.93	0.41
1:D:9:DG:N2	4:D:270:HOH:O	2.52	0.41
3:B:58:PHE:CD1	3:B:58:PHE:C	2.93	0.41
1:H:12:DG:H1'	1:H:13:DT:H5'	2.03	0.41
2:A:124:ARG:CG	2:A:124:ARG:HH11	2.33	0.41
2:A:214:LEU:HD23	2:A:214:LEU:HA	1.90	0.41
1:D:6:DT:H2''	1:D:7:DT:H5'	2.02	0.41
2:A:432:LEU:HB2	2:A:487:LEU:CD2	2.50	0.41
2:A:235:GLU:OE2	2:A:259:LYS:NZ	2.52	0.41
3:B:68:VAL:HG21	3:B:213:LEU:HD11	2.02	0.41
1:G:9:DG:H2''	1:G:10:DG:OP2	2.19	0.41
1:G:11:DG:N3	1:G:11:DG:H5'	2.36	0.41
2:A:127:LEU:HD11	2:A:134:ARG:HB3	2.01	0.41
1:D:7:DT:H6	1:D:7:DT:H2'	1.72	0.41
2:A:124:ARG:NH1	2:A:143:SER:O	2.54	0.41
1:G:9:DG:N3	1:G:9:DG:H2'	2.36	0.41
2:A:360:ASP:O	2:A:364:GLN:HG3	2.21	0.41
2:A:73:ILE:HG22	2:A:74:CYS:N	2.35	0.40
2:A:391:ASP:CB	2:A:394:THR:HG22	2.51	0.40
1:D:4:DG:N3	1:D:4:DG:H2'	2.37	0.40
3:B:132:THR:HG22	3:B:133:ARG:N	2.36	0.40
2:A:79:VAL:CG1	2:A:80:ASP:N	2.85	0.40
1:D:9:DG:H2''	1:D:10:DG:O5'	2.22	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
2	A	454/461 (98%)	429 (94%)	20 (4%)	5 (1%)	17 31
3	B	215/217 (99%)	193 (90%)	19 (9%)	3 (1%)	14 24
All	All	669/678 (99%)	622 (93%)	39 (6%)	8 (1%)	16 29

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	A	93	ASP
2	A	404	SER
3	B	126	GLN
3	B	130	ASN
2	A	403	ALA
3	B	210	THR
2	A	405	GLY
2	A	49	ALA

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
2	A	407/409 (100%)	399 (98%)	8 (2%)	63 86
3	B	190/190 (100%)	182 (96%)	8 (4%)	36 62
All	All	597/599 (100%)	581 (97%)	16 (3%)	52 79

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	76	LEU
2	A	226	VAL
2	A	239	TYR
2	A	240	THR
2	A	243	LEU
2	A	292	HIS
2	A	353	LEU
2	A	493	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	B	9	GLN
3	B	17	LEU
3	B	41	CYS
3	B	53	THR
3	B	66	GLU
3	B	92	ASN
3	B	125	LEU
3	B	215	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	158	GLN
2	A	327	ASN
2	A	331	ASN
2	A	372	GLN
3	B	10	GLN
3	B	92	ASN
3	B	126	GLN
3	B	149	GLN
3	B	221	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	D	13/13 (100%)	0.24	3 (23%) 1 1	18, 32, 63, 76	0
1	G	13/13 (100%)	0.41	0 100 100	27, 36, 50, 62	0
1	H	13/13 (100%)	0.30	1 (7%) 16 18	32, 37, 51, 72	0
2	A	456/461 (98%)	-0.07	13 (2%) 55 60	12, 24, 51, 76	0
3	B	217/217 (100%)	0.58	27 (12%) 5 5	16, 45, 66, 77	0
All	All	712/717 (99%)	0.15	44 (6%) 24 27	12, 30, 62, 77	0

All (44) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	B	127	GLU	7.9
3	B	126	GLN	6.6
3	B	8	PRO	6.6
2	A	406	LYS	6.1
2	A	404	SER	5.6
3	B	223	LYS	5.5
3	B	78	VAL	5.0
3	B	196	LYS	4.5
3	B	129	LEU	4.1
3	B	73	ALA	4.0
3	B	9	GLN	4.0
2	A	87	GLN	3.9
2	A	93	ASP	3.9
3	B	77	ASN	3.9
2	A	403	ALA	3.9
3	B	130	ASN	3.8
1	D	8	DT	3.7
1	H	13	DT	3.7
2	A	94	ALA	3.6
2	A	405	GLY	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	A	401	LYS	3.3
2	A	69	GLN	3.2
3	B	219	PHE	3.0
1	D	1	DG	2.9
3	B	220	VAL	2.9
2	A	70	GLU	2.6
3	B	194	ALA	2.6
3	B	195	SER	2.5
3	B	224	GLY	2.5
3	B	47	TYR	2.4
3	B	215	ILE	2.3
3	B	131	PRO	2.3
3	B	25	GLU	2.2
2	A	183	LYS	2.2
1	D	9	DG	2.2
3	B	87	VAL	2.1
2	A	402	GLY	2.1
3	B	218	ILE	2.1
3	B	125	LEU	2.1
3	B	60	ALA	2.0
2	A	340	LYS	2.0
3	B	132	THR	2.0
3	B	33	SER	2.0
3	B	65	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.