



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 05:12 AM GMT

PDB ID : 2PTR
Title : Crystal structure of Escherichia coli adenylosuccinate lyase mutant H171A with bound adenylosuccinate substrate
Authors : Tsai, M.; Howell, P.L.
Deposited on : 2007-05-08
Resolution : 1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	1745 (1.86-1.86)
Clashscore	102246	1898 (1.86-1.86)
Ramachandran outliers	100387	1875 (1.86-1.86)
Sidechain outliers	100360	1875 (1.86-1.86)
RSRZ outliers	91569	1747 (1.86-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	462	<div> <div>5%</div> <div> <div></div> <div>83%</div> <div>13%</div> <div>• •</div> </div> </div>
1	B	462	<div> <div>3%</div> <div> <div></div> <div>81%</div> <div>16%</div> <div>• •</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 7856 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Adenylosuccinate lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	454	Total	C	N	O	S	0	0	0
			3559	2268	618	662	11			
1	B	456	Total	C	N	O	S	0	0	0
			3625	2311	629	674	11			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	154	LEU	ILE	CONFLICT	UNP P0AB89
A	171	ALA	HIS	ENGINEERED	UNP P0AB89
A	457	HIS	-	EXPRESSION TAG	UNP P0AB89
A	458	HIS	-	EXPRESSION TAG	UNP P0AB89
A	459	HIS	-	EXPRESSION TAG	UNP P0AB89
A	460	HIS	-	EXPRESSION TAG	UNP P0AB89
A	461	HIS	-	EXPRESSION TAG	UNP P0AB89
A	462	HIS	-	EXPRESSION TAG	UNP P0AB89
B	154	LEU	ILE	CONFLICT	UNP P0AB89
B	171	ALA	HIS	ENGINEERED	UNP P0AB89
B	457	HIS	-	EXPRESSION TAG	UNP P0AB89
B	458	HIS	-	EXPRESSION TAG	UNP P0AB89
B	459	HIS	-	EXPRESSION TAG	UNP P0AB89
B	460	HIS	-	EXPRESSION TAG	UNP P0AB89
B	461	HIS	-	EXPRESSION TAG	UNP P0AB89
B	462	HIS	-	EXPRESSION TAG	UNP P0AB89

- Molecule 2 is 2-[9-(3,4-DIHYDROXY-5-PHOSPHONOOXYMETHYL-TETRAHYDRO-FURAN-2-YL)-9H-PURIN-6-YLAMINO]-SUCCINIC ACID (three-letter code: 2SA) (formula: C₁₄H₁₈N₅O₁₁P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	2	Total 62	C 28	N 10	O 22	P 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	306	Total O 306 306	0	0
3	B	304	Total O 304 304	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Adenylosuccinate lyase



• Molecule 1: Adenylosuccinate lyase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	98.40 Å 143.19 Å 69.45 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.00 – 1.85 44.47 – 1.85	Depositor EDS
% Data completeness (in resolution range)	99.6 (44.00-1.85) 99.7 (44.47-1.85)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	6.80	Depositor
$\langle I/\sigma(I) \rangle$ ¹	5.04 (at 1.86 Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.183 , 0.216 0.182 , 0.214	Depositor DCC
R_{free} test set	4220 reflections (5.02%)	DCC
Wilson B-factor (Å ²)	20.5	Xtriage
Anisotropy	0.347	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 51.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.40$, $\langle L^2 \rangle = 0.23$	Xtriage
Outliers	2 of 84140 reflections (0.002%)	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7856	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.17% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 2SA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/3636	0.60	1/4940 (0.0%)
1	B	0.35	0/3703	0.60	1/5021 (0.0%)
All	All	0.35	0/7339	0.60	2/9961 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	249	GLU	N-CA-C	-6.29	94.03	111.00
1	A	249	GLU	N-CA-C	-6.10	94.53	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3559	0	3492	67	0
1	B	3625	0	3597	71	0
2	B	62	0	26	0	0
3	A	306	0	0	4	0
3	B	304	0	0	7	0
All	All	7856	0	7115	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:ASN:HD21	1:A:206:LYS:H	1.07	0.97
1:B:451:MET:HE3	1:B:451:MET:HA	1.56	0.87
1:B:128:ASN:HD21	1:B:206:LYS:H	1.18	0.85
1:A:106:GLU:HG3	1:A:107:ILE:HD12	1.61	0.81
1:A:194:GLN:HE22	1:A:263:ARG:HE	1.29	0.80
1:B:194:GLN:HE22	1:B:263:ARG:HE	1.32	0.78
1:A:451:MET:HA	1:A:451:MET:HE3	1.68	0.75
1:B:451:MET:HA	1:B:451:MET:CE	2.16	0.74
1:B:142:VAL:O	1:B:145:PRO:HG2	1.87	0.74
1:B:104:VAL:HG13	1:B:110:LEU:HB3	1.70	0.74
1:A:106:GLU:HG3	1:A:107:ILE:CD1	2.17	0.73
1:A:443:ASN:C	1:A:443:ASN:HD22	1.92	0.71
1:A:451:MET:CE	1:A:451:MET:HA	2.22	0.70
1:A:215:ASN:HD22	1:A:215:ASN:H	1.39	0.70
1:A:283:HIS:HD2	1:A:373:HIS:HD2	1.40	0.69
1:B:443:ASN:HD22	1:B:443:ASN:C	1.94	0.68
1:A:128:ASN:HD21	1:A:206:LYS:N	1.89	0.67
1:A:213:ASN:HB2	1:A:215:ASN:HD21	1.58	0.67
1:A:128:ASN:ND2	1:A:206:LYS:H	1.88	0.66
1:A:142:VAL:O	1:A:145:PRO:HG2	1.95	0.66
1:A:94:LYS:HG2	1:B:293:ILE:HD12	1.78	0.65
1:B:167:LEU:HD21	1:B:174:PRO:HB3	1.80	0.62
1:A:94:LYS:HG2	1:B:293:ILE:CD1	2.31	0.61
1:A:198:LEU:HD13	1:A:260:CYS:SG	2.40	0.61
1:B:198:LEU:HD13	1:B:260:CYS:SG	2.42	0.60
1:B:215:ASN:HD22	1:B:215:ASN:H	1.50	0.60
1:A:321:LEU:HD13	1:A:349:GLY:HA3	1.83	0.60
1:B:57:PRO:HG2	3:B:1431:HOH:O	2.02	0.59
1:A:390:GLN:HG2	1:A:401:PRO:HB2	1.84	0.59
1:A:192:GLU:HG2	1:A:459:HIS:ND1	2.19	0.58
1:B:440:THR:H	1:B:443:ASN:ND2	2.02	0.58
1:B:423:ILE:HD13	1:B:436:LEU:HB3	1.86	0.57
1:B:63:ALA:HB1	1:B:110:LEU:HD11	1.87	0.57
1:A:192:GLU:HG2	1:A:459:HIS:CG	2.40	0.56
1:A:440:THR:H	1:A:443:ASN:ND2	2.03	0.56
1:B:213:ASN:HB2	1:B:215:ASN:HD21	1.70	0.56
1:A:109:GLU:HB2	3:A:549:HOH:O	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:213:ASN:HB2	1:A:215:ASN:ND2	2.21	0.56
1:A:214:TYR:OH	1:A:227:HIS:HD2	1.89	0.55
1:B:131:HIS:HD2	3:B:1312:HOH:O	1.89	0.55
1:A:334:GLN:O	1:A:335:ARG:HB3	2.07	0.55
1:A:57:PRO:HG2	3:A:640:HOH:O	2.05	0.55
1:B:447:ARG:O	1:B:451:MET:HG2	2.07	0.54
1:A:390:GLN:NE2	1:A:394:ARG:HH21	2.05	0.54
1:B:144:LEU:N	1:B:145:PRO:HD2	2.23	0.54
1:B:424:ASP:HA	1:B:433:LYS:HZ3	1.72	0.54
1:A:447:ARG:NH1	1:A:451:MET:HE3	2.22	0.54
1:A:283:HIS:CD2	1:A:373:HIS:HD2	2.25	0.53
1:B:108:PRO:HG2	3:B:1324:HOH:O	2.08	0.53
1:B:387:GLU:O	1:B:390:GLN:HG3	2.08	0.53
1:A:362:LYS:HE2	1:A:366:LYS:NZ	2.24	0.53
1:B:334:GLN:O	1:B:335:ARG:HB3	2.08	0.52
1:B:424:ASP:HA	1:B:433:LYS:NZ	2.24	0.52
1:A:337:LEU:HD13	1:B:305:ILE:HG22	1.89	0.52
1:A:215:ASN:ND2	1:A:215:ASN:H	2.06	0.52
1:A:335:ARG:HD3	1:A:335:ARG:C	2.30	0.51
1:B:416:ALA:O	1:B:420:LYS:HG3	2.11	0.51
1:B:327:LYS:C	1:B:327:LYS:HD3	2.31	0.51
1:B:81:ARG:HG2	1:B:99:PHE:HD2	1.77	0.50
1:B:194:GLN:NE2	1:B:263:ARG:HE	2.04	0.50
1:A:50:HIS:CD2	1:A:52:ALA:HB3	2.47	0.50
1:B:192:GLU:HG2	1:B:459:HIS:CG	2.47	0.49
1:B:63:ALA:HB1	1:B:110:LEU:CD1	2.42	0.49
1:A:194:GLN:NE2	1:A:263:ARG:HE	2.03	0.49
1:A:217:HIS:HB3	1:A:226:TRP:CE2	2.48	0.49
1:A:443:ASN:HD22	1:A:444:TYR:N	2.10	0.48
1:B:424:ASP:OD2	1:B:437:LYS:HD3	2.12	0.48
1:A:401:PRO:HG2	1:A:402:TYR:H	1.78	0.48
1:B:196:ARG:CG	1:B:200:GLN:NE2	2.77	0.48
1:B:163:ASP:O	1:B:165:PRO:HD3	2.13	0.48
1:A:443:ASN:ND2	1:A:443:ASN:C	2.65	0.48
1:A:450:THR:O	1:A:454:GLU:HG3	2.13	0.48
1:B:207:ILE:HG23	1:B:207:ILE:O	2.12	0.48
1:B:443:ASN:HD22	1:B:444:TYR:N	2.12	0.48
1:B:59:PHE:HA	1:B:109:GLU:OE1	2.14	0.48
1:A:107:ILE:HD12	1:A:107:ILE:N	2.29	0.47
1:A:208:ASN:CG	1:A:212:GLY:HA2	2.35	0.47
1:A:447:ARG:NH1	1:A:451:MET:CE	2.78	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:196:ARG:HG3	1:B:200:GLN:NE2	2.29	0.47
1:B:394:ARG:HG2	1:B:401:PRO:HG3	1.97	0.47
1:B:215:ASN:H	1:B:215:ASN:ND2	2.11	0.47
1:A:35:PHE:CD2	1:A:134:MET:HG3	2.50	0.46
1:B:447:ARG:NH1	1:B:451:MET:HE3	2.30	0.46
1:B:196:ARG:HG3	1:B:200:GLN:HE21	1.81	0.46
1:B:48:ALA:HA	1:B:56:VAL:O	2.16	0.46
1:B:447:ARG:NH1	1:B:451:MET:CE	2.79	0.46
1:A:144:LEU:N	1:A:145:PRO:HD2	2.31	0.45
1:A:334:GLN:O	1:A:335:ARG:CB	2.64	0.45
1:A:432:GLU:OE2	1:A:432:GLU:HA	2.16	0.45
1:B:98:TYR:O	1:B:102:GLU:HG3	2.16	0.45
1:B:83:LYS:NZ	3:B:1426:HOH:O	2.50	0.45
1:B:214:TYR:OH	1:B:227:HIS:HD2	2.00	0.45
1:A:362:LYS:HE2	1:A:366:LYS:HZ1	1.81	0.45
1:B:73:SER:O	1:B:74:PHE:C	2.55	0.45
1:A:142:VAL:C	1:A:145:PRO:HD2	2.38	0.45
1:B:192:GLU:HG2	1:B:459:HIS:CD2	2.52	0.44
1:A:400:LYS:O	1:A:404:LYS:HG3	2.17	0.44
1:A:208:ASN:OD1	1:A:212:GLY:HA2	2.17	0.44
1:B:128:ASN:ND2	1:B:206:LYS:H	1.99	0.44
1:A:293:ILE:HG13	1:B:94:LYS:HG2	1.98	0.44
1:B:459:HIS:HD2	3:B:1447:HOH:O	2.00	0.44
1:A:105:ALA:HA	1:A:111:HIS:CD2	2.52	0.43
1:B:148:ARG:NH2	3:B:1492:HOH:O	2.51	0.43
1:B:81:ARG:HD3	1:B:102:GLU:OE1	2.18	0.43
1:A:131:HIS:HD2	3:A:589:HOH:O	2.01	0.43
1:B:154:LEU:HD11	1:B:271:PHE:CE1	2.53	0.43
1:B:443:ASN:ND2	1:B:443:ASN:C	2.66	0.43
1:B:217:HIS:HB3	1:B:226:TRP:CE2	2.54	0.43
1:A:87:ARG:NH1	3:A:620:HOH:O	2.51	0.43
1:B:440:THR:H	1:B:443:ASN:HD21	1.64	0.42
1:B:213:ASN:HB2	1:B:215:ASN:ND2	2.31	0.42
1:A:207:ILE:HG23	1:A:207:ILE:O	2.19	0.42
1:A:440:THR:H	1:A:443:ASN:HD21	1.65	0.42
1:B:334:GLN:O	1:B:335:ARG:CB	2.66	0.42
1:B:50:HIS:CD2	1:B:52:ALA:HB3	2.54	0.42
1:A:337:LEU:CD1	1:B:305:ILE:HG22	2.50	0.42
1:A:154:LEU:HD11	1:A:271:PHE:CE1	2.54	0.42
1:B:13:ASP:HB2	3:B:1293:HOH:O	2.19	0.41
1:A:206:LYS:C	1:A:206:LYS:HD2	2.41	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:335:ARG:C	1:B:335:ARG:HD3	2.40	0.41
1:A:228:GLN:O	1:A:232:GLU:HG3	2.20	0.41
1:B:38:GLN:O	1:B:42:ARG:HG2	2.21	0.41
1:B:124:GLU:HG3	1:B:248:ILE:HG22	2.03	0.41
1:A:423:ILE:HD13	1:A:436:LEU:HB3	2.02	0.41
1:A:447:ARG:O	1:A:451:MET:HG2	2.20	0.41
1:B:107:ILE:HG21	1:B:110:LEU:HD22	2.02	0.41
1:B:398:ILE:O	1:B:401:PRO:HD3	2.21	0.41
1:A:170:THR:O	1:A:171:ALA:HB3	2.21	0.41
1:A:217:HIS:HB3	1:A:226:TRP:CD2	2.56	0.40
1:B:402:TYR:C	1:B:402:TYR:CD1	2.95	0.40
1:A:283:HIS:CD2	1:A:373:HIS:CD2	3.07	0.40
1:A:392:VAL:HG21	1:A:436:LEU:HD21	2.02	0.40
1:B:208:ASN:OD1	1:B:212:GLY:HA2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	450/462 (97%)	436 (97%)	11 (2%)	3 (1%)	26	11
1	B	452/462 (98%)	437 (97%)	13 (3%)	2 (0%)	39	22
All	All	902/924 (98%)	873 (97%)	24 (3%)	5 (1%)	30	13

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	335	ARG
1	B	335	ARG
1	A	458	HIS
1	B	207	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	207	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	370/392 (94%)	361 (98%)	9 (2%)	57	39
1	B	382/392 (97%)	371 (97%)	11 (3%)	50	31
All	All	752/784 (96%)	732 (97%)	20 (3%)	52	34

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	128	ASN
1	A	206	LYS
1	A	215	ASN
1	A	242	ASN
1	A	321	LEU
1	A	335	ARG
1	A	370	ASN
1	A	443	ASN
1	A	451	MET
1	B	81	ARG
1	B	110	LEU
1	B	128	ASN
1	B	206	LYS
1	B	242	ASN
1	B	282	ASN
1	B	287	LYS
1	B	335	ARG
1	B	370	ASN
1	B	443	ASN
1	B	451	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (33) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	GLN
1	A	45	GLN
1	A	90	ASN
1	A	111	HIS
1	A	128	ASN
1	A	131	HIS
1	A	194	GLN
1	A	197	GLN
1	A	215	ASN
1	A	227	HIS
1	A	228	GLN
1	A	240	GLN
1	A	242	ASN
1	A	283	HIS
1	A	358	GLN
1	A	370	ASN
1	A	373	HIS
1	A	443	ASN
1	A	458	HIS
1	B	128	ASN
1	B	131	HIS
1	B	149	GLN
1	B	194	GLN
1	B	197	GLN
1	B	200	GLN
1	B	215	ASN
1	B	227	HIS
1	B	242	ASN
1	B	282	ASN
1	B	358	GLN
1	B	370	ASN
1	B	443	ASN
1	B	459	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	2SA	B	1100	-	21,33,33	2.15	3 (14%)	24,49,49	2.37	5 (20%)
2	2SA	B	1200	-	21,33,33	2.07	3 (14%)	24,49,49	3.51	4 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2SA	B	1100	-	-	0/11/38/38	0/3/3/3
2	2SA	B	1200	-	-	1/11/38/38	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1200	2SA	C61-N6	-7.77	1.32	1.45
2	B	1100	2SA	O5'-C5'	-5.82	1.21	1.44
2	B	1200	2SA	C63-C61	2.22	1.56	1.53
2	B	1100	2SA	C6-N1	2.88	1.38	1.34
2	B	1200	2SA	C6-N1	3.11	1.38	1.34
2	B	1100	2SA	C63-C61	5.95	1.61	1.53

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1100	2SA	C4'-O4'-C1'	-5.50	103.67	109.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
2	B	1200	2SA	C4-C5-N7	2.18	111.48	109.48
2	B	1100	2SA	C2-N1-C6	2.85	118.53	116.48
2	B	1200	2SA	C2-N1-C6	3.50	119.00	116.48
2	B	1100	2SA	C63-C61-C62	3.64	119.38	111.55
2	B	1200	2SA	N6-C6-N1	4.01	125.12	118.13
2	B	1100	2SA	O5'-C5'-C4'	5.33	128.76	109.12
2	B	1100	2SA	C63-C61-N6	6.05	124.80	107.76
2	B	1200	2SA	C63-C61-N6	15.58	151.63	107.76

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1200	2SA	N1-C6-N6-C61

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	454/462 (98%)	0.19	21 (4%) 36 34	12, 20, 45, 61	0
1	B	456/462 (98%)	0.17	13 (2%) 55 52	11, 20, 41, 51	0
All	All	910/924 (98%)	0.18	34 (3%) 45 43	11, 20, 42, 61	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	418	GLY	4.5
1	B	290	ALA	4.1
1	A	408	LEU	4.0
1	A	422	PHE	3.9
1	A	425	GLY	3.9
1	A	290	ALA	3.9
1	B	417	GLU	3.8
1	A	405	LEU	3.7
1	A	423	ILE	3.6
1	B	289	ILE	3.4
1	A	426	LEU	3.3
1	A	406	LYS	3.1
1	A	402	TYR	2.9
1	B	428	LEU	2.8
1	B	299	PRO	2.7
1	A	401	PRO	2.5
1	B	291	GLY	2.4
1	A	459	HIS	2.4
1	A	407	GLU	2.3
1	A	424	ASP	2.3
1	A	269	ILE	2.3
1	B	396	TYR	2.3
1	A	427	ALA	2.3
1	B	298	MET	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	419	MET	2.2
1	A	429	PRO	2.2
1	B	429	PRO	2.1
1	A	330	VAL	2.1
1	B	293	ILE	2.1
1	B	288	THR	2.1
1	A	276	TRP	2.0
1	B	427	ALA	2.0
1	A	436	LEU	2.0
1	B	459	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	2SA	B	1100	31/31	0.95	0.14	0.85	12,17,22,27	0
2	2SA	B	1200	31/31	0.95	0.10	-0.35	13,21,32,35	0

6.5 Other polymers [i](#)

There are no such residues in this entry.