



wwPDB EM Map/Model Validation Report ⓘ

Apr 10, 2016 – 01:37 PM BST

PDB ID : 1Q5A
EMDB ID: : EMD-1052
Title : S-shaped trans interactions of cadherins model based on fitting C-cadherin (1L3W) to 3D map of desmosomes obtained by electron tomography
Authors : He, W.; Cowin, P.; Stokes, D.L.
Deposited on : 2003-08-06
Resolution : 30.00 Å(reported)

This is a wwPDB EM Map/Model Validation Report for a publicly released PDB/EMDB entry.
For rigid body fitted models, validation errors reported here could stem from errors in the original structure(s) used in the fitting.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/EMValidationReportHelp>

MolProbity : 4.02b-467
Mogul : 1.7.1 (RC1), CSD as537be (2016)
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : trunk27241


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 30.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	114402	924
Ramachandran outliers	111179	726
Sidechain outliers	111093	686

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	880	
1	B	880	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	801	-	-	X	-
2	NAG	A	805	X	-	X	-
2	NAG	A	806	X	-	X	-
2	NAG	A	807	-	-	X	-
2	NAG	A	809	-	-	X	-
2	NAG	A	810	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	904	-	-	X	-
2	NAG	B	801	-	-	X	-
2	NAG	B	805	X	-	X	-
2	NAG	B	806	X	-	X	-
2	NAG	B	807	-	-	X	-
2	NAG	B	809	-	-	X	-
2	NAG	B	810	-	-	X	-
2	NAG	B	904	-	-	X	-
3	NDG	A	902	-	-	X	-
3	NDG	B	811	-	-	X	-
3	NDG	B	902	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 8826 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called EP-cadherin.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	540	Total	C	N	O	S	0	0
			4191	2635	695	850	11		
1	B	540	Total	C	N	O	S	0	0
			4191	2635	695	850	11		

- Molecule 2 is SUGAR (N-ACETYL-D-GLUCOSAMINE) (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
2	A	1	Total	C	N	O	0
			154	88	11	55	
2	A	1	Total	C	N	O	0
			154	88	11	55	
2	A	1	Total	C	N	O	0
			154	88	11	55	
2	A	1	Total	C	N	O	0
			154	88	11	55	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
2	A	1	Total	C	N	O	0
			154	88	11	55	
2	A	1	Total	C	N	O	0
			154	88	11	55	
2	A	1	Total	C	N	O	0
			154	88	11	55	
2	A	1	Total	C	N	O	0
			154	88	11	55	
2	A	1	Total	C	N	O	0
			154	88	11	55	
2	A	1	Total	C	N	O	0
			154	88	11	55	
2	B	1	Total	C	N	O	0
			154	88	11	55	
2	B	1	Total	C	N	O	0
			154	88	11	55	
2	B	1	Total	C	N	O	0
			154	88	11	55	
2	B	1	Total	C	N	O	0
			154	88	11	55	
2	B	1	Total	C	N	O	0
			154	88	11	55	
2	B	1	Total	C	N	O	0
			154	88	11	55	
2	B	1	Total	C	N	O	0
			154	88	11	55	
2	B	1	Total	C	N	O	0
			154	88	11	55	
2	B	1	Total	C	N	O	0
			154	88	11	55	

- Molecule 3 is SUGAR (2-(ACETYLAMINO)-2-DEOXY-A-D-GLUCOPYRANOSE) (three-letter code: NDG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
3	A	1	Total	C	N	O	0
			56	32	4	20	
3	A	1	Total	C	N	O	0
			56	32	4	20	
3	A	1	Total	C	N	O	0
			56	32	4	20	
3	A	1	Total	C	N	O	0
			56	32	4	20	
3	B	1	Total	C	N	O	0
			56	32	4	20	
3	B	1	Total	C	N	O	0
			56	32	4	20	
3	B	1	Total	C	N	O	0
			56	32	4	20	
3	B	1	Total	C	N	O	0
			56	32	4	20	

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
4	B	12	Total	Ca	0
			12	12	
4	A	12	Total	Ca	0
			12	12	

Chain B: 16% 30% 11% • 39%



4 Experimental information

Property	Value	Source
Reconstruction method	Not provided	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of images	Not provided	Depositor
Resolution determination method	Not provided	Depositor
CTF correction method	no CTF correction. Imaging at underfocus 0.4 micron with CM200FEG microscope at 50,000 magnification	Depositor
Microscope	FEI/PHILIPS CM200FEG	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	120000	Depositor
Minimum defocus (nm)	300	Depositor
Maximum defocus (nm)	500	Depositor
Magnification	50000	Depositor
Image detector	GATAN 794	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NAG, NDG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 2$	RMSZ	$\# Z > 2$
1	A	0.70	8/4276 (0.2%)	1.44	81/5839 (1.4%)
1	B	0.70	8/4276 (0.2%)	1.39	79/5839 (1.4%)
All	All	0.70	16/8552 (0.2%)	1.42	160/11678 (1.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	1	4
1	B	0	4
All	All	1	8

The worst 5 of 16 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	335	ALA	CA-CB	-8.37	1.34	1.52
1	B	335	ALA	CA-CB	-8.33	1.34	1.52
1	A	539	CYS	CB-SG	8.17	1.96	1.82
1	B	539	CYS	CB-SG	8.15	1.96	1.82
1	B	223	PRO	CG-CD	7.02	1.73	1.50

The worst 5 of 160 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	490	LYS	N-CA-CB	-28.44	59.41	110.60
1	A	520	PRO	CA-C-N	-13.30	87.95	117.20
1	B	520	PRO	CA-C-N	-13.28	87.99	117.20
1	B	290	PHE	N-CA-C	12.73	145.38	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	235	ILE	N-CA-C	12.72	145.34	111.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	490	LYS	CA

5 of 8 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	17	PHE	Sidechain
1	A	18	PRO	Mainchain
1	A	222	ASP	Mainchain
1	A	520	PRO	Mainchain
1	B	17	PHE	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4191	0	4085	707	0
1	B	4191	0	4090	720	0
2	A	154	0	143	85	0
2	B	154	0	143	84	0
3	A	56	0	52	16	0
3	B	56	0	52	17	0
4	A	12	0	0	0	0
4	B	12	0	0	0	0
All	All	8826	0	8565	1392	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 80.

The worst 5 of 1392 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:464:ILE:HD12	1:B:465:PRO:CD	1.30	1.58
1:A:464:ILE:HD12	1:A:465:PRO:CD	1.30	1.55
1:A:87:PRO:CG	1:B:89:GLU:HB3	1.16	1.54
1:B:464:ILE:CD1	1:B:465:PRO:HD2	1.50	1.41
1:A:464:ILE:CD1	1:A:465:PRO:HD2	1.50	1.37

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	538/880 (61%)	401 (74%)	92 (17%)	45 (8%)	1	18
1	B	538/880 (61%)	401 (74%)	92 (17%)	45 (8%)	1	18
All	All	1076/1760 (61%)	802 (74%)	184 (17%)	90 (8%)	2	18

5 of 90 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	91	PRO
1	A	155	PRO
1	A	235	ILE
1	A	347	ARG
1	A	363	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	480/779 (62%)	381 (79%)	99 (21%)	1	10
1	B	480/779 (62%)	381 (79%)	99 (21%)	1	10
All	All	960/1558 (62%)	762 (79%)	198 (21%)	4	10

5 of 198 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	509	ILE
1	B	117	VAL
1	B	464	ILE
1	A	518	ASN
1	B	18	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 47 such sidechains are listed below:

Mol	Chain	Res	Type
1	A	517	GLN
1	B	45	ASN
1	B	455	GLN
1	B	12	ASN
1	B	79	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 54 ligands modelled in this entry, 24 are monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	801	1	14,14,15	0.64	0	15,19,21	0.88	0
2	NAG	A	802	1	14,14,15	0.71	0	15,19,21	0.82	1 (6%)
2	NAG	A	803	1	14,14,15	0.91	1 (7%)	15,19,21	1.19	2 (13%)
3	NDG	A	804	1	14,14,15	0.63	0	15,19,21	0.82	0
2	NAG	A	805	1	14,14,15	0.68	0	15,19,21	1.17	1 (6%)
2	NAG	A	806	1	14,14,15	0.55	0	15,19,21	1.41	2 (13%)
2	NAG	A	807	1	14,14,15	0.64	0	15,19,21	1.14	1 (6%)
2	NAG	A	808	1	14,14,15	0.65	0	15,19,21	0.70	0
2	NAG	A	809	1	14,14,15	0.74	0	15,19,21	0.96	1 (6%)
2	NAG	A	810	1	14,14,15	0.63	0	15,19,21	1.08	2 (13%)
3	NDG	A	811	1	14,14,15	0.83	0	15,19,21	2.16	1 (6%)
2	NAG	A	812	1	14,14,15	0.82	1 (7%)	15,19,21	0.76	1 (6%)
3	NDG	A	902	1	14,14,15	1.07	1 (7%)	15,19,21	0.96	0
3	NDG	A	903	1	14,14,15	0.51	0	15,19,21	0.64	0
2	NAG	A	904	1	14,14,15	0.75	1 (7%)	15,19,21	0.78	1 (6%)
2	NAG	B	801	1	14,14,15	0.64	0	15,19,21	0.89	0
2	NAG	B	802	1	14,14,15	0.72	0	15,19,21	0.82	1 (6%)
2	NAG	B	803	1	14,14,15	0.91	1 (7%)	15,19,21	1.19	2 (13%)
3	NDG	B	804	1	14,14,15	0.61	0	15,19,21	0.82	0
2	NAG	B	805	1	14,14,15	0.68	0	15,19,21	1.18	1 (6%)
2	NAG	B	806	1	14,14,15	0.55	0	15,19,21	1.42	2 (13%)
2	NAG	B	807	1	14,14,15	0.63	0	15,19,21	1.14	1 (6%)
2	NAG	B	808	1	14,14,15	0.67	0	15,19,21	0.70	0
2	NAG	B	809	1	14,14,15	0.76	1 (7%)	15,19,21	0.96	1 (6%)
2	NAG	B	810	1	14,14,15	0.63	0	15,19,21	1.09	2 (13%)
3	NDG	B	811	1	14,14,15	0.82	0	15,19,21	2.17	1 (6%)
2	NAG	B	812	1	14,14,15	0.84	1 (7%)	15,19,21	0.75	1 (6%)
3	NDG	B	902	1	14,14,15	1.07	1 (7%)	15,19,21	0.96	0
3	NDG	B	903	1	14,14,15	0.51	0	15,19,21	0.64	0
2	NAG	B	904	1	14,14,15	0.76	1 (7%)	15,19,21	0.79	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	801	1	-	0/6/23/26	0/1/1/1
2	NAG	A	802	1	-	0/6/23/26	0/1/1/1
2	NAG	A	803	1	-	0/6/23/26	0/1/1/1
3	NDG	A	804	1	-	0/6/23/26	0/1/1/1
2	NAG	A	805	1	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	A	806	1	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	A	807	1	-	0/6/23/26	0/1/1/1
2	NAG	A	808	1	-	0/6/23/26	0/1/1/1
2	NAG	A	809	1	-	0/6/23/26	0/1/1/1
2	NAG	A	810	1	-	0/6/23/26	0/1/1/1
3	NDG	A	811	1	-	0/6/23/26	0/1/1/1
2	NAG	A	812	1	-	0/6/23/26	0/1/1/1
3	NDG	A	902	1	-	0/6/23/26	0/1/1/1
3	NDG	A	903	1	-	0/6/23/26	0/1/1/1
2	NAG	A	904	1	-	0/6/23/26	0/1/1/1
2	NAG	B	801	1	-	0/6/23/26	0/1/1/1
2	NAG	B	802	1	-	0/6/23/26	0/1/1/1
2	NAG	B	803	1	-	0/6/23/26	0/1/1/1
3	NDG	B	804	1	-	0/6/23/26	0/1/1/1
2	NAG	B	805	1	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	B	806	1	1/1/5/7	0/6/23/26	0/1/1/1
2	NAG	B	807	1	-	0/6/23/26	0/1/1/1
2	NAG	B	808	1	-	0/6/23/26	0/1/1/1
2	NAG	B	809	1	-	0/6/23/26	0/1/1/1
2	NAG	B	810	1	-	0/6/23/26	0/1/1/1
3	NDG	B	811	1	-	0/6/23/26	0/1/1/1
2	NAG	B	812	1	-	0/6/23/26	0/1/1/1
3	NDG	B	902	1	-	0/6/23/26	0/1/1/1
3	NDG	B	903	1	-	0/6/23/26	0/1/1/1
2	NAG	B	904	1	-	0/6/23/26	0/1/1/1

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	904	NAG	C1-C2	-2.39	1.49	1.52
2	A	904	NAG	C1-C2	-2.37	1.49	1.52
2	B	812	NAG	C1-C2	-2.33	1.49	1.52
2	A	812	NAG	C1-C2	-2.32	1.49	1.52
2	B	809	NAG	C1-C2	-2.01	1.49	1.52

The worst 5 of 26 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	811	NDG	C2-N2-C7	-7.83	112.92	123.11
3	A	811	NDG	C2-N2-C7	-7.80	112.95	123.11
2	A	806	NAG	C2-N2-C7	-3.89	118.04	123.11
2	B	806	NAG	C2-N2-C7	-3.89	118.05	123.11
2	B	805	NAG	C2-N2-C7	-3.45	118.61	123.11

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	B	806	NAG	C1
2	A	806	NAG	C1
2	B	805	NAG	C1
2	A	805	NAG	C1

There are no torsion outliers.

There are no ring outliers.

26 monomers are involved in 202 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	801	NAG	21	0
2	A	803	NAG	4	0
3	A	804	NDG	2	0
2	A	805	NAG	7	0
2	A	806	NAG	12	0
2	A	807	NAG	17	0
2	A	808	NAG	2	0
2	A	809	NAG	8	0
2	A	810	NAG	13	0
3	A	811	NDG	6	0
2	A	812	NAG	3	0
3	A	902	NDG	8	0
2	A	904	NAG	8	0
2	B	801	NAG	21	0
2	B	803	NAG	4	0
3	B	804	NDG	2	0
2	B	805	NAG	7	0
2	B	806	NAG	12	0
2	B	807	NAG	16	0
2	B	808	NAG	2	0
2	B	809	NAG	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	810	NAG	13	0
3	B	811	NDG	7	0
2	B	812	NAG	3	0
3	B	902	NDG	8	0
2	B	904	NAG	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.