



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:41 PM GMT

PDB ID : 1Q6P
Title : THE STRUCTURE OF PHOSPHOTYROSINE PHOSPHATASE 1B IN COMPLEX WITH COMPOUND 6
Authors : Scapin, G.; Patel, S.B.; Becker, J.W.; Wang, Q.; Despons, C.; Waddleton, D.; Skorey, K.; Cromlish, W.; Bayly, C.; Therien, M.; Gauthier, J.Y.; Li, C.S.; Lau, C.K.; Ramachandran, C.; Kennedy, B.P.; Asante-Appiah, E.
Deposited on : 2003-08-13
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	310	<div> <div>11%</div> <div>71%</div> <div>20%</div> <div>• 7%</div> </div>
1	B	310	<div> <div>13%</div> <div>71%</div> <div>18%</div> <div>• 7%</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4974 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein-tyrosine phosphatase, non-receptor type 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	287	Total	C	N	O	S	0	0	0
			2335	1483	402	434	16			
1	B	287	Total	C	N	O	S	0	0	0
			2335	1483	402	434	16			


There are 24 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	489	MET	-	CLONING ARTIFACT	UNP P18031
A	490	ASP	-	CLONING ARTIFACT	UNP P18031
A	491	TYR	-	CLONING ARTIFACT	UNP P18031
A	492	LYS	-	CLONING ARTIFACT	UNP P18031
A	493	ASP	-	CLONING ARTIFACT	UNP P18031
A	494	ASP	-	CLONING ARTIFACT	UNP P18031
A	495	ASP	-	CLONING ARTIFACT	UNP P18031
A	496	ASP	-	CLONING ARTIFACT	UNP P18031
A	497	LYS	-	CLONING ARTIFACT	UNP P18031
A	498	LEU	-	CLONING ARTIFACT	UNP P18031
A	499	GLU	-	CLONING ARTIFACT	UNP P18031
A	500	PHE	-	CLONING ARTIFACT	UNP P18031
B	989	MET	-	CLONING ARTIFACT	UNP P18031
B	990	ASP	-	CLONING ARTIFACT	UNP P18031
B	991	TYR	-	CLONING ARTIFACT	UNP P18031
B	992	LYS	-	CLONING ARTIFACT	UNP P18031
B	993	ASP	-	CLONING ARTIFACT	UNP P18031
B	994	ASP	-	CLONING ARTIFACT	UNP P18031
B	995	ASP	-	CLONING ARTIFACT	UNP P18031
B	996	ASP	-	CLONING ARTIFACT	UNP P18031
B	997	LYS	-	CLONING ARTIFACT	UNP P18031
B	998	LEU	-	CLONING ARTIFACT	UNP P18031
B	999	GLU	-	CLONING ARTIFACT	UNP P18031
B	1000	PHE	-	CLONING ARTIFACT	UNP P18031

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Cl 1 1	0	0

- Molecule 3 is 4'-((2S)-2-(1H-1,2,3-BENZOTRIAZOL-1-YL)-3-{4-[DIFLUORO(PHOSPHONO)METHYL]PHENYL}-2-PHENYLPROPYL)-1,1'-BIPHENYL-3-YLPHOSPHONIC ACID (three-letter code: 213) (formula: C₃₄H₂₉F₂N₃O₆P₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C F N O P 47 34 2 3 6 2	0	0
3	B	1	Total C F N O P 47 34 2 3 6 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	100	Total O 100 100	0	0
4	B	109	Total O 109 109	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Protein-tyrosine phosphatase, non-receptor type 1



- Molecule 1: Protein-tyrosine phosphatase, non-receptor type 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	87.94Å 88.05Å 139.23Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.30 25.83 – 2.00	Depositor EDS
% Data completeness (in resolution range)	96.1 (15.00-2.30) 93.2 (25.83-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.53 (at 1.99Å)	Xtriage
Refinement program	CNX	Depositor
R, R_{free}	0.210 , 0.238 0.210 , 0.235	Depositor DCC
R_{free} test set	2342 reflections (5.28%)	DCC
Wilson B-factor (Å ²)	28.2	Xtriage
Anisotropy	0.326	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 62.8	EDS
Estimated twinning fraction	0.037 for k,h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtriage
Outliers	4 of 68795 reflections (0.006%)	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4974	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.99% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 213, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	0/2388	0.67	0/3218
1	B	0.56	0/2388	0.69	0/3218
All	All	0.55	0/4776	0.68	0/6436

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2335	0	2297	46	0
1	B	2335	0	2297	74	0
2	A	1	0	0	1	0
3	A	47	0	25	0	0
3	B	47	0	25	4	0
4	A	100	0	0	1	0
4	B	109	0	0	0	0
All	All	4974	0	4644	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1061:GLN:HE22	1:B:1063:ASP:HB3	1.23	1.03
1:A:625:TRP:HA	1:A:633:MET:HE1	1.48	0.95
1:A:625:TRP:CA	1:A:633:MET:HE1	2.00	0.90
1:A:500:PHE:O	1:A:504:GLU:HG3	1.74	0.87
1:B:1114:MET:HB2	1:B:1120:LYS:HA	1.55	0.86
1:B:1125:TRP:CA	1:B:1133:MET:HE1	2.05	0.86
1:B:1196:PHE:O	1:B:1200:GLU:HG2	1.81	0.81
1:A:614:MET:HB2	1:A:619:LEU:HD23	1.64	0.78
1:A:612:ARG:HG3	1:A:612:ARG:HH11	1.47	0.78
1:B:1258:MET:HE3	3:B:1301:213:H66	1.66	0.76
1:B:1105:ARG:HH11	1:B:1105:ARG:HG2	1.51	0.74
1:B:1109:MET:HE1	1:B:1125:TRP:CZ3	2.24	0.73
1:B:1125:TRP:HA	1:B:1133:MET:HE1	1.70	0.70
1:A:615:GLU:HB2	1:A:620:LYS:HD3	1.74	0.70
1:A:524:ARG:HD2	2:A:2001:CL:CL	2.28	0.70
1:B:1205:SER:OG	1:B:1207:GLU:HG2	1.91	0.69
1:B:1112:ARG:HG3	1:B:1112:ARG:NH1	2.08	0.69
1:B:1061:GLN:NE2	1:B:1063:ASP:HB3	2.03	0.69
1:B:1125:TRP:C	1:B:1133:MET:HE1	2.12	0.69
1:A:696:PHE:O	1:A:700:GLU:HG2	1.92	0.68
1:B:1109:MET:CE	1:B:1124:TYR:OH	2.42	0.67
1:B:1119:LEU:CD2	1:B:1119:LEU:N	2.59	0.66
1:A:612:ARG:HD3	1:A:677:THR:O	1.97	0.65
1:A:625:TRP:C	1:A:633:MET:HE1	2.17	0.64
1:B:1165:THR:OG1	1:B:1167:GLU:HG3	1.99	0.63
1:A:612:ARG:HG3	1:A:612:ARG:NH1	2.12	0.63
1:B:1049:VAL:HA	1:B:1258:MET:HE1	1.80	0.62
1:B:1258:MET:CE	3:B:1301:213:H66	2.29	0.62
1:B:1109:MET:HE2	1:B:1124:TYR:CE2	2.35	0.61
1:B:1109:MET:HE2	1:B:1124:TYR:OH	2.00	0.61
1:B:1235:MET:HE2	1:B:1241:PRO:O	2.01	0.61
1:A:705:SER:OG	1:A:707:GLU:HG2	2.00	0.61
1:B:1049:VAL:HA	1:B:1258:MET:CE	2.31	0.61
1:A:614:MET:HB2	1:A:619:LEU:CD2	2.31	0.60
1:B:999:GLU:OE1	1:B:1241:PRO:HD2	2.02	0.59
1:B:1112:ARG:HH11	1:B:1112:ARG:HG3	1.68	0.57
1:A:679:TRP:CE2	1:A:721:ARG:HG2	2.40	0.56
1:A:506:GLU:O	1:A:509:GLN:HB3	2.05	0.56
1:B:1123:GLN:HG2	1:B:1127:GLN:HE21	1.71	0.55
1:B:1105:ARG:CG	1:B:1105:ARG:HH11	2.18	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:609:MET:HE3	1:A:625:TRP:CH2	2.43	0.54
1:B:1144:LEU:HA	1:B:1158:LEU:HD23	1.90	0.53
1:A:661:GLU:HB2	1:A:668:THR:HG22	1.91	0.53
1:B:1023:ILE:HD13	1:B:1250:LEU:HD23	1.90	0.52
1:A:609:MET:HG2	1:A:675:HIS:CD2	2.44	0.52
1:B:1188:PRO:CG	1:B:1272:LEU:HD22	2.40	0.52
1:A:697:LYS:HA	1:A:697:LYS:HE2	1.92	0.52
1:B:1126:PRO:HG3	1:B:1133:MET:HE2	1.91	0.51
1:A:640:LEU:HD23	1:A:662:ASN:HA	1.92	0.50
1:B:1197:LYS:HE2	1:B:1197:LYS:HA	1.93	0.50
1:B:1119:LEU:H	1:B:1119:LEU:HD23	1.75	0.50
1:B:1119:LEU:CD1	3:B:1301:213:H13	2.41	0.50
1:B:1147:GLU:HB2	1:B:1156:ARG:HG2	1.94	0.50
1:B:1109:MET:HE2	1:B:1124:TYR:CZ	2.46	0.49
1:B:1048:ASP:O	1:B:1258:MET:CE	2.60	0.49
1:B:1002:GLU:HG3	1:B:1005:LYS:NZ	2.27	0.49
1:B:1119:LEU:HD22	1:B:1119:LEU:N	2.27	0.49
1:B:1048:ASP:O	1:B:1258:MET:HE1	2.12	0.49
1:A:625:TRP:HA	1:A:633:MET:CE	2.33	0.49
1:B:1112:ARG:HH11	1:B:1112:ARG:CG	2.26	0.49
1:B:1061:GLN:HE22	1:B:1063:ASP:CB	2.09	0.48
1:A:694:PHE:O	1:A:698:VAL:HG23	2.13	0.48
1:B:1119:LEU:HD11	3:B:1301:213:H13	1.95	0.48
1:A:609:MET:CE	1:A:673:HIS:CE1	2.96	0.48
1:A:656:ARG:HB2	1:A:673:HIS:HB3	1.96	0.47
1:B:1281:ILE:HG22	1:B:1282:MET:HE3	1.95	0.47
1:A:503:MET:HE2	1:A:735:MET:HE1	1.96	0.47
1:B:1114:MET:O	1:B:1120:LYS:HB2	2.15	0.47
1:A:632:GLU:HG3	1:A:641:LYS:HE3	1.96	0.47
1:A:502:GLU:HG3	1:A:505:LYS:HE2	1.97	0.46
1:B:1003:MET:HE3	1:B:1242:SER:HA	1.96	0.46
1:A:614:MET:HA	1:A:619:LEU:HA	1.97	0.46
1:A:502:GLU:HA	1:A:505:LYS:HG2	1.97	0.46
1:A:685:PRO:HG2	1:A:769:PHE:CE2	2.51	0.45
1:A:521:GLN:HG3	1:B:1182:PHE:CE1	2.52	0.45
1:B:1109:MET:HG3	1:B:1214:HIS:CE1	2.51	0.45
1:A:613:VAL:HG13	1:A:621:CYS:O	2.16	0.45
1:A:602:GLN:O	1:A:709:GLY:HA3	2.16	0.45
1:B:1097:GLU:HA	1:B:1140:LEU:HD11	1.98	0.45
1:B:1126:PRO:N	1:B:1133:MET:CE	2.81	0.44
1:A:605:ARG:HG2	1:A:605:ARG:HH11	1.83	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1109:MET:HE2	1:B:1124:TYR:HE2	1.81	0.44
1:B:1126:PRO:CG	1:B:1133:MET:HE2	2.47	0.44
1:B:1126:PRO:N	1:B:1133:MET:HE2	2.32	0.44
1:A:626:PRO:HG3	1:A:633:MET:HE2	2.00	0.44
1:A:679:TRP:NE1	1:A:721:ARG:HG2	2.33	0.44
1:A:579:ARG:HG3	1:A:580:SER:N	2.33	0.44
1:B:1076:GLU:O	1:B:1237:LYS:HE3	2.18	0.43
1:A:609:MET:CE	1:A:673:HIS:HE1	2.30	0.43
1:B:1002:GLU:O	1:B:1006:GLU:HB3	2.17	0.43
1:B:1005:LYS:HA	1:B:1008:GLU:OE2	2.19	0.43
1:B:999:GLU:HA	1:B:1002:GLU:OE1	2.18	0.43
1:A:609:MET:HB3	1:A:609:MET:HE2	1.98	0.43
1:B:1006:GLU:O	1:B:1009:GLN:HB3	2.19	0.43
1:A:497:LYS:C	1:A:499:GLU:H	2.22	0.43
1:B:1197:LYS:HE2	1:B:1200:GLU:HG3	2.00	0.42
1:B:1227:LEU:CD1	1:B:1253:MET:HE3	2.49	0.42
1:B:1126:PRO:CD	1:B:1133:MET:HE2	2.48	0.42
1:B:1091:THR:HA	1:B:1094:HIS:CD2	2.53	0.42
1:B:1119:LEU:N	1:B:1119:LEU:HD23	2.30	0.42
1:B:1116:LYS:HB2	1:B:1116:LYS:HE3	1.89	0.42
1:B:1109:MET:HB2	1:B:1109:MET:HE3	1.65	0.42
1:B:1152:TYR:CD1	1:B:1153:TYR:HD2	2.37	0.42
1:A:577:ALA:O	1:A:578:GLN:HB2	2.19	0.41
1:B:1113:VAL:HG13	1:B:1121:CYS:O	2.20	0.41
1:A:735:MET:HG2	1:A:744:VAL:HG21	2.02	0.41
1:A:644:LEU:HA	1:A:658:LEU:HD23	2.03	0.41
1:A:539:LYS:HE3	4:A:3133:HOH:O	2.20	0.41
1:B:1227:LEU:HA	1:B:1253:MET:CE	2.51	0.41
1:B:1149:ILE:HD12	1:B:1149:ILE:N	2.36	0.41
1:B:1073:LYS:HE2	1:B:1075:GLU:OE2	2.21	0.41
1:B:1105:ARG:CG	1:B:1105:ARG:NH1	2.82	0.41
1:B:1002:GLU:HA	1:B:1005:LYS:HG2	2.03	0.41
1:B:1083:LEU:N	1:B:1083:LEU:HD12	2.36	0.41
1:B:1125:TRP:C	1:B:1133:MET:CE	2.87	0.41
1:A:674:PHE:HB3	1:A:694:PHE:CE1	2.57	0.40
1:B:1105:ARG:HG3	1:B:1105:ARG:O	2.21	0.40
1:A:582:ILE:CD1	1:A:710:PRO:HG2	2.51	0.40
1:B:1179:TRP:CE2	1:B:1221:ARG:HG2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	285/310 (92%)	267 (94%)	15 (5%)	3 (1%)	17	18
1	B	285/310 (92%)	267 (94%)	16 (6%)	2 (1%)	26	31
All	All	570/620 (92%)	534 (94%)	31 (5%)	5 (1%)	21	24

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	563	ASP
1	B	1063	ASP
1	A	618	SER
1	B	1261	ILE
1	A	761	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/283 (91%)	246 (96%)	11 (4%)	35	47
1	B	257/283 (91%)	244 (95%)	13 (5%)	29	39
All	All	514/566 (91%)	490 (95%)	24 (5%)	32	43

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	502	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	509	GLN
1	A	511	ASP
1	A	512	LYS
1	A	529	ASP
1	A	578	GLN
1	A	636	GLU
1	A	644	LEU
1	A	697	LYS
1	A	772	LEU
1	A	782	MET
1	B	1006	GLU
1	B	1008	GLU
1	B	1009	GLN
1	B	1011	ASP
1	B	1012	LYS
1	B	1061	GLN
1	B	1105	ARG
1	B	1112	ARG
1	B	1119	LEU
1	B	1144	LEU
1	B	1197	LYS
1	B	1207	GLU
1	B	1282	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	561	GLN
1	A	578	GLN
1	A	594	HIS
1	A	693	ASN
1	B	1061	GLN
1	B	1078	GLN
1	B	1094	HIS
1	B	1127	GLN
1	B	1139	ASN
1	B	1193	ASN
1	B	1208	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	213	A	801	-	45,52,52	3.30	21 (46%)	61,79,79	1.87	15 (24%)
3	213	B	1301	-	45,52,52	3.19	16 (35%)	61,79,79	1.95	14 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	213	A	801	-	-	0/32/47/47	0/6/6/6
3	213	B	1301	-	-	0/32/47/47	0/6/6/6

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1301	213	P71-O73	-4.42	1.45	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1301	213	P55-O56	-4.06	1.47	1.54
3	A	801	213	P71-O73	-3.54	1.47	1.54
3	A	801	213	P55-O56	-3.30	1.48	1.54
3	A	801	213	C41-C42	-2.27	1.37	1.41
3	A	801	213	C62-C61	2.05	1.43	1.39
3	B	1301	213	C45-C40	2.12	1.43	1.38
3	A	801	213	C15-C10	2.13	1.42	1.38
3	B	1301	213	C15-C14	2.23	1.42	1.39
3	A	801	213	P71-C63	2.40	1.83	1.79
3	A	801	213	C23-C22	2.40	1.43	1.38
3	A	801	213	C45-C44	2.50	1.42	1.36
3	A	801	213	C3-C4	2.56	1.43	1.39
3	B	1301	213	C40-C41	2.67	1.42	1.36
3	B	1301	213	C43-C42	2.68	1.45	1.40
3	A	801	213	C43-C42	2.69	1.45	1.40
3	A	801	213	C40-C41	2.71	1.42	1.36
3	A	801	213	C5-C4	2.78	1.43	1.39
3	A	801	213	C15-C14	2.80	1.43	1.39
3	B	1301	213	C61-C24	2.87	1.56	1.49
3	B	1301	213	C32-C30	2.96	1.58	1.55
3	B	1301	213	C5-C4	3.02	1.44	1.39
3	B	1301	213	C3-C4	3.11	1.44	1.39
3	B	1301	213	C45-C44	3.16	1.43	1.36
3	A	801	213	C62-C63	3.29	1.43	1.39
3	B	1301	213	C35-C30	3.34	1.59	1.55
3	A	801	213	C61-C24	3.58	1.58	1.49
3	A	801	213	C32-C30	4.15	1.60	1.55
3	A	801	213	C35-C30	4.85	1.61	1.55
3	A	801	213	C32-C21	5.03	1.60	1.51
3	B	1301	213	C32-C21	5.34	1.60	1.51
3	B	1301	213	C35-C11	6.82	1.63	1.51
3	A	801	213	C35-C11	7.61	1.64	1.51
3	A	801	213	C30-C4	10.33	1.64	1.52
3	B	1301	213	C12-C11	10.45	1.61	1.38
3	A	801	213	C12-C11	10.45	1.61	1.38
3	B	1301	213	C30-C4	10.96	1.65	1.52

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1301	213	C62-C61-C24	-4.75	112.82	120.90
3	A	801	213	F54-C52-P55	-4.51	101.19	107.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1301	213	F54-C52-P55	-4.12	101.75	107.57
3	B	1301	213	C43-C42-N46	-4.01	103.37	108.55
3	A	801	213	C43-C42-N46	-4.00	103.38	108.55
3	A	801	213	C62-C61-C24	-3.33	115.23	120.90
3	B	1301	213	C32-C21-C22	-3.31	116.36	121.08
3	A	801	213	C23-C24-C61	-2.88	116.22	121.39
3	A	801	213	C23-C22-C21	-2.70	117.34	121.04
3	B	1301	213	C23-C24-C61	-2.69	116.56	121.39
3	A	801	213	C32-C21-C22	-2.67	117.26	121.08
3	B	1301	213	C13-C12-C11	-2.57	117.52	121.04
3	A	801	213	C13-C12-C11	-2.19	118.04	121.04
3	A	801	213	C22-C21-C20	2.45	122.06	118.13
3	B	1301	213	C25-C24-C61	2.48	125.85	121.39
3	B	1301	213	C22-C21-C20	2.58	122.26	118.13
3	A	801	213	C35-C11-C10	2.61	124.80	121.08
3	B	1301	213	C30-C32-C21	2.62	121.27	115.90
3	A	801	213	O58-P55-O56	2.66	115.75	108.24
3	B	1301	213	P55-C52-C14	2.66	116.94	108.95
3	B	1301	213	O58-P55-O56	2.80	116.16	108.24
3	A	801	213	C25-C24-C61	2.83	126.47	121.39
3	B	1301	213	C41-C42-N46	2.86	135.04	130.22
3	A	801	213	C41-C42-N46	2.94	135.17	130.22
3	A	801	213	P55-C52-C14	3.11	118.30	108.95
3	A	801	213	C66-C61-C24	3.14	127.02	121.39
3	B	1301	213	C66-C61-C24	4.54	129.54	121.39
3	A	801	213	C44-C43-N31	6.47	138.28	131.97
3	B	1301	213	C44-C43-N31	7.02	138.82	131.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1301	213	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	287/310 (92%)	0.49	33 (11%) 6 10	18, 33, 60, 65	0
1	B	287/310 (92%)	0.54	39 (13%) 4 6	15, 31, 58, 65	0
All	All	574/620 (92%)	0.52	72 (12%) 5 8	15, 32, 59, 65	0

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	618	SER	7.5
1	A	619	LEU	7.3
1	B	1114	MET	7.0
1	B	1116	LYS	6.1
1	B	998	LEU	5.9
1	A	614	MET	5.9
1	A	617	GLY	5.7
1	B	1012	LYS	5.5
1	A	562	GLU	5.4
1	B	1115	GLU	5.0
1	A	505	LYS	4.9
1	B	1062	GLU	4.7
1	A	497	LYS	4.7
1	B	1005	LYS	4.6
1	B	1000	PHE	4.6
1	B	1013	SER	4.5
1	B	1117	GLY	4.3
1	A	498	LEU	4.2
1	B	1002	GLU	4.1
1	A	616	LYS	4.1
1	A	500	PHE	4.1
1	B	1118	SER	3.9
1	A	652	TYR	3.8
1	A	563	ASP	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1152	TYR	3.7
1	A	740	ASP	3.6
1	A	501	MET	3.6
1	A	502	GLU	3.5
1	A	712	VAL	3.5
1	B	1063	ASP	3.5
1	B	1112	ARG	3.4
1	A	512	LYS	3.4
1	B	1239	LYS	3.3
1	A	607	VAL	3.3
1	A	707	GLU	3.2
1	A	499	GLU	3.1
1	B	1014	GLY	3.0
1	A	615	GLU	3.0
1	A	509	GLN	2.9
1	B	1009	GLN	2.9
1	A	780	PHE	2.9
1	B	1280	PHE	2.9
1	A	608	VAL	2.9
1	B	1212	VAL	2.9
1	A	713	VAL	2.8
1	B	1237	LYS	2.8
1	B	997	LYS	2.8
1	B	1213	VAL	2.8
1	B	1006	GLU	2.7
1	B	1008	GLU	2.7
1	A	782	MET	2.7
1	B	1186	GLU	2.7
1	A	725	PHE	2.7
1	B	1095	PHE	2.6
1	B	1107	VAL	2.6
1	B	999	GLU	2.5
1	A	726	CYS	2.4
1	B	1225	PHE	2.3
1	A	584	THR	2.3
1	A	561	GLN	2.2
1	B	1208	HIS	2.2
1	B	1165	THR	2.2
1	B	1207	GLU	2.2
1	A	783	GLY	2.2
1	B	1078	GLN	2.2
1	B	1228	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1108	VAL	2.1
1	A	508	GLU	2.1
1	A	723	GLY	2.0
1	B	1240	ASP	2.0
1	B	1061	GLN	2.0
1	B	1205	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	213	B	1301	47/47	0.96	0.10	-0.61	14,21,35,37	0
3	213	A	801	47/47	0.96	0.11	-0.67	16,20,31,34	0
2	CL	A	2001	1/1	0.98	0.09	-2.14	27,27,27,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.