



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:41 PM GMT

PDB ID : 1Q6X
Title : Crystal structure of rat choline acetyltransferase
Authors : Cai, Y.; Rodgers, D.W.
Deposited on : 2003-08-14
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3553 (2.50-2.50)
Clashscore	102246	4242 (2.50-2.50)
Ramachandran outliers	100387	4156 (2.50-2.50)
Sidechain outliers	100360	4158 (2.50-2.50)
RSRZ outliers	91569	3562 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	644	<div> <div>6%</div> <div> <div></div> <div>79%</div> <div>13%</div> <div>• 7%</div> </div> </div>
1	B	644	<div> <div>5%</div> <div> <div></div> <div>79%</div> <div>13%</div> <div>• 7%</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9681 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called choline O-acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	600	Total	C	N	O	S	0	0	12
			4667	2955	806	867	39			
1	B	600	Total	C	N	O	S	0	0	12
			4667	2955	806	867	39			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	234	ASN	LYS	SEE REMARK 999	UNP P32738
B	234	ASN	LYS	SEE REMARK 999	UNP P32738

- Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Na	0	0
			1	1		
2	A	1	Total	Na	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	149	Total	O	0	0
			149	149		
3	B	196	Total	O	0	0
			196	196		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: choline O-acetyltransferase



- Molecule 1: choline O-acetyltransferase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	84.70 Å 78.88 Å 139.36 Å 90.00° 98.38° 90.00°	Depositor
Resolution (Å)	28.94 – 2.50 28.93 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.1 (28.94-2.50) 98.2 (28.93-2.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.93 (at 2.51 Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.223 , 0.251 0.220 , 0.245	Depositor DCC
R_{free} test set	6279 reflections (11.26%)	DCC
Wilson B-factor (Å ²)	31.0	Xtriage
Anisotropy	0.059	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 40.4	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 62034 reflections	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9681	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/4756	0.60	0/6442
1	B	0.44	0/4756	0.60	0/6442
All	All	0.43	0/9512	0.60	0/12884

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4667	0	4622	63	0
1	B	4667	0	4621	64	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	149	0	0	3	0
3	B	196	0	0	2	0
All	All	9681	0	9243	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:352:HIS:HA	1:A:355:THR:HG23	1.47	0.97
1:B:352:HIS:HA	1:B:355:THR:HG23	1.47	0.96
1:A:355:THR:C	1:A:356:SER:CA	2.44	0.86
1:B:355:THR:C	1:B:356:SER:CA	2.44	0.85
1:A:551:GLN:HE21	1:A:576:PRO:HG2	1.43	0.83
1:B:551:GLN:HE21	1:B:576:PRO:HG2	1.44	0.82
1:A:367:SER:CA	1:A:368:GLU:N	2.42	0.82
1:B:367:SER:CA	1:B:368:GLU:N	2.42	0.82
1:B:313:TRP:H	1:B:319:GLN:NE2	1.78	0.82
1:A:313:TRP:H	1:A:319:GLN:NE2	1.80	0.78
1:A:489:LEU:HD21	1:A:617:ARG:HD3	1.68	0.76
1:A:211:ILE:O	1:A:212:ASN:HB2	1.86	0.75
1:B:211:ILE:O	1:B:212:ASN:HB2	1.86	0.75
1:B:489:LEU:HD21	1:B:617:ARG:HD3	1.69	0.73
1:B:190:MET:HB3	1:B:191:PRO:HD2	1.71	0.73
1:A:190:MET:HB3	1:A:191:PRO:HD2	1.70	0.73
1:B:551:GLN:NE2	1:B:576:PRO:HG2	2.05	0.72
1:A:319:GLN:HB2	1:A:331:VAL:HG13	1.72	0.71
1:A:551:GLN:NE2	1:A:576:PRO:HG2	2.05	0.71
1:B:319:GLN:HB2	1:B:331:VAL:HG13	1.73	0.68
1:B:313:TRP:H	1:B:319:GLN:HE22	1.42	0.67
1:A:551:GLN:HG2	1:A:553:PRO:HD3	1.80	0.63
1:A:313:TRP:H	1:A:319:GLN:HE22	1.45	0.62
1:B:551:GLN:HG2	1:B:553:PRO:HD3	1.80	0.62
1:A:292:ASP:OD2	1:A:295:ARG:NH2	2.34	0.60
1:A:211:ILE:HD12	1:A:369:LEU:HD22	1.84	0.59
1:B:211:ILE:HD12	1:B:369:LEU:HD22	1.85	0.59
1:A:153:GLY:HA3	1:A:156:SER:O	2.04	0.58
1:B:292:ASP:OD2	1:B:295:ARG:NH2	2.36	0.58
1:A:415:PHE:CZ	1:A:611:ARG:HG3	2.38	0.58
1:A:151:ALA:HB2	1:A:160:LEU:HD21	1.85	0.58
1:B:153:GLY:HA3	1:B:156:SER:O	2.05	0.57
1:B:415:PHE:CZ	1:B:611:ARG:HG3	2.41	0.55
1:A:479:HIS:HB2	1:A:482:ALA:HB3	1.88	0.55
1:B:492:LEU:C	1:B:492:LEU:HD23	2.26	0.55
1:A:492:LEU:C	1:A:492:LEU:HD23	2.26	0.55
1:B:479:HIS:HB2	1:B:482:ALA:HB3	1.88	0.55
1:B:479:HIS:ND1	1:B:480:LYS:N	2.55	0.55
1:B:479:HIS:CG	1:B:480:LYS:N	2.75	0.55
1:A:114:ARG:HD3	1:A:115:GLN:O	2.07	0.55
1:B:114:ARG:HD3	1:B:115:GLN:O	2.07	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:ALA:HB2	1:B:160:LEU:HD21	1.89	0.53
1:A:479:HIS:CG	1:A:480:LYS:N	2.76	0.53
1:A:556:MET:HB2	3:A:1098:HOH:O	2.07	0.53
1:B:479:HIS:CD2	1:B:481:ALA:H	2.26	0.53
1:A:479:HIS:CD2	1:A:481:ALA:H	2.27	0.53
1:A:479:HIS:ND1	1:A:480:LYS:N	2.57	0.53
1:B:551:GLN:HE21	1:B:576:PRO:CG	2.20	0.53
1:B:599:PHE:O	1:B:603:VAL:HG23	2.09	0.53
1:A:599:PHE:O	1:A:603:VAL:HG23	2.10	0.52
1:B:352:HIS:HA	1:B:355:THR:CG2	2.31	0.52
1:A:111:ILE:N	1:A:111:ILE:HD12	2.24	0.52
1:B:111:ILE:HD12	1:B:111:ILE:N	2.25	0.51
1:A:177:HIS:CD2	1:A:178:THR:HG23	2.45	0.51
1:B:177:HIS:CD2	1:B:178:THR:HG23	2.46	0.51
1:A:352:HIS:HA	1:A:355:THR:CG2	2.31	0.51
1:A:400:ASN:HD21	1:A:590:SER:H	1.59	0.49
1:A:419:GLN:HG3	1:A:617:ARG:NH2	2.28	0.48
1:B:441:ARG:HG3	1:B:441:ARG:HH11	1.79	0.48
1:B:419:GLN:HG3	1:B:617:ARG:NH2	2.29	0.48
1:B:480:LYS:O	1:B:481:ALA:HB3	2.13	0.48
1:A:537:GLU:HG3	1:A:541:MET:HE3	1.95	0.48
1:A:320:PHE:CD2	1:A:330:VAL:HG22	2.48	0.48
1:A:480:LYS:O	1:A:481:ALA:HB3	2.14	0.47
1:B:50:GLN:HE22	1:B:541:MET:HE1	1.80	0.47
1:B:400:ASN:HD21	1:B:590:SER:H	1.61	0.47
1:A:57:ILE:HG23	1:A:532:GLU:HG2	1.97	0.47
1:A:441:ARG:HG3	1:A:441:ARG:HH11	1.80	0.47
1:A:99:ARG:N	1:A:99:ARG:HD2	2.30	0.46
1:B:57:ILE:HG23	1:B:532:GLU:HG2	1.98	0.46
1:B:114:ARG:HG3	1:B:114:ARG:HH11	1.80	0.46
1:A:374:ARG:NH2	3:A:1030:HOH:O	2.43	0.46
1:B:99:ARG:N	1:B:99:ARG:HD2	2.29	0.46
1:A:425:GLY:O	1:A:429:VAL:HG23	2.16	0.46
1:B:320:PHE:CD2	1:B:330:VAL:HG22	2.49	0.46
1:A:114:ARG:HH11	1:A:114:ARG:HG3	1.81	0.45
1:A:537:GLU:HG3	1:A:541:MET:CE	2.47	0.45
1:A:551:GLN:HE21	1:A:576:PRO:CG	2.19	0.45
1:A:177:HIS:HD2	1:A:178:THR:HG23	1.82	0.44
1:B:537:GLU:HG3	1:B:541:MET:CE	2.46	0.44
1:B:177:HIS:HD2	1:B:178:THR:HG23	1.82	0.44
1:B:537:GLU:HG3	1:B:541:MET:HE3	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:114:ARG:HG3	1:B:114:ARG:NH1	2.33	0.43
1:B:425:GLY:O	1:B:429:VAL:HG23	2.17	0.43
1:A:464:SER:HA	1:A:499:GLN:HE22	1.83	0.43
1:A:464:SER:HA	1:A:499:GLN:NE2	2.33	0.43
1:B:270:LEU:HD22	3:B:1068:HOH:O	2.18	0.43
1:B:464:SER:HA	1:B:499:GLN:NE2	2.34	0.43
1:A:50:GLN:HE22	1:A:541:MET:HE1	1.83	0.43
1:B:212:ASN:HB3	1:B:213:PHE:H	1.60	0.43
1:B:483:MET:HE3	1:B:487:GLU:HB2	2.00	0.43
1:A:470:LEU:O	1:A:474:GLN:HG3	2.19	0.43
1:B:374:ARG:NH2	3:B:1047:HOH:O	2.45	0.43
1:A:114:ARG:NH1	1:A:114:ARG:HG3	2.34	0.43
1:A:445:THR:HG23	1:A:547:LEU:HB3	2.01	0.43
1:B:530:PRO:HA	1:B:531:PRO:HD3	1.89	0.42
1:B:153:GLY:CA	1:B:156:SER:O	2.67	0.42
1:B:547:LEU:HD22	1:B:549:THR:CG2	2.49	0.42
1:A:106:SER:O	1:A:108:PRO:HD3	2.18	0.42
1:A:212:ASN:HB3	1:A:213:PHE:H	1.61	0.42
1:B:483:MET:HA	1:B:484:PRO:HD3	1.88	0.42
1:B:410:ASN:O	1:B:411:TYR:HB3	2.20	0.42
1:A:547:LEU:HD22	1:A:549:THR:CG2	2.48	0.42
1:A:340:ILE:O	1:A:344:GLN:HG2	2.19	0.42
1:A:20:GLU:HB3	1:A:23:LEU:HD12	2.00	0.42
1:B:214:ARG:NH2	1:B:369:LEU:HD21	2.34	0.42
1:B:20:GLU:HB3	1:B:23:LEU:HD12	2.01	0.42
1:A:99:ARG:NH2	1:A:176:GLY:O	2.53	0.41
1:B:99:ARG:NH2	1:B:176:GLY:O	2.53	0.41
1:B:464:SER:HA	1:B:499:GLN:HE22	1.84	0.41
1:A:238:ARG:NH2	3:A:1092:HOH:O	2.51	0.41
1:A:102:LEU:N	1:A:103:PRO:CD	2.83	0.41
1:A:500:THR:O	1:A:504:VAL:HG23	2.20	0.41
1:A:214:ARG:NH2	1:A:369:LEU:HD21	2.35	0.41
1:A:153:GLY:CA	1:A:156:SER:O	2.68	0.41
1:B:26:LEU:HA	1:B:27:PRO:HD3	1.90	0.41
1:B:340:ILE:O	1:B:344:GLN:HG2	2.20	0.41
1:B:106:SER:O	1:B:108:PRO:HD3	2.21	0.41
1:A:26:LEU:HA	1:A:27:PRO:HD3	1.90	0.41
1:A:50:GLN:OE1	1:A:541:MET:HE1	2.20	0.41
1:A:321:VAL:O	1:A:328:CYS:HA	2.21	0.41
1:B:214:ARG:HH22	1:B:369:LEU:HD21	1.86	0.41
1:B:479:HIS:CD2	1:B:481:ALA:N	2.89	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:194:GLU:O	1:B:209:VAL:HG22	2.21	0.41
1:B:470:LEU:O	1:B:474:GLN:HG3	2.21	0.41
1:A:396:ARG:O	1:A:400:ASN:HB2	2.20	0.40
1:B:445:THR:HG23	1:B:547:LEU:HB3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	584/644 (91%)	559 (96%)	24 (4%)	1 (0%)	52	75
1	B	584/644 (91%)	558 (96%)	25 (4%)	1 (0%)	52	75
All	All	1168/1288 (91%)	1117 (96%)	49 (4%)	2 (0%)	52	75

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	212	ASN
1	B	212	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	516/565 (91%)	502 (97%)	14 (3%)	52 79
1	B	516/565 (91%)	503 (98%)	13 (2%)	55 82
All	All	1032/1130 (91%)	1005 (97%)	27 (3%)	54 81

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	100	LEU
1	A	114	ARG
1	A	150	TRP
1	A	244	LEU
1	A	260	LEU
1	A	279	LEU
1	A	332	CYS
1	A	373	ARG
1	A	384	GLN
1	A	400	ASN
1	A	407	LYS
1	A	419	GLN
1	A	513	ASP
1	A	547	LEU
1	B	100	LEU
1	B	114	ARG
1	B	150	TRP
1	B	244	LEU
1	B	260	LEU
1	B	279	LEU
1	B	332	CYS
1	B	373	ARG
1	B	384	GLN
1	B	400	ASN
1	B	407	LYS
1	B	419	GLN
1	B	547	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	GLN
1	A	121	ASN
1	A	177	HIS
1	A	298	GLN
1	A	319	GLN
1	A	384	GLN
1	A	395	GLN
1	A	400	ASN
1	A	493	GLN
1	A	499	GLN
1	A	551	GLN
1	B	33	GLN
1	B	121	ASN
1	B	234	ASN
1	B	298	GLN
1	B	319	GLN
1	B	384	GLN
1	B	395	GLN
1	B	400	ASN
1	B	493	GLN
1	B	499	GLN
1	B	551	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	600/644 (93%)	0.11	36 (6%) 25 28	12, 29, 73, 110	0
1	B	600/644 (93%)	0.04	35 (5%) 26 30	11, 24, 66, 108	0
All	All	1200/1288 (93%)	0.07	71 (5%) 26 29	11, 26, 71, 110	0

All (71) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	360	LEU	21.0
1	B	360	LEU	15.0
1	B	363	ALA	14.6
1	A	363	ALA	11.8
1	B	357	ASN	10.9
1	A	190	MET	10.5
1	B	359	LYS	10.2
1	B	190	MET	10.2
1	B	189	ILE	8.6
1	B	356	SER	8.1
1	A	191	PRO	8.0
1	B	188	SER	7.9
1	B	358	LYS	7.8
1	A	189	ILE	7.7
1	B	365	SER	7.3
1	A	213	PHE	6.9
1	A	355	THR	6.8
1	B	213	PHE	6.6
1	B	211	ILE	6.5
1	B	187	SER	6.3
1	A	358	LYS	6.3
1	A	356	SER	6.2
1	B	366	VAL	6.2
1	B	191	PRO	6.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	355	THR	6.0
1	A	366	VAL	5.9
1	A	188	SER	5.8
1	A	365	SER	5.6
1	A	480	LYS	5.3
1	B	354	MET	5.1
1	B	364	ASP	4.8
1	B	481	ALA	4.7
1	A	359	LYS	4.6
1	A	211	ILE	4.5
1	A	354	MET	4.3
1	A	187	SER	4.2
1	B	186	LYS	4.2
1	A	364	ASP	4.2
1	A	192	GLU	4.0
1	B	480	LYS	3.5
1	B	214	ARG	3.4
1	A	287	THR	3.3
1	A	214	ARG	3.2
1	B	362	ARG	3.2
1	B	367	SER	3.2
1	A	186	LYS	2.9
1	A	529	GLU	2.8
1	B	52	ARG	2.8
1	A	352	HIS	2.8
1	B	116	HIS	2.8
1	A	212	ASN	2.8
1	B	212	ASN	2.7
1	A	481	ALA	2.7
1	B	528	LYS	2.6
1	A	289	GLU	2.6
1	B	118	GLN	2.5
1	B	177	HIS	2.5
1	B	287	THR	2.5
1	B	592	LYS	2.4
1	A	361	VAL	2.3
1	A	52	ARG	2.3
1	A	177	HIS	2.3
1	A	616	SER	2.3
1	A	528	LYS	2.3
1	A	357	ASN	2.2
1	A	486	SER	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	529	GLU	2.1
1	B	361	VAL	2.1
1	A	490	GLN	2.1
1	B	192	GLU	2.1
1	A	280	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NA	A	1002	1/1	0.90	0.09	-0.51	24,24,24,24	0
2	NA	B	1001	1/1	0.89	0.07	-0.66	21,21,21,21	0

6.5 Other polymers [i](#)

There are no such residues in this entry.