



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 19, 2016 – 06:47 PM GMT

PDB ID : 3QFR  
Title : Crystal Structure of Human NADPH-Cytochrome P450 Reductase (R457H Mutant)  
Authors : Xia, C.; Marohnic, C.; Panda, S.P.; Masters, B.S.; Kim, J.-J.P.  
Deposited on : 2011-01-22  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.1 (RC1), CSD as537be (2016)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026982  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20026982


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2919 (2.40-2.40)
Clashscore	102246	3407 (2.40-2.40)
Ramachandran outliers	100387	3351 (2.40-2.40)
Sidechain outliers	100360	3352 (2.40-2.40)
RSRZ outliers	91569	2928 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	618	<div> <div></div> <div>72%</div> <div>24%</div> <div>..</div> </div>
1	B	618	<div> <div></div> <div>64%</div> <div>31%</div> <div>..</div> </div>

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 9964 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called NADPH–cytochrome P450 reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	604	Total	C	N	O	S	0	0	0
			4813	3047	833	910	23			
1	B	603	Total	C	N	O	S	0	0	0
			4820	3049	835	913	23			

There are 10 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	63	GLY	-	EXPRESSION TAG	UNP P16435
A	64	SER	-	EXPRESSION TAG	UNP P16435
A	65	HIS	-	EXPRESSION TAG	UNP P16435
A	66	MET	-	EXPRESSION TAG	UNP P16435
A	457	HIS	ARG	ENGINEERED MUTATION	UNP P16435
B	63	GLY	-	EXPRESSION TAG	UNP P16435
B	64	SER	-	EXPRESSION TAG	UNP P16435
B	65	HIS	-	EXPRESSION TAG	UNP P16435
B	66	MET	-	EXPRESSION TAG	UNP P16435
B	457	HIS	ARG	ENGINEERED MUTATION	UNP P16435

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula:  $C_{27}H_{33}N_9O_{15}P_2$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is FLAVIN MONONUCLEOTIDE (three-letter code: FMN) (formula: C<sub>17</sub>H<sub>21</sub>N<sub>4</sub>O<sub>9</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	17	4	9	1		
3	B	1	Total	C	N	O	P	0	0
			31	17	4	9	1		

- Molecule 4 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula:  $C_{21}H_{28}N_7O_{17}P_3$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
4	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Ca	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	72	Total	O	0	0
			72	72		
6	B	28	Total	O	0	0
			28	28		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: NADPH-cytochrome P450 reductase



#### • Molecule 1: NADPH-cytochrome P450 reductase



E574	D575	Y576	L577	Y578
E581				
Q584	F585	H586	R587	
A590	L591	T592	Q593	
A597	F598	S599	R600	
V606	V607	V608	Q609	H610
			L611	L612
			R613	
R616	E617			
Q626	A627	H628	I629	
A635				
R640				
F646				
I653				
E657				
Q660				
R673				
D677	V678	H679	S680	

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.28Å 120.39Å 156.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.72 – 2.40 45.72 – 2.39	Depositor EDS
% Data completeness (in resolution range)	90.4 (45.72-2.40) 90.2 (45.72-2.39)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.07	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.37 (at 2.39Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.227 , 0.285 0.227 , 0.283	Depositor DCC
$R_{free}$ test set	2384 reflections (5.01%)	DCC
Wilson B-factor (Å <sup>2</sup> )	49.5	Xtriage
Anisotropy	0.465	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 24.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	0 of 47927 reflections	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	9964	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	59.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.11% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FMN, CA, NAP, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.41	0/4924	0.63	2/6667 (0.0%)
1	B	0.38	0/4930	0.62	0/6671
All	All	0.39	0/9854	0.62	2/13338 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	88	GLY	N-CA-C	-5.66	98.96	113.10
1	A	213	GLY	N-CA-C	-5.01	100.58	113.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4813	0	4666	117	0
1	B	4820	0	4684	174	0
2	A	53	0	31	1	0
2	B	53	0	31	1	0
3	A	31	0	19	1	0
3	B	31	0	19	2	0
4	A	31	0	11	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	31	0	11	1	0
5	A	1	0	0	0	0
6	A	72	0	0	6	0
6	B	28	0	0	6	0
All	All	9964	0	9472	293	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (293) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:441:ARG:HB3	1:A:441:ARG:HH11	1.20	1.05
1:B:275:GLN:HE22	1:B:286:LEU:H	1.12	0.97
1:A:657:GLU:H	1:A:660:GLN:HE21	1.11	0.93
1:B:379:ASP:HB3	1:B:452:PRO:HG2	1.52	0.89
1:A:99:ASN:HB3	6:A:21:HOH:O	1.74	0.88
1:B:609:GLN:H	1:B:609:GLN:HE21	1.24	0.85
1:B:353:ASN:HD22	1:B:354:LEU:N	1.74	0.85
1:A:609:GLN:HE22	4:A:753:NAP:H2A	1.41	0.84
1:B:530:PRO:HG2	1:B:627:ALA:HB2	1.59	0.83
1:B:609:GLN:HE22	4:B:753:NAP:H2A	1.48	0.78
1:A:305:HIS:HD2	1:A:578:TYR:OH	1.68	0.77
1:B:597:ALA:HB2	1:B:611:LEU:HD22	1.67	0.76
1:B:220:ILE:CG2	1:B:411:SER:HB3	2.18	0.74
1:B:305:HIS:HD2	1:B:578:TYR:OH	1.70	0.74
1:B:353:ASN:ND2	1:B:355:ASP:H	1.86	0.73
1:A:657:GLU:H	1:A:660:GLN:NE2	1.85	0.73
1:B:144:GLY:O	1:B:145:GLU:HG2	1.89	0.73
1:A:429:HIS:HD2	1:A:432:ALA:H	1.37	0.72
1:A:89:SER:HB2	1:A:94:ALA:HB3	1.69	0.72
1:A:249:GLU:HB2	1:A:354:LEU:HD21	1.72	0.72
1:A:160:GLN:HG2	1:A:190:TYR:OH	1.89	0.71
1:A:441:ARG:HB3	1:A:441:ARG:NH1	2.01	0.71
1:B:597:ALA:HB1	1:B:606:VAL:HG12	1.72	0.71
1:B:220:ILE:HG22	1:B:411:SER:HB3	1.72	0.70
1:B:321:ASP:OD1	1:B:518:LYS:HA	1.91	0.70
1:B:609:GLN:H	1:B:609:GLN:NE2	1.90	0.70
1:B:569:CYS:O	1:B:598:PHE:HA	1.92	0.69
1:B:386:THR:HB	1:B:409:ALA:HA	1.76	0.67
1:B:158:TRP:O	1:B:162:THR:HG22	1.95	0.67

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:275:GLN:NE2	1:B:286:LEU:H	1.90	0.67
1:A:543:PHE:O	1:A:547:ILE:HG12	1.95	0.67
1:A:544:ILE:O	1:A:548:GLN:HG3	1.94	0.67
1:B:304:MET:HE2	1:B:306:LEU:HD11	1.76	0.66
1:B:353:ASN:HD22	1:B:354:LEU:H	1.44	0.66
1:A:225:GLN:HG3	6:A:40:HOH:O	1.94	0.66
1:B:81:ARG:HG3	1:B:81:ARG:HH11	1.61	0.66
1:B:396:ALA:HB3	1:B:402:GLN:HG2	1.77	0.65
1:B:397:SER:HB2	1:B:439:SER:HB2	1.78	0.65
1:A:609:GLN:H	1:A:609:GLN:NE2	1.95	0.64
1:B:265:GLU:HA	1:B:272:TYR:CE1	2.31	0.64
1:B:170:LYS:NZ	1:B:233:HIS:HE1	1.95	0.64
1:B:544:ILE:O	1:B:548:GLN:HG3	1.98	0.64
1:B:304:MET:HE3	1:B:498:ARG:HA	1.80	0.64
1:B:338:GLY:HA3	1:B:345:LEU:HD11	1.78	0.63
1:B:75:LYS:HE2	1:B:357:GLU:O	1.98	0.63
1:A:297:GLN:HA	1:A:297:GLN:NE2	2.14	0.63
1:A:147:ASP:HB3	1:A:148:PRO:HD2	1.81	0.63
1:B:584:GLN:NE2	1:B:587:ARG:NH1	2.47	0.62
1:A:379:ASP:HB3	1:A:452:PRO:HG2	1.81	0.62
1:B:591:LEU:HD22	1:B:593:GLN:O	2.00	0.62
1:A:485:ALA:HB1	1:A:487:ARG:NH2	2.16	0.61
1:B:626:GLY:HA2	1:B:673:ARG:NH2	2.15	0.61
1:A:429:HIS:CD2	1:A:432:ALA:H	2.18	0.61
1:B:286:LEU:CD2	1:B:513:PRO:HG3	2.30	0.61
1:A:313:SER:O	1:A:314:LYS:HB2	1.98	0.61
1:B:286:LEU:HD22	1:B:511:LEU:HB3	1.82	0.60
1:A:657:GLU:N	1:A:660:GLN:HE21	1.92	0.60
1:A:303:LEU:HD22	1:A:577:LEU:HD21	1.83	0.60
1:B:246:ARG:NH1	1:B:449:GLU:OE2	2.33	0.60
1:A:657:GLU:HB2	1:A:660:GLN:HG3	1.83	0.60
1:A:299:THR:HG22	6:A:685:HOH:O	2.01	0.60
1:B:400:SER:HA	1:B:403:GLU:OE2	2.01	0.60
1:A:609:GLN:H	1:A:609:GLN:HE21	1.50	0.60
1:B:613:LYS:O	1:B:616:ARG:HG3	2.02	0.60
1:B:122:LEU:HG	1:B:155:PHE:CD1	2.37	0.60
1:A:435:GLN:HE21	1:A:487:ARG:HH11	1.50	0.59
1:A:399:PRO:O	1:A:403:GLU:HG2	2.03	0.59
1:B:355:ASP:O	1:B:357:GLU:N	2.35	0.59
1:B:304:MET:CE	1:B:306:LEU:HD11	2.31	0.59
1:B:323:VAL:HG13	1:B:459:TYR:HB2	1.84	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:410:SER:HB3	6:B:684:HOH:O	2.01	0.59
1:B:396:ALA:HB3	1:B:402:GLN:CG	2.33	0.58
2:B:752:FAD:HM83	3:B:751:FMN:HM82	1.84	0.58
1:B:333:LEU:HD12	1:B:431:LEU:HD22	1.85	0.58
1:A:405:LEU:HD11	1:A:440:LEU:HD22	1.86	0.58
1:A:482:GLU:HG3	1:A:488:ILE:HD13	1.86	0.57
1:A:104:ASP:OD1	1:A:223:ARG:HD2	2.04	0.57
1:B:99:ASN:ND2	1:B:114:SER:CB	2.66	0.57
1:A:404:LEU:HD22	1:A:418:LEU:HD11	1.87	0.57
1:A:297:GLN:HA	1:A:297:GLN:HE21	1.69	0.57
1:A:339:LYS:NZ	1:A:339:LYS:HB3	2.20	0.57
1:B:325:VAL:HG12	1:B:514:MET:HB3	1.87	0.56
1:B:226:PHE:O	1:B:230:VAL:HG23	2.06	0.56
1:B:227:TRP:HB2	1:B:228:PRO:HD3	1.87	0.56
1:A:81:ARG:NH1	1:A:112:GLY:O	2.38	0.56
1:B:145:GLU:C	1:B:183:HIS:HD2	2.09	0.56
1:A:305:HIS:CD2	1:A:578:TYR:OH	2.56	0.56
1:B:584:GLN:NE2	1:B:587:ARG:HH12	2.03	0.55
1:B:657:GLU:H	1:B:660:GLN:NE2	2.04	0.55
1:B:379:ASP:CB	1:B:452:PRO:HG2	2.32	0.55
1:A:227:TRP:HB2	1:A:228:PRO:HD3	1.89	0.55
1:B:289:VAL:HG23	1:B:510:ALA:O	2.07	0.55
1:A:295:LEU:HD11	1:A:305:HIS:HB2	1.88	0.55
1:A:407:LYS:NZ	1:A:407:LYS:HB3	2.22	0.55
1:A:552:TRP:O	1:A:556:GLN:HG2	2.07	0.55
1:B:78:LYS:HB2	1:B:78:LYS:NZ	2.22	0.54
1:B:616:ARG:HB3	1:B:653:LEU:HD21	1.90	0.54
1:B:296:ASN:HB2	1:B:574:GLU:O	2.08	0.54
1:B:170:LYS:HZ3	1:B:233:HIS:HE1	1.53	0.54
1:B:324:ALA:HB2	1:B:458:TYR:CD1	2.43	0.54
1:A:571:ARG:HD3	1:A:574:GLU:OE2	2.08	0.54
1:B:404:LEU:O	1:B:407:LYS:HG2	2.07	0.54
1:A:231:CYS:HA	1:A:236:VAL:HG23	1.90	0.54
1:B:118:GLU:HB2	1:B:151:ASN:O	2.08	0.54
1:B:322:HIS:HE1	1:B:677:ASP:OD1	1.91	0.53
1:A:628:HIS:CE1	1:A:673:ARG:HG2	2.43	0.53
1:B:570:ARG:HG2	1:B:600:ARG:HD2	1.91	0.53
1:B:609:GLN:N	1:B:609:GLN:HE21	2.01	0.53
1:B:543:PHE:O	1:B:547:ILE:HG13	2.08	0.53
1:A:387:ASN:O	1:A:391:GLU:HG2	2.09	0.53
1:A:631:VAL:HB	1:A:676:LEU:HD23	1.91	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:286:LEU:HD23	1:B:513:PRO:HG3	1.91	0.53
1:B:99:ASN:O	1:B:103:LYS:HG3	2.08	0.53
1:B:478:VAL:HA	1:B:494:THR:HB	1.90	0.53
1:B:570:ARG:C	1:B:571:ARG:HG3	2.30	0.52
1:B:549:GLU:O	1:B:553:LEU:HG	2.08	0.52
1:B:425:GLU:HG2	1:B:484:LYS:HZ2	1.75	0.52
1:B:313:SER:O	1:B:314:LYS:HB2	2.09	0.52
1:B:398:GLU:H	1:B:439:SER:HB2	1.75	0.52
1:A:85:VAL:HA	1:A:137:VAL:O	2.09	0.52
1:A:103:LYS:HE2	1:A:247:GLN:NE2	2.25	0.52
1:A:483:THR:HB	6:A:18:HOH:O	2.10	0.52
1:B:530:PRO:HG2	1:B:627:ALA:CB	2.36	0.51
1:B:635:ALA:HB2	1:B:678:VAL:HB	1.92	0.51
1:B:90:GLN:HB3	1:B:143:TYR:CZ	2.45	0.51
1:A:238:ALA:C	1:A:240:GLY:H	2.13	0.51
1:B:286:LEU:HD21	1:B:513:PRO:HG3	1.92	0.51
1:B:547:ILE:HD11	1:B:565:LEU:HD22	1.92	0.51
1:A:193:LYS:O	1:A:197:GLN:HG3	2.10	0.51
1:A:428:ARG:NE	1:A:436:ASP:OD1	2.40	0.51
1:B:415:GLY:HA3	6:B:684:HOH:O	2.10	0.51
1:B:437:CYS:N	1:B:438:PRO:HD3	2.26	0.50
1:B:295:LEU:HD21	1:B:305:HIS:HB2	1.93	0.50
1:B:405:LEU:HD23	1:B:408:MET:CE	2.41	0.50
1:B:483:THR:OG1	1:B:484:LYS:N	2.44	0.50
1:A:609:GLN:HE21	1:A:609:GLN:N	2.10	0.50
1:B:462:ALA:HA	1:B:541:ALA:O	2.12	0.50
1:B:89:SER:HB2	1:B:94:ALA:HB3	1.94	0.50
1:B:398:GLU:H	1:B:439:SER:CB	2.25	0.50
1:B:303:LEU:HD22	1:B:577:LEU:HD21	1.93	0.50
1:B:286:LEU:HD13	1:B:511:LEU:HD23	1.93	0.49
1:A:619:LEU:O	1:A:623:ILE:HG13	2.12	0.49
1:A:297:GLN:CA	1:A:297:GLN:HE21	2.24	0.49
1:A:564:LEU:HD23	1:A:593:GLN:NE2	2.27	0.49
1:A:224:GLU:CD	1:A:411:SER:HB2	2.32	0.49
1:A:243:SER:O	1:A:245:ILE:HG13	2.13	0.49
1:B:657:GLU:H	1:B:660:GLN:HE21	1.61	0.49
1:A:478:VAL:HA	1:A:494:THR:HB	1.93	0.49
1:A:407:LYS:O	1:A:409:ALA:N	2.46	0.49
1:A:108:TYR:CD1	1:A:231:CYS:SG	3.05	0.49
1:A:478:VAL:HG21	1:A:498:ARG:HD2	1.95	0.49
1:B:481:TYR:CD1	1:B:481:TYR:N	2.81	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:337:LEU:HG	1:B:431:LEU:HD13	1.95	0.49
1:B:581:GLU:O	1:B:585:PHE:CD2	2.66	0.49
1:A:253:HIS:CD2	1:A:256:ILE:HD12	2.48	0.49
1:B:500:LYS:HD3	1:B:510:ALA:HB1	1.94	0.49
1:A:100:ARG:CZ	1:A:387:ASN:HD22	2.26	0.49
1:B:90:GLN:HB3	1:B:143:TYR:OH	2.13	0.49
1:B:570:ARG:O	1:B:571:ARG:HG3	2.12	0.48
1:B:483:THR:HG21	6:B:52:HOH:O	2.12	0.48
1:B:340:ILE:HD11	1:B:434:LEU:O	2.12	0.48
1:B:353:ASN:C	1:B:353:ASN:HD22	2.15	0.48
1:A:91:THR:HG23	1:A:143:TYR:OH	2.13	0.48
1:B:581:GLU:OE1	1:B:581:GLU:N	2.44	0.48
1:A:75:LYS:HA	1:A:78:LYS:HG2	1.96	0.48
1:A:351:LEU:O	1:A:362:HIS:HD2	1.97	0.48
1:A:441:ARG:CB	1:A:441:ARG:HH11	2.07	0.48
1:A:104:ASP:HB2	1:A:227:TRP:CZ2	2.48	0.48
1:A:79:THR:OG1	1:A:81:ARG:HG2	2.14	0.48
1:B:183:HIS:HB3	1:B:186:ALA:HB2	1.95	0.48
1:B:485:ALA:HB3	6:B:52:HOH:O	2.13	0.47
1:B:175:GLY:C	1:B:185:ASN:HD21	2.18	0.47
1:B:263:MET:N	1:B:265:GLU:OE1	2.34	0.47
1:B:477:VAL:HG13	1:B:477:VAL:O	2.14	0.47
1:A:430:ILE:HG23	1:A:431:LEU:N	2.29	0.47
1:B:85:VAL:HG11	1:B:98:ALA:HA	1.95	0.47
1:A:128:LEU:N	1:A:129:PRO:CD	2.77	0.47
1:B:353:ASN:ND2	1:B:354:LEU:N	2.54	0.47
1:B:90:GLN:HG2	1:B:143:TYR:CZ	2.48	0.47
1:A:395:TYR:O	1:A:440:LEU:HA	2.14	0.47
1:A:111:ARG:HG2	1:A:111:ARG:HH11	1.79	0.47
1:A:538:THR:HG23	4:A:753:NAP:O5D	2.15	0.47
1:B:81:ARG:HG3	1:B:81:ARG:NH1	2.30	0.47
1:B:304:MET:CE	1:B:498:ARG:HA	2.45	0.47
1:A:408:MET:HG3	1:A:419:TYR:HB2	1.97	0.47
1:B:570:ARG:HD3	1:B:575:ASP:OD2	2.15	0.47
1:A:339:LYS:HB3	1:A:339:LYS:HZ3	1.81	0.46
1:B:96:GLU:HA	1:B:96:GLU:OE2	2.15	0.46
2:A:752:FAD:C8M	3:A:751:FMN:HM82	2.46	0.46
1:A:111:ARG:HG2	1:A:111:ARG:NH1	2.31	0.46
1:B:463:SER:HB3	1:B:473:HIS:HB2	1.97	0.46
1:B:157:ASP:O	1:B:161:GLU:OE1	2.34	0.46
1:B:246:ARG:HD2	1:B:446:HIS:CE1	2.51	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:LEU:HD23	1:A:169:VAL:HG13	1.96	0.46
1:B:265:GLU:HA	1:B:272:TYR:CD1	2.51	0.45
1:B:72:PHE:O	1:B:76:MET:HG3	2.16	0.45
1:A:341:LEU:O	1:A:342:GLY:C	2.54	0.45
1:A:265:GLU:HA	1:A:272:TYR:CZ	2.51	0.45
1:B:231:CYS:SG	1:B:237:GLU:HA	2.56	0.45
1:B:155:PHE:CZ	1:B:159:LEU:HD11	2.51	0.45
1:B:91:THR:HB	3:B:751:FMN:O1P	2.16	0.45
1:A:644:ASN:HA	1:A:647:TYR:CD1	2.52	0.45
1:B:436:ASP:OD2	1:B:436:ASP:N	2.50	0.45
1:B:520:GLN:HE21	1:B:520:GLN:HA	1.81	0.45
1:B:430:ILE:HG23	1:B:431:LEU:N	2.31	0.44
1:B:290:THR:HG23	1:B:309:ASP:HB2	1.99	0.44
1:B:290:THR:CG2	1:B:309:ASP:HB2	2.47	0.44
1:B:220:ILE:HG21	1:B:411:SER:HB3	1.99	0.44
1:B:543:PHE:HA	1:B:546:PHE:HB2	2.00	0.44
1:A:232:GLU:O	1:A:232:GLU:OE1	2.35	0.44
1:A:517:ARG:HG3	1:A:517:ARG:HH11	1.83	0.44
1:A:142:THR:CG2	1:A:146:GLY:HA2	2.48	0.44
1:A:635:ALA:HB2	1:A:678:VAL:HB	2.00	0.44
1:B:99:ASN:HD22	1:B:114:SER:HB2	1.82	0.44
1:B:246:ARG:HG3	1:B:246:ARG:HH11	1.83	0.43
1:B:404:LEU:HD23	1:B:408:MET:HE2	2.00	0.43
1:B:571:ARG:HG2	1:B:571:ARG:HH11	1.83	0.43
1:A:262:TYR:O	1:A:263:MET:HE2	2.17	0.43
1:A:238:ALA:C	1:A:240:GLY:N	2.71	0.43
1:B:238:ALA:O	1:B:239:THR:CB	2.66	0.43
1:A:178:ASN:HB3	1:A:181:TYR:HD2	1.82	0.43
1:B:411:SER:O	1:B:412:SER:HB2	2.19	0.43
1:B:533:MET:HB3	1:B:543:PHE:CE1	2.53	0.43
1:A:532:ILE:HD13	1:A:619:LEU:HD22	2.01	0.43
1:A:648:ASP:O	1:A:652:GLU:HG3	2.19	0.43
1:A:224:GLU:OE2	1:A:411:SER:HB2	2.18	0.43
1:A:640:ARG:HB3	1:A:640:ARG:HE	1.43	0.43
1:B:162:THR:OG1	1:B:164:VAL:HG13	2.19	0.43
1:A:216:GLU:OE2	1:A:386:THR:N	2.50	0.43
1:B:537:GLY:HA2	6:B:35:HOH:O	2.18	0.43
1:A:602:GLN:NE2	1:A:606:VAL:HG21	2.34	0.42
1:A:305:HIS:HE1	1:A:307:GLU:OE1	2.02	0.42
1:B:660:GLN:HB2	1:B:660:GLN:HE21	1.66	0.42
1:B:566:TYR:HE1	1:B:611:LEU:O	2.02	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:407:LYS:C	1:A:409:ALA:H	2.22	0.42
1:B:527:ALA:CB	1:B:553:LEU:HD13	2.49	0.42
1:A:217:GLU:OE1	1:A:220:ILE:HD11	2.20	0.42
1:A:533:MET:HE1	1:A:563:THR:HG23	2.01	0.42
1:A:467:VAL:HG12	1:A:468:HIS:CE1	2.55	0.42
1:B:404:LEU:O	1:B:408:MET:HE2	2.20	0.42
1:B:484:LYS:C	1:B:486:GLY:H	2.22	0.42
1:A:104:ASP:HB2	1:A:227:TRP:HZ2	1.85	0.42
1:A:461:ILE:HG22	1:A:463:SER:H	1.85	0.42
1:A:108:TYR:HD1	1:A:231:CYS:SG	2.43	0.42
1:A:100:ARG:HD2	1:A:387:ASN:ND2	2.34	0.42
1:B:317:TYR:O	1:B:465:SER:HB3	2.20	0.42
1:B:347:VAL:O	1:B:369:SER:HA	2.20	0.42
1:A:103:LYS:HE3	6:A:21:HOH:O	2.20	0.41
1:B:317:TYR:O	1:B:465:SER:CB	2.68	0.41
1:B:305:HIS:CD2	1:B:578:TYR:OH	2.62	0.41
1:B:317:TYR:CD1	1:B:317:TYR:C	2.93	0.41
1:B:216:GLU:OE1	1:B:385:ARG:HD3	2.20	0.41
1:A:144:GLY:HA2	6:A:7:HOH:O	2.21	0.41
1:B:159:LEU:HB3	1:B:194:ARG:HG2	2.01	0.41
1:A:100:ARG:NH1	1:A:387:ASN:HD22	2.17	0.41
1:A:272:TYR:HE1	1:A:284:PRO:HG2	1.85	0.41
1:B:248:TYR:CD2	1:B:353:ASN:HA	2.56	0.41
1:B:104:ASP:HB2	1:B:227:TRP:CZ2	2.55	0.41
1:B:323:VAL:HG12	1:B:459:TYR:O	2.21	0.41
1:A:101:LEU:O	1:A:104:ASP:HB2	2.20	0.41
1:B:301:ARG:HD2	1:B:570:ARG:HH21	1.86	0.41
1:B:629:ILE:HG21	1:B:646:PHE:CE1	2.55	0.41
1:B:85:VAL:HG22	1:B:137:VAL:HB	2.02	0.41
1:B:539:GLY:O	1:B:542:PRO:HD2	2.20	0.41
1:A:543:PHE:HA	1:A:546:PHE:HB2	2.03	0.41
1:B:425:GLU:CG	1:B:484:LYS:NZ	2.83	0.41
1:A:572:SER:HB3	1:A:598:PHE:CZ	2.56	0.41
1:B:501:GLU:HA	1:B:502:PRO:HD3	1.91	0.41
1:A:269:LEU:O	1:A:270:LYS:HB2	2.20	0.41
1:B:291:THR:O	1:B:306:LEU:HA	2.21	0.41
1:B:99:ASN:HD22	1:B:114:SER:CB	2.34	0.41
1:A:407:LYS:NZ	1:A:407:LYS:CB	2.83	0.41
1:B:90:GLN:CB	1:B:143:TYR:CZ	3.03	0.41
1:B:260:LYS:HA	1:B:269:LEU:HD21	2.02	0.41
1:B:427:ARG:HH21	1:B:427:ARG:HG2	1.86	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:551:ALA:HB2	1:B:590:ALA:HB1	2.03	0.41
1:B:533:MET:HB3	1:B:543:PHE:CD1	2.56	0.41
1:B:520:GLN:NE2	1:B:520:GLN:HA	2.36	0.41
1:A:294:LYS:HE3	1:A:296:ASN:O	2.21	0.41
1:A:644:ASN:O	1:A:647:TYR:HB2	2.21	0.40
1:A:517:ARG:NH1	1:A:517:ARG:HG3	2.36	0.40
1:A:104:ASP:CB	1:A:227:TRP:CZ2	3.04	0.40
1:B:99:ASN:HA	1:B:99:ASN:HD22	1.72	0.40
1:B:312:ASP:N	1:B:312:ASP:OD2	2.54	0.40
1:B:440:LEU:C	1:B:441:ARG:HG3	2.40	0.40
1:A:90:GLN:HB3	1:A:143:TYR:CZ	2.57	0.40
1:B:84:ILE:O	1:B:84:ILE:HG23	2.20	0.40
1:B:608:VAL:HG23	1:B:609:GLN:N	2.37	0.40
1:B:111:ARG:HG3	1:B:111:ARG:HH11	1.86	0.40
1:B:398:GLU:HA	1:B:399:PRO:HD3	1.91	0.40
1:B:459:TYR:HB3	1:B:474:ILE:HG23	2.04	0.40
1:B:527:ALA:HB1	1:B:553:LEU:HD13	2.04	0.40
1:B:617:GLU:HB2	6:B:24:HOH:O	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	600/618 (97%)	566 (94%)	32 (5%)	2 (0%)	46	63
1	B	597/618 (97%)	533 (89%)	55 (9%)	9 (2%)	13	17
All	All	1197/1236 (97%)	1099 (92%)	87 (7%)	11 (1%)	21	30

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	144	GLY
1	B	239	THR
1	B	356	GLU
1	A	408	MET
1	B	144	GLY
1	B	527	ALA
1	B	394	GLN
1	B	162	THR
1	B	485	ALA
1	B	246	ARG
1	B	616	ARG

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	510/525 (97%)	492 (96%)	18 (4%)	43	64
1	B	514/525 (98%)	493 (96%)	21 (4%)	37	57
All	All	1024/1050 (98%)	985 (96%)	39 (4%)	40	60

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	179	LYS
1	A	224	GLU
1	A	232	GLU
1	A	255	ASP
1	A	306	LEU
1	A	327	PRO
1	A	349	MET
1	A	353	ASN
1	A	407	LYS
1	A	408	MET
1	A	418	LEU
1	A	429	HIS
1	A	441	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	576	TYR
1	A	591	LEU
1	A	601	GLU
1	A	602	GLN
1	A	609	GLN
1	B	78	LYS
1	B	111	ARG
1	B	192	ASP
1	B	203	ILE
1	B	228	PRO
1	B	273	GLU
1	B	297	GLN
1	B	337	LEU
1	B	349	MET
1	B	353	ASN
1	B	403	GLU
1	B	407	LYS
1	B	481	TYR
1	B	511	LEU
1	B	531	VAL
1	B	556	GLN
1	B	570	ARG
1	B	576	TYR
1	B	591	LEU
1	B	609	GLN
1	B	640	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (48) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	183	HIS
1	A	185	ASN
1	A	233	HIS
1	A	253	HIS
1	A	283	ASN
1	A	297	GLN
1	A	305	HIS
1	A	353	ASN
1	A	362	HIS
1	A	387	ASN
1	A	429	HIS
1	A	435	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	446	HIS
1	A	489	ASN
1	A	555	GLN
1	A	586	HIS
1	A	593	GLN
1	A	602	GLN
1	A	609	GLN
1	A	628	HIS
1	A	637	ASN
1	A	660	GLN
1	B	90	GLN
1	B	99	ASN
1	B	153	GLN
1	B	183	HIS
1	B	185	ASN
1	B	233	HIS
1	B	247	GLN
1	B	275	GLN
1	B	283	ASN
1	B	297	GLN
1	B	305	HIS
1	B	322	HIS
1	B	353	ASN
1	B	402	GLN
1	B	435	GLN
1	B	446	HIS
1	B	455	GLN
1	B	468	HIS
1	B	489	ASN
1	B	520	GLN
1	B	555	GLN
1	B	584	GLN
1	B	586	HIS
1	B	609	GLN
1	B	643	GLN
1	B	660	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	FMN	A	751	-	32,33,33	2.84	12 (37%)	34,50,50	3.27	10 (29%)
2	FAD	A	752	-	52,58,58	2.68	20 (38%)	52,89,89	3.42	12 (23%)
4	NAP	A	753	-	28,33,52	2.49	6 (21%)	35,52,80	1.65	6 (17%)
3	FMN	B	751	-	32,33,33	2.76	11 (34%)	34,50,50	3.28	10 (29%)
2	FAD	B	752	-	52,58,58	2.70	23 (44%)	52,89,89	3.33	12 (23%)
4	NAP	B	753	-	28,33,52	2.32	6 (21%)	35,52,80	1.58	6 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FMN	A	751	-	-	0/18/18/18	0/3/3/3
2	FAD	A	752	-	-	0/30/50/50	0/6/6/6
4	NAP	A	753	-	-	0/17/37/67	0/3/3/5
3	FMN	B	751	-	-	0/18/18/18	0/3/3/3
2	FAD	B	752	-	-	0/30/50/50	0/6/6/6
4	NAP	B	753	-	-	0/17/37/67	0/3/3/5

All (78) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	752	FAD	C5'-C4'	-5.96	1.42	1.51
2	A	752	FAD	C5'-C4'	-5.33	1.43	1.51
3	A	751	FMN	C1'-N10	-3.30	1.44	1.48
3	B	751	FMN	C1'-N10	-2.84	1.45	1.48
4	B	753	NAP	PA-O5B	-2.67	1.47	1.59
2	B	752	FAD	PA-O5B	-2.62	1.48	1.59
2	B	752	FAD	P-O5'	-2.59	1.48	1.59
2	A	752	FAD	P-O5'	-2.49	1.48	1.59
4	A	753	NAP	PA-O5B	-2.39	1.49	1.59
3	B	751	FMN	P-O3P	-2.07	1.47	1.54
2	A	752	FAD	PA-O5B	-2.03	1.50	1.59
2	B	752	FAD	O4B-C1B	2.01	1.44	1.41
3	A	751	FMN	C5A-N5	2.01	1.38	1.35
4	B	753	NAP	C2A-N3A	2.03	1.35	1.32
2	B	752	FAD	O2B-C2B	2.10	1.47	1.43
3	B	751	FMN	C9A-C5A	2.18	1.47	1.42
2	B	752	FAD	C1'-N10	2.19	1.50	1.48
2	B	752	FAD	C6-C7	2.23	1.44	1.37
3	B	751	FMN	C4A-C10	2.25	1.45	1.40
3	A	751	FMN	C4'-C3'	2.25	1.57	1.53
3	A	751	FMN	C6-C5A	2.28	1.45	1.41
3	A	751	FMN	O4'-C4'	2.29	1.48	1.43
4	B	753	NAP	C2A-N1A	2.31	1.38	1.33
2	A	752	FAD	O2'-C2'	2.35	1.48	1.43
3	B	751	FMN	C4'-C3'	2.36	1.58	1.53
3	A	751	FMN	C9A-C5A	2.37	1.47	1.42
2	A	752	FAD	C5A-C4A	2.38	1.45	1.40
4	A	753	NAP	C2A-N3A	2.42	1.36	1.32
2	B	752	FAD	C5A-C4A	2.54	1.46	1.40
3	B	751	FMN	C9-C9A	2.58	1.46	1.40
2	A	752	FAD	C8A-N7A	2.58	1.39	1.34
2	B	752	FAD	C4-C4X	2.62	1.46	1.41
2	B	752	FAD	C8A-N7A	2.65	1.39	1.34
2	A	752	FAD	O4B-C1B	2.67	1.45	1.41
4	A	753	NAP	C2A-N1A	2.73	1.39	1.33
3	A	751	FMN	C9-C9A	2.75	1.46	1.40
2	A	752	FAD	C8-C7	2.77	1.48	1.41
2	B	752	FAD	C10-N1	2.83	1.40	1.35
2	B	752	FAD	O2'-C2'	2.85	1.49	1.43
2	A	752	FAD	C4-C4X	2.89	1.47	1.41
2	B	752	FAD	C5X-N5	2.89	1.39	1.35
2	A	752	FAD	C9A-C5X	2.89	1.48	1.42
2	A	752	FAD	C10-N1	2.91	1.40	1.35

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	752	FAD	C6-C5X	3.06	1.46	1.41
2	A	752	FAD	C5X-N5	3.07	1.40	1.35
3	B	751	FMN	C8-C7	3.08	1.49	1.41
4	B	753	NAP	C5A-C4A	3.08	1.47	1.40
2	A	752	FAD	C2A-N3A	3.13	1.37	1.32
2	A	752	FAD	C6-C5X	3.16	1.46	1.41
2	B	752	FAD	C2'-C3'	3.29	1.60	1.53
2	B	752	FAD	C2A-N3A	3.38	1.38	1.32
2	A	752	FAD	C4X-C10	3.40	1.47	1.40
4	B	753	NAP	P2B-O1X	3.49	1.61	1.50
3	A	751	FMN	C8-C7	3.53	1.50	1.41
4	A	753	NAP	C5A-C4A	3.55	1.48	1.40
3	A	751	FMN	C4-N3	3.58	1.39	1.33
2	B	752	FAD	C9A-C5X	3.59	1.50	1.42
4	A	753	NAP	P2B-O1X	3.61	1.62	1.50
2	B	752	FAD	C8-C7	3.64	1.50	1.41
2	A	752	FAD	C2'-C3'	3.69	1.60	1.53
2	B	752	FAD	C4X-C10	3.79	1.47	1.40
3	B	751	FMN	C4-N3	4.13	1.40	1.33
2	A	752	FAD	C4X-N5	4.54	1.40	1.33
2	B	752	FAD	C4X-N5	4.69	1.40	1.33
3	B	751	FMN	C4A-N5	4.85	1.40	1.33
3	A	751	FMN	C4A-N5	5.44	1.41	1.33
2	A	752	FAD	C4-N3	6.06	1.44	1.33
2	B	752	FAD	C4-N3	6.19	1.44	1.33
2	A	752	FAD	C4A-N3A	6.91	1.45	1.35
3	A	751	FMN	C9A-N10	7.10	1.48	1.38
3	B	751	FMN	C9A-N10	7.25	1.49	1.38
2	B	752	FAD	C9A-N10	7.34	1.49	1.38
2	B	752	FAD	C4A-N3A	7.48	1.46	1.35
3	B	751	FMN	C10-N10	8.69	1.49	1.39
2	A	752	FAD	C9A-N10	8.72	1.51	1.38
3	A	751	FMN	C10-N10	8.73	1.49	1.39
4	B	753	NAP	C4A-N3A	9.81	1.50	1.35
4	A	753	NAP	C4A-N3A	10.50	1.51	1.35

All (56) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	752	FAD	N3A-C2A-N1A	-8.71	122.03	128.87
2	A	752	FAD	N3A-C2A-N1A	-8.66	122.06	128.87
3	A	751	FMN	C4-C4A-C10	-8.27	114.65	119.94

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	751	FMN	C4-C4A-C10	-7.85	114.92	119.94
2	A	752	FAD	C4X-C4-N3	-7.64	113.54	123.52
2	B	752	FAD	C4X-C4-N3	-7.48	113.74	123.52
4	A	753	NAP	N3A-C2A-N1A	-6.42	123.83	128.87
2	A	752	FAD	N3-C2-N1	-6.33	117.03	127.69
2	B	752	FAD	N3-C2-N1	-6.30	117.08	127.69
3	A	751	FMN	C4A-C10-N10	-6.17	116.03	120.52
4	B	753	NAP	N3A-C2A-N1A	-6.15	124.04	128.87
3	B	751	FMN	C4A-C10-N10	-6.15	116.05	120.52
2	A	752	FAD	C1B-N9A-C4A	-5.83	120.30	126.81
3	B	751	FMN	N3-C2-N1	-5.38	118.64	127.69
3	A	751	FMN	N3-C2-N1	-5.29	118.78	127.69
3	B	751	FMN	C4A-C4-N3	-4.66	117.44	123.52
3	A	751	FMN	C4A-C4-N3	-4.59	117.53	123.52
2	B	752	FAD	C1B-N9A-C4A	-4.39	121.91	126.81
2	A	752	FAD	C4X-C10-N10	-3.57	117.92	120.52
2	A	752	FAD	C4-C4X-C10	-3.49	117.71	119.94
2	B	752	FAD	C4-C4X-C10	-3.48	117.71	119.94
2	B	752	FAD	C4X-C10-N10	-3.36	118.08	120.52
3	B	751	FMN	C6-C5A-N5	-3.22	114.89	118.92
2	A	752	FAD	C5X-C9A-N10	-2.99	115.33	117.58
4	A	753	NAP	C4B-O4B-C1B	-2.97	106.49	109.64
4	B	753	NAP	C4B-O4B-C1B	-2.77	106.70	109.64
3	A	751	FMN	C6-C5A-N5	-2.76	115.47	118.92
4	B	753	NAP	O4B-C1B-C2B	-2.56	101.99	106.60
2	B	752	FAD	C5X-C9A-N10	-2.45	115.74	117.58
3	A	751	FMN	C5A-C9A-N10	-2.43	115.75	117.58
3	B	751	FMN	C5A-C9A-N10	-2.28	115.87	117.58
4	A	753	NAP	O3-PN-O1N	-2.10	100.93	107.57
3	A	751	FMN	O4'-C4'-C3'	-2.06	103.67	108.96
4	A	753	NAP	O4B-C1B-C2B	-2.03	102.95	106.60
4	B	753	NAP	O2A-PA-O3	2.01	113.88	105.27
3	B	751	FMN	O2'-C2'-C3'	2.02	114.16	108.96
3	B	751	FMN	C8M-C8-C7	2.03	125.09	120.73
2	A	752	FAD	O2P-P-O3P	2.04	114.00	105.27
4	B	753	NAP	O2N-PN-O3	2.13	113.34	106.48
3	A	751	FMN	C8M-C8-C7	2.18	125.43	120.73
4	A	753	NAP	O2N-PN-O3	2.21	113.59	106.48
4	B	753	NAP	C2A-N1A-C6A	2.22	122.73	118.77
4	A	753	NAP	C2A-N1A-C6A	2.33	122.92	118.77
2	B	752	FAD	O2P-P-O3P	2.42	115.64	105.27
3	A	751	FMN	C9A-C5A-N5	2.62	126.44	122.18

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	752	FAD	O2'-C2'-C1'	2.69	116.58	109.93
3	B	751	FMN	C9A-C5A-N5	2.82	126.77	122.18
2	B	752	FAD	O2'-C2'-C1'	2.92	117.15	109.93
2	B	752	FAD	C1'-N10-C9A	4.24	123.75	118.83
2	A	752	FAD	C1'-N10-C9A	4.70	124.28	118.83
2	A	752	FAD	C2A-N1A-C6A	5.11	127.89	118.77
2	B	752	FAD	C2A-N1A-C6A	5.12	127.91	118.77
3	A	751	FMN	C4-N3-C2	12.26	125.39	115.16
3	B	751	FMN	C4-N3-C2	12.32	125.44	115.16
2	B	752	FAD	C4-N3-C2	15.85	128.38	115.16
2	A	752	FAD	C4-N3-C2	16.14	128.62	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	751	FMN	1	0
2	A	752	FAD	1	0
4	A	753	NAP	2	0
3	B	751	FMN	2	0
2	B	752	FAD	1	0
4	B	753	NAP	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	604/618 (97%)	-0.32	6 (0%) 84 83	35, 52, 78, 92	0
1	B	603/618 (97%)	-0.14	4 (0%) 89 88	41, 65, 83, 90	0
All	All	1207/1236 (97%)	-0.23	10 (0%) 87 87	35, 59, 82, 92	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	244	SER	3.0
1	A	400	SER	2.6
1	A	411	SER	2.5
1	A	412	SER	2.5
1	B	243	SER	2.3
1	B	254	THR	2.2
1	B	525	PHE	2.2
1	B	257	ASP	2.2
1	A	243	SER	2.2
1	A	393	ALA	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	FAD	B	752	53/53	0.93	0.19	0.62	58,73,82,83	0
3	FMN	B	751	31/31	0.95	0.17	0.57	61,67,73,74	0
4	NAP	A	753	31/48	0.92	0.15	0.27	81,85,107,111	0
3	FMN	A	751	31/31	0.98	0.16	0.25	45,50,57,59	0
2	FAD	A	752	53/53	0.97	0.14	-0.17	37,43,60,63	0
4	NAP	B	753	31/48	0.94	0.14	-0.37	69,73,93,97	0
5	CA	A	761	1/1	0.79	0.14	-	89,89,89,89	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.