



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 11:56 AM GMT

PDB ID : 3QGT  
Title : Crystal structure of Wild-type PfDHFR-TS COMPLEXED WITH NADPH,  
dUMP AND PYRIMETHAMINE  
Authors : Chitnumsub, P.; Yuthavong, Y.  
Deposited on : 2011-01-24  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	3852 (2.30-2.30)
Clashscore	102246	4452 (2.30-2.30)
Ramachandran outliers	100387	4410 (2.30-2.30)
Sidechain outliers	100360	4409 (2.30-2.30)
RSRZ outliers	91569	3857 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	608	<div> <div>11%</div> <div>71%</div> <div>17%</div> <div>•</div> <div>10%</div> </div>
1	B	608	<div> <div>22%</div> <div>63%</div> <div>24%</div> <div>•</div> <div>11%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	CP6	A	609	-	-	-	X

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 9527 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional dihydrofolate reductase-thymidylate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	547	Total	C	N	O	S	0	0	0
			4543	2931	750	834	28			
1	B	542	Total	C	N	O	S	0	0	0
			4501	2906	742	825	28			

- Molecule 2 is 5-(4-CHLORO-PHENYL)-6-ETHYL-PYRIMIDINE-2,4-DIAMINE (three-letter code: CP6) (formula: C<sub>12</sub>H<sub>13</sub>ClN<sub>4</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	0	0
			17	12	1	4		
2	B	1	Total	C	Cl	N	0	0
			17	12	1	4		

- Molecule 3 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C<sub>21</sub>H<sub>30</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is 2'-DEOXYURIDINE 5'-MONOPHOSPHATE (three-letter code: UMP) (formula: C<sub>9</sub>H<sub>13</sub>N<sub>2</sub>O<sub>8</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			20	9	2	8	1		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			20	9	2	8	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	178	Total	O	0	0
			178	178		
5	B	135	Total	O	0	0
			135	135		


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase



- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	56.10Å 154.44Å 164.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.62 – 2.30 44.62 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.9 (44.62-2.30) 99.2 (44.62-2.30)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.30 (at 2.29Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, $R_{free}$	0.222 , 0.260 0.218 , 0.256	Depositor DCC
$R_{free}$ test set	3186 reflections (5.01%)	DCC
Wilson B-factor (Å <sup>2</sup> )	31.8	Xtriage
Anisotropy	0.269	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 48.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 63588 reflections	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	9527	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.65% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDP, UMP, CP6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/4648	0.65	2/6272 (0.0%)
1	B	0.36	0/4606	0.62	2/6217 (0.0%)
All	All	0.37	0/9254	0.63	4/12489 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	165	GLY	N-CA-C	6.17	128.54	113.10
1	B	166	GLY	N-CA-C	-5.79	98.62	113.10
1	A	166	GLY	N-CA-C	-5.68	98.89	113.10
1	B	165	GLY	N-CA-C	5.62	127.15	113.10

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	326	TYR	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4543	0	4497	102	0
1	B	4501	0	4452	121	0
2	A	17	0	13	3	0
2	B	17	0	13	1	0
3	A	48	0	26	9	0
3	B	48	0	26	2	0
4	A	20	0	11	0	0
4	B	20	0	11	0	0
5	A	178	0	0	10	0
5	B	135	0	0	4	0
All	All	9527	0	9049	219	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (219) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:345:ARG:HE	1:A:348:VAL:HG21	1.12	1.07
1:A:24:ASN:N	1:A:24:ASN:HD22	1.50	1.06
1:B:114:LYS:H	1:B:114:LYS:HD2	1.25	1.01
1:A:24:ASN:HD22	1:A:24:ASN:H	1.09	0.90
1:A:24:ASN:N	1:A:24:ASN:ND2	2.26	0.83
1:A:24:ASN:H	1:A:24:ASN:ND2	1.76	0.81
1:A:332:ILE:HD13	1:A:560:LEU:HD22	1.61	0.80
1:A:165:GLY:HA3	3:A:610:NDP:H5N	1.64	0.79
1:B:127:LEU:HD12	1:B:143:ILE:HD11	1.63	0.79
1:A:345:ARG:NE	1:A:348:VAL:HG21	1.94	0.77
1:B:163:ILE:C	1:B:165:GLY:H	1.87	0.77
1:B:29:ASN:HD22	1:B:32:PHE:HE1	1.33	0.76
1:A:166:GLY:HA3	3:A:610:NDP:O1A	1.86	0.76
1:A:27:LYS:O	1:A:27:LYS:HD2	1.85	0.76
1:A:76:LYS:O	1:A:79:LYS:HG2	1.89	0.72
1:A:164:ILE:HG23	5:A:1257:HOH:O	1.89	0.71
1:A:78:CYS:HB3	1:A:83:LYS:O	1.91	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:206:GLN:HG3	1:A:229:THR:CG2	2.22	0.70
1:B:312:PHE:HE1	1:B:561:LYS:HA	1.57	0.69
1:B:41:GLY:HA2	1:B:47:PRO:HD3	1.74	0.69
1:B:312:PHE:HA	1:B:565:ASN:HD21	1.58	0.69
1:A:41:GLY:HA2	1:A:47:PRO:HD3	1.74	0.67
1:A:144:ASN:ND2	1:A:145:LYS:HG2	2.11	0.66
1:B:124:ASN:H	1:B:124:ASN:HD22	1.44	0.65
1:B:29:ASN:HB2	1:B:32:PHE:CE1	2.31	0.65
1:A:376:LEU:HD22	1:A:379:ILE:HD11	1.78	0.65
1:A:103:VAL:N	5:A:1257:HOH:O	2.27	0.64
1:B:98:LEU:HD11	1:B:158:TYR:O	1.98	0.64
1:B:121:ASN:N	1:B:121:ASN:HD22	1.94	0.64
1:B:3:GLU:HA	1:B:80:TYR:CE1	2.33	0.63
1:A:166:GLY:HA3	3:A:610:NDP:PA	2.39	0.63
1:A:284:ASP:O	1:A:287:GLU:HB3	1.99	0.63
1:A:171:GLN:HG3	1:A:175:GLU:OE2	1.99	0.62
1:A:344:ASP:HB2	1:B:470:ARG:NH1	2.15	0.62
1:B:100:ASN:OD1	1:B:159:TYR:HB3	1.98	0.62
1:B:132:LYS:HE2	1:B:135:ASP:OD2	1.99	0.62
1:A:124:ASN:N	1:A:124:ASN:HD22	1.98	0.61
1:B:167:SER:HB3	3:B:610:NDP:O2N	2.01	0.61
1:A:493:LEU:HD12	1:A:493:LEU:C	2.20	0.61
1:B:182:ILE:HB	1:B:226:TYR:HB2	1.83	0.60
1:B:114:LYS:N	1:B:114:LYS:HD2	2.07	0.60
1:B:607:ALA:O	1:B:608:ALA:CB	2.50	0.59
1:A:480:LYS:HD3	5:A:1128:HOH:O	2.02	0.59
1:B:12:TYR:CE2	1:B:160:LYS:HD3	2.38	0.58
1:B:137:ASP:HB2	1:B:140:VAL:HG23	1.85	0.58
1:B:13:ALA:HB2	1:B:179:ILE:HD12	1.85	0.57
1:B:127:LEU:CD1	1:B:143:ILE:HD11	2.32	0.57
1:B:208:ILE:HA	5:B:1037:HOH:O	2.04	0.57
1:A:16:ALA:HA	1:A:185:THR:HB	1.87	0.57
1:A:506:ILE:HG13	1:B:354:PHE:CE2	2.39	0.57
1:A:206:GLN:HG3	1:A:229:THR:HG22	1.86	0.57
1:B:163:ILE:C	1:B:165:GLY:N	2.56	0.57
1:B:114:LYS:H	1:B:114:LYS:CD	1.98	0.56
1:A:127:LEU:HD23	1:A:143:ILE:HG13	1.87	0.56
1:B:566:ARG:NH1	1:B:602:ILE:HD11	2.20	0.56
1:A:454:ASP:OD2	1:A:457:LYS:HG3	2.06	0.56
1:A:328:TYR:CZ	1:A:332:ILE:HD11	2.41	0.56
1:B:40:LEU:O	3:B:610:NDP:H2N	2.06	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:344:ASP:CG	1:A:345:ARG:H	2.10	0.55
1:B:12:TYR:CE1	1:B:180:LYS:HD3	2.41	0.55
1:B:207:ILE:HB	1:B:567:ILE:HD13	1.88	0.55
1:A:76:LYS:HA	1:A:79:LYS:HE2	1.89	0.55
1:A:376:LEU:HD22	1:A:379:ILE:CD1	2.35	0.55
1:A:382:GLU:O	1:A:385:TRP:HB3	2.06	0.55
1:B:373:LYS:HE2	1:B:375:PHE:CE1	2.41	0.55
1:B:12:TYR:HE2	1:B:160:LYS:HD3	1.72	0.55
1:B:8:VAL:HG22	5:B:1042:HOH:O	2.06	0.55
1:B:98:LEU:HD11	1:B:158:TYR:C	2.27	0.55
1:B:121:ASN:N	1:B:121:ASN:ND2	2.55	0.54
1:B:145:LYS:O	1:B:148:ASP:HB2	2.07	0.54
1:B:171:GLN:HG3	1:B:175:GLU:OE2	2.07	0.54
1:A:35:TYR:CZ	1:A:38:ARG:HD3	2.43	0.54
1:B:112:ILE:HB	1:B:117:LYS:HD3	1.90	0.54
1:A:41:GLY:O	1:A:195:VAL:HG12	2.08	0.54
1:A:344:ASP:CG	1:A:345:ARG:N	2.61	0.53
1:B:166:GLY:O	1:B:167:SER:C	2.47	0.53
1:A:290:PHE:HB2	1:B:320:TYR:OH	2.09	0.53
1:A:27:LYS:O	1:A:27:LYS:CD	2.56	0.53
1:B:127:LEU:HD12	1:B:143:ILE:CD1	2.37	0.53
1:B:13:ALA:O	1:B:182:ILE:HA	2.09	0.53
1:A:27:LYS:C	1:A:29:ASN:H	2.12	0.52
1:B:73:LEU:O	1:B:77:ARG:HG3	2.10	0.52
1:B:171:GLN:HE21	1:B:175:GLU:CG	2.23	0.52
1:B:80:TYR:O	1:B:81:LEU:C	2.48	0.52
1:A:301:GLU:H	1:A:304:LYS:HE3	1.74	0.52
1:A:354:PHE:CE2	1:B:506:ILE:HG13	2.46	0.51
1:A:459:ILE:HG13	1:A:460:ILE:N	2.26	0.51
1:B:207:ILE:HB	1:B:567:ILE:CD1	2.41	0.51
1:B:113:PRO:HB2	1:B:116:PHE:HD2	1.76	0.51
1:B:171:GLN:HE21	1:B:175:GLU:HG3	1.76	0.51
1:A:289:ASP:HA	1:A:292:TYR:CD2	2.46	0.51
1:B:569:TYR:HB3	1:B:570:PRO:HD2	1.93	0.50
1:A:572:PRO:HB3	1:A:596:TYR:HA	1.92	0.50
1:A:446:ASP:OD1	1:A:447:ASN:N	2.44	0.50
1:B:324:PRO:HB2	1:B:571:PHE:HE2	1.77	0.50
1:A:48:TRP:O	1:A:49:LYS:HB2	2.11	0.50
1:B:572:PRO:HB3	1:B:596:TYR:HA	1.93	0.50
1:A:106:ARG:HE	3:A:610:NDP:P2B	2.35	0.50
1:A:454:ASP:CG	1:A:457:LYS:HG3	2.32	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:210:VAL:HG12	1:B:224:ILE:HG22	1.94	0.50
1:B:77:ARG:O	1:B:81:LEU:HG	2.12	0.49
1:A:402:ARG:HG2	1:A:402:ARG:HH11	1.77	0.49
1:B:344:ASP:C	1:B:346:THR:H	2.15	0.49
1:B:124:ASN:N	1:B:124:ASN:HD22	2.10	0.49
2:A:609:CP6:H163	5:A:1103:HOH:O	2.12	0.49
1:B:194:ASP:OD1	1:B:195:VAL:HG13	2.13	0.49
1:A:124:ASN:HB2	1:A:140:VAL:HG12	1.95	0.49
1:B:229:THR:C	1:B:231:ASN:N	2.65	0.48
1:A:357:ILE:HG23	5:A:1266:HOH:O	2.12	0.48
1:A:24:ASN:HB3	1:A:28:LYS:NZ	2.28	0.48
1:A:164:ILE:HD12	2:A:609:CP6:H11	1.94	0.48
1:B:2:MET:O	1:B:3:GLU:HG3	2.13	0.48
1:B:40:LEU:HD12	1:B:196:PHE:C	2.34	0.48
1:A:100:ASN:OD1	1:A:159:TYR:HB3	2.14	0.48
1:A:164:ILE:HG12	5:A:1257:HOH:O	2.14	0.48
1:A:582:ASN:HB3	5:A:1250:HOH:O	2.13	0.48
1:B:102:VAL:HG23	1:B:102:VAL:O	2.14	0.48
1:B:71:GLU:HA	1:B:74:LYS:HB3	1.96	0.48
1:A:19:LYS:HG2	1:A:36:THR:HG22	1.96	0.48
1:A:289:ASP:HA	1:A:292:TYR:HD2	1.78	0.48
1:B:74:LYS:O	1:B:78:CYS:SG	2.68	0.47
1:B:600:GLU:HG3	5:B:1007:HOH:O	2.14	0.47
1:B:312:PHE:HA	1:B:565:ASN:ND2	2.28	0.47
1:A:287:GLU:O	1:A:290:PHE:HB3	2.14	0.47
1:B:210:VAL:HG21	1:B:326:TYR:HE2	1.80	0.47
1:A:127:LEU:O	3:A:610:NDP:H1B	2.13	0.47
1:B:58:PHE:CZ	2:B:609:CP6:H12	2.49	0.47
1:B:5:VAL:HG11	1:B:150:ILE:HD12	1.97	0.47
1:B:312:PHE:CZ	1:B:561:LYS:HG2	2.49	0.47
1:B:312:PHE:CE1	1:B:561:LYS:HG2	2.50	0.47
1:A:172:GLU:OE2	3:A:610:NDP:N7A	2.48	0.46
1:B:201:ASN:HB3	1:B:204:GLU:HG3	1.95	0.46
1:A:329:LEU:HD22	1:A:564:LEU:HD12	1.97	0.46
1:A:324:PRO:HB2	1:A:571:PHE:HE2	1.81	0.46
1:A:350:VAL:HG12	1:A:553:TYR:CD1	2.51	0.46
1:B:113:PRO:HB2	1:B:116:PHE:CD2	2.50	0.46
1:A:492:ILE:HD11	1:A:510:ARG:HD3	1.97	0.46
1:A:109:TRP:CE2	1:A:117:LYS:HD2	2.50	0.46
1:B:446:ASP:OD1	1:B:447:ASN:N	2.48	0.46
1:A:166:GLY:HA2	3:A:610:NDP:O5D	2.16	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:329:LEU:HD22	1:B:564:LEU:HD12	1.98	0.46
1:B:416:ARG:O	1:B:417:LYS:HB2	2.16	0.46
1:B:41:GLY:H	1:B:195:VAL:HG23	1.81	0.45
1:B:42:ASN:HA	1:B:194:ASP:OD2	2.16	0.45
1:B:336:MET:HE2	1:B:557:ILE:HG23	1.97	0.45
1:A:292:TYR:O	1:A:295:PHE:HB3	2.16	0.45
1:B:325:GLU:HG3	1:B:369:LEU:HD22	1.98	0.45
1:A:344:ASP:HB2	1:B:470:ARG:CZ	2.47	0.45
5:A:1179:HOH:O	1:B:470:ARG:HD3	2.17	0.45
1:A:299:LYS:HD2	1:A:299:LYS:HA	1.77	0.45
1:B:17:CYS:HA	1:B:39:GLY:O	2.17	0.45
1:B:37:PHE:O	1:B:184:PHE:HZ	1.98	0.45
1:B:3:GLU:HA	1:B:80:TYR:HE1	1.78	0.45
1:B:359:LYS:HG2	1:B:544:ILE:HG12	1.98	0.45
1:A:220:THR:HG23	1:A:573:THR:CG2	2.47	0.45
1:A:584:GLU:HB2	5:A:1250:HOH:O	2.16	0.44
1:B:492:ILE:HD11	1:B:510:ARG:HD3	1.99	0.44
1:B:152:LEU:HG	1:B:156:LEU:HD12	1.99	0.44
1:A:506:ILE:HG12	1:A:544:ILE:HB	1.99	0.44
1:A:165:GLY:HA2	1:A:170:TYR:CZ	2.52	0.44
1:B:4:GLN:HG3	1:B:7:ASP:OD2	2.17	0.44
1:B:48:TRP:O	1:B:49:LYS:HB3	2.17	0.44
1:A:35:TYR:CE2	1:A:38:ARG:HD3	2.53	0.44
1:B:459:ILE:O	1:B:463:ILE:HG13	2.18	0.44
1:B:493:LEU:C	1:B:493:LEU:HD12	2.37	0.44
1:B:153:LEU:HD22	1:B:158:TYR:CZ	2.53	0.43
1:B:506:ILE:HG12	1:B:544:ILE:HB	2.00	0.43
1:A:447:ASN:OD1	1:A:449:GLU:HG2	2.18	0.43
1:B:336:MET:HE3	1:B:560:LEU:HB2	2.00	0.43
1:A:214:TYR:O	1:A:220:THR:HA	2.18	0.43
1:B:292:TYR:O	1:B:295:PHE:HB3	2.18	0.43
1:A:345:ARG:O	1:A:346:THR:C	2.57	0.43
1:B:229:THR:C	1:B:231:ASN:H	2.20	0.43
1:A:470:ARG:HD3	5:B:1025:HOH:O	2.18	0.43
1:B:567:ILE:HA	1:B:568:PRO:HD3	1.91	0.43
1:B:284:ASP:O	1:B:287:GLU:HB3	2.19	0.43
1:A:167:SER:OG	1:A:195:VAL:CG2	2.67	0.43
1:B:26:GLY:O	1:B:27:LYS:HB3	2.19	0.43
1:B:421:ARG:HG2	1:B:421:ARG:HH11	1.85	0.42
1:B:124:ASN:N	1:B:124:ASN:ND2	2.66	0.42
1:B:210:VAL:O	1:B:210:VAL:HG23	2.20	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:76:LYS:HA	1:B:79:LYS:HB3	2.00	0.42
1:A:364:GLN:O	1:A:365:TYR:HB3	2.19	0.42
1:A:325:GLU:HG3	1:A:369:LEU:HD22	2.02	0.42
1:B:16:ALA:HA	1:B:185:THR:HB	2.01	0.42
1:A:28:LYS:HA	1:A:28:LYS:HD3	1.49	0.42
1:A:599:HIS:HA	5:A:1308:HOH:O	2.20	0.42
1:A:210:VAL:HG12	1:A:323:HIS:HB2	2.01	0.42
1:A:109:TRP:CZ2	1:A:117:LYS:HD2	2.55	0.42
1:A:40:LEU:O	3:A:610:NDP:H2N	2.20	0.42
1:A:421:ARG:HH11	1:A:421:ARG:HG2	1.84	0.42
1:B:214:TYR:O	1:B:220:THR:HA	2.20	0.42
1:A:54:ASP:OD2	2:A:609:CP6:H163	2.20	0.42
1:B:6:CYS:HB3	1:B:178:LEU:HA	2.00	0.42
1:A:124:ASN:N	1:A:124:ASN:ND2	2.66	0.42
1:A:423:VAL:O	1:A:424:ASN:HB2	2.20	0.41
1:A:165:GLY:HA3	3:A:610:NDP:C5N	2.44	0.41
1:A:172:GLU:HA	1:A:175:GLU:HB2	2.01	0.41
1:A:375:PHE:CD1	1:A:375:PHE:N	2.89	0.41
1:A:344:ASP:OD2	1:A:345:ARG:HG2	2.21	0.41
1:A:112:ILE:HB	1:A:117:LYS:HD3	2.01	0.41
1:B:314:ILE:O	1:B:318:LEU:HG	2.21	0.41
1:B:104:MET:HB3	1:B:164:ILE:HD11	2.03	0.41
1:A:144:ASN:HD22	1:A:145:LYS:HG2	1.84	0.41
1:A:343:SER:O	1:A:344:ASP:C	2.59	0.41
1:B:208:ILE:HD13	1:B:227:LYS:HD2	2.03	0.41
1:B:125:VAL:HG12	1:B:126:ILE:N	2.36	0.41
1:B:353:LYS:HG3	1:B:356:TYR:OH	2.20	0.41
1:B:19:LYS:HG2	1:B:36:THR:HG22	2.02	0.41
1:B:142:ILE:HG22	1:B:143:ILE:N	2.34	0.41
1:B:318:LEU:HD12	1:B:321:LYS:HD3	2.03	0.41
1:A:312:PHE:HB2	1:A:316:ASN:HD21	1.84	0.41
1:B:12:TYR:CD1	1:B:181:LYS:HB2	2.56	0.40
1:B:138:GLU:C	1:B:140:VAL:H	2.22	0.40
1:B:4:GLN:C	1:B:8:VAL:HG23	2.41	0.40
1:B:171:GLN:HA	1:B:198:PRO:HG2	2.03	0.40
1:B:168:VAL:O	1:B:172:GLU:HG2	2.21	0.40
1:B:3:GLU:HG2	1:B:80:TYR:HE1	1.87	0.40
1:A:353:LYS:HG3	1:A:356:TYR:OH	2.22	0.40

There are no symmetry-related clashes.



## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	541/608 (89%)	505 (93%)	28 (5%)	8 (2%)	13	12
1	B	536/608 (88%)	486 (91%)	43 (8%)	7 (1%)	15	15
All	All	1077/1216 (89%)	991 (92%)	71 (7%)	15 (1%)	14	13

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	5	VAL
1	A	24	ASN
1	A	346	THR
1	A	430	TYR
1	B	165	GLY
1	B	430	TYR
1	A	302	LYS
1	A	49	LYS
1	A	308	HIS
1	A	344	ASP
1	B	308	HIS
1	A	21	GLU
1	B	3	GLU
1	B	146	VAL
1	B	164	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	510/570 (90%)	502 (98%)	8 (2%)	70	84
1	B	505/570 (89%)	494 (98%)	11 (2%)	60	77
All	All	1015/1140 (89%)	996 (98%)	19 (2%)	65	81

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	27	LYS
1	A	50	CYS
1	A	124	ASN
1	A	144	ASN
1	A	284	ASP
1	A	301	GLU
1	A	487	LEU
1	B	7	ASP
1	B	50	CYS
1	B	55	MET
1	B	114	LYS
1	B	121	ASN
1	B	124	ASN
1	B	127	LEU
1	B	231	ASN
1	B	285	GLU
1	B	305	ASN
1	B	564	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	24	ASN
1	A	99	GLN
1	A	144	ASN
1	A	316	ASN
1	A	394	ASN
1	A	407	ASN
1	A	424	ASN
1	B	29	ASN
1	B	99	GLN
1	B	121	ASN
1	B	171	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	394	ASN
1	B	407	ASN
1	B	424	ASN
1	B	554	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	CP6	A	609	-	18,18,18	2.67	13 (72%)	21,25,25	2.11	7 (33%)
3	NDP	A	610	-	42,52,52	1.61	6 (14%)	55,80,80	1.88	15 (27%)
4	UMP	A	611	-	16,21,21	1.92	3 (18%)	23,31,31	3.16	8 (34%)
2	CP6	B	609	-	18,18,18	2.54	9 (50%)	21,25,25	1.81	6 (28%)
3	NDP	B	610	-	42,52,52	1.68	7 (16%)	55,80,80	1.95	16 (29%)
4	UMP	B	611	-	16,21,21	2.12	5 (31%)	23,31,31	3.19	8 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	CP6	A	609	-	-	0/6/6/6	0/2/2/2
3	NDP	A	610	-	-	0/30/77/77	0/5/5/5
4	UMP	A	611	-	-	0/6/22/22	0/2/2/2
2	CP6	B	609	-	-	0/6/6/6	0/2/2/2
3	NDP	B	610	-	-	0/30/77/77	0/5/5/5
4	UMP	B	611	-	-	0/6/22/22	0/2/2/2

All (43) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	610	NDP	C4N-C5N	-5.04	1.38	1.49
3	A	610	NDP	C4N-C5N	-4.56	1.39	1.49
2	A	609	CP6	C10-CL1	-3.30	1.67	1.74
2	B	609	CP6	C10-CL1	-2.82	1.68	1.74
3	A	610	NDP	C3B-C2B	-2.73	1.46	1.53
3	B	610	NDP	C3B-C2B	-2.41	1.47	1.53
3	A	610	NDP	PA-O1A	-2.40	1.42	1.51
4	B	611	UMP	P-OP3	-2.36	1.46	1.54
4	A	611	UMP	P-OP3	-2.29	1.46	1.54
2	A	609	CP6	C4-C7	-2.22	1.45	1.50
4	B	611	UMP	P-OP2	-2.08	1.47	1.54
3	B	610	NDP	PA-O1A	-2.02	1.43	1.51
3	A	610	NDP	C4A-N3A	2.04	1.38	1.35
2	B	609	CP6	C12-C11	2.11	1.42	1.38
4	B	611	UMP	O4'-C4'	2.25	1.50	1.45
3	B	610	NDP	O4B-C1B	2.41	1.44	1.41
2	A	609	CP6	C8-C7	2.44	1.44	1.39
2	A	609	CP6	C15-C5	2.55	1.56	1.51
2	B	609	CP6	C3-N1	2.56	1.39	1.35
2	A	609	CP6	C12-C7	2.66	1.45	1.39
3	A	610	NDP	C6N-C5N	2.73	1.38	1.33
2	A	609	CP6	C12-C11	2.80	1.43	1.38
3	B	610	NDP	C4A-N3A	2.91	1.39	1.35
2	A	609	CP6	C11-C10	3.03	1.43	1.38
2	A	609	CP6	C2-N6	3.07	1.40	1.35
3	B	610	NDP	C6N-C5N	3.13	1.39	1.33
2	A	609	CP6	C2-N1	3.18	1.41	1.35
2	B	609	CP6	C2-N6	3.22	1.41	1.35
2	B	609	CP6	C12-C7	3.32	1.46	1.39
2	A	609	CP6	C4-C3	3.35	1.47	1.43

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	609	CP6	C5-N6	3.46	1.40	1.34
2	A	609	CP6	C2-N14	3.56	1.41	1.34
4	A	611	UMP	O4'-C1'	3.72	1.51	1.42
2	B	609	CP6	C9-C10	3.76	1.45	1.38
2	B	609	CP6	C2-N14	3.82	1.41	1.34
2	A	609	CP6	C4-C5	3.87	1.49	1.41
2	B	609	CP6	C4-C5	4.06	1.50	1.41
2	B	609	CP6	C4-C3	4.13	1.48	1.43
4	B	611	UMP	O4'-C1'	4.25	1.52	1.42
3	A	610	NDP	C2N-C3N	4.30	1.45	1.34
3	B	610	NDP	C2N-C3N	4.46	1.45	1.34
4	A	611	UMP	C4-N3	4.86	1.42	1.33
4	B	611	UMP	C4-N3	5.31	1.43	1.33

All (60) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	609	CP6	C4-C3-N13	-6.18	115.99	120.86
3	A	610	NDP	C4B-O4B-C1B	-4.97	104.26	109.72
3	B	610	NDP	N3A-C2A-N1A	-4.90	125.14	128.89
3	A	610	NDP	N3A-C2A-N1A	-4.58	125.38	128.89
3	A	610	NDP	C3N-C2N-N1N	-4.24	117.06	123.14
3	B	610	NDP	C3N-C2N-N1N	-4.22	117.09	123.14
3	B	610	NDP	C4B-O4B-C1B	-4.04	105.28	109.72
3	A	610	NDP	C3B-C2B-C1B	-4.02	94.95	102.73
2	B	609	CP6	C4-C3-N13	-4.00	117.70	120.86
3	A	610	NDP	C1D-N1N-C2N	-3.98	113.97	120.91
3	B	610	NDP	C1D-N1N-C2N	-3.76	114.36	120.91
3	B	610	NDP	C3B-C2B-C1B	-2.94	97.05	102.73
4	B	611	UMP	C5-C4-N3	-2.93	115.60	123.12
4	A	611	UMP	C5-C4-N3	-2.92	115.62	123.12
4	B	611	UMP	O4'-C1'-C2'	-2.89	100.51	106.27
2	A	609	CP6	C9-C10-CL1	-2.71	114.91	119.35
4	A	611	UMP	O4'-C1'-C2'	-2.65	100.99	106.27
3	B	610	NDP	O7N-C7N-N7N	-2.59	116.32	122.76
3	A	610	NDP	O7N-C7N-N7N	-2.57	116.37	122.76
4	B	611	UMP	O4'-C4'-C3'	-2.55	99.25	105.67
3	B	610	NDP	C4N-C5N-C6N	-2.44	118.56	122.58
2	B	609	CP6	C9-C10-CL1	-2.44	115.35	119.35
3	B	610	NDP	C3D-C2D-C1D	-2.34	96.70	101.40
3	A	610	NDP	C4N-C5N-C6N	-2.24	118.88	122.58
4	A	611	UMP	O4'-C4'-C3'	-2.24	100.04	105.67

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	610	NDP	C3D-C2D-C1D	-2.20	96.99	101.40
3	A	610	NDP	C2D-C3D-C4D	2.01	106.73	102.61
3	B	610	NDP	O2B-C2B-C3B	2.01	119.33	111.51
3	A	610	NDP	O2A-PA-O1A	2.03	123.52	112.53
3	B	610	NDP	C2D-C3D-C4D	2.06	106.84	102.61
3	A	610	NDP	O3B-C3B-C4B	2.08	117.29	111.05
2	A	609	CP6	C16-C15-C5	2.18	120.64	115.03
3	B	610	NDP	C2B-C3B-C4B	2.25	107.18	101.85
2	A	609	CP6	C11-C10-CL1	2.25	123.04	119.35
2	A	609	CP6	C2-N1-C3	2.27	119.63	117.04
3	A	610	NDP	PN-O3-PA	2.30	139.20	132.73
2	B	609	CP6	C16-C15-C5	2.34	121.07	115.03
4	A	611	UMP	C2'-C3'-C4'	2.37	107.70	102.77
3	A	610	NDP	O3B-C3B-C2B	2.42	118.14	111.16
3	B	610	NDP	PN-O3-PA	2.46	139.64	132.73
3	B	610	NDP	O3B-C3B-C2B	2.46	118.27	111.16
4	B	611	UMP	C2'-C3'-C4'	2.52	108.00	102.77
2	B	609	CP6	N13-C3-N1	2.61	120.73	116.95
4	A	611	UMP	C4'-O4'-C1'	2.61	116.06	109.47
4	A	611	UMP	C2'-C1'-N1	2.65	120.60	114.16
3	A	610	NDP	O4B-C1B-N9A	2.70	113.76	108.10
4	B	611	UMP	C4'-O4'-C1'	2.70	116.30	109.47
2	B	609	CP6	C11-C10-CL1	2.80	123.94	119.35
4	B	611	UMP	C2'-C1'-N1	2.87	121.13	114.16
2	A	609	CP6	N13-C3-N1	2.90	121.16	116.95
3	B	610	NDP	O3B-C3B-C4B	3.11	120.37	111.05
2	A	609	CP6	C7-C4-C3	3.28	124.31	120.74
2	B	609	CP6	C7-C4-C3	3.60	124.66	120.74
3	A	610	NDP	C5N-C4N-C3N	3.91	123.30	112.52
3	B	610	NDP	C5N-C4N-C3N	4.05	123.68	112.52
3	B	610	NDP	O4B-C1B-N9A	4.33	117.16	108.10
4	B	611	UMP	O4'-C1'-N1	4.52	115.55	107.72
4	A	611	UMP	O4'-C1'-N1	4.64	115.75	107.72
4	B	611	UMP	C4-N3-C2	12.54	126.56	114.14
4	A	611	UMP	C4-N3-C2	12.56	126.58	114.14

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 15 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	609	CP6	3	0
3	A	610	NDP	9	0
2	B	609	CP6	1	0
3	B	610	NDP	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	547/608 (89%)	0.50	65 (11%) 6 9	17, 29, 81, 111	0
1	B	542/608 (89%)	1.20	134 (24%) 1 1	16, 35, 106, 120	0
All	All	1089/1216 (89%)	0.85	199 (18%) 2 2	16, 30, 100, 120	0

All (199) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	26	GLY	17.0
1	A	1	MET	13.7
1	B	2	MET	11.4
1	B	28	LYS	9.8
1	A	85	THR	9.5
1	B	70	TYR	9.4
1	A	24	ASN	9.1
1	A	25	GLU	8.9
1	B	9	PHE	8.7
1	B	27	LYS	8.6
1	B	608	ALA	8.2
1	B	3	GLU	8.2
1	B	75	TYR	8.2
1	B	345	ARG	8.1
1	B	24	ASN	7.9
1	B	74	LYS	7.9
1	A	29	ASN	7.8
1	B	136	PHE	7.6
1	B	22	SER	7.5
1	A	2	MET	7.5
1	B	135	ASP	7.4
1	B	137	ASP	7.4
1	B	179	ILE	7.4
1	B	230	ASN	7.3

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	307	ILE	7.2
1	A	22	SER	7.2
1	B	29	ASN	7.1
1	A	230	ASN	7.1
1	A	345	ARG	7.0
1	A	27	LYS	7.0
1	B	231	ASN	6.7
1	B	131	LEU	6.7
1	A	26	GLY	6.6
1	B	151	VAL	6.5
1	A	305	ASN	6.4
1	B	159	TYR	6.3
1	B	98	LEU	6.2
1	B	25	GLU	6.0
1	A	344	ASP	6.0
1	B	73	LEU	5.7
1	B	138	GLU	5.6
1	B	4	GLN	5.5
1	A	231	ASN	5.5
1	B	23	LYS	5.2
1	B	80	TYR	5.2
1	B	97	LYS	5.2
1	A	299	LYS	5.1
1	B	78	CYS	5.0
1	B	65	VAL	5.0
1	B	157	ASN	5.0
1	B	130	THR	5.0
1	B	77	ARG	5.0
1	B	69	LYS	4.9
1	B	152	LEU	4.9
1	B	81	LEU	4.9
1	B	67	GLU	4.7
1	A	306	SER	4.7
1	A	23	LYS	4.6
1	B	1	MET	4.5
1	A	310	ASN	4.4
1	B	11	ILE	4.4
1	B	144	ASN	4.3
1	A	287	GLU	4.3
1	A	285	GLU	4.3
1	A	348	VAL	4.3
1	A	284	ASP	4.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	3	GLU	4.2
1	B	158	TYR	4.2
1	A	298	GLU	4.2
1	B	68	SER	4.2
1	B	66	ASN	4.1
1	B	139	ASP	4.0
1	B	116	PHE	4.0
1	B	310	ASN	3.9
1	B	134	GLU	3.9
1	B	72	LYS	3.9
1	B	299	LYS	3.9
1	B	305	ASN	3.8
1	A	343	SER	3.8
1	A	31	VAL	3.7
1	A	84	GLU	3.7
1	B	5	VAL	3.7
1	B	228	LYS	3.7
1	B	203	ASN	3.7
1	A	35	TYR	3.6
1	B	62	THR	3.6
1	B	283	ASP	3.5
1	A	28	LYS	3.5
1	B	35	TYR	3.5
1	B	313	GLN	3.5
1	B	346	THR	3.5
1	B	8	VAL	3.4
1	B	164	ILE	3.4
1	B	307	ILE	3.4
1	B	58	PHE	3.3
1	B	311	ASP	3.3
1	B	141	TYR	3.3
1	B	312	PHE	3.3
1	B	178	LEU	3.3
1	B	205	TYR	3.3
1	B	344	ASP	3.2
1	A	300	GLU	3.2
1	B	6	CYS	3.2
1	B	284	ASP	3.2
1	A	30	GLU	3.2
1	A	34	ASN	3.2
1	B	285	GLU	3.2
1	B	165	GLY	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	64	TYR	3.0
1	B	13	ALA	3.0
1	A	346	THR	3.0
1	A	546	VAL	3.0
1	B	129	ARG	2.9
1	A	308	HIS	2.8
1	B	115	LYS	2.8
1	B	206	GLN	2.8
1	A	301	GLU	2.8
1	B	71	GLU	2.8
1	A	286	GLU	2.8
1	A	304	LYS	2.7
1	B	140	VAL	2.7
1	A	75	TYR	2.7
1	B	176	LYS	2.7
1	B	21	GLU	2.7
1	B	146	VAL	2.7
1	B	190	THR	2.7
1	B	286	GLU	2.6
1	B	143	ILE	2.6
1	B	200	ILE	2.6
1	B	607	ALA	2.6
1	B	173	PHE	2.6
1	B	155	LYS	2.6
1	B	100	ASN	2.6
1	B	106	ARG	2.6
1	A	506	ILE	2.6
1	A	79	LYS	2.6
1	A	309	PRO	2.5
1	A	71	GLU	2.5
1	B	156	LEU	2.5
1	B	306	SER	2.5
1	A	544	ILE	2.5
1	B	149	LEU	2.5
1	B	125	VAL	2.5
1	B	99	GLN	2.5
1	B	300	GLU	2.5
1	A	70	TYR	2.4
1	A	83	LYS	2.4
1	B	63	THR	2.4
1	B	153	LEU	2.4
1	A	358	MET	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	96	LYS	2.4
1	A	292	TYR	2.4
1	B	20	VAL	2.4
1	B	154	GLY	2.3
1	B	107	THR	2.3
1	B	309	PRO	2.3
1	B	229	THR	2.3
1	A	507	MET	2.3
1	B	43	LYS	2.3
1	A	493	LEU	2.3
1	B	161	CYS	2.3
1	B	546	VAL	2.3
1	B	192	GLU	2.3
1	B	163	ILE	2.3
1	A	206	GLN	2.2
1	A	114	LYS	2.2
1	A	283	ASP	2.2
1	B	12	TYR	2.2
1	B	132	LYS	2.2
1	B	36	THR	2.2
1	B	357	ILE	2.2
1	B	493	LEU	2.2
1	B	507	MET	2.2
1	A	288	ASP	2.2
1	B	103	VAL	2.2
1	B	79	LYS	2.2
1	B	505	CYS	2.2
1	B	308	HIS	2.2
1	B	172	GLU	2.2
1	B	506	ILE	2.1
1	B	168	VAL	2.1
1	A	447	ASN	2.1
1	B	76	LYS	2.1
1	B	605	ASP	2.1
1	B	59	CYS	2.1
1	A	82	ASN	2.1
1	A	32	PHE	2.1
1	A	295	PHE	2.1
1	A	33	ASN	2.1
1	B	227	LYS	2.1
1	B	118	PRO	2.1
1	A	505	CYS	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	10	ASP	2.1
1	B	142	ILE	2.1
1	A	492	ILE	2.0
1	A	297	LYS	2.0
1	B	447	ASN	2.0
1	B	508	TYR	2.0
1	A	494	CYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	CP6	A	609	17/17	0.94	0.16	2.38	13,22,27,30	0
3	NDP	A	610	48/48	0.97	0.12	-0.44	22,29,36,40	0
2	CP6	B	609	17/17	0.86	0.19	-0.45	71,73,74,74	0
3	NDP	B	610	48/48	0.82	0.19	-0.70	73,86,97,98	0
4	UMP	A	611	20/20	0.96	0.14	-0.75	30,35,38,39	0
4	UMP	B	611	20/20	0.97	0.13	-1.05	29,36,39,39	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.