



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 1, 2016 – 05:23 AM GMT

PDB ID : 2QHX  
Title : Structure of Pteridine Reductase from Leishmania major complexed with a ligand  
Authors : Gibellini, F.; Mccluskey, K.; Tulloch, L.; Hunter, W.N.  
Deposited on : 2007-07-03  
Resolution : 2.61 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2700 (2.64-2.60)
Clashscore	102246	3065 (2.64-2.60)
Ramachandran outliers	100387	3015 (2.64-2.60)
Sidechain outliers	100360	3015 (2.64-2.60)
RSRZ outliers	91569	2706 (2.64-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	328	 2% 74% 6% 20%
1	B	328	 2% 75% 6% 19%
1	C	328	 3% 72% 5% 23%
1	D	328	 4% 73% 6% 21%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	IOD	A	1289	-	-	X	-
4	FE1	A	1301[A]	-	-	-	X
4	FE1	A	1301[B]	-	-	-	X
4	FE1	B	1303[A]	-	-	-	X
4	FE1	B	1303[B]	-	-	-	X
4	FE1	C	1305[A]	-	-	-	X
4	FE1	D	1307[A]	-	-	-	X

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8985 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pteridine reductase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	264	Total	C	N	O	S	0	2	0
			1979	1249	350	369	11			
1	B	265	Total	C	N	O	S	4	3	0
			1987	1253	351	371	12			
1	C	254	Total	C	N	O	S	0	2	0
			1897	1197	339	350	11			
1	D	258	Total	C	N	O	S	0	1	0
			1926	1213	346	357	10			

There are 164 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-39	MET	-	EXPRESSION TAG	UNP Q01782
A	-38	GLY	-	EXPRESSION TAG	UNP Q01782
A	-37	SER	-	EXPRESSION TAG	UNP Q01782
A	-36	SER	-	EXPRESSION TAG	UNP Q01782
A	-35	HIS	-	EXPRESSION TAG	UNP Q01782
A	-34	HIS	-	EXPRESSION TAG	UNP Q01782
A	-33	HIS	-	EXPRESSION TAG	UNP Q01782
A	-32	HIS	-	EXPRESSION TAG	UNP Q01782
A	-31	HIS	-	EXPRESSION TAG	UNP Q01782
A	-30	HIS	-	EXPRESSION TAG	UNP Q01782
A	-29	SER	-	EXPRESSION TAG	UNP Q01782
A	-28	SER	-	EXPRESSION TAG	UNP Q01782
A	-27	GLY	-	EXPRESSION TAG	UNP Q01782
A	-26	LEU	-	EXPRESSION TAG	UNP Q01782
A	-25	VAL	-	EXPRESSION TAG	UNP Q01782
A	-24	PRO	-	EXPRESSION TAG	UNP Q01782
A	-23	ARG	-	EXPRESSION TAG	UNP Q01782
A	-22	GLY	-	EXPRESSION TAG	UNP Q01782
A	-21	SER	-	EXPRESSION TAG	UNP Q01782
A	-20	HIS	-	EXPRESSION TAG	UNP Q01782
A	-19	MET	-	EXPRESSION TAG	UNP Q01782

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-18	GLY	-	EXPRESSION TAG	UNP Q01782
A	-17	SER	-	EXPRESSION TAG	UNP Q01782
A	-16	SER	-	EXPRESSION TAG	UNP Q01782
A	-15	HIS	-	EXPRESSION TAG	UNP Q01782
A	-14	HIS	-	EXPRESSION TAG	UNP Q01782
A	-13	HIS	-	EXPRESSION TAG	UNP Q01782
A	-12	HIS	-	EXPRESSION TAG	UNP Q01782
A	-11	HIS	-	EXPRESSION TAG	UNP Q01782
A	-10	HIS	-	EXPRESSION TAG	UNP Q01782
A	-9	SER	-	EXPRESSION TAG	UNP Q01782
A	-8	SER	-	EXPRESSION TAG	UNP Q01782
A	-7	GLY	-	EXPRESSION TAG	UNP Q01782
A	-6	LEU	-	EXPRESSION TAG	UNP Q01782
A	-5	VAL	-	EXPRESSION TAG	UNP Q01782
A	-4	PRO	-	EXPRESSION TAG	UNP Q01782
A	-3	ARG	-	EXPRESSION TAG	UNP Q01782
A	-2	GLY	-	EXPRESSION TAG	UNP Q01782
A	-1	SER	-	EXPRESSION TAG	UNP Q01782
A	0	HIS	-	EXPRESSION TAG	UNP Q01782
A	162	VAL	PHE	SEE REMARK 999	UNP Q01782
B	-39	MET	-	EXPRESSION TAG	UNP Q01782
B	-38	GLY	-	EXPRESSION TAG	UNP Q01782
B	-37	SER	-	EXPRESSION TAG	UNP Q01782
B	-36	SER	-	EXPRESSION TAG	UNP Q01782
B	-35	HIS	-	EXPRESSION TAG	UNP Q01782
B	-34	HIS	-	EXPRESSION TAG	UNP Q01782
B	-33	HIS	-	EXPRESSION TAG	UNP Q01782
B	-32	HIS	-	EXPRESSION TAG	UNP Q01782
B	-31	HIS	-	EXPRESSION TAG	UNP Q01782
B	-30	HIS	-	EXPRESSION TAG	UNP Q01782
B	-29	SER	-	EXPRESSION TAG	UNP Q01782
B	-28	SER	-	EXPRESSION TAG	UNP Q01782
B	-27	GLY	-	EXPRESSION TAG	UNP Q01782
B	-26	LEU	-	EXPRESSION TAG	UNP Q01782
B	-25	VAL	-	EXPRESSION TAG	UNP Q01782
B	-24	PRO	-	EXPRESSION TAG	UNP Q01782
B	-23	ARG	-	EXPRESSION TAG	UNP Q01782
B	-22	GLY	-	EXPRESSION TAG	UNP Q01782
B	-21	SER	-	EXPRESSION TAG	UNP Q01782
B	-20	HIS	-	EXPRESSION TAG	UNP Q01782
B	-19	MET	-	EXPRESSION TAG	UNP Q01782
B	-18	GLY	-	EXPRESSION TAG	UNP Q01782

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-17	SER	-	EXPRESSION TAG	UNP Q01782
B	-16	SER	-	EXPRESSION TAG	UNP Q01782
B	-15	HIS	-	EXPRESSION TAG	UNP Q01782
B	-14	HIS	-	EXPRESSION TAG	UNP Q01782
B	-13	HIS	-	EXPRESSION TAG	UNP Q01782
B	-12	HIS	-	EXPRESSION TAG	UNP Q01782
B	-11	HIS	-	EXPRESSION TAG	UNP Q01782
B	-10	HIS	-	EXPRESSION TAG	UNP Q01782
B	-9	SER	-	EXPRESSION TAG	UNP Q01782
B	-8	SER	-	EXPRESSION TAG	UNP Q01782
B	-7	GLY	-	EXPRESSION TAG	UNP Q01782
B	-6	LEU	-	EXPRESSION TAG	UNP Q01782
B	-5	VAL	-	EXPRESSION TAG	UNP Q01782
B	-4	PRO	-	EXPRESSION TAG	UNP Q01782
B	-3	ARG	-	EXPRESSION TAG	UNP Q01782
B	-2	GLY	-	EXPRESSION TAG	UNP Q01782
B	-1	SER	-	EXPRESSION TAG	UNP Q01782
B	0	HIS	-	EXPRESSION TAG	UNP Q01782
B	162	VAL	PHE	SEE REMARK 999	UNP Q01782
C	-39	MET	-	EXPRESSION TAG	UNP Q01782
C	-38	GLY	-	EXPRESSION TAG	UNP Q01782
C	-37	SER	-	EXPRESSION TAG	UNP Q01782
C	-36	SER	-	EXPRESSION TAG	UNP Q01782
C	-35	HIS	-	EXPRESSION TAG	UNP Q01782
C	-34	HIS	-	EXPRESSION TAG	UNP Q01782
C	-33	HIS	-	EXPRESSION TAG	UNP Q01782
C	-32	HIS	-	EXPRESSION TAG	UNP Q01782
C	-31	HIS	-	EXPRESSION TAG	UNP Q01782
C	-30	HIS	-	EXPRESSION TAG	UNP Q01782
C	-29	SER	-	EXPRESSION TAG	UNP Q01782
C	-28	SER	-	EXPRESSION TAG	UNP Q01782
C	-27	GLY	-	EXPRESSION TAG	UNP Q01782
C	-26	LEU	-	EXPRESSION TAG	UNP Q01782
C	-25	VAL	-	EXPRESSION TAG	UNP Q01782
C	-24	PRO	-	EXPRESSION TAG	UNP Q01782
C	-23	ARG	-	EXPRESSION TAG	UNP Q01782
C	-22	GLY	-	EXPRESSION TAG	UNP Q01782
C	-21	SER	-	EXPRESSION TAG	UNP Q01782
C	-20	HIS	-	EXPRESSION TAG	UNP Q01782
C	-19	MET	-	EXPRESSION TAG	UNP Q01782
C	-18	GLY	-	EXPRESSION TAG	UNP Q01782
C	-17	SER	-	EXPRESSION TAG	UNP Q01782

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-16	SER	-	EXPRESSION TAG	UNP Q01782
C	-15	HIS	-	EXPRESSION TAG	UNP Q01782
C	-14	HIS	-	EXPRESSION TAG	UNP Q01782
C	-13	HIS	-	EXPRESSION TAG	UNP Q01782
C	-12	HIS	-	EXPRESSION TAG	UNP Q01782
C	-11	HIS	-	EXPRESSION TAG	UNP Q01782
C	-10	HIS	-	EXPRESSION TAG	UNP Q01782
C	-9	SER	-	EXPRESSION TAG	UNP Q01782
C	-8	SER	-	EXPRESSION TAG	UNP Q01782
C	-7	GLY	-	EXPRESSION TAG	UNP Q01782
C	-6	LEU	-	EXPRESSION TAG	UNP Q01782
C	-5	VAL	-	EXPRESSION TAG	UNP Q01782
C	-4	PRO	-	EXPRESSION TAG	UNP Q01782
C	-3	ARG	-	EXPRESSION TAG	UNP Q01782
C	-2	GLY	-	EXPRESSION TAG	UNP Q01782
C	-1	SER	-	EXPRESSION TAG	UNP Q01782
C	0	HIS	-	EXPRESSION TAG	UNP Q01782
C	162	VAL	PHE	SEE REMARK 999	UNP Q01782
D	-39	MET	-	EXPRESSION TAG	UNP Q01782
D	-38	GLY	-	EXPRESSION TAG	UNP Q01782
D	-37	SER	-	EXPRESSION TAG	UNP Q01782
D	-36	SER	-	ENGINEERED	UNP Q01782
D	-35	HIS	-	EXPRESSION TAG	UNP Q01782
D	-34	HIS	-	EXPRESSION TAG	UNP Q01782
D	-33	HIS	-	EXPRESSION TAG	UNP Q01782
D	-32	HIS	-	EXPRESSION TAG	UNP Q01782
D	-31	HIS	-	EXPRESSION TAG	UNP Q01782
D	-30	HIS	-	EXPRESSION TAG	UNP Q01782
D	-29	SER	-	EXPRESSION TAG	UNP Q01782
D	-28	SER	-	EXPRESSION TAG	UNP Q01782
D	-27	GLY	-	EXPRESSION TAG	UNP Q01782
D	-26	LEU	-	EXPRESSION TAG	UNP Q01782
D	-25	VAL	-	EXPRESSION TAG	UNP Q01782
D	-24	PRO	-	EXPRESSION TAG	UNP Q01782
D	-23	ARG	-	EXPRESSION TAG	UNP Q01782
D	-22	GLY	-	EXPRESSION TAG	UNP Q01782
D	-21	SER	-	EXPRESSION TAG	UNP Q01782
D	-20	HIS	-	EXPRESSION TAG	UNP Q01782
D	-19	MET	-	EXPRESSION TAG	UNP Q01782
D	-18	GLY	-	EXPRESSION TAG	UNP Q01782
D	-17	SER	-	EXPRESSION TAG	UNP Q01782
D	-16	SER	-	EXPRESSION TAG	UNP Q01782

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
D	-15	HIS	-	EXPRESSION TAG	UNP Q01782
D	-14	HIS	-	EXPRESSION TAG	UNP Q01782
D	-13	HIS	-	EXPRESSION TAG	UNP Q01782
D	-12	HIS	-	EXPRESSION TAG	UNP Q01782
D	-11	HIS	-	EXPRESSION TAG	UNP Q01782
D	-10	HIS	-	EXPRESSION TAG	UNP Q01782
D	-9	SER	-	EXPRESSION TAG	UNP Q01782
D	-8	SER	-	EXPRESSION TAG	UNP Q01782
D	-7	GLY	-	EXPRESSION TAG	UNP Q01782
D	-6	LEU	-	EXPRESSION TAG	UNP Q01782
D	-5	VAL	-	EXPRESSION TAG	UNP Q01782
D	-4	PRO	-	EXPRESSION TAG	UNP Q01782
D	-3	ARG	-	EXPRESSION TAG	UNP Q01782
D	-2	GLY	-	EXPRESSION TAG	UNP Q01782
D	-1	SER	-	EXPRESSION TAG	UNP Q01782
D	0	HIS	-	EXPRESSION TAG	UNP Q01782
D	162	VAL	PHE	SEE REMARK 999	UNP Q01782

- Molecule 2 is IODIDE ION (three-letter code: IOD) (formula: I).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total I 1 1	0	0
2	A	1	Total I 1 1	0	0


- Molecule 3 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C<sub>21</sub>H<sub>28</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is METHYL 1-(4-{{(2,4-DIAMINOPTERIDIN-6-YL)METHYL}(METHYL)AMINO}BENZOYL)PIPERIDINE-4-CARBOXYLATE (three-letter code: FE1) (formula:  $C_{22}H_{26}N_8O_3$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	1
			65	43	16	6		
4	B	1	Total	C	N	O	0	1
			65	43	16	6		
4	C	1	Total	C	N	O	0	1
			33	22	8	3		
4	D	1	Total	C	N	O	0	1
			33	22	8	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	221	Total	O	0	0
			221	221		
5	B	175	Total	O	0	0
			175	175		
5	C	220	Total	O	0	0
			220	220		
5	D	190	Total	O	0	0
			190	190		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Pteridine reductase 1




#### • Molecule 1: Pteridine reductase 1




#### • Molecule 1: Pteridine reductase 1



#### • Molecule 1: Pteridine reductase 1





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	95.50Å 104.23Å 136.87Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.60 – 2.61 28.60 – 2.61	Depositor EDS
% Data completeness (in resolution range)	95.3 (28.60-2.61) 95.4 (28.60-2.61)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.75 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.183 , 0.228 0.180 , 0.222	Depositor DCC
$R_{free}$ test set	2028 reflections (5.29%)	DCC
Wilson B-factor (Å <sup>2</sup> )	23.3	Xtriage
Anisotropy	0.242	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 40.9	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtriage
Outliers	1 of 40435 reflections (0.002%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8985	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 25.74 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 2.9968e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAP, IOD, FE1

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.40	0/2027	0.56	1/2762 (0.0%)
1	B	0.47	1/2039 (0.0%)	0.55	2/2778 (0.1%)
1	C	0.39	0/1939	0.51	0/2637
1	D	0.40	0/1965	0.52	0/2672
All	All	0.41	1/7970 (0.0%)	0.54	3/10849 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	168	LYS	CB-CG	10.51	1.80	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	168	LYS	CB-CG-CD	5.98	127.14	111.60
1	B	168	LYS	CA-CB-CG	-5.42	101.47	113.40
1	A	137	GLU	N-CA-CB	5.34	120.21	110.60

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	135	ALA	Peptide
1	A	136	MET	Peptide
1	A	137	GLU	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1979	0	1982	14	1
1	B	1987	0	1988	11	0
1	C	1897	0	1916	14	0
1	D	1926	0	1939	13	1
2	A	1	0	0	2	0
2	B	1	0	0	1	0
3	A	48	0	25	0	0
3	B	48	0	25	0	0
3	C	48	0	25	0	0
3	D	48	0	25	0	0
4	A	65	0	52	6	0
4	B	65	0	52	4	0
4	C	33	0	26	2	0
4	D	33	0	26	1	0
5	A	221	0	0	4	0
5	B	175	0	0	6	0
5	C	220	0	0	3	0
5	D	190	0	0	5	0
All	All	8985	0	8081	57	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

The worst 5 of 57 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:137:GLU:HG2	5:C:1511:HOH:O	1.78	0.84
1:A:137:GLU:HA	5:A:1507:HOH:O	1.82	0.79
1:D:12:THR:HA	1:D:36:HIS:HB3	1.72	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:12:THR:HA	1:C:36:HIS:HB3	1.73	0.70
1:B:12:THR:HA	1:B:36:HIS:HB3	1.74	0.69

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:168:LYS:O	1:D:57:ASN:OD1[2_564]	2.17	0.03

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/328 (79%)	244 (94%)	14 (5%)	2 (1%)	24	44
1	B	262/328 (80%)	248 (95%)	13 (5%)	1 (0%)	39	63
1	C	248/328 (76%)	236 (95%)	11 (4%)	1 (0%)	39	63
1	D	251/328 (76%)	240 (96%)	10 (4%)	1 (0%)	39	63
All	All	1021/1312 (78%)	968 (95%)	48 (5%)	5 (0%)	34	58

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	138	THR
1	B	180	VAL
1	D	180	VAL
1	A	180	VAL
1	C	180	VAL



### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	207/257 (80%)	206 (100%)	1 (0%)	92	98
1	B	209/257 (81%)	203 (97%)	6 (3%)	50	76
1	C	198/257 (77%)	195 (98%)	3 (2%)	72	89
1	D	200/257 (78%)	199 (100%)	1 (0%)	92	98
All	All	814/1028 (79%)	803 (99%)	11 (1%)	74	90

5 of 11 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	134	GLU
1	B	168	LYS
1	C	168	LYS
1	B	120	ARG
1	C	120	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 6 such sidechains are listed below:

Mol	Chain	Res	Type
1	A	249	GLN
1	D	216	GLN
1	B	216	GLN
1	A	216	GLN
1	C	216	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAP	A	1300	-	42,52,52	1.59	3 (7%)	54,80,80	1.93	4 (7%)
4	FE1	A	1301[A]	-	34,36,36	1.10	1 (2%)	42,51,51	1.66	8 (19%)
4	FE1	A	1301[B]	-	34,36,36	1.10	2 (5%)	42,51,51	1.65	9 (21%)
3	NAP	B	1302	-	42,52,52	1.53	3 (7%)	54,80,80	1.85	5 (9%)
4	FE1	B	1303[A]	-	34,36,36	1.11	1 (2%)	42,51,51	2.03	12 (28%)
4	FE1	B	1303[B]	-	34,36,36	1.12	2 (5%)	42,51,51	1.75	8 (19%)
3	NAP	C	1304	-	42,52,52	1.58	3 (7%)	54,80,80	1.90	6 (11%)
4	FE1	C	1305[A]	-	34,36,36	1.14	1 (2%)	42,51,51	1.71	10 (23%)
3	NAP	D	1306	-	42,52,52	1.60	3 (7%)	54,80,80	2.00	5 (9%)
4	FE1	D	1307[A]	-	34,36,36	1.14	1 (2%)	42,51,51	1.75	8 (19%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAP	A	1300	-	-	0/27/67/67	0/5/5/5
4	FE1	A	1301[A]	-	-	0/22/32/32	0/4/4/4
4	FE1	A	1301[B]	-	-	0/22/32/32	1/4/4/4
3	NAP	B	1302	-	-	0/27/67/67	0/5/5/5
4	FE1	B	1303[A]	-	-	0/22/32/32	1/4/4/4
4	FE1	B	1303[B]	-	-	0/22/32/32	1/4/4/4
3	NAP	C	1304	-	-	0/27/67/67	0/5/5/5

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FE1	C	1305[A]	-	-	0/22/32/32	1/4/4/4
3	NAP	D	1306	-	-	0/27/67/67	0/5/5/5
4	FE1	D	1307[A]	-	-	0/22/32/32	1/4/4/4

The worst 5 of 20 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1301[B]	FE1	C7-N8	2.00	1.35	1.31
4	B	1303[B]	FE1	C7-N8	2.21	1.35	1.31
3	D	1306	NAP	C2A-N1A	2.49	1.38	1.33
3	C	1304	NAP	C2A-N1A	2.54	1.38	1.33
3	B	1302	NAP	C2A-N1A	2.67	1.39	1.33

The worst 5 of 75 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1306	NAP	N3A-C2A-N1A	-12.25	119.51	128.89
3	C	1304	NAP	N3A-C2A-N1A	-11.32	120.23	128.89
3	B	1302	NAP	N3A-C2A-N1A	-11.31	120.23	128.89
3	A	1300	NAP	N3A-C2A-N1A	-11.20	120.31	128.89
4	D	1307[A]	FE1	N1-C2-N3	-4.54	120.53	127.44

There are no chirality outliers.

There are no torsion outliers.

All (5) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	1303[A]	FE1	CAW-CAX-CBA-CBB-CBC-NAV
4	C	1305[A]	FE1	CAW-CAX-CBA-CBB-CBC-NAV
4	B	1303[B]	FE1	CAW-CAX-CBA-CBB-CBC-NAV
4	D	1307[A]	FE1	CAW-CAX-CBA-CBB-CBC-NAV
4	A	1301[B]	FE1	CAW-CAX-CBA-CBB-CBC-NAV

6 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1301[A]	FE1	2	0
4	A	1301[B]	FE1	4	0
4	B	1303[A]	FE1	1	0
4	B	1303[B]	FE1	3	0
4	C	1305[A]	FE1	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	1307[A]	FE1	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	264/328 (80%)	-0.49	7 (2%) 58 51	10, 17, 35, 55	4 (1%)
1	B	265/328 (80%)	-0.37	8 (3%) 54 47	10, 17, 37, 54	2 (0%)
1	C	254/328 (77%)	-0.40	11 (4%) 39 32	10, 17, 35, 54	1 (0%)
1	D	258/328 (78%)	-0.37	14 (5%) 29 22	10, 17, 36, 74	4 (1%)
All	All	1041/1312 (79%)	-0.41	40 (3%) 44 36	10, 17, 36, 74	11 (1%)

The worst 5 of 40 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	80	SER	5.9
1	D	73	PRO	5.4
1	B	81	ALA	5.2
1	C	230	VAL	4.9
1	A	136	MET	4.8

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	FE1	A	1301[B]	33/33	0.83	0.36	11.87	32,43,56,57	32
4	FE1	A	1301[A]	33/33	0.83	0.36	7.73	34,47,63,63	32
4	FE1	B	1303[B]	33/33	0.85	0.35	4.98	35,45,53,57	32
4	FE1	B	1303[A]	33/33	0.85	0.35	4.70	35,43,55,55	32
4	FE1	C	1305[A]	33/33	0.83	0.29	4.43	27,50,80,82	0
4	FE1	D	1307[A]	33/33	0.84	0.27	2.71	28,45,74,78	0
3	NAP	A	1300	48/48	0.98	0.11	-0.77	11,14,17,19	0
3	NAP	C	1304	48/48	0.98	0.10	-0.82	11,14,17,19	0
3	NAP	B	1302	48/48	0.98	0.09	-0.90	11,14,18,19	0
3	NAP	D	1306	48/48	0.98	0.08	-1.05	11,14,18,19	0
2	IOD	B	1288	1/1	0.98	0.06	-3.00	44,44,44,44	1
2	IOD	A	1289	1/1	0.99	0.05	-3.34	30,30,30,30	1

## 6.5 Other polymers [i](#)

There are no such residues in this entry.