



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 31, 2016 – 09:47 PM GMT

PDB ID : 1QKS  
Title : CYTOCHROME CD1 NITRITE REDUCTASE, OXIDISED FORM  
Authors : Fulop, V.  
Deposited on : 1999-08-05  
Resolution : 1.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	102246	1271 (1.30-1.26)
Ramachandran outliers	100387	1217 (1.30-1.26)
Sidechain outliers	100360	1216 (1.30-1.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	567	
1	B	567	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	GOL	B	612	-	-	X	-
4	GOL	B	613	-	-	X	-

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 10463 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CYTOCHROME CD1 NITRITE REDUCTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	559	Total	C	N	O	S	0	0	0
			4348	2746	729	858	15			
1	B	559	Total	C	N	O	S	0	0	0
			4348	2746	729	858	15			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	160	MET	GLU	CONFLICT	UNP P72181
A	185	SER	THR	CONFLICT	UNP P72181
A	191	THR	SER	CONFLICT	UNP P72181
A	331	ASN	ASP	CONFLICT	UNP P72181
B	160	MET	GLU	CONFLICT	UNP P72181
B	185	SER	THR	CONFLICT	UNP P72181
B	191	THR	SER	CONFLICT	UNP P72181
B	331	ASN	ASP	CONFLICT	UNP P72181

- Molecule 2 is HEME C (three-letter code: HEC) (formula:  $C_{34}H_{34}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is HEME D (three-letter code: DHE) (formula:  $\text{C}_{34}\text{H}_{32}\text{FeN}_4\text{O}_{10}$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total 49	C 34	Fe 1	N 4	O 10	0	0
3	B	1	Total 49	C 34	Fe 1	N 4	O 10	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula:  $O_4S$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	756	Total	O	0	0
			756	756		
6	B	755	Total	O	0	0
			755	755		

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: CYTOCHROME CD1 NITRITE REDUCTASE



#### • Molecule 1: CYTOCHROME CD1 NITRITE REDUCTASE



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section will therefore be incomplete.

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.40 Å   60.60 Å   100.20 Å 90.00°   112.30°   90.00°	Depositor
Resolution (Å)	20.00 – 1.28	Depositor
% Data completeness (in resolution range)	91.6 (20.00-1.28)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.07	Depositor
Refinement program	X-PLOR 3.851	Depositor
R, $R_{free}$	0.185 , 0.200	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	10463	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	13.0	wwPDB-VP



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, DHE, SO4, HEC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.38	0/4454	0.71	3/6061 (0.0%)
1	B	0.39	0/4454	0.71	3/6061 (0.0%)
All	All	0.38	0/8908	0.71	6/12122 (0.0%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	390	GLY	N-CA-C	-6.63	96.51	113.10
1	A	360	ALA	N-CA-C	-6.39	93.74	111.00
1	B	360	ALA	N-CA-C	-6.31	93.96	111.00
1	B	390	GLY	N-CA-C	-6.19	97.63	113.10
1	B	173	LEU	N-CA-C	-5.36	96.52	111.00
1	A	173	LEU	N-CA-C	-5.12	97.18	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4348	0	4188	40	0
1	B	4348	0	4188	55	0
2	A	43	0	30	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	43	0	30	0	0
3	A	49	0	24	0	0
3	B	49	0	24	2	0
4	A	24	0	32	4	0
4	B	18	0	24	15	0
5	A	10	0	0	0	0
5	B	20	0	0	0	0
6	A	756	0	0	10	0
6	B	755	0	0	13	0
All	All	10463	0	8540	97	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (97) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:488:LYS:HE3	4:B:612:GOL:H11	1.42	0.98
1:A:101:ALA:HB1	1:A:113:GLY:O	1.65	0.95
1:B:500:GLU:HB2	1:B:523:ASN:HD21	1.44	0.82
1:B:426:ASP:O	1:B:430:LYS:HD3	1.85	0.77
1:B:491:PRO:CA	4:B:613:GOL:H32	2.17	0.74
1:A:136:GLU:H	4:A:614:GOL:H31	1.53	0.73
1:B:488:LYS:HE3	4:B:612:GOL:C1	2.21	0.70
1:B:74:LYS:HG3	1:B:296:PRO:HG3	1.73	0.70
1:B:488:LYS:CE	4:B:612:GOL:H11	2.21	0.70
1:B:491:PRO:HA	4:B:613:GOL:H32	1.72	0.70
1:A:197:TYR:CE2	1:A:219:LYS:HB3	2.28	0.69
1:B:494:GLU:HB2	4:B:613:GOL:H2	1.74	0.68
1:A:197:TYR:CD1	1:A:215:GLY:HA3	2.28	0.68
1:A:227:MET:SD	6:A:2400:HOH:O	2.51	0.68
1:B:488:LYS:NZ	4:B:612:GOL:H31	2.09	0.67
1:A:309:ARG:HH22	1:A:374:GLY:HA3	1.60	0.66
1:A:101:ALA:HB2	6:A:2211:HOH:O	1.96	0.65
1:B:291:GLU:HB2	6:B:2472:HOH:O	1.96	0.65
1:B:488:LYS:HZ2	4:B:612:GOL:H31	1.62	0.64
1:B:490:LEU:HD22	4:B:612:GOL:H12	1.79	0.64
1:B:438:LEU:HG	1:B:471:ALA:HB2	1.80	0.63
1:A:334:LYS:HB3	1:A:334:LYS:NZ	2.15	0.62
1:B:380:GLU:HG3	1:B:429:TRP:O	1.98	0.62
1:B:500:GLU:HB2	1:B:523:ASN:ND2	2.15	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:TYR:O	1:A:101:ALA:HB3	2.02	0.59
1:B:280:LYS:NZ	1:B:282:GLN:NE2	2.53	0.56
1:B:151:ALA:HB1	1:B:153:GLU:OE2	2.06	0.56
1:A:15:GLU:HB2	6:A:2003:HOH:O	2.05	0.55
1:B:100:TYR:O	1:B:101:ALA:HB3	2.07	0.55
1:B:491:PRO:CB	4:B:613:GOL:H32	2.38	0.54
1:B:280:LYS:NZ	1:B:282:GLN:HE22	2.06	0.54
1:B:105:GLY:HA2	4:B:611:GOL:H11	1.90	0.54
1:B:153:GLU:CD	1:B:153:GLU:H	2.12	0.53
1:A:197:TYR:CE1	1:A:215:GLY:HA3	2.43	0.53
1:B:101:ALA:HA	6:B:2182:HOH:O	2.09	0.53
1:B:280:LYS:HZ2	1:B:282:GLN:NE2	2.05	0.53
1:A:438:LEU:HG	1:A:471:ALA:HB2	1.91	0.52
1:A:444:PHE:HB3	6:A:2683:HOH:O	2.10	0.52
1:B:490:LEU:CD2	4:B:612:GOL:H12	2.40	0.51
1:B:304:LEU:HD21	1:B:348:GLY:HA2	1.91	0.51
1:B:47:THR:HG22	6:B:2034:HOH:O	2.09	0.51
1:B:280:LYS:HE3	1:B:330:LEU:O	2.10	0.50
1:B:14:LEU:O	1:B:18:LYS:HB2	2.11	0.50
1:B:450:ASN:HB3	6:B:2623:HOH:O	2.12	0.49
1:A:412:ASP:HB3	1:A:439:GLY:HA2	1.95	0.49
1:B:469:SER:OG	4:B:613:GOL:H31	2.13	0.48
4:B:613:GOL:H11	6:B:2637:HOH:O	2.12	0.48
1:A:9:ASP:HB2	1:A:10:PRO:HD2	1.97	0.47
1:B:288:THR:HG21	6:B:2462:HOH:O	2.14	0.47
1:A:47:THR:HG23	6:A:2073:HOH:O	2.14	0.47
1:B:297:GLU:N	1:B:298:PRO:HD3	2.30	0.47
1:B:221:ASN:OD1	1:B:232:THR:HG21	2.15	0.47
1:B:15:GLU:HG3	6:B:2003:HOH:O	2.15	0.46
2:A:601:HEC:HBC3	2:A:601:HEC:HMC1	1.96	0.46
1:A:136:GLU:H	4:A:614:GOL:C3	2.26	0.46
1:A:59:LYS:HE2	6:A:2047:HOH:O	2.16	0.46
1:B:9:ASP:N	6:B:2001:HOH:O	2.50	0.45
1:B:498:ILE:HB	6:B:2671:HOH:O	2.17	0.45
1:A:426:ASP:O	1:A:430:LYS:HD2	2.17	0.45
1:A:297:GLU:N	1:A:298:PRO:HD3	2.32	0.45
1:A:531:LEU:HB2	1:A:545:ILE:HB	1.98	0.45
1:A:537:LYS:HG2	6:A:2703:HOH:O	2.17	0.44
1:B:492:ILE:HB	1:B:505:VAL:HG21	1.99	0.44
1:A:108:ASN:O	1:A:109:TRP:HB3	2.16	0.44
1:A:195:THR:HB	1:A:197:TYR:CZ	2.53	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:MET:HG2	1:A:234:ALA:HB3	2.00	0.44
1:A:197:TYR:HB2	6:A:2396:HOH:O	2.17	0.44
1:B:144:GLU:HG3	6:B:2251:HOH:O	2.16	0.43
1:B:201:ILE:HD13	3:B:602:DHE:O2A	2.18	0.43
1:B:459:THR:O	1:B:504:ARG:HD3	2.18	0.43
1:A:181:LEU:HD12	1:A:191:THR:CG2	2.49	0.43
1:A:317:LYS:HE3	6:A:2486:HOH:O	2.18	0.43
1:A:304:LEU:HD21	1:A:348:GLY:HA2	2.00	0.43
1:B:25:TYR:CD2	3:B:602:DHE:HGB2	2.54	0.43
1:B:531:LEU:HB2	1:B:545:ILE:HB	1.99	0.43
1:B:500:GLU:O	1:B:502:GLN:N	2.52	0.42
1:A:280:LYS:HE3	1:A:330:LEU:O	2.19	0.42
1:B:430:LYS:HB3	1:B:430:LYS:HE2	1.52	0.42
1:B:181:LEU:HD12	1:B:191:THR:CG2	2.50	0.42
1:B:288:THR:O	1:B:292:GLN:HA	2.19	0.42
1:B:328:THR:HG21	6:B:2178:HOH:O	2.19	0.42
1:A:275:THR:O	1:A:276:LEU:HB2	2.19	0.42
1:B:502:GLN:HG3	1:B:502:GLN:O	2.20	0.42
1:A:197:TYR:CE1	1:A:215:GLY:CA	3.03	0.41
1:A:488:LYS:HE3	1:A:488:LYS:HB3	1.47	0.41
1:A:197:TYR:CD1	1:A:197:TYR:O	2.73	0.41
1:A:100:TYR:O	1:A:101:ALA:CB	2.68	0.41
1:B:480:GLY:HA3	6:B:2572:HOH:O	2.21	0.41
1:A:398:PRO:O	4:A:612:GOL:H12	2.21	0.41
1:A:500:GLU:HG2	6:A:2699:HOH:O	2.21	0.41
1:B:491:PRO:HA	4:B:613:GOL:C3	2.45	0.40
1:B:19:THR:HG23	6:B:2033:HOH:O	2.20	0.40
1:B:435:PHE:CG	1:B:485:PRO:HD2	2.57	0.40
1:A:492:ILE:HB	1:A:505:VAL:HG21	2.02	0.40
1:A:380:GLU:HG3	1:A:429:TRP:O	2.21	0.40
1:A:105:GLY:CA	4:A:611:GOL:H31	2.50	0.40
1:B:556:LYS:HB2	1:B:556:LYS:HE2	1.94	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	557/567 (98%)	536 (96%)	17 (3%)	4 (1%)	26	3
1	B	557/567 (98%)	530 (95%)	24 (4%)	3 (0%)	34	8
All	All	1114/1134 (98%)	1066 (96%)	41 (4%)	7 (1%)	30	5

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	109	TRP
1	B	174	ARG
1	B	501	GLY
1	A	174	ARG
1	A	507	GLN
1	B	507	GLN
1	A	101	ALA

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	463/470 (98%)	463 (100%)	0	100	100
1	B	463/470 (98%)	461 (100%)	2 (0%)	93	76
All	All	926/940 (98%)	924 (100%)	2 (0%)	95	79

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	430	LYS
1	B	502	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	221	ASN
1	B	34	GLN
1	B	282	GLN
1	B	502	GLN
1	B	523	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

17 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	HEC	A	601	1	24,50,50	1.57	2 (8%)	19,82,82	2.02	2 (10%)
3	DHE	A	602	1	29,56,56	1.87	7 (24%)	27,94,94	3.05	9 (33%)
4	GOL	A	611	-	5,5,5	0.32	0	5,5,5	0.54	0
4	GOL	A	612	-	5,5,5	0.16	0	5,5,5	0.17	0
4	GOL	A	613	-	5,5,5	0.19	0	5,5,5	0.16	0
4	GOL	A	614	-	5,5,5	0.31	0	5,5,5	0.18	0
5	SO4	A	621	-	4,4,4	0.40	0	6,6,6	0.23	0
5	SO4	A	622	-	4,4,4	0.26	0	6,6,6	0.20	0
2	HEC	B	601	1	24,50,50	1.45	2 (8%)	19,82,82	1.90	3 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	DHE	B	602	1	29,56,56	1.87	6 (20%)	27,94,94	3.09	11 (40%)
4	GOL	B	611	-	5,5,5	0.29	0	5,5,5	0.49	0
4	GOL	B	612	-	5,5,5	0.33	0	5,5,5	0.35	0
4	GOL	B	613	-	5,5,5	0.30	0	5,5,5	0.20	0
5	SO4	B	621	-	4,4,4	0.51	0	6,6,6	0.20	0
5	SO4	B	622	-	4,4,4	0.30	0	6,6,6	0.27	0
5	SO4	B	623	-	4,4,4	0.63	0	6,6,6	0.25	0
5	SO4	B	624	-	4,4,4	0.33	0	6,6,6	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEC	A	601	1	-	0/6/54/54	0/0/8/8
3	DHE	A	602	1	-	0/12/108/108	0/0/8/8
4	GOL	A	611	-	-	0/4/4/4	0/0/0/0
4	GOL	A	612	-	-	0/4/4/4	0/0/0/0
4	GOL	A	613	-	-	0/4/4/4	0/0/0/0
4	GOL	A	614	-	-	0/4/4/4	0/0/0/0
5	SO4	A	621	-	-	0/0/0/0	0/0/0/0
5	SO4	A	622	-	-	0/0/0/0	0/0/0/0
2	HEC	B	601	1	-	0/6/54/54	0/0/8/8
3	DHE	B	602	1	-	0/12/108/108	0/0/8/8
4	GOL	B	611	-	-	0/4/4/4	0/0/0/0
4	GOL	B	612	-	-	0/4/4/4	0/0/0/0
4	GOL	B	613	-	-	0/4/4/4	0/0/0/0
5	SO4	B	621	-	-	0/0/0/0	0/0/0/0
5	SO4	B	622	-	-	0/0/0/0	0/0/0/0
5	SO4	B	623	-	-	0/0/0/0	0/0/0/0
5	SO4	B	624	-	-	0/0/0/0	0/0/0/0

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	HEC	C3C-C2C	-6.07	1.34	1.40
2	B	601	HEC	C3C-C2C	-5.26	1.35	1.40
3	B	602	DHE	CAC-C3C	-4.81	1.48	1.56
3	A	602	DHE	CAC-C3C	-4.80	1.48	1.56
3	B	602	DHE	CAB-C3B	-4.57	1.49	1.56
3	A	602	DHE	CAB-C3B	-4.21	1.49	1.56

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	HEC	C3B-C2B	-3.62	1.37	1.40
3	A	602	DHE	CBD-CAD	-3.59	1.28	1.53
3	B	602	DHE	CBD-CAD	-3.48	1.29	1.53
3	A	602	DHE	CAD-C3D	-2.40	1.47	1.52
2	A	601	HEC	C3B-C2B	-2.24	1.38	1.40
3	A	602	DHE	CGB-C3B	2.26	1.59	1.54
3	B	602	DHE	CGB-C3B	2.43	1.59	1.54
3	A	602	DHE	FE-NB	2.83	2.07	1.95
3	B	602	DHE	CGC-C3C	2.87	1.60	1.54
3	A	602	DHE	CGC-C3C	3.11	1.61	1.54
3	B	602	DHE	FE-NB	3.21	2.08	1.95

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	HEC	CBB-CAB-C3B	-6.19	113.59	127.35
2	B	601	HEC	CBB-CAB-C3B	-5.77	114.53	127.35
2	A	601	HEC	CBC-CAC-C3C	-4.62	117.08	127.35
2	B	601	HEC	CBC-CAC-C3C	-3.97	118.53	127.35
3	B	602	DHE	CMD-C2D-C1D	-2.82	123.69	128.36
3	B	602	DHE	CMA-C3A-C4A	-2.64	124.00	128.36
3	A	602	DHE	CMD-C2D-C1D	-2.62	124.03	128.36
3	B	602	DHE	CAD-C3D-C4D	-2.49	124.30	127.01
3	B	602	DHE	CAA-C2A-C1A	-2.41	124.39	127.01
3	A	602	DHE	CAD-C3D-C4D	-2.16	124.67	127.01
3	A	602	DHE	CMA-C3A-C4A	-2.13	124.84	128.36
2	B	601	HEC	CBD-CAD-C3D	2.12	116.34	112.53
3	A	602	DHE	CAA-CBA-CGA	2.32	117.00	112.75
3	B	602	DHE	CHC-C1C-NC	2.36	127.20	124.45
3	B	602	DHE	CAA-CBA-CGA	2.65	117.61	112.75
3	B	602	DHE	CHB-C1B-NB	2.96	127.56	124.42
3	A	602	DHE	CHB-C1B-NB	3.33	127.95	124.42
3	A	602	DHE	C1C-NC-C4C	5.77	110.25	105.00
3	B	602	DHE	C1C-NC-C4C	5.83	110.30	105.00
3	B	602	DHE	C1B-NB-C4B	6.23	110.28	106.90
3	A	602	DHE	CAD-CBD-CGD	6.80	125.21	112.75
3	A	602	DHE	C1B-NB-C4B	6.84	110.62	106.90
3	B	602	DHE	CAD-CBD-CGD	7.16	125.88	112.75
3	A	602	DHE	CBD-CAD-C3D	8.56	127.87	112.53
3	B	602	DHE	CBD-CAD-C3D	8.57	127.89	112.53

There are no chirality outliers.



There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 22 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	HEC	1	0
4	A	611	GOL	1	0
4	A	612	GOL	1	0
4	A	614	GOL	2	0
3	B	602	DHE	2	0
4	B	611	GOL	1	0
4	B	612	GOL	7	0
4	B	613	GOL	7	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section will therefore be empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section will therefore be empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section will therefore be empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section will therefore be empty.